



Home and Hotel Lights Catalog



LED Mirror Light



LED Mirror Light



Feature

1. IP Rate: IP44
2. Copper-free silver mirror.
3. Light Source: LED SMD Chips.
4. Color Temperature: 6500K/3000K.
5. Have touch switch.



LED Mirror Light



Dimensions:
WxHxT mm
800x600x30 mm

Feature

1. IP Rate:IP44
2. Copper-free silver mirror.
3. Light Source:LED SMD Chips.
4. Color Temperature:6500K/3000K.
5. Have touch switch.




LED Mirror Light



Dimensions:
DxT mm
600x30 mm

Feature

1. IP Rate:IP44
2. Copper-free silver mirror.
3. Light Source:LED SMD Chips.
4. Color Temperature:6500K/3000K.
5. Have touch switch.



LED Mirror Light



LED Mirror Light



LED Mirror Light




Dimensions:
WxHxT mm
600x800x54 mm

Feature

1. IP Rate: IP44
2. Copper-free silver mirror.
3. Light Source: LED light bulb.
4. Color Temperature: 6500K/3000K.
5. Have rocker switch.



LED Mirror Light



Dimensions:
DxT mm
600x40 mm

Feature

1. IP Rate: IP44
2. Have metal frame.
3. Copper-free silver mirror.
4. Light Source: LED SMD Chips.
5. Color Temperature: 6500K/3000K.
6. Have touch switch.



LED Mirror Light



LED Mirror Light



LED Mirror Light




Dimensions:
WxHxT mm
450x778x115 mm

Feature

1. IP Rate: IP44
2. Copper-free silver mirror.
3. Light Source: LED SMD Chips
4. Color Temperature: 6500K/3000K
5. Light source is independent external lighting

LED Mirror Light



Dimensions:
WxHxT mm
800x600x40 mm

Feature

1. IP Rate: IP44
2. Have metal frame.
3. Copper-free silver mirror.
4. Light Source: LED SMD Chips.
5. Color Temperature: 6500K/3000K.
6. Have rocker switch.




Touch switch



Defog



Time display



Temperature display



Three color light



Stepless dimming




Bluetooth stereo



LED Mirror Light



IP44



3000K 4000K 6500K


AC 100-240V ≥80 40.000h -20°+40° 20.000 90% >0.5

Energy saving PF

CE RoHS

Wattage [W]	LED	Lumen [lm]	Material	Size [mm]
8W	SMD2835	640	AL+PC	400*110*41
12W	SMD2835	960	AL+PC	600*110*41
15W	SMD2835	1200	AL+PC	780*110*41

LED Mirror Light



IP44

3000K 4000K 6500K

AC 100-240V ≥80 40.000h -20°+40° 20.000 90% >0.5

Energy saving PF

CE RoHS

Wattage [W]	LED	Lumen [lm]	Material	Size [mm]
9.5W	SMD2835	610	Iron + Acrylic	300*110*110
14W	SMD2835	910	Iron + Acrylic	500*110*110
8W	SMD2835	520	Iron + Acrylic	400*120*40
12W	SMD2835	780	Iron + Acrylic	500*120*40
6W	SMD2835	390	Iron + Acrylic	425*100*50
8W	SMD2835	520	Iron + Acrylic	550*100*50

LED Mirror Light



CE RoHS





3000K 4000K 6500K

AC 100-240V ≥80 40,000h -20°+40° 20,000 90% Energy saving >0.5 PF



Wattage [W]	LED	Lumen [lm]	Material	Size [mm]
8W	SMD2835	720	PC	108*48*400
12W	SMD2835	1200	PC	108*48*600

LED Mirror Light




3000K 4000K 6500K

AC 100-240V ≥80 40,000h -20°+40° 20,000 90% Energy saving >0.5 PF



CE RoHS

Wattage [W]	LED	Lumen [lm]	Material	Size [mm]
6W	SMD2835	480	Plastic	400*110*50
8W	SMD2835	640	AL+PC	400*106*42
12W	SMD2835	960	AL+PC	600*106*42
15W	SMD2835	1200	AL+PC	780*106*42

LED Mirror Light



LED Mirror Light



3000K 4000K 6500K

CE RoHS


Wattage [W]	LED	Lumen [lm]	Material	Size [mm]
12W	SMD2835	840	Metal	510*50*80
12W	SMD2835	840	Metal	600*110*50
12W	SMD2835	840	Metal	660*110*50
7W	SMD2835	490	Metal	480*120*80

3000K 4000K 6500K


CE RoHS

Wattage [W]	LED	Lumen [lm]	Material	Size [mm]
8W	SMD2835	560	Metal	420*80*60
12W	SMD2835	840	Metal	590*200*55
9W	SMD2835	630	Metal	420*70*80
12W	SMD2835	840	Metal	550*80*80

LED Cabinet Light







CE RoHS



Wattage [W]	LED	Lumen [lm]	IP	Material	Size [mm]
6W	SMD2835	560	IP44	PC	400*53*65
15W	SMD2835	1050	IP44	PC	600*52*69
20W	SMD2835	1400	IP44	PC	900*52*69

LED Cabinet Light




Wattage [W]	LED	Lumen [lm]	IP	Material	Size [mm]
5W	SMD2835	400	IP20	AL+PC	360*46*29
8W	SMD2835	640	IP20	AL+PC	560*46*29
12W	SMD2835	1020	IP20	AL+PC	860*46*29

LED Cabinet Light



CE RoHS



3000K 4000K 6500K

DC 12V
 ≥80
 40,000h
 -20°+40°
 20,000
 Energy saving 90%
 PF >0.5

Press down, take away the light
 Input with 12V DC 3.5*1.35 male connector
 IR sensor (Dimmable)
 Alternative output direction
 Installation hole cover
 Slide move

Wattage [W]	LED	Lumen [lm]	Material	Size [mm]
3*3W	SMD2835	640	AL+PC	600*86*18
4*3W	SMD2835	840	AL+PC	900*86*18
6*3W	SMD2835	1260	AL+PC	1200*86*18

LED Cabinet Light



Installation hole
 Built-in power supply
 Switch
 ON/OFF Rotary switch
 Milky lens
 Built-in driver
 Aluminum profile is good for heat dissipation and long lifespan


3000K 4000K 6500K

≥80
 40,000h
 -20°+40°
 20,000
 Energy saving 90%
 PF >0.5


CE RoHS

Voltage [V]	Wattage [W]	LED	Lumen [lm]	Material	Size [mm]
AC 220-240V	6W	SMD2835	300	AL+PC	600*49*25
AC 100-240V	11W	SMD2835	715	AL+PC	600*50*13
AC 100-240V	15W	SMD2835	975	AL+PC	900*50*13
AC 100-240V	20W	SMD2835	1300	AL+PC	1300*50*13

LED Cabinet Light



1. Press the switch, the light on and Rotate switch change CCT
2. Press the switch again, Rotate switch dimmable.
3. Short press to switch on/off function
4. Press and hold to turn light off





3000K 4000K 6500K

CE RoHS

Wattage [W]	LED	Lumen [lm]	Beam angle	Material	Size [mm]
15W	SMD2835	1200	120°	AL+PC	600*53*65
20W	SMD2835	1600	120°	AL+PC	900*53*65
8W	SMD2835	640	120°	Plastic	600*25*38
12W	SMD2835	960	120°	Plastic	900*25*38

LED Cabinet Light




3000K 4000K 6500K

CE RoHS




Wattage [W]	LED	Lumen [lm]	Beam angle	Material	Size [mm]
8W	SMD2835	640	133°	AL+PC	492*66*59
15W	SMD2835	1200	133°	AL+PC	682*66*59
20W	SMD2835	1600	133°	AL+PC	982*66*59
10W	SMD2835	750	133°	AL+PC	492*66*59

LED Cabinet Light



Wattage [W]	LED	Lumen [lm]	Material	Size [mm]
6W	SMD2835	540	AL+PC	400*46*43
15W	SMD2835	1350	AL+PC	600*46*43
20W	SMD2835	1800	AL+PC	900*46*43
6W	SMD2835	540	PC	400*24.4*41.4
15W	SMD2835	1350	PC	600*24.4*41.4
20W	SMD2835	1800	PC	900*24.4*41.4

LED Cabinet Light





Wattage [W]	LED	Lumen [lm]	Material	Size [mm]
4W	SMD2835	240	PC	300*33*12
8W	SMD2835	480	PC	500*33*12
12W	SMD2835	720	PC	800*33*12
4W	SMD2835	280	PC	300*24*13
8W	SMD2835	560	PC	500*24*13
12W	SMD2835	840	PC	800*24*13

LED Cabinet Light



CE RoHS



Wattage [W]	Lumen [lm]	Discharge time	Material	Size [mm]
1.3W	50	15 h	AL+PC	303*37*23
2.5W	90	8 h	AL+PC	315*37*23
1.3W	50	6 h	AL+PC	280*37*18
2.5W	90	3.5h	AL+PC	400*37*18

LED Cabinet Light





CE RoHS



Wattage [W]	LED	Lumen [lm]	Features	Material	Size [mm]
3W	SMD2835	210	Standard	AL+PC	320*25*9
3W	SMD2835	210	Point touch Dimmable	AL+PC	320*25*9
3W	SMD2835	210	IR sensor	AL+PC	320*25*9


LED Cabinet Light



CE RoHS

Wattage [W]	LED	Features	Lumen [lm]	Material	Size [mm]
3W	SMD2835	Standard	240	AL+PC	300*29*10
3W	SMD2835	Point touch Dimmable	240	AL+PC	300*29*10
3W	SMD2835	IR sensor,side position	240	AL+PC	300*29*10
3W	SMD2835	PIR sensor	240	AL+PC	300*29*10

LED Cabinet Light






CE RoHS

Wattage [W]	LED	Lumen [lm]	Features	Material	Size [mm]
3W	SMD2835	240	Standard	AL+PC	300*25*9
3W	SMD2835	240	Point touch Dimmable	AL+PC	300*25*9
3W	SMD2835	240	Standard	AL+PC	300*20*9
3W	SMD2835	240	Point touch Dimmable	AL+PC	300*20*9

LED Cabinet Light



3000W max




Wattage [W]	LED	Lumen [lm]	Color Temperature	Material	Size [mm]
15W	SMD2835	1100	3000-6500K	PC	54*30*600
20W	SMD2835	1400	3000-6500K	PC	54*30*900

LED Cabinet Light



11mm Ultrathin



Wattage [W]	LED	Lumen [lm]	Material	Size [mm]
4.5W	SMD2835	200	ABS	110*200*10
4W	SMD2835	250	ABS	150*45*45
3W	SMD2835	180	ABS	100*35*35

LED Desk Lamp



Solar panel: 82 * 82mm drop glue 5v 160ma
 Battery: 1 * 3.7V 186501200mah
 Material: SS + PP + ABS
 Switch: On/OFF two-stage switch with hand-pull switch 3 levels
 Brightness 10/50/150 lm 4000K
 All three levels have optical control
 Size: 16*16*27.5 cm
 With USB charging
 Including charging cable
 No adapter

CE RoHS



Solar panel: D115*115mm drop glue 5V 180ma
 Battery: 1 * 3.7V 186501200mah
 Material: SS + PP + ABS
 Switch: On/OFF two-stage switch with hand-pull switch 3 levels
 Brightness 10/50/150 lm 4000K
 All three levels have optical control
 Size: 16*16*27.5 cm
 With USB charging
 Including charging cable
 No adapter


CE RoHS

LED Desk Lamp



1.5W/150lm

- DC 5V
- CCT changeable
- Touch dimmer and CCT
- 2000mAh rechargeable Lithium battery
- Magnetic type charging
- 100*100*350MM



CE RoHS



1.5W/150lm

- DC 5V
- CCT changeable
- Touch dimmer and CCT
- 2000mAh rechargeable Lithium battery
- Magnetic type charging
- 110*110*350MM



CE RoHS

LED Desk Lamp



- 1.5W/160lm
- ⚡ DC 5V
 - 🌈 CCT changeable
 - 🔴 Touch dimmer and CCT
 - 🔋 2000mAh rechargeable Lithium battery
 - 📶 Magnetic type charging
 - 📏 D100*220MM
- 
- CE RoHS


LED Desk Lamp



- 1.5W/150lm
- ⚡ DC 5V
 - 🌈 CCT changeable
 - 🔴 Touch dimmer and CCT
 - 🔋 2000mAh rechargeable Lithium battery
 - 📶 Magnetic type charging
 - 📏 100*100*350MM
- 
- CE RoHS

- 1.5W/160lm
- ⚡ DC 5V
 - 🌈 CCT changeable
 - 🔴 Touch dimmer and CCT
 - 🔋 2000mAh rechargeable Lithium battery
 - 📶 Magnetic type charging
 - 📏 D102*120MM
- 
- CE RoHS



- 1.5W/150lm
- ⚡ DC 5V
 - 🌈 CCT changeable
 - 🔴 Touch dimmer and CCT
 - 🔋 2000mAh rechargeable Lithium battery
 - 📶 Magnetic type charging
 - 📏 110*110*350MM
- 
- CE RoHS


LED Desk Lamp



16W/1100lm
 DC12V
 3000K-6000K
 Three color temperature, five dimming
 45° luminous angle
 Automatic dimming
 Material:AL+PC
 Size:930*800*50mm



CE RoHS



10W/680lm
 DC12V
 3000K-6000K
 Three color temperature, five dimming
 45° luminous angle
 Automatic dimming
 Material:AL+PC
 Size:480*530*50mm

CE RoHS




LED Desk Lamp



18W/1000lm
 DC12V
 3000K-6500K
 Three color temperature, stepless dimming
 40 minute timing function
 Material:ABS+Metal
 Size:930*800*40mm

CE RoHS



16W/1200lm
 DC24V
 3000K-6500K
 Three color temperature, five dimming
 8W USB Output
 45 minute timing function
 Automatic dimming
 Material:ABS+Metal
 Size:930*600*50mm

CE RoHS



CERTIFIED USB

SCREEN LIGHT



Voltage: DC5V Ra >96

Power: 6W


Dimmable+CCT change+

Adjus the brightness automatically


Material: AL

Size: 460*45*22mm


Lifetime: 25000Hr,



LED Desk Lamp



9.5W/760lm
 DC12V
 2700K-6500K
 3 -ways: focus mode/reading mode/share mode
 Material: ABS+PC
 Size: Ø180*225*650
 CE RoHS



Writing Mode



Reading Mode




Leisure Mode



Timer and Eye-protection Mode



- Short Press the switch: ON/OFF
- Swirl the switch :Change brightness level
- Keep pressing the switch: Change light color temperature



LED Desk Lamp



7W/450lm

- ⚡ DC 12V
- 👉 Touch dimmer
- 🔋 wireless charging
- 📏 110×60×710mm

CE RoHS



8W/400lm

- ⚡ DC 12V
- 👉 Touch dimmer
- 🔋 wireless charging
- 📏 110×60×440mm

CE RoHS



LED Desk Lamp



6W/360lm

- ⚡ DC 12V
- 👉 Touch dimmer
- 🔋 wireless charging
- 📏 98×45×420mm

CE RoHS



8W/400lm

- ⚡ DC 12V
- 👉 Touch dimmer
- 🔋 wireless charging
- 📏 150×55×470mm

CE RoHS



LED Desk Lamp



LED Desk Lamp



4W/280lm

- ⚡ AC 220-240V
- 🔌 ON/OFF switch
- 📏 Size: 128*128*470mm

CE RoHS



4W/280lm

- ⚡ 220-240V
- 🔌 ON/OFF switch
- 📏 Size: 128*128*470mm

CE RoHS



5W/300lm

- ⚡ DC 12V
- 🔌 ON/OFF on the cable
- 📏 Size: 93*40*570mm

CE RoHS



5W/300lm

- ⚡ DC12V
- 🔌 ON/OFF switch
- 📏 Size: 150*150*480mm

CE RoHS



CERTIFIED USB

6W/360lm

- ⚡ AC220-240V
- 🔴 Touch dimmer
- 🔌 ON/OFF on the cable
- 📏 Size: 118*118*590mm

CE RoHS



5W/360lm

- ⚡ DC12V
- 🔴 Touch dimmer
- 🔌 USB output

📏 Size: 150*150*480mm

CE RoHS



CERTIFIED USB

LED Desk Lamp



5W/250lm

- ⚡ DC5V(USB)
- 🔴 Touch dimmer
- 🔋 1200mAh rechargeable Lithium battery

🔌 Sensor touch for light On/Off

📏 Size 148*72*510MM

CE RoHS



5W/250lm

- ⚡ DC5V(USB)
- 🔴 Touch dimmer
- 🔋 1200mAh rechargeable Lithium battery

🔌 Sensor touch for light On/Off

📏 Size 148*72*510MM

CE RoHS



5W/250lm

- ⚡ DC5V(USB)
- 🔴 Touch dimmer
- 🔋 1200mAh rechargeable Lithium battery

🔌 Sensor touch for light On/Off

📏 Size 125*125*520MM

CE RoHS



5W/250lm


- ⚡ DC5V(USB)
- 🔴 Touch dimmer
- 🔋 1200mAh rechargeable Lithium battery

🔌 Sensor touch for light On/Off

📏 Size 125*125*290MM

CE RoHS

LED Desk Lamp



7W/450lm

⚡ AC220-240V

🔌 ON/OFF switch on the cable

📏 Size 124*124*330mm

CE RoHS



7W/450lm

⚡ AC 220-240V

🔌 ON/OFF switch on the cable

📏 Size 124*124*330mm

CE RoHS

5W/400lm

⚡ AC 220-240V

🔌 ON/OFF online switch

📏 Size 148*72*510mm

CE RoHS



5W/400lm

⚡ AC 220-240V

🔌 ON/OFF online switch

📏 Size 148*72*200mm

CE RoHS

LED Desk Lamp



5W/345lm

- ⚡ DC 12V
- 🔴 Touch dimmer
- 📶 wireless charging
- 📏 130x130x600mm
- CE RoHS



CERTIFIED USB

7W/450lm

- ⚡ DC 12V
- 🔴 Touch dimmer
- 🌈 CCT changeable
- 📶 wireless charging
- 📏 400x335x300mm
- CE RoHS



5W/550lm

- ⚡ DC 12V
- 🔴 Touch dimmer
- 🔌 ON/OFF online switch
- 📶 wireless charging
- 📏 345*125*375mm
- CE RoHS

LED Desk Lamp



8W/350lm

- ⚡ DC 12V
- 🔴 Touch dimmer
- 🌈 CCT changeable
- 📶 wireless charging
- 🔌 USB output
- 📏 181*113*211mm
- CE RoHS

CERTIFIED USB



4W/350lm

- ⚡ DC12V
- 🔴 Touch dimmer
- 📶 wireless charging
- 📏 D150*150*400mm
- CE RoHS



4W/350lm

- ⚡ DC12V
- 🔴 Touch dimmer
- 📶 wireless charging
- 📏 D150*150*400mm
- CE RoHS

LED Desk Lamp



E27 Max15W

- ⚡ AC220-240V
- 🔴 Turn on/off switch on head
- 📶 wireless charging
- 📏 163*115*460mm

CE RoHS

LED Desk Lamp



6W/360lm

- ⚡ DC 12V
- 🔴 Touch dimmer

📏 272*22*450mm

CE RoHS



E27 Max15W

- ⚡ AC220-240V
- 🔴 Turn on/off switch on head
- 📶 wireless charging
- 📏 200*150*470mm

CE RoHS



6W/360lm

- ⚡ DC 12V
- 🔴 Touch dimmer

📏 272*22*450mm

CE RoHS



8W/550lm

- ⚡ DC 12V
- 🔴 Touch dimmer
- 📶 wireless charging
- 📏 160*160*460mm

CE RoHS

6W/360lm

- ⚡ DC 12V
- 🔴 Touch dimmer

📏 158*158*1690mm

CE RoHS



LED Desk Lamp



CERTIFIED USB

- 6W/540lm
- ⚡ AC220-240V
 - 🔴 Touch dimmer
 - 🌈 CCT changeable
 - 👆 Sensor touch for light On/Off
 - 📏 19*19cm shade
Dia.:11*11cm normal use W54*62cm
- CE RoHS

LED Desk Lamp



CERTIFIED USB

- 7W/400lm
- ⚡ DC 12V
 - 🔴 Touch dimmer
 - 🌈 CCT changeable
 - 👆 wireless charging
 - 📏 420x400x160mm
- CE RoHS



CERTIFIED USB

- 7W/400lm
- ⚡ DC 5V
 - 🔴 Touch dimmer
 - 🌈 CCT changeable
 - 📏 137*70*600mm
- CE RoHS

6W/300lm


- ⚡ DC12V
 - 🔴 Touch dimmer
 - 🌈 CCT changeable
 - 📏 15*12*420MM
- CE RoHS

tuya.com



- 6W/360lm
- ⚡ AC110-220V
 - 👆 ON/OFF online switch
 - 📏 130*130*600mm
- CE RoHS

LED Desk Lamp



- 5W/280lm
- ⚡ DC5V(USB)
- 🔴 Touch dimmer
- 🌈 CCT changeable
- 🔌 Sensor touch for light On/Off
- 📏 Size: 565*140*318MM
- CE RoHS

10W/600lm

- ⚡ DC10V
- 🔴 Touch dimmer
- 🌈 CCT changeable
- 🔌 Sensor touch for light On/Off
- 📏 Size: 177*375*415MM
- 🔌 wireless charging
- CE RoHS



10W/600lm

- ⚡ DC10V
- 🔴 Touch dimmer
- 🌈 CCT changeable
- 🔌 Sensor touch for light On/Off
- 📏 Size: 176*176*450MM
- 🔌 wireless charging
- CE RoHS

LED Desk Lamp



3W/250lm

- ⚡ DC 5V
- 🔴 Touch dimmer
- 🔋 1200mAh rechargeable Lithium battery
- 📏 Size:204*120*372mm
- CE RoHS



5W/260lm

- ⚡ DC 5V
- 🔴 Touch dimmer
- 🔋 1200mAh rechargeable Lithium battery
- 📏 Size:817*29*87mm
- CE RoHS



4W/200lm

- ⚡ DC 5V
- 🔴 Touch dimmer
- 🌈 CCT changeable
- 🔋 1200mAh rechargeable Lithium battery
- 📏 Size:170*300*45mm
- CE RoHS






3W/80lm

- ⚡ DC 5V
- 🔴 Touch dimmer
- 🔋 400mAh rechargeable Lithium battery
- 📏 Size: 43*30*200mm
- CE RoHS

LED Desk Lamp



3W/80lm
C 5




-  Touch dimmer
 -  400mAh rechargeable Lithium battery
 -  43*30*200mm
- CE RoHS**



LED Desk Lamp






5W/240lm
C 5

-  Touch dimmer
 -  1800mAh rechargeable Lithium battery
 -  460*440*65MM
- CE RoHS**







5W/150lm
C 5

-  Touch dimmer
 -  1800mAh rechargeable Lithium battery
 -  61.2x34.3x177mm
- CE RoHS**








5W/240lm
C 5

-  Touch dimmer
 -  CCT changeable
 -  1500mAh rechargeable Lithium battery
 -  63*50*261MM
- CE RoHS**



5W/150lm
C 5

-  Sensor touch and PIR sensor
 -  CCT changeable
 -  1200mAh rechargeable Lithium battery
 -  61.2x34.3x177mm
- CE RoHS**



LED Desk Lamp



4W/160lm

- ⚡ DC5V(USB)
- 📏 125*125*315MM

CE RoHS



4W/160lm

- ⚡ DC5V(USB)
- 📏 125*125*290MM

CE RoHS



LED Desk Lamp




4W/240lm

- ⚡ DC5V(USB)
- 🌈 CCT changeable
- 🔋 1200mAh rechargeable Lithium battery
- 📏 63*50*261MM

Sensor touch for light On/Off and dimmer

CE RoHS




5W/420lm

- ⚡ AC220-240V
- 👉 Touch dimmer

- 🌈 CCT changeable
- 📏 110*110*680MM
- Three way control the anion fan

CE RoHS



5W/250lm

- ⚡ DC5V(USB)
- 👉 Touch dimmer
- 🌈 CCT changeable
- 🔋 4000mAh rechargeable Lithium battery
- 👉 Sensor touch for light On/Off
- 📏 82*104*338MM

CE RoHS

LED Desk Lamp



7W/400lm

- ⚡ DC 12V
 - Touch dimmer
 - 📏 138*138*440mm
- CE RoHS



7W/400lm

- ⚡ DC 12V
 - Touch dimmer
 - 📏 160*66*410mm
- CE RoHS



LED Desk Lamp



CERTIFIED USB

8W/400lm

- ⚡ DC 12V
 - Touch dimmer
 - 📏 195*60*400mm
- CE RoHS



CERTIFIED USB

8W/400lm

- ⚡ DC 12V
 - Touch dimmer
 - 📏 195*60*400mm
- CE RoHS



8W/400lm

- ⚡ DC 12V
 - Touch dimmer
 - 📏 195*60*400mm
- CE RoHS

LED Desk Lamp



10W/700lm

⚡ DC 12V

🔴 Touch dimmer

📏 272*22*460mm

CE RoHS



10W/700lm

⚡ DC 12V

🔴 Touch dimmer

📏 272*22*550mm

CE RoHS

LED Desk Lamp



10W/700lm

⚡ DC 12V

🔴 Touch dimmer

📏 272*22*1690mm

CE RoHS



10W/700lm

⚡ DC 12V

🔴 Touch dimmer

📏 275*30*530mm

CE RoHS

10W/700lm

⚡ DC 12V

🔴 Touch dimmer

📏 275*30*1690mm

CE RoHS



LED Desk Lamp



10W/700lm

- DC 12V
- RA>95
- Touch dimmer
- CCT changeable
- 235*99*420mm


CE RoHS



10W/700lm

- DC 12V
- RA>95
- Touch dimmer
- 45MIN ECO Time
- 235*99*600mm

CE RoHS



10W/700lm

- DC 12V
- RA>95
- Touch dimmer
- CCT changeable
- 45MIN ECO Time
- 235*99*1400mm

CE RoHS



LED Desk Lamp



64 / EVERSTAR



7W/400lm

- DC 12V
- RA>95
- Touch dimmer
- 228*228*480mm

CE RoHS



7W/400lm

- DC 12V
- RA>95
- Touch dimmer
- 228*228*480mm

CE RoHS

LED Desk Lamp



7W/450lm

- ⚡ DC 12V
- 🔴 Touch dimmer
- 📏 Size 199*150*500mm
- CE RoHS


LED Floor Lamp



30W/2100lm

- ⚡ DC 24V
- 🔴 Touch dimmer+Remote control
- 🌈 CCT changeable+RGB
- 📏 Size 250*250*1750mm

CE RoHS



7W/450lm


- ⚡ DC 12V
- 🔴 Touch dimmer
- 📏 Size 199*150*1150mm
- CE RoHS

24W/2000lm

- ⚡ DC 24V
- 🔴 Touch dimmer+Remote control
- 🌈 CCT changeable
- 📏 Size 278*278*1750mm
- CE RoHS



LED Floor Lamp



10W/600lm

- ⚡ DC 5V
- 🔴 Touch dimmer

🌈 CCT changeable

📏 Size: 310*48*1740mm

CE RoHS

LED Floor Lamp




9W/500lm

- ⚡ DC 10V
- 🔴 Touch dimmer+Remote control

🌈 CCT changeable

📏 Size: 128*128*1780mm

CE RoHS





12W/600lm

- ⚡ DC 12V
- 🔴 Touch dimmer

🌈 CCT changeable

📏 Size: 156*156*1690mm

CE RoHS



9W/500lm

- ⚡ DC 10V
- 🔴 Touch dimmer+Remote control

🌈 CCT changeable

📏 Size: 310*48*1860mm

CE RoHS



LED Floor Lamp



- 12W/500lm
- ⚡ DC 10V
- 🔴 Touch dimmer+Remote control
- 🌈 CCT changeable
- 📏 Size: 260*58*1743mm
- CE RoHS

LED Desk Lamp



- 10W
- ⚡ Voltage:DC 12V
- 🌈 Color Temperature:4000K-4500K
- 🔋 Wireless charging+DIM night light
- 📏 Size: 201*184*143mm
- CE RoHS



- 2*8W/1000lm
- ⚡ DC 12V
- 🔴 Touch dimmer
- 📏 Size: 110*60*1350mm
- CE RoHS



- 2*8W/1000lm
- ⚡ DC 12V
- 🔴 Touch dimmer
- 📏 Size: 98*45*1350mm
- CE RoHS



- 10W
- ⚡ Voltage:DC 12V
- 🌈 Color Temperature:4000K-4500K
- 🔋 Wireless charging+DIM night light
- 📏 Size: 201*184*143mm
- CE RoHS

LED Desk Lamp




- 5W/160lm
 - DC 5V
 - Touch dimmer
 - CCT changeable
 - 1800mAh rechargeable Lithium battery
 - $\Phi 119*175\text{MM}$
- CE RoHS**

LED Desk Lamp



- Bluetooth speaker Power 5W
 - DC 5V
 - RGB changeable
 - 1200mAh rechargeable Lithium battery
 - 95.6*95.6*169MM
- CE RoHS**



1.2W/200lm

- DC 5V
- Touch dimmer
- RGB changeable
- 1200mAh rechargeable Lithium battery
- $\Phi 160*142\text{MM}$


CE RoHS



- DC 5V
- Touch dimmer

- CCT changeable
- 340*170*35mm

CE RoHS



LED Desk Lamp

3.2W/250lm

- ⚡ DC5V(USB)
- 👉 Touch dimmer
- 🔋 1200mAh rechargeable Lithium battery
- 🔌 Sensor touch for light On/Off
- 📏 130*130*472MM

CE RoHS



LED Desk Lamp



3.2W/250lm


- ⚡ DC5V(USB)
- 👉 Touch dimmer
- 🔋 1200mAh rechargeable Lithium battery
- 🔌 Sensor touch for light On/Off

📏 130*130*472MM

CE RoHS

3.2W/250lm

- ⚡ DC5V(USB)
- 👉 Touch dimmer
- 🔋 1200mAh rechargeable Lithium battery
- 🔌 Sensor touch for light On/Off
- 📏 110*148*472MM



CE RoHS


3.2W/250lm

- ⚡ DC5V(USB)
- 👉 Touch dimmer
- 🌈 3000K-5000K
- 🔋 2000mAh rechargeable Lithium battery
- 🔌 Sensor touch for light On/Off
- 📏 130*130*472MM

CE RoHS



LED Desk Lamp




Bluetooth Audio
Breathing Light
Voltage:DC5V
Power:6W
Color Temperature : 2800K-3200K
1000mAh lithium battery
Sensor touch for light On/Off and dimmer
Breathing light Bluetooth speaker
Size:95*95*208MM
CE RoHS



LED Desk Lamp



Wireless charging
Alarm Clock
Voltage:DC12V Power:10W
Color Temperature : 2800K-3200K
Wireless charging
Size: 156*107*80mm
CE RoHS



7 color rings
Alarm Clock
Voltage:DC12V
Power:10W
Color Temperature : 2800K-3200K
Touch colorful dimming
Material:ABS
Size: 200*110*185mm

CE RoHS



LED Desk Lamp

CE RoHS



Three-stage dimming
Wireless charging
Voltage:DC12V
Power: 16W
Color Temperature : 3500K-4000K
Wireless charging
Touch three dimming
Head 180 degrees rotation
Size:245*220*24.5mm



Three-stage dimming
Wireless charging
Bluetooth Audio
Voltage:DC12V
Power: 22W
Color Temperature : 3500K-4000K
Wireless charging
Touch three dimming
Head 180 degrees rotation
HIFI Wireless bluetooth speaker
Size:245*220*64mm



Three-stage dimming
Wireless charging
Bluetooth Speaker
Voltage:DC12V
Power: 10W
Touch three dimming
Color Temperature : 2800K-3200K
Wireless charging
HIFI Wireless bluetooth speaker
Size : 227.5*96*224mm

LED Cosmetic Lamp



Touch dimmer
Stepless dimming
Voltage:DC5(USB)
Power:5W
Color Temperature : 3800K-5700K
Touch switch + stepless dimming
1000mAH lithium battery
Head 180 degrees rotation
Size:Ø209*284MM

Color:  




Touch dimmer
Stepless dimming
Voltage:DC5V(USB)
Power:5W
Color Temperature : 3000K-6000K
Touch switch + stepless dimming
1000mAH lithium battery
Head 180 degrees rotation
Size: 196*196*251mm


Color:  



LED Cosmetic Lamp




Voltage:DC5V(USB)
Power:4W
Color Temperature : 5500-6500K
300mAH Polymer battery
Touch switch + stepless dimming
size:203*135*33mm



Voltage:DC5V(USB)
Power:4W
Color Temperature : 5500-6500K
300mAH Polymer battery
Touch switch + stepless dimming
size:340*170*35mm



Desk Lamp



Power:Max.25W
Bulb:E14/E27(Bulb excluded)
Lamp shade:Φ210*H260mm
Base:210mm*H1200mm
Material:Metal+Glass
Painting/Plated
CE RoHS

Power:Max.25W
Bulb:E14/E27(Bulb excluded)
Lamp shade:Φ150*H170mm
Base:130mm*H280mm
Material:Metal+Glass
Painting/Plated
CE RoHS



Desk Lamp



Power:Max.25W
 Bulb:E14/E27(Bulb excluded)
 Lamp shade:Φ120*185mm
 Base:Φ120mm*280mm
 Material:Metal+Glass
 Painting

CE RoHS



Power:Max.25W
 Bulb:E14/E27(Bulb excluded)
 Lamp shade:Φ90mm
 Base:Φ90mm*300mm
 Material:Metal+Glass
 Painting

CE RoHS



Power:Max.25W
 Bulb:E14/E27(Bulb excluded)
 Lamp shade:Φ120*185mm
 Base:Φ120mm*280mm
 Material:Metal
 Painting

CE RoHS



Power:Max.25W
 Bulb:E14/E27(Bulb excluded)
 Lamp shade:Φ150mm
 Base:Φ95mm*230mm
 Material:Metal+Glass
 Painting

CE RoHS

Desk Lamp



Power:Max.40W
 Bulb:E14/E27(Bulb excluded)
 Lamp shade:Φ150*145mm
 Base:Φ150mm*240mm
 Material:Metal+Glass
 Painting

CE RoHS



Power:Max.40W
 Bulb:E14/E27(Bulb excluded)
 Lamp shade:Φ150*145mm
 Base:Φ170mm*260mm
 Material:Metal+Glass
 Painting

CE RoHS



Power:Max.25W
 Bulb:E14/E27(Bulb excluded)
 Lamp shade:Φ150mm
 Base:Φ95mm*230mm
 Material:Metal+Glass
 Painting

CE RoHS



Power:Max.25W
 Bulb:E14/E27(Bulb excluded)
 Lamp shade:Φ150*145mm
 Base:Φ150mm*500mm
 Material:Metal+Glass
 Painting

CE RoHS



Power:Max.25W
 Bulb:E14/E27(Bulb excluded)
 Lamp shade:Φ150mm
 Base:Φ100mm*430mm
 Material:Metal+Glass
 Painting

CE RoHS



Power:Max.25W
 Bulb:E14/E27(Bulb excluded)
 Lamp shade:Φ150mm
 Base:Φ100mm*430mm
 Material:Metal+Glass
 Painting

CE RoHS

Desk Lamp



Power: Max. 50W
 Bulb: E14/E27 (Bulb excluded)
 Lamp shade: $\Phi 110 \times H 110 \text{ mm}$
 Base: $\Phi 145 \text{ mm} \times H 410 \text{ mm}$
 Material: Metal
 Painting/Plated
CE RoHS

Power: Max. 50W
 Bulb: E14/E27 (Bulb excluded)
 Lamp shade: $\Phi 110 \times H 110 \text{ mm}$
 Base: $\Phi 145 \text{ mm} \times H 410 \text{ mm}$
 Material: Metal
 Painting/Plated
CE RoHS



Power: Max. 60W
 Bulb: E14/E27 (Bulb excluded)
 Lamp shade: $\Phi 110 \times H 110 \text{ mm}$
 Base: $\Phi 145 \text{ mm} \times H 410 \text{ mm}$
 Material: Metal
 Painting/Plated
CE RoHS



Desk Lamp



Power: Max. 25W
 Bulb: E14/E27 (Bulb excluded)
 Lamp shade: $\Phi 110 \times H 110 \text{ mm}$
 Base: $\Phi 145 \text{ mm} \times H 420 \text{ mm}$
 Material: Metal-Glass
 Painting/Plated
CE RoHS



Power: Max. 60W
 Bulb: E14/E27 (Bulb excluded)
 Lamp shade: $\Phi 110 \times H 110 \text{ mm}$
 Base: $\Phi 145 \text{ mm} \times H 410 \text{ mm}$
 Material: Metal
 Painting/Plated
CE RoHS

Desk Lamp



Wireless charging



Touch switch dimming



Wooden base



Size: $\Phi 220 \times 500 \text{mm}$


Material: Metal/Wood/Fabric

Process: Electroplating / Environmentally-friendly Paint

Lamp Holder: E27/E26

Switch: Touch Switch

Desk Lamp



USB Type-C



Touch switch dimming



Wooden base



Size: $\Phi 205 \times 550 \text{mm}$

Material: Wood/Fabric

Process: Electroplating / Environmentally-friendly Paint

Lamp Holder: E27/E26

Switch: Touch Switch



Wireless charging



Touch switch dimming



Wooden base

Size: $\Phi 230 \times 450 \text{mm}$

Material: Metal/Wood/Fabric

Process: Electroplating / Environmentally-friendly Paint

Lamp Holder: E27/E26

Switch: Touch Switch



Touch switch dimming



Crystal part

Size: $\Phi 145 \times 445 \text{mm}$

Material: Metal/Fabric

Process: Electroplating

Lamp Holder: E27/E26

Switch: Push Button Switch

Desk Lamp



2-USB



Touch switch dimming



Center pillar



Size: $\Phi 120 \times 420 \text{mm}$

Material: Metal/Fabric

Process: Electroplating

Lamp Holder: E27/E26

Switch: Touch Switch


Desk Lamp



Wireless charging



Touch switch dimming



USB Type-C



Size: $\Phi 200 \times 510 \text{mm}$

Material: Metal

Process: Baking Paint / Electroplating

Lamp Holder: E27/E26

Switch: Touch switch



Double layer lam shade



Knob switch

Size: $\Phi 150 \times 550 \text{mm}$

Material: Metal/Fabric

Process: Baking Paint

Lamp Holder: E27/E26

Switch: Knob Switch



USB Type-C



Touch switch dimming

Size: $\Phi 150 \times 280 \text{mm}$


Material: Metal/Fabric

Process: Baking Paint / Electroplating

Lamp Holder: E27/E26

Switch: Touch Switch

Desk Lamp



USB Type-C




Knob switch



Storage rack



Size: $\Phi 150 \times 470 \text{mm}$
Material: Metal
Process: Baking Paint /
Electroplating
Lamp Holder: E27/E26
Switch: Knob Switch



Touch switch
dimming



Rose-gold



Size: $\Phi 130 \times 435 \text{mm}$
Material: Metal/Fabric
Process: Electroplating
Lamp Holder: E27/E26
Switch: Push Button Switch



Touch switch



Pen holder

Size: $\Phi 415 \times 150 \text{mm}$
Material: Metal
Process: Baking Paint
Lamp Holder: E27/E26
Switch: Push Button Switch



2-USB



Knob switch



Crystal part

Size: $\Phi 150 \times 640 \text{mm}$
Material: Metal/Crystal
Process: Electroplating
Lamp Holder: E27/E26
Switch: Push Button Switch

Desk Lamp



2-USB



Touch switch dimming



Crystal part



Size: $\Phi 120 \times 430 \text{mm}$

Material: Metal/Crystal/Fabric

Process: Electroplating

Lamp Holder: E27/E26

Switch: Push Button Switch

Desk Lamp



KD Screw



Switch


Size: $\Phi 220 \times 1576 \text{mm}$

Material: Metal/Fabric

Process: Baking Paint

Lamp Holder: E27/E26


Switch: On-line Foot Switch



2-USB



Button switch



Crystal part

Size: $\Phi 110 \times 310 \text{mm}$

Material: Metal/Crystal

Process: Electroplating

Lamp Holder: E27/E26

Switch: Push Button Switch



Black Wood Grain



Zipper switch

Size: $\Phi 260 \times 1600 \text{mm}$

Material: Wood/Fabric

Process: Environmentally-friendly Paint

Paint

Lamp Holder: E27/E26

Switch: On-line Foot Switch



Floor Lamp



FDL-1040




Iron Tray

Switch

Size: $\Phi 250 \times 1550 \text{mm}$
Material: Metal/Fabric
Process: Baking Paint
Lamp Holder: E27/E26
Switch: On-line Foot Switch

FDL-1001



Wireless charging

Touch switch dimming

Size: $\Phi 335 \times 1530 \text{mm}$
Material: Metal/Wood/Fabric
Process: Electroplating / Environmentally-friendly Paint
Lamp Holder: E27/E26
Switch: On-line Foot Switch



Floor Lamp



FDL-1006




Linen cloth

Knob switch

Size: $\Phi 350 \times 1690 \text{mm}$
Material: Metal/Wood/Fabric
Process: Baking Paint / Environmentally-friendly Paint
Lamp Holder: E27/E26
Switch: Knob Switch

FDL-1007



Wireless charging

Touch switch dimming

Size: $\Phi 365 \times 365 \times 1670 \text{mm}$
Material: Metal/Wood/Fabric
Process: Baking Paint / Environmentally-friendly Paint
Lamp Holder: E27/E26
Switch: Touch Switch



Floor Lamp



FDL-1002



180°Adjustment



Wood grain print

Size: Φ 250x1400mm
Material: Metal/Fabric
Process: Baking Paint
Lamp Holder: E27/E26
Switch: On-line Foot Switch

FDL-1004




180°Adjustment



Foot switch

Size: Φ 250x1600mm
Material: Metal
Process: Baking Paint
Lamp Holder: E27/E26
Switch: On-line Foot Switch




Floor Lamp



FDL-1005



Double layer lampshade



Switch

Size: Φ 320x1560mm
Material: Metal/Fabric
Process: Baking Paint / Electroplating
Lamp Holder: E27/E26
Switch: Touch Switch

FDL-1008



Crystal lampshade



Switch

Size: Φ 320x1495mm
Material: Metal/Crystal
Process: Electroplating
Lamp Holder: E27/E26
Switch: On-line Foot Switch



Floor Lamp



FDL-1009



Sculpture




High quality



Crystal part

Size: $\Phi 320 \times 1640$ mm
Material: Metal/Crystal/Plastic
Process: Electroplating
Lamp Holder: E27/E26
Switch: On-line Foot Switch

FDL-1019



Diamond shape



Switch

Size: $\Phi 240 \times 1740$ mm
Material: Metal/Fabric
Process: Baking Paint
Lamp Holder: E27/E26
Switch: On-line Foot Switch

Floor Lamp



FDL-1011

Size: $\Phi 450 \times 1470$ mm
Material: Wood/Fabric
Process: Environmental-ly-friendly Paint
Lamp Holder: E27/E26
Switch: On-line Foot Switch



High-quality



Switch




Sculpture



Switch

FDL-1012

Size: $\Phi 300 \times 1600$ mm
Material: Metal/Fabric
Process: Baking Paint/
Brushing Gold Paint
Lamp holder: E27/E26
Switch: On-line Foot Switch



Floor Lamp



FDL-1013



Glass



Switch

Size: Φ 235x1665mm
Material: Metal/Glass
Process: Baking paint
Lamp Holder: E27/E26
Switch: On-line Foot Switch

FDL-1014




Flexible adjustment



Switch

Size: Φ 220x1500mm
Material: Metal
Process: Baking Paint
Lamp Holder: E27/E26
Switch: On-line Foot Switch



Floor Lamp



FDL-1015



Premium fabric



Switch

Size: Φ 320x1470mm
Material: Metal/Fabric
Process: Electroplating
Lamp Holder: E27/E26
Switch: On-line Foot Switch

FDL-1016



Split/Velcro



Switch

Size: Φ 150x1575mm
Material: Metal/Fabric
Process: Baking Paint
Lamp Holder: E27/E26
Switch: On-line Foot Switch



Floor Lamp



FDL-1022



180° Adjustment Switch

Size: Φ 250x1610mm
Material: Metal/Fabric
Process: Baking Paint
Lamp Holder: E27/E26
Switch: On-line Foot Switch

FDL-1023




Lamp Holder Switch

Size: Φ 250x1600mm
Material: Metal/Fabric
Process: Baking Paint /
Electroplating
Lamp Holder: E27/E26
Switch: On-line Foot Switch

Floor Lamp




FDL-1024



Lamp Holder Switch


Size: Φ 320x1740mm
Material: Metal/Fabric
Process: Electroplating
Lamp Holder: E27/E26
Switch: On-line Foot Switch

FDL-1025



Lamp Holder Switch


Size: Φ 320x1560mm
Material: Metal/Fabric
Process: Baking Paint
Lamp Holder: E27/E26
Switch: On-line Foot Switch



Floor Lamp



FDL-1028



Sculpture



High quality



Crystal part

Size: Φ 320x1664mm

Material: Metal/Fabric

Process: Electroplating

Lamp Holder: E27/E26

Switch: On-line Foot Switch

FDL-1031



Crystal part



Switch

Size: Φ 255x1620mm

Material: Metal/Fabric

Process: Electroplating

Lamp Holder: E27/E26

Switch: On-line Foot Switch

Floor Lamp



FDL-1034



Crystal part



Switch

Size: Φ 260x1645mm

Material: Metal/Fabric

Process: Electroplating

Lamp Holder: E27/E26

Switch: On-line Foot Switch

FDL-1021



Plating Gold



Switch

Size: Φ 320x1630mm

Material: Metal/Fabric

Process: Electroplating

Lamp Holder: E27/E26

Switch: On-line Foot Switch



LED Fan Light

LED Fan Light




105 / EVERSTAR

106 / EVERSTAR



6 gears adjustable wind by remote
have 4 hour timing

6 gears adjustable wind by remote
have 4 hour timing



Summer is turning

Winter reversal

Summer is turning

Winter reversal

Cool and comfortable experience

Adjust air with heating

Cool and comfortable experience

Adjust air with heating

24V DC brushless motor and low noise

24V DC brushless motor and low noise

Item No.	Fan power	Lamp power	Revolving speed	Beam angle	Power Factor	Material	Size [mm]
LED-SF1113-48	36W	35W	235/min	120°	0.9	Wood+Iron	D1220

Item No.	Fan power	Lamp power	Revolving speed	Beam angle	Power Factor	Material	Size [mm]
LED-SF1032-42	36W	35W	235/min	120°	0.9	Wood+Iron	D1220

LED Fan Light



LED-SF1011-42

LED Fan Light



LED-SF1075-52

107 / EVERSTAR

108 / EVERSTAR



6 gears adjustable wind by remote
have 4 hour timing

LED-SF1033-42



Summer is turning

Cool and comfortable experience

Winter reversal

Adjust air with heating



24V DC brushless motor and low noise



6 gears adjustable wind by remote
have 4 hour timing

LED-SF1085-52



Summer is turning

Cool and comfortable experience

Winter reversal

Adjust air with heating



24V DC brushless motor and low noise

Item No.	Fan power	Lamp power	Revolving speed	Beam angle	Power Factor	Material	Size [mm]
LED-SF1011-42	36W	35W	235/min	120°	0.9	Wood+Iron	D1220
LED-SF1033-42	36W	35W	235/min	120°	0.9	Wood+Iron	D1220

Item No.	Fan power	Lamp power	Revolving speed	Beam angle	Power Factor	Material	Size [mm]
LED-SF1075-52	36W	35W	235/min	120°	0.9	Wood+Iron	D1220
LED-SF1085-52	36W	35W	235/min	120°	0.9	Wood+Iron	D1220

LED Fan Light

LED Fan Light



LED-SF0131



6 gears adjustable wind by remote
have 4 hour timing



Summer is turning


Cool and comfortable experience

Winter reversal

Adjust air with heating



LED-SF0061



24V DC brushless motor and low noise



LED-SF0157-360

Activate Indoor Air 360° cycle
No matter where you are in the bedroom, you can feel
the cool breeze blowing in your face.



LED-SF0161-360



24V DC brushless motor and low noise

Item No.	Fan power	Lamp power	Revolving speed	Beam angle	Power Factor	Material	Size [mm]
LED-SF0131	15W	40W	235/min	120°	0.9	ABS+Iron	D500
LED-SF0061	23W	40W	235/min	120°	0.9	ABS+Iron	D550

Item No.	Fan power	Lamp power	Revolving speed	Beam angle	Power Factor	Material	Size [mm]
LED-SF0157-360	15W	40W	235/min	120°	0.9	ABS-Iron	D500
LED-SF0161-360	15W	40W	235/min	120°	0.9	ABS-Iron	D500

Home Lighting



111 / EVERSTAR




DD183L-1
Voltage: 110-220V
Power: E27 MAX.25W
Material: Metal

Home Lighting



112 / EVERSTAR



DD1833A-1
Voltage: 110-220V
Power: E27 MAX.25W
Material: Metal+PP+Glass



DD183L-2
Voltage: 110-220V
Power: E27 2*MAX.25W
Material: Metal



DD183L-3
Voltage: 110-220V
Power: E27 3*MAX.25W
Material: Metal



DD183L-5
Voltage: 110-220V
Power: E27 5*MAX.25W
Material: Metal



DD1833A-3
Voltage: 110-220V
Power: E27 3*MAX.25W
Material: Metal+PP+Glass



DD1833A-3L
Voltage: 110-220V
Power: E27 3*MAX.25W
Material: Metal+PP+Glass



IWL1833C
Voltage: 110-220V
Power: E27 MAX.25W
Material: Metal+PP+Glass

Home Lighting



DD1831-3
Voltage: 110-220V
Power: E27 3*MAX.25W
Material: Metal+PP



IWL1831
Voltage: 110-220V
Power: E27 MAX.25W
Material: Metal+PP



DD1831-3L
Voltage: 110-220V
Power: E27 3*MAX.25W
Material: Metal+PP



DD1831-4
Voltage: 110-220V
Power: E27 4*MAX.25W
Material: Metal+PP

Home Lighting



DD183-3
Voltage: 110-220V
Power: E27 3*MAX.25W
Material: Metal+PP



DD183-1
Voltage: 110-220V
Power: E27 MAX.25W
Material: Metal+PP



DD183-5
Voltage: 110-220V
Power: E27 5*MAX.25W
Material: Metal+PP

Home Lighting

Home Lighting

115 / EVERSTAR



DD1016-3
Voltage: 110-220V
Power: E27 3*MAX.25W
Material: Metal+PP+Leather



IWL1016
Voltage: 110-220V
Power: E27 MAX.25W
Material: Metal+PP+Leather



IWL1016A
Voltage: 110-220V
Power: E27 MAX.25W
Material: Metal+PP+Wood+Leather



IWL1016B
Voltage: 110-220V
Power: E27 MAX.25W
Material: Metal+PP+Wood+Leather



DD1016-1
Voltage: 110-220V
Power: E27 MAX.25W
Material: Metal+PP+Leather



IWL18300
Voltage: 110-220V
Power: E27 MAX.25W
Material: Metal+PP+Wood+Ceramics



IWL1830
Voltage: 110-220V
Power: E27 MAX.25W
Material: Metal+PP+Wood



DD1016-5
Voltage: 110-220V
Power: E27 5*MAX.25W
Material: Metal+PP+Leather



IWL18101
Voltage: 110-220V
Power: E27 MAX.25W
Material: Metal+PP+Wood



IWL18304
Voltage: 110-220V
Power: E27 MAX.25W
Material: Metal+PP+Wood

116 / EVERSTAR

Home Lighting




117 / EVERSTAR




DD1300-1
Voltage: 110-220V
Power: E27 MAX.25W
Material: Metal

Home Lighting



DD18317-5
Voltage: 110-220V
Power: E27 5*MAX.25W
Material: Metal+Glass

118 / EVERSTAR



DD1300-3L
Voltage: 110-220V
Power: E27 3*MAX.25W
Material: Metal



DD1300-5
Voltage: 110-220V
Power: E27 5*MAX.25W
Material: Metal



DD1300-3
Voltage: 110-220V
Power: E27 3*MAX.25W
Material: Metal



DD18317
Voltage: 110-220V
Power: E27 MAX.25W
Material: Metal+Glass



DD18317-3
Voltage: 110-220V
Power: E27 3*MAX.25W
Material: Metal+Glass



DD18317-7
Voltage: 110-220V
Power: E27 7*MAX.25W
Material: Metal+Glass

Home Lighting



119 / EVERSTAR



DD1833-3
Voltage: 110-220V
Power: E27 3*MAX.25W
Material: Metal+PP

Home Lighting



120 / EVERSTAR



DD1102A-5
Voltage: 110-220V
Power: E27 5*MAX.25W
Material: Metal+PP+Wood+Glass




DD1833-1
Voltage: 110-220V
Power: E27 MAX.25W
Material: Metal+PP



DD1833-3L
Voltage: 110-220V
Power: E27 3*MAX.25W
Material: Metal+PP



DD1101A-5
Voltage: 110-220V
Power: E27 5*MAX.25W
Material: Metal+PP+Wood+Glass



DD0122-5
Voltage: 110-220V
Power: E27 5*MAX.25W
Material: Metal+PP+Wood+Glass



DD1055-5
Voltage: 110-220V
Power: E27 5*MAX.25W
Material: Metal+PP+Wood+Glass

Home Lighting




121 / EVERSTAR



IWL181W
Voltage: 110-220V
Power: E27 MAX.25W
Material: Metal+PP



Home Lighting



DD1027A-1
Voltage: 110-220V
Power: E27 MAX.25W
Material: Metal+Wood

122 / EVERSTAR



IWLA111
Voltage: 110-220V
Power: E27 MAX.25W
Material: Metal+Wood



IWL1898B
Voltage: 110-220V
Power: E27 MAX.25W
Material: Metal+PP+Ceramics



IWL1813
Voltage: 110-220V
Power: E27 MAX.25W
Material: Metal+PP



DD1027-1
Voltage: 110-220V
Power: E27 MAX.25W
Material: Metal+Wood



DD1027-3L
Voltage: 110-220V
Power: E27 3*MAX.25W
Material: Metal+Wood



DD1027-5
Voltage: 110-220V
Power: E27 5*MAX.25W
Material: Metal+Wood

Home Lighting



DD11669-1
Voltage: 110-220V
Power: E27 MAX.25W
Material: Metal+PP+Glass



DD0204-3L
Voltage: 110-220V
Power: E27 3*MAX.25W
Material: Metal+Wood+Ceramics



DD21WF-2
Voltage: 110-220V
Power: E27 2*MAX.25W
Material: Metal+Wood




DD11669-3L
Voltage: 110-220V
Power: E27 3*MAX.25W
Material: Metal+PP+Glass



DD21WF-3
Voltage: 110-220V
Power: E27 3*MAX.25W
Material: Metal+Wood

Home Lighting



DD21W-1
Voltage: 110-220V
Power: E27 MAX.25W
Material: Metal+PP+Glass



DD21WH-1
Voltage: 110-220V
Power: E27 MAX.25W
Material: Metal+Wood



DD21WA-2
Voltage: 110-220V
Power: E27 2*MAX.25W
Material: Metal+Wood



DD21WH-2
Voltage: 110-220V
Power: E27 2*MAX.25W
Material: Metal+Wood