



Outdoor Lights Catalog





Model	GPS-01
Wattage	COB 1-5W / 7W / 12-18W
Voltage	85-265V
IP	65
Material	Aluminum+Glass
Dimension	S: 40x70x245mm M: 60x80x260mm L: 80x110x280mm



Model	GPS-02	GPS-03
Wattage	COB 5W	COB 10W
Voltage	85-265V	
IP	65	
Material	Aluminum+Glass	
Dimension	S: 75x100x280mm	M: 84x122x320mm



Model	GPS-04
Wattage	COB 10-12W / GU10
Voltage	85-265V / 220-240V
IP	65
Material	Aluminum+Glass
Dimension	80x120x360mm



Model	GPS-05
Wattage	COB 10-12W / GU10
Voltage	85-265V / 220-240V
IP	65
Material	Aluminum+Glass
Dimension	80x120x390mm



Model	GPS-06
Wattage	2xGU10 50W
Voltage	220-240V
IP	65
Material	Aluminum+Glass
Dimension	65x110x500mm



Model	GPS-07
Wattage	GU10 50W
Voltage	220-240V
IP	65
Material	Aluminum+Glass
Dimension	65x110x210mm

Ground insert light series 插地灯



Model	GPS-08
Wattage	COB 10-15W / 15-20W
Voltage	85-265V
IP	65
Material	Aluminum+Glass
Dimension	S: 65x175x345mm M: 75x175x345mm



Model	GPS-09
Wattage	COB 10-15W / 15-20W
Voltage	85-265V
IP	65
Material	Aluminum+Glass
Dimension	S: 65x130x345mm M: 75x130x345mm



Model	GPS-10
Wattage	COB 7-10W
Voltage	85-265V
IP	65
Material	Aluminum+Glass
Dimension	65x110x300mm



Model	GPS-11
Wattage	COB 7-10W
Voltage	85-265V
IP	65
Material	Aluminum+Glass
Dimension	65x85x300mm



Model	GPS-12
Wattage	COB 10-15W / 15-20W
Voltage	85-265V
IP	65
Material	Aluminum+Glass
Dimension	S: 65x230x280mm M: 75x230x280mm



Model	GPS-13
Wattage	COB 10-15W / 15-20W
Voltage	85-265V
IP	65
Material	Aluminum+Glass
Dimension	S: 65x180x280mm M: 75x180x280mm



Model	GPS-14
Wattage	COB 12W / 20W / 30W
Voltage	85-265V
IP	65
Material	Aluminum+Glass
Dimension	S: 110x170x370mm M: 140x190x400mm L: 170x220x430mm



Model	GPS-15
Wattage	COB 10-15W / 15-20W
Voltage	85-265V
IP	65
Material	Aluminum+Glass
Dimension	S: 90x120x380mm M: 108x130x400mm



GPS-16
Dimension: 95xH300mm
Lamp: LED 5W / 7W
Material: Aluminum+Glass
IP65



GPS-17
Dimension: 95xH210mm
Lamp: LED 5W / 7W
Material: Aluminum+Glass
IP65



GPS-18
Dimension: 95xH210mm
Lamp: LED 5W / 7W
Material: Aluminum+Glass
IP65



GPS-25
Dimension: 145xH455mm
Lamp: E27 / LED 9W / 12W
Material: Aluminum+Glass
IP65



GPS-26
Dimension: 145xH435mm
Lamp: E27 / LED 9W / 12W
Material: Aluminum+Glass
IP65



GPS-27
Dimension: 145xH320mm
Lamp: E27 / LED 9W / 12W
Material: Aluminum+Glass
IP65



GPS-19
Dimension: 105xH470mm
Lamp: GU10 / MR16 / E27
LED 7W / 12W
Material: Aluminum+Glass
IP65



GPS-20
Dimension: 105xH490mm
Lamp: GU10 / MR16 / E27
LED 7W / 12W
Material: Aluminum+Glass
IP65



GPS-21
Dimension: 75xH280mm
Lamp: LED 3W / 5W
Material: Aluminum+Glass
IP65



GPS-28
Dimension: 80x135x350mm
Lamp: GU10 50W
Material: Aluminum+Glass
IP65



GPS-29
Dimension: 80x150x350mm
Lamp: GU10 50W
Material: Aluminum+Glass
IP65



GPS-30
Dimension: 45xH250mm
Lamp: LED 1W / 3W
Material: Aluminum+Glass
IP65



GPS-22
Dimension: 100xH270mm
Lamp: GU10 / MR16 / LED 3W / 5W
Material: Aluminum+Glass
IP65



GPS-23
Dimension: 100xH270mm
Lamp: GU10 / MR16 / LED 3W / 5W
Material: Aluminum+Glass
IP65



GPS-24
Dimension: 100xH175mm
Lamp: GU10 / MR16 / LED 3W / 5W
Material: Aluminum+Glass
IP65



GPS-31
Dimension: 100xH315mm
Lamp: GU10 / MR16 / LED 3W / 5W
Material: Aluminum+Glass
IP65



GPS-32
Dimension: 100xH349mm
Lamp: GU10 / MR16 / LED 3W / 5W
Material: Aluminum+Glass
IP65





GPS-33
Dimension: 72xH190mm
Lamp: COB 3W / 5W / 6W
Material: Aluminum+Glass
IP65



GPS-35



GPS-34





Model	GPS-34	GPS-35
Wattage	E27 10W / LED 7W	LED 2x7W
Voltage	220-240V / 85-265V	
IP	54	
Material	Aluminum+PC	
Dimension	90x150x200mm	90x150x320mm



GPS-37



GPS-36





Model	GPS-36	GPS-37
Wattage	E27 10W / LED 7W	LED 2x7W
Voltage	220-240V / 85-265V	
IP	54	
Material	Aluminum+PC	
Dimension	90x150x200mm	90x150x320mm




GPS-39



GPS-38




Model	GPS-38	GPS-39
Wattage	E27 10W / LED 7W	LED 2x7W
Voltage	220-240V / 85-265V	
IP	54	
Material	Aluminum+PC	
Dimension	90x150x200mm	90x150x320mm




Model	GPS-40
Wattage	E27 / LED 5W
Voltage	220-240V / 85-265V
IP	54
Material	Aluminum+PC
Dimension	120x150x200mm


Wall light series 上下照壁灯



Model	GPS-41
Wattage	SMD 12W
Voltage	85-265V
IP	54
Material	Aluminum+PC
Dimension	105x105x130mm




Model	GPS-42
Wattage	SMD 12W
Voltage	85-265V
IP	54
Material	Aluminum+PC
Dimension	135x100x85mm




Model	GPS-43
Wattage	SMD 2+2W / SMD 4+4W
Voltage	85-265V
IP	54
Material	Aluminum+PC
Dimension	S: 96x73x65mm M: 160x122x78mm



Wall light series 上下照壁灯




GPS-44




GPS-45


Model	GPS-44	GPS-45
Wattage	SMD 4W+SMD 1W	
Voltage	85-265V	
IP	54	
Material	Aluminum+PC+Lens	
Dimension	Ø110x50mm	




Model	GPS-46
Wattage	SMD 5W+SMD 2W
Voltage	85-265V
IP	54
Material	Aluminum+PC+Lens
Dimension	Ø125x50mm




Model	GPS-47
Wattage	SMD 6W+SMD 2W
Voltage	85-265V
IP	54
Material	Aluminum+PC+Lens
Dimension	Ø140x50mm




Model	GPS-48
Wattage	SMD 8W+SMD 2W
Voltage	85-265V
IP	54
Material	Aluminum+PC+Lens
Dimension	Ø155x50mm




Wall light series 上下照壁灯




Model	GPS-49
Wattage	SMD 12W
Voltage	85-265V
IP	54
Material	Aluminum+PC
Dimension	125x183x245mm




Model	GPS-52
Wattage	SMD 3x1W
Voltage	85-265V
IP	54
Material	Aluminum+Lens
Dimension	105x140x52mm




Model	GPS-50
Wattage	SMD 2x7W
Voltage	85-265V
IP	54
Material	Aluminum+Lens
Dimension	78x110x260mm



Model	GPS-53
Wattage	SMD 5x1W
Voltage	85-265V
IP	54
Material	Aluminum+Lens
Dimension	155x140x52mm



Model	GPS-51
Wattage	SMD 2x7W
Voltage	85-265V
IP	54
Material	Aluminum+PC
Dimension	88x110x260mm



Model	GPS-54
Wattage	SMD 7x1W
Voltage	85-265V
IP	54
Material	Aluminum+Lens
Dimension	205x140x52mm




Wall light series 上下照壁灯




Wall light series 上下照壁灯


Wall light series 上下照壁灯




Model	GPS-55
Wattage	LED 2x5W
Voltage	85-265V
IP	54
Material	Aluminum+PC+Lens
Dimension	200x45x55




Model	GPS-59
Wattage	E27 15W
Voltage	220-240V
IP	54
Material	Aluminum+Glass
Dimension	110x157x171mm




Model	GPS-56
Wattage	LED 2x5W
Voltage	85-265V
IP	54
Material	Aluminum+PC+Lens
Dimension	200x45x55




Model	GPS-60
Wattage	LED 7W
Voltage	85-265V
IP	54
Material	Aluminum+PC
Dimension	105x155x105mm




Model	GPS-57
Wattage	LED 2x5W
Voltage	85-265V
IP	54
Material	Aluminum+PC
Dimension	200x85x55mm



Model	GPS-61
Wattage	SMD 3x1W+4W / SMD 4x1W+5W
Voltage	85-265V
IP	54
Material	Aluminum+PC+Lens
Dimension	S: 125x120x60mm M: 150x140x71mm



Model	GPS-58
Wattage	LED 2x5W
Voltage	85-265V
IP	54
Material	Aluminum+PC
Dimension	200x85x55mm



Model	GPS-62
Wattage	SMD 3x1W+4W / SMD 4x1W+5W
Voltage	85-265V
IP	54
Material	Aluminum+PC+Lens
Dimension	S: 135x105x63mm M: 150x115x63mm


Wall light series 上下照壁灯

Wall light series 上下照壁灯




GPS-65

GPS-66




Model	GPS-65	GPS-66
Wattage	SMD 5W	SMD 2x5W
Voltage	85-265V	
IP	54	
Material	Aluminum+PC	
Dimension	120x120x135mm	




GPS-67


GPS-68





Model	GPS-67	GPS-68
Wattage	SMD 6W	SMD 2x6W
Voltage	85-265V	
IP	54	
Material	Aluminum+PC	
Dimension	126x85x100mm	



Model	GPS-69	GPS-70
Wattage	SMD 2x5W	SMD 4x5W
Voltage	85-265V	
IP	54	
Material	Aluminum+PC	
Dimension	265x90x130mm	



Model	GPS-71	GPS-72
Wattage	SMD 2x6W	SMD 4x6W
Voltage	85-265V	
IP	54	
Material	Aluminum+PC	
Dimension	265x90x100mm	



Model	GPS-63
Wattage	SMD 2x6W
Voltage	85-265V
IP	54
Material	Aluminum+PC
Dimension	165x125x85mm

Model	GPS-64
Wattage	SMD 2x6W
Voltage	85-265V
IP	54
Material	Aluminum+PC
Dimension	160x125x85mm






GPS-75



GPS-76




Model	GPS-75	GPS-76
Wattage	COB 2x5W+SMD 6W	COB 2x3W+SMD 3W
Voltage	85-265V	
IP	54	
Material	Aluminum+PC+Lens	
Dimension	180x75x85mm	95x45x58mm



GPS-77



GPS-78




Model	GPS-77	GPS-78
Wattage	COB 2x5W+SMD 6W	COB 2x3W+SMD 3W
Voltage	85-265V	
IP	54	
Material	Aluminum+PC+Lens	
Dimension	180x75x85mm	95x45x58mm



GPS-79



GPS-80




Model	GPS-79	GPS-80
Wattage	COB 2x5W+SMD 6W	COB 2x3W+SMD 3W
Voltage	85-265V	
IP	54	
Material	Aluminum+PC+Lens	
Dimension	180x75x85mm	95x45x58mm



GPS-73




GPS-74




Model	GPS-73	GPS-74
Wattage	COB 2x5W+SMD 4W	COB 2x3W+SMD 2W
Voltage	85-265V	
IP	54	
Material	Aluminum+PC+Lens	
Dimension	200x110x60mm	150x80x55mm







Model	GPS-81
Wattage	COB 2x5W+SMD 2W
Voltage	85-265V
IP	54
Material	Aluminum+Glass+PC
Dimension	200x110x85mm




Model	GPS-82
Wattage	COB 2x5W+SMD 2W
Voltage	85-265V
IP	54
Material	Aluminum+Glass+PC
Dimension	200x100x80mm




Model	GPS-83
Wattage	COB 2x5W / 10W / 20W / 30W
Voltage	85-265V
IP	54
Material	Aluminum+Glass
Dimension	S: 150x70x60mm
	M: 200x100x85mm
	L: 300x150x120mm
	XL: 400x200x140mm




Model	GPS-84
Wattage	COB 2x7W+SMD 3W
Voltage	85-265V
IP	54
Material	Aluminum+Glass
Dimension	190x95x70mm




Model	GPS-85	GPS-86
Wattage	COB 2x10W	COB 2x5W
Voltage	85-265V	
IP	54	
Material	Aluminum+Glass	
Dimension	190x95x70mm	140x65x50mm




Model	GPS-88	GPS-89
Wattage	COB 2x10W	COB 2x5W
Voltage	85-265V	
IP	54	
Material	Aluminum+Glass	
Dimension	200x100x80mm	130x60x50mm




Model	GPS-90	GPS-91
Wattage	COB 2x7W+SMD 2W	COB 2x5W+SMD 2W
Voltage	85-265V	
IP	54	
Material	Aluminum+PC	
Dimension	200x100x80mm	130x60x50mm




Model	GPS-92
Wattage	SMD 4x1W
Voltage	85-265V
IP	54
Material	Aluminum+Lens
Dimension	100x90x60mm




Model	GPS-93
Wattage	SMD 6x1W
Voltage	85-265V
IP	54
Material	Aluminum+Lens
Dimension	150x90x60mm




Model	GPS-87
Wattage	SMD 8x1W
Voltage	85-265V
IP	54
Material	Aluminum+Lens
Dimension	210x90x60mm







Model	GPS-95
Wattage	SMD 4x1W
Voltage	85-265V
IP	54
Material	Aluminum+Lens
Dimension	100x80x50mm



Model	GPS-96
Wattage	SMD 6x1W
Voltage	85-265V
IP	54
Material	Aluminum+Lens
Dimension	140x80x50mm




Model	GPS-97
Wattage	SMD 8x1W
Voltage	85-265V
IP	54
Material	Aluminum+Lens
Dimension	190x90x50mm




Model	GPS-94
Wattage	COB 2x5W
Voltage	85-265V
IP	54
Material	Aluminum+Glass
Dimension	120x350mm




Wall light series 上下照壁灯




Model	GPS-98
Wattage	COB 2x5W / 2x10W
Voltage	85-265V
IP	54
Material	Aluminum+Glass
Dimension	295x80mm




Model	GPS-101	GPS-102
Wattage	COB 2x5W	COB 2x3W
Voltage	85-265V	
IP	54	
Material	Aluminum+Lens	
Dimension	127x137x70mm	92x98x55mm




Model	GPS-99
Wattage	COB 2x5W / 2x10W
Voltage	85-265V
IP	54
Material	Aluminum+Glass
Dimension	275x95mm



Model	GPS-103
Wattage	COB 4x3W
Voltage	85-265V
IP	54
Material	Aluminum+Lens
Dimension	180x90x55mm




Model	GPS-100
Wattage	COB 2x5W+SMD 2W
Voltage	85-265V
IP	54
Material	Aluminum+Glass
Dimension	200x125x70mm




Model	GPS-104
Wattage	COB 2x5W+SMD 2W
Voltage	85-265V
IP	54
Material	Aluminum+Glass
Dimension	200x160x65mm



Wall light series 上下照壁灯




Model	GPS-105
Wattage	SMD 6x1W
Voltage	85-265V
IP	54
Material	Aluminum+Lens
Dimension	170x72x42mm




Model	GPS-106
Wattage	SMD 8x1W
Voltage	85-265V
IP	54
Material	Aluminum+Lens
Dimension	224x72x42mm




Wall light series 上下照壁灯




Model	GPS-107
Wattage	SMD 2x1W
Voltage	85-265V
IP	54
Material	Aluminum+Lens
Dimension	80x92x42mm



Model	GPS-108
Wattage	SMD 3x1W
Voltage	85-265V
IP	54
Material	Aluminum+Lens
Dimension	116x118x42mm




Model	GPS-109
Wattage	SMD 5x1W
Voltage	85-265V
IP	54
Material	Aluminum+Lens
Dimension	170x118x42mm




Model	GPS-110
Wattage	SMD 7x1W
Voltage	85-265V
IP	54
Material	Aluminum+Lens
Dimension	224x118x42mm




Wall light series 上下照壁灯




Model	GPS-111
Wattage	LED 2x2W
Voltage	85-265V
IP	54
Material	Aluminum+Lens
Dimension	110x95x45mm



Model	GPS-112
Wattage	LED 4x2W
Voltage	85-265V
IP	54
Material	Aluminum+Lens
Dimension	110x108x45mm




Model	GPS-113
Wattage	LED 6x2W
Voltage	85-265V
IP	54
Material	Aluminum+Lens
Dimension	160x160x45mm



Model	GPS-114
Wattage	LED 8x1W+SMD 4W
Voltage	85-265V
IP	54
Material	Aluminum+Lens
Dimension	205x205x45mm




Wall light series 上下照壁灯




Model	GPS-115
Wattage	COB 3x3W
Voltage	85-265V
IP	54
Material	Aluminum+Lens
Dimension	155x70x45mm







Model	GPS-117
Wattage	SMD 3W+2W
Voltage	85-265V
IP	54
Material	Aluminum+PC+Lens
Dimension	120x120x50mm



Model	GPS-118
Wattage	SMD 6W+2W
Voltage	85-265V
IP	54
Material	Aluminum+PC+Lens
Dimension	160x160x50mm




Model	GPS-119
Wattage	SMD 9W+2W
Voltage	85-265V
IP	54
Material	Aluminum+PC+Lens
Dimension	210x210x50mm




Model	GPS-116
Wattage	COB 7W
Voltage	85-265V
IP	54
Material	Aluminum+Lens
Dimension	195x160x90mm







Model	GPS-120
Wattage	LED 5W+1W
Voltage	85-265V
IP	54
Material	Aluminum+PC+Lens
Dimension	145x90x50mm





Model	GPS-121
Wattage	LED 5W+1W
Voltage	85-265V
IP	54
Material	Aluminum+PC+Lens
Dimension	145x140x50mm




Model	GPS-122
Wattage	LED 2x5W+2x1W
Voltage	85-265V
IP	54
Material	Aluminum+PC+Lens
Dimension	280x90x50mm



Model	GPS-123
Wattage	LED 2x5W+2x1W
Voltage	85-265V
IP	54
Material	Aluminum+PC+Lens
Dimension	280x140x50mm




Model	GPS-124	GPS-125	GPS-126
Wattage	LED 3x1W	LED 4x1W	LED 5x1W
Voltage	85-265V		
IP	54		
Material	Aluminum+Lens		
Dimension	132x78x40mm	177x93x40mm	227x103x40mm




Model	GPS-127
Wattage	LED 6x1W
Voltage	85-265V
IP	54
Material	Aluminum+Lens
Dimension	135x45mm


Wall light series 上下照壁灯




Model	GPS-128
Wattage	SMD 6W
Voltage	85-265V
IP	54
Material	Aluminum+PC
Dimension	78x200mm




Model	GPS-132
Wattage	GU10x2 / COB 2x10W
Voltage	85-265V
IP	54
Material	Aluminum+Glass
Dimension	200x93x93mm




Model	GPS-129
Wattage	SMD 2x6W
Voltage	85-265V
IP	54
Material	Aluminum+PC
Dimension	78x248mm




Model	GPS-133
Wattage	GU10x2 / COB 2x10W
Voltage	85-265V
IP	54
Material	Aluminum+Glass
Dimension	200x93x93mm




Model	GPS-130
Wattage	SMD 5W
Voltage	85-265V
IP	54
Material	Aluminum+PC
Dimension	175x100x160mm



Model	GPS-134
Wattage	COB 2x10W
Voltage	85-265V
IP	54
Material	Aluminum+Glass
Dimension	200x93x93mm



Model	GPS-131
Wattage	SMD 2x5W
Voltage	85-265V
IP	54
Material	Aluminum+PC
Dimension	220x100x160mm



GPS-135 GPS-136

Model	GPS-135	GPS-136
Wattage	GU10x2 / LED 2x10W	GU10 / LED 10W
Voltage	85-265V	
IP	54	
Material	Aluminum+Glass	
Dimension	110x90x200mm	100x90x100mm

Wall light series 上下照壁灯

Wall light series 上下照壁灯



GPS-137
Dimension: 145x100x35mm
Lamp: LED 4x1W
Voltage: 85-265V
Material: Aluminum+Lens



GPS-138
Dimension: 190x100x35mm
Lamp: LED 6x1W
Voltage: 85-265V
Material: Aluminum+Lens



GPS-139
Dimension: 240x100x35mm
Lamp: LED 8x1W
Voltage: 85-265V
Material: Aluminum+Lens



GPS-146
Dimension: 120x80x14mm
Lamp: LED 4+3W
Voltage: 85-265V
Material: Aluminum+PC+Lens



GPS-147
Dimension: 120x120x14mm
Lamp: LED 6+4W
Voltage: 85-265V
Material: Aluminum+PC+Lens




GPS-148
Dimension: 160x160x14mm
Lamp: LED 8+4W
Voltage: 85-265V
Material: Aluminum+PC+Lens



GPS-140
Dimension: 110x80x40mm
Lamp: LED 4W
Voltage: 85-265V
Material: Aluminum+Lens



GPS-141
Dimension: 155x80x35mm
Lamp: LED 6W
Voltage: 85-265V
Material: Aluminum+Lens



GPS-142
Dimension: 210x80x35mm
Lamp: LED 8W
Voltage: 85-265V
Material: Aluminum+Lens



GPS-149
Dimension: 120x105x14mm
Lamp: LED 3W
Voltage: 85-265V
Material: Aluminum+PC+Lens



GPS-150
Dimension: 105x80x33mm
Lamp: LED 4x1W
Voltage: 85-265V
Material: Aluminum+Lens



GPS-151
Dimension: 120x120x35mm
Lamp: LED 6x1W
Voltage: 85-265V
Material: Aluminum+Lens



GPS-143
Dimension: 100x120x37.5mm
Lamp: LED 3W
Voltage: 85-265V
Material: Aluminum+Lens



GPS-144
Dimension: 150x120x37.5mm
Lamp: LED 5W
Voltage: 85-265V
Material: Aluminum+Lens



GPS-145
Dimension: 260x120x37.5mm
Lamp: LED 7W
Voltage: 85-265V
Material: Aluminum+Lens



GPS-152
Dimension: 160x70mm
Lamp: LED 2x5W
Voltage: 85-265V
Material: Aluminum+Lens



GPS-153
Dimension: 160x50x45mm
Lamp: LED 2x3W
Voltage: 85-265V
Material: Aluminum+Lens



GPS-154
Dimension: 215x95x33mm
Lamp: LED 8x1W
Voltage: 85-265V
Material: Aluminum+Lens

Wall light series 上下照壁灯

Wall light series 上下照壁灯



GPS-155
Dimension: 100x40x120mm
Lamp: LED 2x1W
Voltage: 85-265V
Material: Aluminum+PC



GPS-156
Dimension: 130x35x100mm
Lamp: LED 4x1W
Voltage: 85-265V
Material: Aluminum+PC



GPS-157
Dimension: 180x35x100mm
Lamp: LED 6x1W
Voltage: 85-265V
Material: Aluminum+PC



GPS-164
Dimension: 83x50x75mm
Lamp: LED 4x1W
Voltage: 85-265V
Material: Aluminum+Lens



GPS-165
Dimension: 125x50x75mm
Lamp: LED 6x1W
Voltage: 85-265V
Material: Aluminum+Lens



GPS-166
Dimension: 166x50x75mm
Lamp: LED 8x1W
Voltage: 85-265V
Material: Aluminum+Lens



GPS-158
Dimension: 235x35x100mm
Lamp: LED 8x1W
Voltage: 85-265V
Material: Aluminum+PC



GPS-159
Dimension: 205x70x50mm
Lamp: LED 2x5W+SMD 2W
Voltage: 85-265V
Material: Aluminum+PC+Lens



GPS-160
Dimension: 94x72x40mm
Lamp: LED 4x1W
Voltage: 85-265V
Material: Aluminum+Lens



GPS-167
Dimension: 54x65x180mm
Lamp: LED 2x3W
Voltage: 85-265V
Material: Aluminum+Lens



GPS-168
Dimension: 105x50mm
Lamp: LED 4x1W
Voltage: 85-265V
Material: Aluminum+Lens



GPS-169
Dimension: 180x110x82mm
Lamp: LED 2x5W
Voltage: 85-265V
Material: Aluminum+PC



GPS-161
Dimension: 136x72x40mm
Lamp: LED 6x1W
Voltage: 85-265V
Material: Aluminum+Lens



GPS-162
Dimension: 178x72x40mm
Lamp: LED 8x1W
Voltage: 85-265V
Material: Aluminum+Lens



GPS-163
Dimension: 220x72x40mm
Lamp: LED 10x1W
Voltage: 85-265V
Material: Aluminum+Glass



GPS-170
Dimension: S: 180x100x80mm
L: 225x125x80mm
Lamp: LED 2x3W / LED 2x5W
Voltage: 85-265V
Material: Aluminum+Lens



GPS-171
Dimension: 70x180mm
Lamp: LED 3x5W
Voltage: 85-265V
Material: Aluminum+PC+Lens



GPS-172
Dimension: 65x190mm
Lamp: LED 3x5W
Voltage: 85-265V
Material: Aluminum+PC+Lens

Wall light series 上下照壁灯

Wall light series 上下照壁灯



GPS-173
Dimension: 170x170x110mm
Lamp: LED 2x5W
Voltage: 85-265V
Material: Aluminum+Glass



GPS-174
Dimension: 170x170x110mm
Lamp: LED 2x5W
Voltage: 85-265V
Material: Aluminum+Glass



GPS-175
Dimension: 170x170x110mm
Lamp: LED 2x5W
Voltage: 85-265V
Material: Aluminum+Glass



GPS-185
Dimension: 75x70x55mm
Lamp: LED 4x2W
Voltage: 85-265V
Material: Aluminum+Lens




GPS-186
Dimension: 95x75mm
Lamp: LED 2x3W
Voltage: 85-265V
Material: Aluminum+Lens




GPS-187
Dimension: 95x75mm
Lamp: LED 4x3W
Voltage: 85-265V
Material: Aluminum+Lens



GPS-176
Dimension: 120x48mm
Lamp: LED 4x3W
Voltage: 85-265V
Material: Aluminum+Lens



GPS-177
Dimension: 150x50mm
Lamp: LED 4x3W
Voltage: 85-265V
Material: Aluminum+Lens



GPS-178
Dimension: 220x60x160mm
Lamp: LED 5W
Voltage: 85-265V
Material: Aluminum+Glass



GPS-188
Dimension: 100x100x100mm
Lamp: LED 2x3W
Voltage: 85-265V
Material: Aluminum+Glass




GPS-188-DOUBLE
Dimension: 200x100x100mm
Lamp: LED 4x3W
Voltage: 85-265V
Material: Aluminum+Glass



GPS-189
Dimension: 102x48 / 120x45 / 160x48mm
Lamp: LED 4x1W / 6x1W / 8x1W
Voltage: 85-265V
Material: Aluminum+Lens



GPS-179
Dimension: 120x48mm
Lamp: LED 4x3W
Voltage: 85-265V
Material: Aluminum+Lens



GPS-180
Dimension: 150x50mm
Lamp: LED 4x3W
Voltage: 85-265V
Material: Aluminum+Lens



GPS-181
Dimension: 230x110x40mm
Lamp: LED 4x1W / 6x1W / 8x1W
Voltage: 85-265V
Material: Aluminum+Lens



GPS-190
Dimension: 200x119x60mm
Lamp: LED 2x6W
Voltage: 85-265V
Material: Aluminum+Glass



GPS-191
Dimension: 300x119x60mm
Lamp: LED 2x9W
Voltage: 85-265V
Material: Aluminum+Glass



GPS-192
Dimension: 170x80x35mm
Lamp: LED 6x1W
Voltage: 85-265V
Material: Aluminum+Lens



GPS-182
Dimension: 110x80x35mm
Lamp: LED 4x1W
Voltage: 85-265V
Material: Aluminum+Lens



GPS-183
Dimension: 155x80x35mm
Lamp: LED 6x1W
Voltage: 85-265V
Material: Aluminum+Lens



GPS-184
Dimension: 210x80x35mm
Lamp: LED 8x1W
Voltage: 85-265V
Material: Aluminum+Lens



GPS-193
Dimension: 200x119x60mm
Lamp: LED 9W
Voltage: 85-265V
Material: Aluminum+Glass



GPS-194
Dimension: 300x119x60mm
Lamp: LED 9W
Voltage: 85-265V
Material: Aluminum+Glass



GPS-195
Dimension: 220x90x35mm
Lamp: LED 8x1W
Voltage: 85-265V
Material: Aluminum+Lens

Wall light series 上下照壁灯

Wall light series 上下照壁灯



GPS-196
Dimension: 175x55mm
Lamp: LED 10W+1W
Voltage: 85-265V
Material: Aluminum+PC



GPS-197
Dimension: 175x55mm
Lamp: LED 10W+1W
Voltage: 85-265V
Material: Aluminum+PC



GPS-198
Dimension: 175x55mm
Lamp: LED 10W+1W
Voltage: 85-265V
Material: Aluminum+PC



GPS-205
Dimension: 130x164mm
Lamp: LED 12W
Voltage: 85-265V
Material: Aluminum+PC



GPS-206
Dimension: 170x130x130mm
Lamp: LED 2x5W
Voltage: 85-265V
Material: Aluminum+PC



GPS-207
Dimension: 235x190x255mm
Lamp: E27
Voltage: 220-240V
Material: Aluminum+PC



GPS-199
Dimension: 145x140x120mm
Lamp: LED 2x5W / 2x7W
Voltage: 85-265V
Material: Aluminum+Glass+PC



GPS-200
Dimension: 110x140x120mm
Lamp: LED 5W / 7W
Voltage: 85-265V / 700LM
Material: Aluminum+Glass+PC



GPS-201
Dimension: 97x33mm
Lamp: LED 2x1W
Voltage: 85-265V
Material: Aluminum+Lens



GPS-208 / GPS-209
Dimension: 95x90mm
128x120mm
Lamp: LED 7W / LED 12W
Voltage: 85-265V
Material: Aluminum+Glass



GPS-210
Dimension: 110x110x110mm
Lamp: LED 6x2W
Voltage: 85-265V
Material: Aluminum+Glass



GPS-211
Dimension: 130x130x130mm
Lamp: LED 9x2W
Voltage: 85-265V
Material: Aluminum+Glass



GPS-202
Dimension: 97x33mm
Lamp: LED 2x1W
Voltage: 85-265V
Material: Aluminum+Lens



GPS-203
Dimension: 97x33mm
Lamp: LED 2x1W
Voltage: 85-265V
Material: Aluminum+Lens



GPS-204
Dimension: 97x33mm
Lamp: LED 2x1W
Voltage: 85-265V
Material: Aluminum+Lens



GPS-212
Dimension: 160x160x160mm
Lamp: LED 12x2W
Voltage: 85-265V
Material: Aluminum+Glass



GPS-213
Dimension: 180x180x180mm
Lamp: LED 18x2W
Voltage: 85-265V
Material: Aluminum+Glass



GPS-214
Dimension: 147x125x90mm
Lamp: LED 8x2W
Voltage: 85-265V
Material: Aluminum+Glass

Wall light series 上下照壁灯

Wall light series 上下照壁灯



GPS-215
Dimension: 135x90x70mm
Lamp: LED 2x3W
Voltage: 85-265V
Material: Aluminum+Lens



GPS-216
Dimension: 135x130x180mm
Lamp: LED 12W
Voltage: 85-265V
Material: Aluminum+PC



GPS-216-Square
Dimension: 135x130x180mm
Lamp: LED 12W
Voltage: 85-265V
Material: Aluminum+PC



GPS-223
Dimension: 158x35mm
Lamp: LED 2x5W
Voltage: 85-265V
Material: Aluminum+PC



GPS-224
Dimension: 158x35mm
Lamp: LED 2x5W
Voltage: 85-265V
Material: Aluminum+PC



GPS-225
Dimension: 185x90x45mm
Lamp: LED 2x5W
Voltage: 85-265V
Material: Aluminum+PC




GPS-217
Dimension: 220x65x65mm
Lamp: LED 2x5W+SMD 7W
Voltage: 85-265V
Material: Aluminum+PC+Lens



GPS-218
Dimension: 160x195x145mm
Lamp: LED 12W / 350°
Voltage: 85-265V
Material: Aluminum+PC



GPS-219
Dimension: 160x195x145mm
Lamp: LED 12W / 350°
Voltage: 85-265V
Material: Aluminum+PC



GPS-226
Dimension: 148x50x96mm
Lamp: LED 2x5W
Voltage: 85-265V
Material: Aluminum+PC



GPS-227
Dimension: 148x50x96mm
Lamp: LED 2x5W
Voltage: 85-265V
Material: Aluminum+PC



GPS-228
Dimension: 185x90x45mm
Lamp: LED 2x5W
Voltage: 85-265V
Material: Aluminum+PC



GPS-220
Dimension: 200x85x85mm
Lamp: LED 2x5W
Voltage: 85-265V
Material: Aluminum+Glass+Lens



GPS-221
Dimension: S: 179x90x102mm
L: 200x100x85mm
Lamp: LED 2x5W / 2x10W
Voltage: 85-265V
Material: Aluminum+Glass



GPS-222
Dimension: 197x65x47mm
Lamp: LED 2x5W+SMD 2W
Voltage: 85-265V
Material: Aluminum+PC+Lens



GPS-229
Dimension: 170x170x80mm
Lamp: LED 10W
Voltage: 85-265V
Material: Aluminum+Glass



GPS-230
Dimension: 220x128x65mm
Lamp: LED 2x5W
Voltage: 85-265V
Material: Aluminum+Glass



GPS-231
Dimension: 170x100x180mm
Lamp: LED 12W
Voltage: 85-265V
Material: Aluminum+PC

Wall light series 上下照壁灯

Wall light series 上下照壁灯



GPS-232
Dimension: 115x110x55mm
Lamp: SMD 2x3W
Voltage: 85-265V
Material: Aluminum+PC



GPS-233
Dimension: 180x110x55mm
Lamp: SMD 2x6W
Voltage: 85-265V
Material: Aluminum+PC



GPS-234
Dimension: 115x90x28mm
Lamp: SMD 2x3W
Voltage: 85-265V
Material: Aluminum+Glass



GPS-241
Dimension: 100x80mm
Lamp: LED 5W
Voltage: 85-265V
Material: Aluminum+PC



GPS-242
Dimension: 134x97mm
Lamp: LED 2x5W
Voltage: 85-265V
Material: Aluminum+PC



GPS-243
Dimension: 100x80mm
Lamp: LED 5W
Voltage: 85-265V
Material: Aluminum+PC



GPS-235
Dimension: 80x69x80mm
Lamp: COB 3W / 5W GU10 50W
Voltage: 85-265V
Material: Aluminum+Glass



GPS-236
Dimension: 80x69x80mm
Lamp: COB 3W / 5W GU10 50W
Voltage: 85-265V
Material: Aluminum+Glass



GPS-237
Dimension: 175x90x28mm
Lamp: SMD 2x6W
Voltage: 85-265V
Material: Aluminum+Glass



GPS-244
Dimension: 65x160 / 90x190mm
Lamp: LED 2x3W / 2x5W
Voltage: 85-265V
Material: Aluminum+Acrylic



GPS-245
Dimension: 65x160 / 90x190mm
Lamp: LED 2x3W / 2x5W
Voltage: 85-265V
Material: Aluminum+Acrylic



GPS-246
Dimension: 134x97mm
Lamp: LED 2x5W
Voltage: 85-265V
Material: Aluminum+PC



GPS-238
Dimension: 80x69x150mm
Lamp: COB 2x3W / 2x5W GU10 50W
Voltage: 85-265V
Material: Aluminum+Glass



GPS-239
Dimension: 80x69x150mm
Lamp: COB 2x3W / 2x5W GU10 50W
Voltage: 85-265V
Material: Aluminum+Glass



GPS-240
Dimension: 180x120x65mm
Lamp: COB 2x3W / 2x5W GU10 50W
Voltage: 85-265V
Material: Aluminum+Glass



GPS-247
Dimension: 65x160 / 90x190mm
Lamp: LED 2x3W / 2x5W
Voltage: 85-265V
Material: Aluminum+Acrylic



GPS-248
Dimension: 65x160 / 90x190mm
Lamp: LED 2x3W / 2x5W
Voltage: 85-265V
Material: Aluminum+Acrylic



GPS-249
Dimension: 65x160 / 90x190mm
Lamp: LED 2x3W / 2x5W
Voltage: 85-265V
Material: Aluminum+Acrylic

Wall light series 上下照壁灯

Wall light series 上下照壁灯



GPS-250
Dimension: 65x115x160 / 90x155x160mm
110x175x200mm
Lamp: LED 10W
Voltage: 85-265V
Material: Aluminum+Glass



GPS-251
Dimension: 65x115x160 / 90x155x160mm
110x175x200mm
Lamp: E27
Voltage: 220-240V
Material: Aluminum+Glass



GPS-252
Dimension: 65x115x210 / 90x155x210mm
110x175x210mm
Lamp: E27
Voltage: 220-240V
Material: Aluminum+PC



GPS-259
Dimension: 100x105x160mm
Lamp: E27
Voltage: 220-240V
Material: Aluminum+Glass+PC



GPS-260
Dimension: 100x105x160mm
Lamp: E27
Voltage: 220-240V
Material: Aluminum+Glass+PC



GPS-261
Dimension: 90x150x160mm
120x150x200mm
Lamp: E27
Voltage: 220-240V
Material: Aluminum+Glass



GPS-253
Dimension: 65x115x200 / 90x155x260mm
110x175x300mm
Lamp: LED 2x10W
Voltage: 85-265V
Material: Aluminum+Glass



GPS-254
Dimension: 65x115x200 / 90x155x260mm
110x175x300mm
Lamp: 2xE27
Voltage: 220-240V
Material: Aluminum+Glass



GPS-255
Dimension: 65x115x320 / 90x155x320mm
110x175x320mm
Lamp: 2xE27
Voltage: 220-240V
Material: Aluminum+PC



GPS-262
Dimension: 100x105x260mm
Lamp: 2xE27
Voltage: 220-240V
Material: Aluminum+Glass+PC



GPS-263
Dimension: 100x105x260mm
Lamp: 2xE27
Voltage: 220-240V
Material: Aluminum+Glass+PC



GPS-264
Dimension: 90x150x260mm
120x150x300mm
Lamp: 2xE27
Voltage: 220-240V
Material: Aluminum+Glass



GPS-256
Dimension: 110x175x220mm
Lamp: E27
Voltage: 220-240V
Material: Aluminum+Glass



GPS-257
Dimension: 110x175x340mm
Lamp: 2xE27
Voltage: 220-240V
Material: Aluminum+Glass



GPS-258
Dimension: 65x200mm
Lamp: 2xGU10
Voltage: 220-240V
Material: Aluminum+Glass




GPS-265
Dimension: 130x220mm
Lamp: E27 / LED 7W
Voltage: 220-240V / 85-265V
Material: Aluminum+PC




GPS-266
Dimension: 130x220mm
Lamp: E27 / LED 7W
Voltage: 220-240V / 85-265V
Material: Aluminum+PC



GPS-267
Dimension: S: 225x70x40mm
L: 290x130x110mm
Lamp: E27
Voltage: 220-240V
Material: Aluminum+PC



Model	GPS-268	GPS-269
Wattage	LED 7W	
Voltage	85-265V	
IP	54	
Material	Aluminum+Glass	
Dimension	170x600mm	130x150mm




Model	GPS-270	GPS-271
Wattage	LED 7W	
Voltage	85-265V	
IP	54	
Material	Aluminum+PC	
Dimension	165x600mm	165x200mm



Model	GPS-272	GPS-273
Wattage	LED 7W	
Voltage	85-265V	
IP	54	
Material	Aluminum+PC	
Dimension	235x190x600mm	235x190x200mm




Model	GPS-274	GPS-275
Wattage	E27 / Solar LED 4W	
Voltage	220-240V / 85-265V	
IP	54	
Material	Aluminum+PC	
Dimension	240x600mm	240x300mm




Model	GPS-276	GPS-277
Wattage	E27 / Solar LED 4W	
Voltage	220-240V / 85-265V	
IP	54	
Material	Aluminum+PC	
Dimension	240x600mm	240x300mm

Lawn light series 草坪灯

Lawn light series 草坪灯




Model	GPS-278
Wattage	E27 15W / LED 9W
Voltage	220-240V / 85-265V
IP	54
Material	Aluminum+PC
Dimension	90x135x600mm



GPS-282 GPS-283


Model	GPS-282	GPS-283
Wattage	LED 7W	
Voltage	85-265V	
IP	54	
Material	Aluminum+Glass	
Dimension	135x100x600mm	100x100x52mm




Model	GPS-279
Wattage	E27 15W / LED 9W
Voltage	220-240V / 85-265V
IP	54
Material	Aluminum+PC
Dimension	90x135x600mm




Model	GPS-284
Wattage	LED 7W
Voltage	85-265V
IP	54
Material	Aluminum+PC
Dimension	100x100x600mm




Model	GPS-280
Wattage	E27 15W / LED 9W
Voltage	220-240V / 85-265V
IP	54
Material	Aluminum+PC
Dimension	90x135x600mm



Model	GPS-285
Wattage	LED 7W
Voltage	85-265V
IP	54
Material	Aluminum+PC
Dimension	88x88x600mm



Model	GPS-281
Wattage	E27 7W / LED 7W
Voltage	220-240V / 85-265V
IP	54
Material	Aluminum+PC
Dimension	120x120x600mm



Model	GPS-286
Wattage	LED 12W-18W
Voltage	85-265V
IP	54
Material	Aluminum+PC
Dimension	128x125x600mm




Model	GPS-287
Wattage	LED 5W
Voltage	85-265V
IP	54
Material	Aluminum+PC
Dimension	S: 32x180x600mm M: 50x180x600mm



Model	GPS-291
Wattage	LED 12W
Voltage	85-265V
IP	54
Material	Aluminum+Glass
Dimension	108x600mm



Model	GPS-288
Wattage	LED 2x7W
Voltage	85-265V
IP	54
Material	Aluminum+PC
Dimension	140x140x600mm



GPS-292 GPS-293


Model	GPS-292	GPS-293
Wattage	LED 12W	
Voltage	85-265V	
IP	54	
Material	Aluminum+PC	
Dimension	136x120x600mm	136x120x300mm




Model	GPS-289
Wattage	LED 10W
Voltage	85-265V
IP	54
Material	Aluminum+PC
Dimension	100x150x600mm



Model	GPS-294
Wattage	LED 12W
Voltage	85-265V
IP	54
Material	Aluminum+Glass
Dimension	160x53x600mm



Model	GPS-290
Wattage	LED 10W
Voltage	85-265V
IP	54
Material	Aluminum+PC
Dimension	100x150x600mm



GPS-295 GPS-296

Model	GPS-295	GPS-296
Wattage	LED 12W	
Voltage	85-265V	
IP	54	
Material	Aluminum+PC	
Dimension	170x590mm	170x145mm

Lawn light series 草坪灯

Lawn light series 草坪灯



GPS-297-H600
Dimension: 178x600mm
Lamp: LED 18W
Voltage: 85-265V
Material: Aluminum+PC



GPS-298-H600
Dimension: 182x600mm
Lamp: LED 18W
Voltage: 85-265V
Material: Aluminum+PC



GPS-299-H600
Dimension: 150x600mm
Lamp: LED 10W
Voltage: 85-265V
Material: Aluminum+PC



GPS-306
Dimension: 90x600mm
Lamp: E27
Voltage: 220-240V
Material: Aluminum+PC



GPS-307
Dimension: 90x600mm
Lamp: E27
Voltage: 220-240V
Material: Aluminum+PC



GPS-308-H600
Dimension: 160x600mm
Lamp: E27
Voltage: 220-240V
Material: Aluminum+PC



GPS-300
Dimension: 130x600mm
Lamp: E27 / LED 7W
Voltage: 220-240V / 85-265V
Material: Aluminum+PC



GPS-301
Dimension: 130x600mm
Lamp: E27 / LED 7W
Voltage: 220-240V / 85-265V
Material: Aluminum+PC



GPS-302-H600
Dimension: 150x600mm
Lamp: LED 10W
Voltage: 85-265V
Material: Aluminum+PC



GPS-309
Dimension: 90x600mm
Lamp: LED 7W
Voltage: 85-265V
Material: Aluminum+acrylic



GPS-310
Dimension: 90x600mm
Lamp: LED 7W
Voltage: 85-265V
Material: Aluminum+Acrylic



GPS-311
Dimension: S: 160x160x185mm
L: 220x220x270mm
Lamp: E27
Voltage: 220-240V
Material: Aluminum+PC



GPS-303
Dimension: 103x600mm
Lamp: LED 12W Voltage:
85-265V Material:
Aluminum+Glass



GPS-304
Dimension: 103x600mm
Lamp: LED 12W Voltage:
85-265V Material:
Aluminum+Glass



GPS-305
Dimension: 130x70x60mm
Lamp: LED 12W Voltage:
85-265V Material:
Aluminum+PC




GPS-312
Dimension: S: 90x600mm
L: 110x600mm
Lamp: E27
Voltage: 220-240V
Material: Aluminum+Glass




GPS-313
Dimension: 110x600mm
Lamp: E27
Voltage: 220-240V
Material: Aluminum+Glass




GPS-314
Dimension: 110x600mm
Lamp: E27
Voltage: 220-240V
Material: Aluminum+Glass




Model	GPS-315	GPS-316
Wattage	LED 24W	LED 18W
Voltage	85-265V	
IP	54	
Material	Aluminum+PC	
Dimension	245x45mm	178x45mm




Model	GPS-317	GPS-318
Wattage	LED 24W	LED 18W
Voltage	85-265V	
IP	54	
Material	Aluminum+PC	
Dimension	245x50mm	178x50mm




Model	GPS-319
Wattage	E27 / LED 10W
Voltage	220-240V / 85-265V
IP	54
Material	Aluminum+PC
Dimension	248x108x100mm



Model	GPS-320
Wattage	E27 / LED 10W
Voltage	220-240V / 85-265V
IP	54
Material	Aluminum+PC
Dimension	248x108x100mm




Model	GPS-321
Wattage	E27 / LED 10W
Voltage	220-240V / 85-265V
IP	54
Material	Aluminum+PC
Dimension	248x108x100mm




Model	GPS-322
Wattage	LED 12W
Voltage	85-265V
IP	54
Material	Aluminum+PC
Dimension	200x160x45mm


Bulkhead light series 防潮灯




Model	GPS-323
Wattage	LED 18W
Voltage	85-265V
IP	54
Material	Aluminum+PC
Dimension	210x53mm




Model	GPS-324	GPS-325
Wattage	LED 10W	LED 7W
Voltage	85-265V	
IP	54	
Material	Aluminum+PC	
Dimension	160x100mm	108x80mm




Model	GPS-326	GPS-327
Wattage	LED 10W	LED 7W
Voltage	85-265V	
IP	54	
Material	Aluminum+PC	
Dimension	160x160x105mm	110x110x80mm




Model	GPS-328
Wattage	LED 7W+3W
Voltage	85-265V
IP	54
Material	Aluminum+PC
Dimension	180x178x53mm




Model	GPS-329
Wattage	LED 7W+3W
Voltage	85-265V
IP	54
Material	Aluminum+PC
Dimension	180x178x53mm




Model	GPS-330	GPS-331
Wattage	E27 / LED 20W	E27 / LED 10W
Voltage	220-240V / 85-265V	
IP	54	
Material	Aluminum+PC	
Dimension	275x275x140mm	215x215x120mm




Model	GPS-332	GPS-333
Wattage	E27 / LED 20W	E27 / LED 10W
Voltage	220-240V / 85-265V	
IP	54	
Material	Aluminum+PC	
Dimension	275x86mm	220x80mm




Model	GPS-334	GPS-335
Wattage	E27 / LED 10W/20W	E27 / LED 5W/10W
Voltage	220-240V / 85-265V	
IP	54	
Material	Aluminum+PC	
Dimension	280x185x100mm	220x135x65mm




Model	GPS-336	GPS-337
Wattage	E27 / LED 10W/20W	E27 / LED 5W/10W
Voltage	220-240V / 85-265V	
IP	54	
Material	Aluminum+PC	
Dimension	280x185x100mm	220x135x65mm




Model	GPS-338	GPS-339
Wattage	E27 / LED 10W	E27 / LED 5W
Voltage	220-240V / 85-265V	
IP	54	
Material	Aluminum+PC	
Dimension	340x120x110mm	220x80x75mm




Model	GPS-340	GPS-341
Wattage	2xE27 / LED 30W	2xE27 / LED 24W
Voltage	220-240V / 85-265V	
IP	54	
Material	Aluminum+PC	
Dimension	350x90mm	300x87mm




Model	GPS-342
Wattage	2xE27 / LED 24W
Voltage	220-240V / 85-265V
IP	54
Material	Aluminum+PC
Dimension	300x300x87mm




Model	GPS-343
Wattage	E27 / LED 20W
Voltage	220-240V / 85-265V
IP	54
Material	Aluminum+PC
Dimension	300x185x85mm



Model	GPS-344
Wattage	E27 / LED 10W
Voltage	220-240V / 85-265V
IP	54
Material	Aluminum+PC
Dimension	254x127x117mm



Model	GPS-345
Wattage	E27 / LED 10W
Voltage	220-240V / 85-265V
IP	54
Material	Aluminum+PC
Dimension	250x125x116mm



Model	GPS-346
Wattage	E27 / LED 10W
Voltage	220-240V / 85-265V
IP	54
Material	Aluminum+PC
Dimension	250x120x116mm



GPS-347
Dimension: 275x85x85mm
Lamp: LED 9W
Voltage: 85-265V
Material: Aluminum+PC



GPS-348
Dimension: 260x75x100mm
Lamp: LED 2x9W
Voltage: 85-265V
Material: Aluminum+PC



GPS-349
Dimension: 180x150x80mm
Lamp: LED 10W
Voltage: 85-265V
Material: Aluminum+PC



GPS-350
Dimension: 180x150x80mm
Lamp: LED 10W
Voltage: 85-265V
Material: Aluminum+PC



GPS-359
Dimension: 230x80mm
Lamp: LED 18W
Voltage: 85-265V
Material: Aluminum+PC



GPS-360
Dimension: 210x210x80mm
Lamp: LED 18W
Voltage: 85-265V
Material: Aluminum+PC



GPS-361
Dimension: S: 280x75mm
L: 360x75mm
Lamp: E27 / LED 20W / 30W
Voltage: 220-240V / 85-265V
Material: Aluminum+PC



GPS-362
Dimension: S: 280x280x75mm
L: 360x360x75mm
Lamp: E27 / LED 20W / 30W
Voltage: 220-240V / 85-265V
Material: Aluminum+PC



GPS-351
Dimension: 260x136x72mm
Lamp: E27
Voltage: 220-240V
Material: Aluminum+PC



GPS-352
Dimension: 260x198x71mm
Lamp: E27
Voltage: 220-240V
Material: Aluminum+PC



GPS-353
Dimension: 260x136x72mm
Lamp: E27
Voltage: 220-240V
Material: Aluminum+PC



GPS-354
Dimension: 260x198x71mm
Lamp: E27
Voltage: 220-240V
Material: Aluminum+PC



GPS-363
Dimension: 245x120x80mm
Lamp: E27 / LED 10W
Voltage: 220-240V / 85-265V
Material: Aluminum+PC



GPS-364
Dimension: 245x120x80mm
Lamp: E27 / LED 10W
Voltage: 220-240V / 85-265V
Material: Aluminum+PC



GPS-365
Dimension: 260x105x105mm
385x180x130mm
Lamp: E27 / LED 10W / 20W
Voltage: 220-240V / 85-265V
Material: Aluminum+PC



GPS-366
Dimension: S: 305x115x113mm
L: 424x143x140mm
Lamp: E27 / LED 10W / 20W
Voltage: 220-240V / 85-265V
Material: Aluminum+PC



GPS-355
Dimension: 165x130x45mm
Lamp: LED 6W
Voltage: 85-265V
Material: Aluminum+PC



GPS-356
Dimension: 240x130x45mm
Lamp: LED 2x6W
Voltage: 85-265V
Material: Aluminum+PC



GPS-357
Dimension: 136x45x235mm
Lamp: LED 9W
Voltage: 85-265V
Material: Aluminum+PC



GPS-358
Dimension: 130x107x230mm
Lamp: LED 12W
Voltage: 85-265V
Material: Aluminum+PC



GPS-367
Dimension: 247x110x85mm
Lamp: E27 / LED 10W
Voltage: 220-240V / 85-265V
Material: Aluminum+PC



GPS-368
Dimension: 247x110x85mm
Lamp: E27 / LED 10W
Voltage: 220-240V / 85-265V
Material: Aluminum+PC



GPS-369
Dimension: 247x110x85mm
Lamp: E27 / LED 10W
Voltage: 220-240V / 85-265V
Material: Aluminum+PC




GPS-370
Dimension: 247x110x85mm
Lamp: E27 / LED 10W
Voltage: 220-240V / 85-265V
Material: Aluminum+PC


Underground light series 埋地灯




Underground light series 埋地灯




Model	GPS-371
Wattage	LED 3W
Voltage	85-265V
IP	67
Material	Aluminum+Glass +Stainless steel+Plastic
Dimension	65x75mm



Model	GPS-372
Wattage	LED 5W
Voltage	85-265V
IP	67
Material	Aluminum+Glass +Stainless steel+Plastic
Dimension	80x92mm




Model	GPS-373
Wattage	LED 7W
Voltage	85-265V
IP	67
Material	Aluminum+Glass +Stainless steel+Plastic
Dimension	100x80mm




Model	GPS-374
Wattage	LED 10W
Voltage	85-265V
IP	67
Material	Aluminum+Glass +Stainless steel+Plastic
Dimension	120x100mm


Underground light series 埋地灯




Model:	GPS-375
Wattage:	LED 10W
Voltage:	85-265V
IP:	67
Material:	Aluminum+Glass +Stainless steel+Plastic
Dimension:	150x90mm




Model	GPS-379	GPS-380
Wattage	LED 30W	LED 50W
Voltage	85-265V	
IP	67	
Material	Aluminum+Glass +Stainless steel+Plastic	
Dimension	250x110mm	300x110mm




Model	GPS-376
Wattage	LED 15 / 20W
Voltage	85-265V
IP	67
Material	Aluminum+Glass +Stainless steel+Plastic
Dimension	180x95mm




Model	GPS-381
Wattage	LED 10W Adjustable
Voltage	85-265V
IP	67
Material	Aluminum+Glass +Stainless steel+Plastic
Dimension	130x140mm




Model	GPS-377
Wattage	LED 20W
Voltage	85-265V
IP	67
Material	Aluminum+Glass +Stainless steel+Plastic
Dimension	200x95mm



Model	GPS-382
Wattage	LED 20W Adjustable
Voltage	85-265V
IP	67
Material	Aluminum+Glass +Stainless steel+Plastic
Dimension	160x155mm



Model	GPS-378
Wattage	LED 30W
Voltage	85-265V
IP	67
Material	Aluminum+Glass +Stainless steel+Plastic
Dimension	220x95mm



Model	GPS-383
Wattage	LED 30W Adjustable
Voltage	85-265V
IP	67
Material	Aluminum+Glass +Stainless steel+Plastic
Dimension	210x230mm

Underground light series 埋地灯

Underground light series 埋地灯




GPS-384
Dimension: 110x140mm
Lamp: LED 5W
Voltage: 85-265V
Material: Aluminum+Glass+
Stainless steel+Plastic



GPS-385
Dimension: 150x190mm
Lamp: LED 10W
Voltage: 85-265V
Material: Aluminum+Glass+
Stainless steel+Plastic



GPS-386
Dimension: 170x205mm
Lamp: LED 20W
Voltage: 85-265V
Material: Aluminum+Glass+
Stainless steel+Plastic



GPS-393
Dimension: 250x90mm
Lamp: LED 24x1W / LED 36x1W
Voltage: 85-265V
Material: Aluminum+Glass+
Stainless steel+Plastic



GPS-394
Dimension: 300x90mm
Lamp: LED 36x1W / LED 50x1W
Voltage: 85-265V
Material: Aluminum+Glass+
Stainless steel+Plastic



GPS-395
Dimension: 110x80mm
Lamp: LED 6x1W
Voltage: 85-265V
Material: Aluminum+Glass+
Stainless steel+Plastic



GPS-387
Dimension: 210x235mm
Lamp: LED 30W
Voltage: 85-265V
Material: Aluminum+Glass+
Stainless steel+Plastic



GPS-388
Dimension: 65x78mm
Lamp: LED 1x3W
Voltage: 85-265V
Material: Aluminum+Glass+
Stainless steel+Plastic



GPS-389
Dimension: 110x65mm
Lamp: LED 3x1W / MR16
Voltage: 85-265V
Material: Aluminum+Glass+
Stainless steel+Plastic



GPS-396
Dimension: 150x90mm
Lamp: LED 12x1W
Voltage: 85-265V
Material: Aluminum+Glass+
Stainless steel+Plastic



GPS-397
Dimension: 180x90mm
Lamp: LED 18x1W
Voltage: 85-265V
Material: Aluminum+Glass+
Stainless steel+Plastic



GPS-398
Dimension: 200x90mm
Lamp: LED 24x1W
Voltage: 85-265V
Material: Aluminum+Glass+
Stainless steel+Plastic



GPS-390
Dimension: 150x90mm
Lamp: LED 6x1W / 12x1W
Voltage: 85-265V
Material: Aluminum+Glass+
Stainless steel+Plastic



GPS-391
Dimension: 180x90mm
Lamp: LED 12x1W / LED 18x1W
Voltage: 85-265V
Material: Aluminum+Glass+
Stainless steel+Plastic



GPS-392
Dimension: 200x90mm
Lamp: LED 18x1W / LED 24x1W
Voltage: 85-265V
Material: Aluminum+Glass+
Stainless steel+Plastic



GPS-399
Dimension: 250x100mm
Lamp: LED 36x1W
Voltage: 85-265V
Material: Aluminum+Glass+
Stainless steel+Plastic



GPS-400
Dimension: 300x105mm
Lamp: LED 50x1W
Voltage: 85-265V
Material: Aluminum+Glass+
Stainless steel+Plastic



GPS-401
Dimension: 110x140mm
Lamp: GU10 / MR16
Voltage: 220-240V
Material: Aluminum+Glass+
Stainless steel+Plastic

Underground light series 埋地灯

Underground light series 埋地灯



GPS-402
Dimension: 110x160mm
Lamp: GU10
Voltage: 220-240V
Material: Aluminum+Glass+
Stainless steel+Plastic



GPS-403
Dimension: 110x135mm
Lamp: GU10 / MR16
Voltage: 85-265V
Material: Aluminum+Glass+
Stainless steel+Plastic



GPS-404
Dimension: 110x140mm
Lamp: GU10 / MR16
Voltage: 220-240V
Material: Aluminum+Glass+
Stainless steel+Plastic



GPS-411
Dimension: 200x250mm
Lamp: LED 18W Adjustable
Voltage: 85-265V
Material: Aluminum+Glass+
Stainless steel+Plastic



GPS-412
Dimension: 250x315mm
Lamp: LED 24W Adjustable
Voltage: 85-265V
Material: Aluminum+Glass+
Stainless steel+Plastic



GPS-413
Dimension: 80x100 / 100x120mm
Lamp: LED 3x1W
Voltage: 85-265V
Material: Aluminum+Glass+
Stainless steel+Plastic



GPS-405
Dimension: 150x190mm
Lamp: E27
Voltage: 220-240V
Material: Aluminum+Glass+
Stainless steel+Plastic



GPS-406
Dimension: 210x243mm
Lamp: E27
Voltage: 220-240V
Material: Aluminum+Glass+
Stainless steel+Plastic



GPS-407
Dimension: 170x205mm
Lamp: E27
Voltage: 220-240V
Material: Aluminum+Glass+
Stainless steel+Plastic



GPS-414
Dimension: 120x125 / 150x130mm
Lamp: LED 6x1W
Voltage: 85-265V
Material: Aluminum+Glass+
Stainless steel+Plastic



GPS-415
Dimension: 65x90 / 80x100mm Lamp:
LED 1W / 3x1W
Voltage: 85-265V
Material: Aluminum+Glass+
Stainless steel+Plastic



GPS-416
Dimension: 100x110 / 120x120mm
Lamp: LED 3x1W / 6x1W
Voltage: 85-265V
Material: Aluminum+Glass+
Stainless steel+Plastic



GPS-408
Dimension: 120x135mm
Lamp: LED 3W Adjustable
Voltage: 85-265V
Material: Aluminum+Glass+
Stainless steel+Plastic



GPS-409
Dimension: 150x200mm
Lamp: LED 5-7W Adjustable
Voltage: 85-265V
Material: Aluminum+Glass+
Stainless steel+Plastic



GPS-410
Dimension: 180x210mm
Lamp: LED 9-12W Adjustable
Voltage: 85-265V
Material: Aluminum+Glass+
Stainless steel+Plastic




GPS-417
Dimension: 42x79 / 52x90 / 62x100mm
Lamp: LED 1W (1/2/4windows)
Voltage: 85-265V
Material: Aluminum+Lens+Plastic




GPS-418
Dimension: 40x40x85 / 42x85mm
Lamp: LED 3W
Voltage: 85-265V
Material: Aluminum+Lens+Plastic




GPS-419
Dimension: 42x70 / 52x82mm
62x80 / 75x92mm
Lamp: LED 1W / 3W
Voltage: 85-265V
Material: Stainless steel+Glass+Plastic




Model	GPS-423
Wattage	LED 1W / 3W
Voltage	85-265V
IP	54
Material	Aluminum+Glass+Plastic
Dimension	85x85x55mm




Model	GPS-424
Wattage	LED 3W
Voltage	85-265V
IP	54
Material	Aluminum+Glass+Plastic
Dimension	115x115x55mm




Model	GPS-425
Wattage	LED 3W
Voltage	85-265V
IP	54
Material	Aluminum+Glass+Plastic
Dimension	115x85x58mm



Model	GPS-420	GPS-421
Wattage	LED 5W	LED 3W
Voltage	85-265V	
IP	54	
Material	Aluminum+Glass+Plastic	
Dimension	162x96x65mm	145x70x55mm



Model	GPS-422
Wattage	LED 1W / 3W
Voltage	85-265V
IP	54
Material	Aluminum+Glass+Plastic
Dimension	85x85x55mm



Model	GPS-426
Wattage	LED 7W
Voltage	85-265V
IP	54
Material	Aluminum+Glass+Plastic
Dimension	250x95x52mm

Step light series 地脚灯

Step light series 地脚灯



GPS-427
Dimension: 148x148x35mm
Lamp: LED 3W
Voltage: 85-265V
Material: Aluminum+PC



GPS-428
Dimension: 148x148x35mm
Lamp: LED 3W
Voltage: 85-265V
Material: Aluminum+PC



GPS-429
Dimension: 200x90x36mm
Lamp: LED 6W
Voltage: 85-265V
Material: Aluminum+PC



GPS-436
Dimension: 125x70mm
Lamp: LED 1W
Voltage: 85-265V
Material: Aluminum+Glass+Plastic



GPS-437
Dimension: 125x125x70mm
Lamp: LED 1W
Voltage: 85-265V
Material: Aluminum+Glass+Plastic



GPS-438
Dimension: 70x70x55mm
Lamp: LED 2W
Voltage: 85-265V
Material: Aluminum+Glass+
Stainless steel+Plastic



GPS-430
Dimension: 158x158x100mm
Lamp: MR16 / LED 5W
Voltage: 220-240V / 85-265V
Material: Aluminum+Glass+Plastic



GPS-431
Dimension: 260x245x60mm
Lamp: E27 / LED 10W
Voltage: 220-240V / 85-265V
Material: Aluminum+Glass+Plastic



GPS-432
Dimension: 100x53mm
Lamp: LED 3W
Voltage: 85-265V
Material: Aluminum+Glass+Plastic



GPS-439
Dimension: 135x90x95mm
Lamp: LED 1W
Voltage: 85-265V
Material: Aluminum+Glass+Plastic



GPS-450
Dimension: 125x125x85mm
Lamp: LED 1W
Voltage: 85-265V
Material: Aluminum+Glass+Plastic



GPS-451
Dimension: 110x45x55 / 170x70x60mm
Lamp: LED 3W / 5W
Voltage: 85-265V
Material: Aluminum+Glass+
Stainless steel+Plastic



GPS-433
Dimension: 162x96x65mm
Lamp: LED 5W
Voltage: 85-265V
Material: Aluminum+Glass+Plastic



GPS-434
Dimension: 200x90x50mm
Lamp: LED 5W
Voltage: 85-265V
Material: Aluminum+Glass



GPS-435
Dimension: 80x80x53mm
Lamp: LED 3W
Voltage: 85-265V
Material: Aluminum+Glass+Plastic




GPS-452
Dimension: 230x90x90mm
Lamp: LED 1W
Voltage: 85-265V
Material: Aluminum+Glass+Plastic




GPS-453
Dimension: 256x114x115 / 316x114x115mm
Lamp: E27
Voltage: 220-240V
Material: Aluminum+Glass+Plastic




GPS-454
Dimension: 110x45x55 / 170x70x60mm
Lamp: LED 3W / 5W
Voltage: 85-265V
Material: Aluminum+Glass+
Stainless steel+Plastic




Model	GPS-455
Wattage	MR16 / LED 3x1W
Voltage	12V / 24V
IP	68
Material	304 Stainless steel+Glass
Dimension	82x120mm




Model	GPS-456
Wattage	MR16 / LED 6x1W
Voltage	12V / 24V
IP	68
Material	304 Stainless steel+Glass
Dimension	120x150mm




Model	GPS-457
Wattage	MR16 / LED 9x1W
Voltage	12V / 24V
IP	68
Material	304 Stainless steel+Glass
Dimension	145x180mm



Model	GPS-458
Wattage	MR16 / LED 12x1W
Voltage	12V / 24V
IP	68
Material	304 Stainless steel+Glass
Dimension	155x210mm




GPS-459




GPS-460


Model	GPS-459	GPS-460
Wattage	LED 6x1W	LED 9x1W
Voltage	12V / 24V	
IP	68	
Material	304 Stainless Steel+Glass	
Dimension	130x70mm	160x80mm




Model	GPS-461	GPS-462
Wattage	LED 12x1W	
Voltage	12V / 24V	
IP	68	
Material	304 Stainless Steel+Glass	
Dimension	180x85mm	200x90mm




Model	GPS-463
Wattage	LED 50 / 60W
Voltage	85-265V
IP	65
Material	Aluminum+PC
Dimension	440x440mm



Model	GPS-464
Wattage	LED 3x30W
Voltage	85-265V
IP	65
Material	Aluminum+PC
Dimension	455x500mm



Model	GPS-465
Wattage	LED 2x30W
Voltage	85-265V
IP	65
Material	Aluminum+PC
Dimension	145x560mm



Model	GPS-466
Wattage	LED 100 / 120 / 160W
Voltage	85-265V
IP	65
Material	Aluminum+PC
Dimension	650x180mm