



Outdoor Wall Light Catalog






LED 8Wx1 COB / 760Lm
LED 12Wx1 COB / 1150Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Tempered glass diffuser;
- Silicone gasket;
- Powder coating finish.
- Anodized aluminum reflector.




LED 8Wx2 COB / 1520Lm
LED 12Wx2 COB / 2300Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Tempered glass diffuser;
- Silicone gasket;
- Powder coating finish.
- Anodized aluminum reflector.




LED 12Wx2 COB / 2160Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Tempered glass diffuser;
- Silicone gasket;
- Powder coating finish.
- Anodized aluminum reflector.




LED 8Wx1 COB / 760Lm
LED 12Wx1 COB / 1150Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Tempered glass diffuser;
- Silicone gasket;
- Powder coating finish.
- Anodized aluminum reflector.




LED 8Wx1 COB / 760Lm
LED 12Wx1 COB / 1150Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Tempered glass diffuser;
- Silicone gasket;
- Powder coating finish.
- Anodized aluminum reflector.



LED 5Wx1 COB / 375Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Tempered glass diffuser;
- Silicone gasket;
- Powder coating finish.
- Anodized aluminum reflector.



LED 8Wx2 COB / 760Lm
LED 12Wx2 COB / 1150Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Tempered glass diffuser;
- Silicone gasket;
- Powder coating finish.
- Anodized aluminum reflector.





LED 9Wx1 COB / 720Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C


- Aluminum lamp body;
Acryl see-through cover
Silicone gasket;
Powder coating finish.




LED 7W SMD / 560Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
Acryl see-through cover
Silicone gasket;
Powder coating finish.




LED 9Wx1 COB / 800Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C



- Aluminum lamp body;
Tempered glass diffuser;
Silicone gasket;
Powder coating finish.
Anodized aluminum reflector.



LED 7Wx2 SMD / 1120Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
Acryl see-through cover
Silicone gasket;
Powder coating finish.




LED 7Wx2 COB / 1260Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
Tempered glass diffuser;
Silicone gasket;
Powder coating finish.
Anodized aluminum reflector.



LED 10Wx1 COB / 900Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
Tempered glass diffuser;
Silicone gasket;
Powder coating finish.
Anodized aluminum reflector.




LED 10Wx1 COB / 900Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C



- Aluminum lamp body;
Tempered glass diffuser;
Silicone gasket;
Powder coating finish.
Anodized aluminum reflector.






LED 3Wx2 COB / 600Lm

Ra: >80 PF: 0.85

Working temperature: -15°C~50°C



- Aluminum lamp body;
- Clear glass diffuser;
- Silicone gasket;
- Powder coating finish.




LED 3Wx1 COB / 300Lm

Ra: >80 PF: 0.85

Working temperature: -15°C~50°C



- Aluminum lamp body;
- Clear glass diffuser;
- Silicone gasket;
- Powder coating finish.
- Anodized aluminum reflector.



LED 3Wx4 COB / 1200Lm

Ra: >80 PF: 0.85

Working temperature: -15°C~50°C



- Aluminum lamp body;
- Clear glass diffuser;
- Silicone gasket;
- Powder coating finish.



LED 3Wx2 COB / 600Lm

Ra: >80 PF: 0.85

Working temperature: -15°C~50°C



- Aluminum lamp body;
- Clear glass diffuser;
- Silicone gasket;
- Powder coating finish.
- Anodized aluminum reflector.



LED 3Wx6 COB / 1800Lm

Ra: >80 PF: 0.85

Working temperature: -15°C~50°C



- Aluminum lamp body;
- Clear glass diffuser;
- Silicone gasket;
- Powder coating finish.




LED 3Wx1 COB / 300Lm

Ra: >80 PF: 0.85

Working temperature: -15°C~50°C



- Aluminum lamp body;
- Clear glass diffuser;
- Silicone gasket;
- Powder coating finish.
- Anodized aluminum reflector.







LED 6Wx1 COB / 480Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Tempered glass diffuser;
- Silicone gasket;
- Powder coating finish.



LED 12Wx1 COB / 960Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C





- Aluminum lamp body;
- Tempered glass diffuser;
- Silicone gasket;
- Powder coating finish.



LED 6Wx1 COB / 480Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Tempered glass diffuser;
- Silicone gasket;
- Powder coating finish.



LED 3Wx1 COB / 240Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Tempered glass diffuser;
- Silicone gasket;
- Powder coating finish.



LED 3Wx2 COB / 480Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Tempered glass diffuser;
- Silicone gasket;
- Powder coating finish.



LED 3Wx1 COB / 300Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Tempered glass diffuser;
- Silicone gasket;
- Powder coating finish.
- Anodized aluminum reflector.




LED 3Wx2 COB / 600Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Tempered glass diffuser;
- Silicone gasket;
- Powder coating finish.
- Anodized aluminum reflector.



LED 3Wx1 COB / 300Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Tempered glass diffuser;
- Silicone gasket;
- Powder coating finish.
- Anodized aluminum reflector.



LED 3Wx2 COB / 600Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C



- Aluminum lamp body;
- Tempered glass diffuser;
- Silicone gasket;
- Powder coating finish.
- Anodized aluminum reflector.





● **SPRINT**

LED 3Wx2 COB / 600Lm


LED 5Wx2 COB / 1000Lm

Ra: >80 PF: 0.85

Working temperature: -15°C~50°C



- Aluminum lamp body;
- Tempered glass diffuser;
- Silicone gasket;
- Powder coating finish.
- Anodized aluminum reflector.



● **SPRINT**


LED 5Wx2 COB / 1000Lm

Ra: >80 PF: 0.85

Working temperature: -15°C~50°C



- Aluminum lamp body;
- Tempered glass diffuser;
- Silicone gasket;
- Powder coating finish.
- Anodized aluminum reflector.



● **SPRINT**

LED 3Wx2 COB / 600Lm


LED 5Wx2 COB / 1000Lm

Ra: >80 PF: 0.85

Working temperature: -15°C~50°C



- Aluminum lamp body;
- Tempered glass diffuser;
- Silicone gasket;
- Powder coating finish.
- Anodized aluminum reflector.



● **SPRINT**

LED 3Wx2 COB / 600Lm


LED 5Wx2 COB / 1000Lm

Ra: >80 PF: 0.85

Working temperature: -15°C~50°C



- Aluminum lamp body;
- Tempered glass diffuser;
- Silicone gasket;
- Powder coating finish.
- Anodized aluminum reflector.



● **SPRINT**

LED 3Wx2 COB / 600Lm


LED 5Wx2 COB / 1000Lm

Ra: >80 PF: 0.85

Working temperature: -15°C~50°C



- Aluminum lamp body;
- Tempered glass diffuser;
- Silicone gasket;
- Powder coating finish.
- Anodized aluminum reflector.



● **SPRINT**

LED 3Wx2 COB / 600Lm


LED 5Wx2 COB / 1000Lm

Ra: >80 PF: 0.85

Working temperature: -15°C~50°C




- Aluminum lamp body;
- Tempered glass diffuser;
- Silicone gasket;
- Powder coating finish.
- Anodized aluminum reflector.






LED 5Wx1 COB / 500Lm
LED 5Wx2 COB / 1000Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C

IP54, CE, RoHS, ENEC
Aluminum lamp body;
Tempered glass diffuser;
Silicone gasket;
Powder coating finish.
Anodized aluminum reflector.




LED 7Wx2 COB / 1260Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C

IP54, CE, RoHS, ENEC
Aluminum lamp body;
Tempered glass diffuser;
Silicone gasket;
Powder coating finish.
Anodized aluminum reflector.




LED 5Wx2 COB / 900Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C

IP54, CE, RoHS, ENEC
Aluminum lamp body;
Tempered glass diffuser;
Silicone gasket;
Powder coating finish.
Anodized aluminum reflector.




LED 5Wx1 COB / 480Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C

IP54, CE, RoHS, ENEC
Aluminum lamp body;
Tempered glass diffuser;
Silicone gasket;
Powder coating finish.
Anodized aluminum reflector.





LED 5Wx1 COB / 500Lm
LED 5Wx2 COB / 1000Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C

IP54, CE, RoHS, ENEC
Aluminum lamp body;
Tempered glass diffuser;
Silicone gasket;
Powder coating finish.
Anodized aluminum reflector.



LED 7Wx2 COB / 1260Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C


IP54, CE, RoHS, ENEC
Aluminum lamp body;
Tempered glass diffuser;
Silicone gasket;
Powder coating finish.
Anodized aluminum reflector.






LED 5W COB / 450Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C

- IP54, CE, RoHS, ENEC, Energy Star
- Aluminum lamp body;
 - Tempered glass diffuser;
 - Silicone gasket;
 - Powder coating finish.
 - Anodized aluminum reflector.




LED 5Wx1 COB / 450Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C

- IP54, CE, RoHS, ENEC, Energy Star
- Aluminum lamp body;
 - Tempered glass diffuser;
 - Silicone gasket;
 - Powder coating finish.
 - Anodized aluminum reflector.




LED 5Wx2 COB / 900Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C

- IP54, CE, RoHS, ENEC, Energy Star
- Aluminum lamp body;
 - Tempered glass diffuser;
 - Silicone gasket;
 - Powder coating finish.
 - Anodized aluminum reflector.




LED 5Wx2 COB / 900Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C

- IP54, CE, RoHS, ENEC, Energy Star
- Aluminum lamp body;
 - Tempered glass diffuser;
 - Silicone gasket;
 - Powder coating finish.
 - Anodized aluminum reflector.




LED 12Wx1 COB / 960Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C

- IP54, CE, RoHS, ENEC, Energy Star
- Aluminum lamp body;
 - Tempered glass diffuser;
 - Silicone gasket;
 - Powder coating finish.




LED 6W COB / 480Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C

- IP54, CE, RoHS, ENEC, Energy Star
- Aluminum lamp body;
 - Tempered glass diffuser;
 - Silicone gasket;
 - Powder coating finish.




LED 6Wx2 COB / 960Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C

- IP54, CE, RoHS, ENEC, Energy Star
- Aluminum lamp body;
 - Tempered glass diffuser;
 - Silicone gasket;
 - Powder coating finish.



LED 6Wx2 COB / 960Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C

- IP54, CE, RoHS, ENEC, Energy Star
- Aluminum lamp body;
 - Tempered glass diffuser;
 - Silicone gasket;
 - Powder coating finish.






LED 3Wx1 COB / 280Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Tempered glass diffuser;
- Silicone gasket;
- Powder coating finish.
- Anodized aluminum reflector.



LED 3Wx1 COB / 280Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Tempered glass diffuser;
- Silicone gasket;
- Powder coating finish.
- Anodized aluminum reflector.




LED 3Wx2 COB / 480Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Tempered glass diffuser;
- Silicone gasket;
- Powder coating finish.




LED 3Wx2 COB / 480Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C





- Aluminum lamp body;
- Transparent PC diffuser;
- Silicone gasket;
- Powder coating finish.



LED 3Wx2 COB / 480Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C





- Aluminum lamp body;
- Tempered glass diffuser;
- Silicone gasket;
- Powder coating finish.



LED 3Wx2 COB / 480Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C





- Aluminum lamp body;
- Tempered glass diffuser;
- Silicone gasket;
- Powder coating finish.



LED 6Wx2 COB / 960Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Tempered glass diffuser;
- Silicone gasket;
- Powder coating finish.



LED 6Wx2 COB / 960Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Transparent PC diffuser;
- Silicone gasket;
- Powder coating finish.






LED 6Wx1 COB / 600Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C

- Aluminum lamp body;
Tempered glass diffuser;
Silicone gasket;
Powder coating finish.



LED 3Wx2 COB / 480Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C

- Aluminum lamp body;
Tempered glass diffuser;
Silicone gasket;
Powder coating finish.



LED 6Wx2 COB / 960Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C

- Aluminum lamp body;
Tempered glass diffuser;
Silicone gasket;
Powder coating finish.





LED 6Wx1 COB / 600Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C

- Aluminum lamp body;
Tempered glass diffuser;
Silicone gasket;
Powder coating finish.



LED 10W SMD / 900Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C

- Aluminum lamp body;
Transparent PC diffuser;
Silicone gasket;
Powder coating finish.




LED 10W SMD / 900Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C

- Aluminum lamp body;
Transparent PC diffuser;
Silicone gasket;
Powder coating finish.




LED 3Wx4 COB / 960Lm
LED 6Wx4 COB / 1920Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C

- Aluminum lamp body;
Tempered glass diffuser;
Silicone gasket;
Powder coating finish.



LED 3Wx4 COB / 960Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C

- Aluminum lamp body;
Tempered glass diffuser;
Silicone gasket;
Powder coating finish.







● 12W COB / 960Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C





- Aluminum lamp body;
- Tempered glass diffuser;
- Silicone gasket;
- Powder coating finish.
- Anodized aluminum reflector.




● 18W COB / 1440Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Tempered glass diffuser;
- Silicone gasket;
- Powder coating finish.
- Anodized aluminum reflector.



● 24W COB / 1920Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Tempered glass diffuser;
- Silicone gasket;
- Powder coating finish.
- Anodized aluminum reflector.




● 12W SMD / 960Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Tempered glass diffuser;
- Silicone gasket;
- Powder coating finish.
- Anodized aluminum reflector.



● 12Wx2 SMD / 1920Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Tempered glass diffuser;
- Silicone gasket;
- Powder coating finish.
- Anodized aluminum reflector.




● 1Wx4 COB / 400Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Clear glass diffuser;
- Silicone gasket;
- Powder coating finish.




● 4W COB / 400Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Clear glass diffuser;
- Silicone gasket;
- Powder coating finish.




● 7W COB / 700Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C





- Aluminum lamp body;
- Clear glass diffuser;
- Silicone gasket;
- Powder coating finish.



● 3Wx1 COB / 300Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Tempered glass diffuser;
- Silicone gasket;
- Powder coating finish.
- Anodized aluminum reflector.



● 3Wx1 COB / 300Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C



- Aluminum lamp body;
- Tempered glass diffuser;
- Silicone gasket;
- Powder coating finish.






LED 3Wx1 COB / 270Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Tempered glass diffuser;
- Silicone gasket;
- Powder coating finish.
- Anodized aluminum reflector.




LED 3Wx2 COB / 540Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C





- Aluminum lamp body;
- Tempered glass diffuser;
- Silicone gasket;
- Powder coating finish.
- Anodized aluminum reflector.



LED 24Wx1 COB / 1920Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Tempered glass diffuser;
- Silicone gasket;
- Powder coating finish.
- Anodized aluminum reflector.



LED 3Wx2 COB / 540Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C





- Aluminum lamp body;
- Clear glass diffuser;
- Silicone gasket;
- Powder coating finish.



LED 3Wx2 COB / 540Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Clear glass diffuser;
- Silicone gasket;
- Powder coating finish.




LED 3Wx4 COB / 1080Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C






- Aluminum lamp body;
- Convex glass lens;
- Silicone gasket;
- Powder coating finish.



LED 3Wx2 COB / 540Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Convex glass lens;
- Silicone gasket;
- Powder coating finish.



LED 3Wx2 COB / 540Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C



- Aluminum lamp body;
- Convex glass lens;
- Silicone gasket;
- Powder coating finish.






LED 6Wx2 COB / 1080Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C



- Aluminum lamp body;
- Tempered glass diffuser;
- Silicone gasket;
- Powder coating finish.




LED 3Wx2 COB / 540Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Tempered glass diffuser;
- Silicone gasket;
- Powder coating finish.



LED 3Wx1 COB / 270Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C





- Aluminum lamp body;
- Clear glass diffuser;
- Silicone gasket;
- Powder coating finish.



LED 3Wx2 COB / 540Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Clear glass diffuser;
- Silicone gasket;
- Powder coating finish.




LED 3Wx2 COB / 600Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C





- Aluminum lamp body;
- Clear glass diffuser;
- Silicone gasket;
- Powder coating finish.




LED 3Wx2 COB / 540Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Tempered glass diffuser;
- Silicone gasket;
- Powder coating finish.



LED 3Wx2 COB / 540Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Tempered glass diffuser;
- Silicone gasket;
- Powder coating finish.
- Anodized aluminum reflector.






LED 12W SMD / 960Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C

IP 54
Aluminum lamp body;
Opal white pc diffuser;
Silicone gasket;
Powder coating finish.




LED 12W SMD / 960Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C

IP 54
Aluminum lamp body;
Opal white pc diffuser;
Silicone gasket;
Powder coating finish.




LED 12W SMD / 960Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C

IP 54
Aluminum lamp body;
Opal white PC diffuser;
Silicone gasket;
Powder coating finish.





LED 12W SMD / 960Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C

IP 54
Aluminum lamp body;
Opal white pc diffuser;
Silicone gasket;
Powder coating finish.





LED 9W SMD / 720Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C

IP 54
Aluminum lamp body;
Opal white PC diffuser;
Silicone gasket;
Powder coating finish.





LED 12W SMD / 960Lm
LED 18W SMD / 1440Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C

IP 54
Aluminum lamp body;
Opal white pc diffuser;
Silicone gasket;
Powder coating finish.





LED 12W SMD / 960Lm
LED 18W SMD / 1440Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C

IP 54
Aluminum lamp body;
Opal white pc diffuser;
Silicone gasket;
Powder coating finish.



LED 12W SMD / 960Lm
LED 18W SMD / 1440Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C

IP 54
Aluminum lamp body;
Opal white pc diffuser;
Silicone gasket;
Powder coating finish.






LED 9W SMD / 960Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C

- Aluminum lamp body;
Transparent PC diffuser
Silicone gasket;
Powder coating finish.




LED 9W SMD / 960Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C

- Aluminum lamp body;
Transparent PC diffuser
Silicone gasket;
Powder coating finish.



LED 9W SMD / 960Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C

- Aluminum lamp body;
Transparent PC diffuser
Silicone gasket;
Powder coating finish.




LED 12W SMD / 1080Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C

- Plastics lamp body;
Opal white pc diffuser
Silicone gasket;




LED 12W SMD / 1080Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C

- Plastics lamp body;
Opal white pc diffuser
Silicone gasket;



LED 9W SMD / 960Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C

- Aluminum lamp body;
Transparent PC diffuser
Silicone gasket;
Powder coating finish.






M:LED 0.5Wx60 SMD / 2400Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Opal white pc diffuser;
- Silicone gasket;
- Powder coating finish.



LED 0.5Wx72 SMD / 2880Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Opal white pc diffuser;
- Silicone gasket;
- Powder coating finish.



M:LED 0.5Wx60 SMD / 2400Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C



- Aluminum lamp body;
- Opal white pc diffuser;
- Silicone gasket;
- Powder coating finish.



LED 0.5Wx72 SMD / 2880Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Opal white pc diffuser;
- Silicone gasket;
- Powder coating finish.



M:LED 0.5Wx48 COB / 1920Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C



- Aluminum lamp body;
- Opal white pc diffuser;
- Silicone gasket;
- Powder coating finish.



LED 0.5Wx72 SMD / 2880Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Opal white pc diffuser;
- Silicone gasket;
- Powder coating finish.



LED 8W COB / 640Lm
LED 12W COB / 960Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Opal white pc diffuser;
- Silicone gasket;
- Powder coating finish.




LED 8W COB / 640Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Opal white pc diffuser;
- Silicone gasket;
- Powder coating finish.



LED 12W COB / 960Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Opal white pc diffuser;
- Silicone gasket;
- Powder coating finish.



LED 8W COB / 640Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C



- Aluminum lamp body;
- Clear glass diffuser;
- Silicone gasket;
- Powder coating finish.






LED 10Wx1 COB / 800Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Opal white pc diffuser;
- Silicone gasket;
- Powder coating finish.



LED 10Wx1 COB / 800Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Opal white pc diffuser;
- Silicone gasket;
- Powder coating finish.



LED 10Wx1 COB / 800Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Opal white pc diffuser;
- Silicone gasket;
- Powder coating finish.




LED 10Wx1 COB / 800Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Opal white pc diffuser;
- Silicone gasket;
- Powder coating finish.




LED 10Wx1 COB / 800Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Opal white pc diffuser;
- Silicone gasket;
- Powder coating finish.




LED 10Wx1 COB / 800Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Opal white pc diffuser;
- Silicone gasket;
- Powder coating finish.



LED 10Wx1 COB / 800Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Opal white pc diffuser;
- Silicone gasket;
- Powder coating finish.



LED 15Wx1 COB / 1440Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Opal white pc diffuser;
- Silicone gasket;
- Powder coating finish.



LED 15Wx1 COB / 1440Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Opal white pc diffuser;
- Silicone gasket;
- Powder coating finish.




LED 20Wx1 COB / 1600Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Opal white pc diffuser;
- Silicone gasket;
- Powder coating finish.



LED 15Wx1 COB / 1440Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Opal white pc diffuser;
- Silicone gasket;
- Powder coating finish.



LED 30Wx1 COB / 2400Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Opal white pc diffuser;
- Silicone gasket;
- Powder coating finish.






LED 12Wx1 COB / 960Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C





- Aluminum lamp body;
- Opal white pc diffuser;
- Silicone gasket;
- Powder coating finish.



LED 18Wx1 COB / 1400Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Opal white pc diffuser;
- Silicone gasket;
- Powder coating finish.



LED 12Wx1 COB / 960Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Opal white pc diffuser;
- Silicone gasket;
- Powder coating finish.



LED 18Wx1 COB / 1400Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C





- Aluminum lamp body;
- Clear glass diffuser;
- Silicone gasket;
- Powder coating finish.



LED 12Wx1 COB / 960Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C





- Aluminum lamp body;
- Opal white pc diffuser;
- Silicone gasket;
- Powder coating finish.



LED 9W SMD / 960Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Opal white pc diffuser;
- Silicone gasket;
- Powder coating finish.



LED 9W SMD / 720Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Opal white pc diffuser;
- Silicone gasket;
- Powder coating finish.



LED 9W SMD / 960Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Opal white pc diffuser;
- Silicone gasket;
- Powder coating finish.



LED 9W SMD / 720Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Clear glass diffuser;
- Silicone gasket;
- Powder coating finish.



LED 9W SMD / 960Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




- Aluminum lamp body;
- Opal white pc diffuser;
- Silicone gasket;
- Powder coating finish.






LED 12Wx1 COB / 960Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




Aluminum lamp body;
Opal white PC diffuser;
Silicone gasket;
Powder coating finish.




LED 12Wx1 COB / 960Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C




Aluminum lamp body;
Opal white PC diffuser;
Silicone gasket;
Powder coating finish.



LED 12Wx1 COB / 960Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C



Aluminum lamp body;
Opal white PC diffuser;
Silicone gasket;
Powder coating finish.




LED 12Wx1 COB / 960Lm
Ra: >80 PF: 0.85
Working temperature: -15°C~50°C



Aluminum lamp body;
Opal white PC diffuser;
Silicone gasket;
Powder coating finish.



Garden Light Series




Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Colorful Glass、Clear Glass
Color: Black、White、
Antique Green
Antique Gold



Power	Inner box	Master carton	Quantity	G.W(kg)
60W	19.5x16.2x24.5	84x41x27	10	11.5
100W	22x21x30	86.5x46x32.5	8	16


Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Colorful Glass、Clear Glass
Color: Black、White、
Antique Green
Antique Gold



Power	Inner box	Master carton	Quantity	G.W(kg)
60W	18x15.6x23.5	80.5x37.5x26	10	8.5
100W	23.8x20.8x28	64.5x49.5x30	6	12



Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Colorful Glass、Clear Glass
Color: Black、White、
Antique Green
Antique Gold



Power	Inner box	Master carton	Quantity	G.W(kg)
60W	21.2x15.5x30.5	64x44x33	8	10
100W	24.8x20.8x38.5	64.5x51x40.5	6	11



Aluminum lamp body
Power: 60W
Grade: IP43
Lamp Holder: E27
Glasses: Colorful Glass、Clear Glass
Color: Black、White、
Antique Green
Antique Gold



Power	Inner box	Master carton	Quantity	G.W(kg)
60W	25.2x14.6x31.3	76x52x34	10	13



Aluminum lamp body
Power: 60W
Grade: IP43
Lamp Holder: E27
Glasses: Colorful Glass、Clear Glass
Color: Black、White、
Antique Green
Antique Gold




Power	Inner box	Master carton	Quantity	G.W(kg)
60W	25.8x15.6x37.5	81x53x40	10	13



Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Colorful Glass、Clear Glass
Color: Black、White、
Antique Green
Antique Gold




Power	Inner box	Master carton	Quantity	G.W(kg)
60W	18x16x31	83x38x33.5	10	11.5
100W	23.8x20.8x36.5	85.5x49x38.5	8	14.5



Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Colorful Glass、Clear Glass
Color: Black、White、
Antique Green
Antique Gold



Power	Inner box	Master carton	Quantity	G.W(kg)
60W	18x16x19	83x38x21.5	10	11.5
100W	23.8x20.8x24	85.5x49.5x26.5	8	12.5




Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Colorful Glass、Clear Glass
Color: Black、White、
Antique Green
Antique Gold



Power	Inner box	Master carton	Quantity	G.W(kg)
60W	20x15.7x23	81.5x42x25.5	10	11.5
100W	20.5x19.2x26	79.5x43x28.5	8	11.5



Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Colorful Glass、Clear Glass
Color: Black、White、
Antique Green
Antique Gold



Power	Inner box	Master carton	Quantity	G.W(kg)
60W	16.3x15.7x30	84.5x33.5x32.5	10	11.5
100W	19.3x19.3x32	79.5x40x34	8	15



Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Colorful Glass、Clear Glass
Color: Black、White、
Antique Green
Antique Gold



Power	Inner box	Master carton	Quantity	G.W(kg)
60W	16.3x15.7x18.5	84.5x33.5x21	10	8
100W	19.2x19.2x19.5	79.5x40.5x22	8	8


Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Colorful Glass、Clear Glass
Color: Black、White、
Antique Green
Antique Gold



Power	Inner box	Master carton	Quantity	G.W(kg)
60W	16.3x15.7x22	84.5x33.5x24.5	10	9.5
100W	19.2x19.2x23	79x40x25	8	15




Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Colorful Glass、Clear Glass
Color: Black、White、
Antique Green
Antique Gold



Power	Inner box	Master carton	Quantity	G.W(kg)
60W	20x15.7x30	81x42x32	10	11.5
100W	21.5x19.2x25.5	79x44.5x28	8	11.5



Aluminum lamp body
Power: 60W
Grade: IP43
Lamp Holder: E27
Glasses: Colorful Glass、Clear Glass
Color: Black、White、
Antique Green
Antique Gold



Power	Inner box	Master carton	Quantity	G.W(kg)
60W	25.3x15.5x29.2	80x52.5x31.5	10	12.5




Aluminum lamp body
Power: 60W
Grade: IP43
Lamp Holder: E27
Glasses: Colorful Glass、Clear Glass
Color: Black、White、
Antique Green
Antique Gold



Power	Inner box	Master carton	Quantity	G.W(kg)
60W	25.3x15.5x34.7	80x52.5x37.5	10	12.5






Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold




Power	Inner box	Master carton	Quantity	G.W(kg)
60W	19.5x16.2x24.5	84x41x27	10	12.8
100W	24x24x31	74x50x33.5	6	13.5



Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold



Power	Inner box	Master carton	Quantity	G.W(kg)
60W	17x17x31	88x36x33.5	10	12.8
100W	24x24x37	74.5x50x39.5	6	13.5




Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Colorful Glass、Clear Glass
Color: Black、White、
Antique Green
Antique Gold



Power	Inner box	Master carton	Quantity	G.W(kg)
60W	17x17x18.5	88x36x21	10	11
100W	24x24x24	74x50x26.5	6	13.5


Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold



Power	Inner box	Master carton	Quantity	G.W(kg)
60W	17x17x23	88x36x25.5	10	9.5
100W	24x24x27	75x50x29.5	6	12.8




Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold



Power	Inner box	Master carton	Quantity	G.W(kg)
60W	20.5x17x31	87.5x42.5x33.5	10	12.8
100W	27x24x39.5	74x55.5x42.5	6	14



Aluminum lamp body
Power: 60W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold



Power	Inner box	Master carton	Quantity	G.W(kg)
60W	23x17x29	88x54x31.5	10	13



Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold




Power	Inner box	Master carton	Quantity	G.W(kg)
60W	23x17x39	88x54x41.5	10	13






304721



Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold




Power	Inner box	Master carton	Quantity	G.W(kg)
60W	19.5x16.5x31	85.5x40.5x33.5	10	16.5
100W	25.5x19.5x37	60.5x53x39.5	6	16



Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold



Power	Inner box	Master carton	Quantity	G.W(kg)
60W	24x16.5x35	85.5x50x37.5	10	16.5
100W	27x19.5x41.5	60.5x56x44	6	15.5



Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold




Power	Inner box	Master carton	Quantity	G.W(kg)
60W	16.5x16.5x36	85.5x34.5x38.5	10	16.5
100W	19.5x19.5x42	60.5x41x44.5	6	16

Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold



Power	Inner box	Master carton	Quantity	G.W(kg)
60W	16.5x16.5x27	85.5x35x29.5	10	16.5
100W	19.5x19.5x33.5	60.5x41x36	6	15.5




304725



Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold



Power	Inner box	Master carton	Quantity	G.W(kg)
60W	16.5x16.5x29.5	85.5x35x32	10	16.5
100W	19.5x19.5x34.5	80x40.5x36.5	8	15.5



304726



Aluminum lamp body
Power: 60W
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold



Power	Inner box	Master carton	Quantity	G.W(kg)
60W	25.1x16.4x37.2	85x52x39.5	10	16



304727



Aluminum lamp body
Power: 60W
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold



Power	Inner box	Master carton	Quantity	G.W(kg)
60W	25.1x16.4x39.2	85x52x41.5	10	16



304728





Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold




Power	Inner box	Master carton	Quantity	G.W(kg)
60W	19.5x16.2x25.5	84x41x28	10	13.5
100W	26.2x24.5x33	75.5x54x35.5	6	12.5



Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold



Power	Inner box	Master carton	Quantity	G.W(kg)
60W	16.5x14.7x33	75.5x34.5x35	10	13.5
100W	24.5x21.5x39	66.5x51x41.5	6	14.5




Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold



Power	Inner box	Master carton	Quantity	G.W(kg)
60W	16.5x14.7x20.5	76.5x35x23	10	13.5
100W	24.5x21.5x26.8	66.5x51x29.5	6	13

Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold




Power	Inner box	Master carton	Quantity	G.W(kg)
60W	16.5x14.7x25.5	76x34.5x27.5	10	13.5
100W	24.5x21.5x31.5	66.5x50.5x33.5	6	13

Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold



Power	Inner box	Master carton	Quantity	G.W(kg)
60W	19.5x17x32.5	88x41x35	10	13.5
100W	26.5x24.5x41.8	75.5x55x45	6	12.5

Aluminum lamp body
Power: 60W
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold



Power	Inner box	Master carton	Quantity	G.W(kg)
60W	25x21x30	84x44x32.5	10	12.5

Aluminum lamp body
Power: 60W
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold




Power	Inner box	Master carton	Quantity	G.W(kg)
60W	25x21x36.5	84x44x39	10	12.5





Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold



Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold



Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold




Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold




Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold



Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold





S: W185*E220*H450mm
M: W230*E285*H550mm
L: W300*E345*H660mm

Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold




W185*H460mm
W230*H590mm

Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold



S: W185*H1050mm
M: W230*H1200mm

Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold



Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold





S: W600*H2300mm
M: W600*H2500mm

Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold





Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold



Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold



S: W205*H380mm
M: W250*H490mm

Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold



S: W205*H1050mm
M: W240*H1200mm

Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold



Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold





Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold



S: W205*E275*H483mm
M: W240*E340*H640mm



Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold



S: W205*H430mm
M: W240*H635mm



Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold



S: W205*H515mm
M: W240*H700mm

Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold



Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold



S: W205*H1100mm
M: W240*H1200mm




Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold



Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold



Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold



Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold



Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold



Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold





Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold



Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold



Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold



Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold



Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold



Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold





S : W180*E215*H360mm
M : W235*E330*H565mm
L : W280*E330*H565mm

Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold



S : W180*E215*H360mm
M : W235*E330*H565mm
L : W280*E330*H565mm

Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold



S : W180*H340mm
M : W235*H395mm
L : W280*H508mm

Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold



S : W180*H430mm
M : W235*H533mm
L : W280*H695mm

Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold



M : W235*H1158mm
L : W280*H1225mm

Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold



Aluminum lamp body
Power: 60W、100W
Grade: IP43
Lamp Holder: E27
Glasses: Clear Glass
Color: Black、White、
Antique Green
Antique Gold

