



**Lighting Catalog** 





### Floor lamp

Size:φ520\*2000mm Light Source:hongli 2835 Power:36w

Beam Angle:45°, 90°

Color:black/white Voltage:dc 48 V Cct:2700k-6000k

# CUSTOMIZATION

Different sizes and shapes can be customized according to the needs of the application site, and users can explore various combinations to obtain different lighting experiences.





**Trimeless** 

Size:196\*69\*52mm

Color:black/white

Light Source:hongli 3535

Voltage: AC220V Dc 48 V

Power:12w

CCt:2700k-6000k

CRI:Ra90

Beam Angle: 45°, 90°



**Surface** 

Size:  $\phi$ 500mm

Color:black/white

Light Source:hongli 2835


Voltage: AC220V-DC 36 V

Power:30w

Cct:2700k-6000k

CRI: Ra90

Beam Angle:45°, 90°



**Surface** 

Size:φ600mm

Color:black/white

Light Source:hongli 2835

Voltage:DC 48 V

Power:40w

Cct:2700k-6000k

CRI:Ra90

Beam Angle:15°, 24°, 36°



**Pendant lamp** 

Size:φ650\*1/4mm

Color:golden

Light Source:hongli 2835


Voltage: DC48 V

Power:18w

CCt:2700k-6000k

CRI:Ra90

Beam Angle:45°, 90°



**Pendant lamp** 

CRI:Ra90

Power:30w

Color:black


Voltage: DC48 V

CCt:2700k-6000k

Beam Angle: 45°, 90°

Size:φ1050\*1/4mm

Light Source:hongli 2835



**Pendant lamp** 





Power:36w CCt:2700k-6000k

Voltage:DC48 V

Size:942\*30\*31mm

Light Source:hongli 2835

CRI:Ra90

Color:black

Power:48w

CRI:Ra90

Voltage:DC48 V

CCt:2700k-6000k

Color:black

Beam Angle: 45°, 90°

Size:1256\*30\*31mm

Light Source:hongli 2835



**Pendant lamp** 



Beam Angle: 45°, 90°



Size:1884\*30\*31mm

Color:black

Light Source:hongli 2835


Voltage:DC48 V

Power:72w

CCt:2700k-6000k

CRI:Ra90

Beam Angle: 45°, 90°



**Pendant lamp** 



## **Pendant/Ceiling**



Size:φ650mm
Color:black/white
Light Source:hongli 2835
Voltage:DC48 V
Power:36w
CCt:2700k-6000k
CRI:Ra90
Beam Angle:45°, 90°



Size:\phi1050mm
Color:black/white
Light Source:hongli 2835
Voltage:DC48 V
Power:36w
CCt:2700k-6000k
CRI:Ra90
Beam Angle:45°, 90°





### Recessed

Size:176\*49\*52mm

Light Source:hongli 3535

Power:12w

CRI:Ra90

Color:black/white

Voltage: AC220V Dc 36V

CCt:2700k-6000k

Beam Angle:45°, 90°



# ENS LINEAR

### **Airport Lounge**

This product can be used in hotel doorways, balconies, outdoor corridors and family scenesprotection of our products, so that the use of safer and more assured



**Shopping Mall Lighting**