




Flooring Accessory Catalog



Products Overview



Products Details



Products Details



SPC T-molding
Size:2400*45*7/8/9/10/11mm



WPC T-molding
Size:2400*45*7/8/9/10/11mm



WPC Quarter Round
Size:2400*28*15mm



WPC Quarter Round
Size: 2400*24*12mm



SPC Quarter Round
Size:2400*28*15mm




WPC Concave
Size:2400*28*15mm

Products Details



WPC Concave
Size: 2400*21.5*12mm



SPC Concave
Size: 2400*27*14.5mm



SPC Concave
Size:2400*28*15mm



WPC Flush Stairnose
Size:2400*72*24mm



WPC Flush Stairnose
Size: 2400*72*25*6.5mm



WPC Flush Stairnose
Size: 2400*111*35*5.5/8mm

Products Details



WPC Flush Stairnose
Size:2400*115*25mm



SPC Flush Stairnose
Size: 2400*115*35mm



SPC Flush Stairnose
Size:2400*110*25mm



SPC Flush Stairnose
Size:2400*115*25mm



SPC Flush Stairnose
Size:2400*82*36mm



SPC Flush Stairnose
Size: 2400*72*25*5.5mm

Products Details



SPC Flush Stairnose
Size: 2400*72*25*5mm



SPC Flush Stairnose
Size: 2400*82*15*7.5mm



SPC Flush Stairnose
Size: 2400*110*25*6/9mm



SPC Flush Stairnose
Size: 2400*58*18.5*6.5mm



SPC Flush Stairnose
Size: 2400*110*25*7mm



SPC Flush Stairnose
Size: 2400*115*25*5.5mm

Products Details



Products Details



Products Details




Products Details



Products Details



Hot-Bending Stairnose
Size:125*50mm
Length: subject to floor size



Hot-Bending Stairnose
Size:120*40mm
Length: subject to floor size



Hot-Bending Stair Tread
Size:280*190*25mm



WPC Reducer
Size: 2400*45*9mm



WPC Reducer
Size:2400*49*15mm



WPC Reducer
Size:2400*45*7/8/9/10/11mm

Products Details



SPC Reducer
Size: 2400*35*7mm



SPC Reducer
Size: 2400*35*7mm



SPC Reducer
Size:2400*45*7/8/9/10/11mm



SPC Reducer
Size:2400*30*6mm



SPC Skirting
Size: 2400*80*15mm



SPC Skirting
Size: 2400*100*15mm

Products Details



Products Details



Products Details



WPC Skirting
Size:2400*60*15mm



WPC Skirting
Size:2400*60*15mm



WPC Skirting
Size: 2400*60*12mm



WPC Skirting
Size: 2400*60*15mm



WPC Skirting
Size:2400*40*15mm



WPC Skirting
Size: 2400*75*15mm

Products Details



WPC Skirting
Size:2400*70*13mm



WPC Skirting
Size: 2400*75*15mm



WPC Skirting
Size:2400*120*15mm



WPC Skirting
Size:2400*90*15mm



WPC Skirting
Size:2400*75*13mm



WPC Skirting
Size:2400*80*12mm

Products Details



Products Details




Products Details




Products Details



Products Details



SPC Overlap Stairnose
A:48*26*2.5mm B:54.5*40*2.1mm C:49.5*26*2.5mm D:51*48*2mm E:50*50*1.8mm



SPC Stairnose
A:88*40*4.8mm B:88*41.7*4.4mm C:50*40*2mm D:51*50*2.5mm



L-Cap
A:30*30*3.9mm B:20*11*3mm C:20.4*10.2*2.1mm D:19*19*2mm E:25.5*15.4*1.5mm
F:24*24*4mm G:20*10*2mm H:25*7*1.7mm I:25*15*1.4mm J:29*19*2.8mm
K:30*30*2.7mm L:30*10.8*1.8mm

Products Details



T-molding
A:45*8.5*3.7mm B:44*9*3.2mm C:44.5*12*3mm D:40*7*2.5mm E:30*5*2.5mm
F:48*7.7*8mm G:45*6.6*2.5mm H:45*9*3mm I:45*7*3.2mm J:44*5*2.5mm
K:50*7*2.7mm L:45*10*2.5mm M:45*6*1.8mm N:35*7.7*2.5mm O:37*7*2.5mm
P:44*6*2.7mm Q:45*5.2*2.2mm R:26.7*6.6*1.4mm



SPC End Cap
A:30*6*2mm B:36*9*2.5mm C:35*8*2mm D:36*9*2.5mm E:37*11*3.5mm
F:36*8*2mm G:34*9*2mm H:34*14.2*2mm




WPC End Cap
A:45*8mm B:45*9mm C:36*8mm D:35*9mm E:34*10mm F:35*9mm G:37*12mm
H:35*10mm I:35*9mm J:36*9mm K:36*12mm L:36*10mm M:35*11m

Products Details




Reducer

A:45*11mm B:44*10mm C:46*13mm D:43*8mm E:44*14mm F:44*9mm
G:43*6mm H:45*14mm I:45*11mm J:35*7mm K:45*7mm



SPC Skirting

A:70.2*11.2mm B:81.5*12mm C:80*15mm D:81*13.6mm



WPC Skirting

A:80*15mm B:80*12mm C:80*15mm D:80*15mm E:80*10mm
F:80*11mm

Products Details




Skirting

A:60*12mm B:60*15mm C:60*45mm D:60*15mm E:50*13mm
F:60*12mm G:60*15mm



Skirting

A:120*15mm B:100*15mm



Skirting

A:88.9*12.1mm B:90*12.2mm C:100*12mm D:90*10mm E:100*12mm F:90*15mm

Products Details



Stairnose

A:73*26.5*6mm B:75*25*4mm C:70*25*8mm D:75*24.5*7.5mm E:75*25.5*7mm
F:71*24*6.5mm G:74*24*6mm



SPC Stairnose

A:111*25*6mm B:110*25*4mm C:110*25*6mm D:110*25*6mm E:110*25*7mm
F:110*25*6mm G:110*35*5mm



SPC Stairnose

A:75*24.5*5mm B:75*25*5mm C:75*25.5*5mm D:75*25*7mm E:73*25*6mm
F:75*25*4mm G:71.8*25*12mm H:71*25*3.5mm

Products Details



Stairnose

A:55*18*3.5mm B:70*25*3.5mm C:55*15*2.5mm D:55*10*2.5mm E:58*18.5*6.5mm
F:50*17.5*2.5mm G:55*16*2mm H:68*20*4.5mm



Stairnose

A:111*33*6mm B:115*35.5*4.5mm C:110*36*7.7mm D:110*30.5*6mm E:115*35*5mm
F:115*30*6.5mm



SPC Stairnose

A:130*25*7.8mm B:115*35*7mm C:110*35*6mm D:110*35*6mm E:115*35*7mm


Products Details



A B C D E F G H I J K L M N

Quarter Round

A:28*15*10mm B:29.4*15*11.5mm C:27*16*8mm D:26.5*16*8.8mm E:25*16*5mm
F:26.5*17*8mm G:28*14*8mm H:28*17*8.5mm I:25*16*4.7mm J:26*15.5*8mm
K:26*15*8.5mm L:25*15*16mm M:26*16*9mm N:27*17*9mm











A B C D E F G H I J K L M N

Concave


A:27*14*5mm B:28*14*4mm C:27*14*4mm D:28*15*4mm E:28*15*5.5mm
F:22*12*5mm G:28*14*4mm H:27*12mm I:28*15mm J:28*12mm
K:27*14mm L:21*11mm M:22*15mm N:19*9mm

More.....
More.....
All can be customized.

Dimension Sheet

Profile	Name	Floor Thickness	Size
	T-molding	4mm	2400*45*7mm
		5mm	2400*45*8mm
		6mm	2400*45*9mm
		7mm	2400*45*10mm
		8mm	2400*45*11mm
	Reducer	4mm	2400*45*7mm
		5mm	2400*45*8mm
		6mm	2400*45*9mm
		7mm	2400*45*10mm
	End Cap	8mm	2400*45*11mm
		4mm	2400*35*7mm
		5mm	2400*35*8mm
		6mm	2400*35*9mm
	Stairnose	7mm	2400*35*10mm
		8mm	2400*35*11mm
		4mm	2400*55*18mm
		5mm	
	Quarter Round	6mm	
		7mm	
		8mm	
	Concave	N/A	2400*28*15mm
	Flush Stairnose	6-12mm	2400*20*20mm
			2400*72*25mm
	Skirting	N/A	2400*115*25mm
			2400*60*12/15mm
			2400*80*12/15mm
	SPC/WPC Stair Nose	N/A	2400*90*15mm
			(60-120mm)*30*20mm
			(100-1000mm)*30*20mm


PS Skirting Board




PS Skirting Board




PS Skirting Board




PS Skirting Board



PS Skirting Board



PS Skirting Board



PS Skirting Board



PS Skirting Board



Acoustic Panels




Total size	21x605x2400mm/21x605x3000mm/21x285x2400mm/21x285x3000mm
Weight	10.8kg/13.6kg/5.1kg/6.3kg
Number of MDF board	15/7pcs
Size of MDF board	28x15mm
Distance between MDF board	12mm

Acoustic Panels



Effective noise reduction
Sound-absorbing felt mitigates noise and reduced unwanted reverberations.

Rich in color and shape
Versatile woodgrain colors and finishes to appeal to any style of home or office.



Flame retardant
The black acoustic felt can achieve B1 grade flame retardancy.

Environmental protection
CARB P2 grade medium density fiberboard protects from harmful gases and compounds.



More...

Stair Tread

SPC Stair Tread
Size:1220*300*35mm



SPC Stair Tread
Size:1220*295*25mm



SPC Stair Tread
Size:1220*300*24mm



Stair Tread

WPC Stair Tread
Size:1220*305*30mm














WPC Stair Tread
Size:1220*300*25mm




Stair Tread

We have 15 different stair treads.



A  A/B/C/D=305/31/21/8.5mm	B  A/B/C/D=304/30.6/21/8.5mm	C  A/B/C/D=295/40/19/8mm
D  A/B/C/D=300/25/15/8mm	E  A/B/C/D=299/25/15/4.5mm	F  A/B/C/D=300/35/15/5mm
G  A/B/C/D=307/30/17/8mm	H  A/B/C/D=300/39.7/24.5/5mm	I  A/B/C/D=293/25/34/8mm
J  A/B/C/D=300/35.5/15/5mm	K  A/B/C/D=310/43/23.5/8mm	L  A/B/C/D=300/25/14/5mm
M  A/B/C/D=300/30/24/5.5mm	N  A/B/C/D=300/29/22/5.5mm	O  A/B/C/D=332.5/36/16/5mm

Stair Tread



More... More... All can be customized.

Bending Stair Nose



Square Bending Stairnose



Bending Stair Nose



Hot Bending Round Tread



Display Rack

FN ME-22
W:D:H 1300*510*1750 (mm)
Weight N/A

Sample Boards
PCS:40
W:L Customized



FN ME-34
W:D:H 1130*650*2065 (mm)
Weight N/A

Sample Boards
PCS:24
W:L Customized



FN ME-21
W:D:H 1500*580*1860 (mm)
Weight N/A

Sample Boards
PCS:20
W:L Customized



FN ME-33
W:D:H 1520*590*2000 (mm)
Weight N/A

Sample Boards
PCS:24
W:L Customized



Display Rack

FN ME-24
W:D:H 1176*462*1905 (mm)
Weight 35kg

Sample Boards
PCS:24
W:L Customized



FN ME-20
W:D:H 600*100*1150 (mm)
Weight N/A

Sample Boards
PCS:20
W:L Customized

Display Rack



FN MD-10
W:D:H 550*600*350 (mm)
Weight 6.7kg

Sample Boards
PCS: 8
W:Customized



Display Rack



FN MD-11
W:D:H 395*906*570 (mm)
Weight 9.25kg

Sample Boards
PCS: 12
W:Customized



Display Rack



Display Rack



Display Rack



Display Rack



Display Rack



Display Rack



Display Rack

FN ME-36
W:D:H 600*1200*310 (mm)
Weight 18.7kg

Sample Boards
PCS:10
W:L Customized



FN ME-20
W:D:H 760*370*670 (mm)
Weight 5.4kg


Sample Boards
PCS:8
W:L Customized



Display Rack


FN MD-01
W:D:H 800*400*560 (mm)
Weight 6.7kg

Sample Boards
PCS:10
W:L Customized



FN MD-02
W:D:H 800*400*800 (mm)
Weight 8.55kg

Sample Boards
PCS:12
W:L Customized



FN MD-03
W:D:H 640*500*890 (mm)
Weight 7.9kg


Sample Boards
PCS:8
W:L Customized



Display Rack

FN MD-04
W:D:H 770*400*990 (mm)
Weight 10.15kg

Sample Boards
PCS:12
W:L Customized



FN MD-05
W:D:H 600*400*1000 (mm)
Weight 8.4kg

Sample Boards
PCS:10
W:L Customized




FN MD-06
W:D:H 800*550*1130 (mm)
Weight 16.8kg

Sample Boards
PCS:10
W:L Customized



Display Rack



Display Rack



Display Rack



Flooring Cutter

