

Wine Cooler Catalog



Contents

P5-7



Thermoelectric wine coolers

P8-12



**Freestanding compressor
wine coolers**

P13-15



**Built-in compressor
wine coolers**

P16-17



Mini Refrigerator

PRODUCT ANALYSIS



Digital temperature display and touch screen control




Accurate Temperature Sensor



Interior circulation fan



High-efficiency compressor



Door lock



Lighting system
Equipped with cold light



Thermoelectric cooling system,
quiet and no vibration working



Removable wooden shelves



Cruise air-cooled filling angel
Let every bottle of wine
have common sense

Dual Zone Wine Cooler

Upper Zone: 5~10° Lower Zone: 10~18°



Recommend temperature for wine



12°C-15°C

Sweet red wine



7°C-10°C

Sweet white wine



10°C-15°C

Sweet rose wine



5°C-10°C

Sparkling wine



15°C-20°C

Whisky



15°C-18°C

Dry red wine



7°C-10°C

Demi dry white wine



12°C-15°C

Demi dry red wine




Thermoelectric wine coolers






Bottles : 33L(12 Bottles)	Semiconductor Thermostat Refrigeration Technology
Temperature Range : 8~18°C ; 46~64°F (Ambient temperature : Under 25°C/77°F)	Touchscreen Digital Control Display
Body Size : W345*D505*H435mm	Low Noise
Packing Size : W385*D565*H485mm	LED Interior Light
N.W / G.W : 12kg/13.5kg	Adjustable Feet
Loading(20'/40'/40HQ) : 284/600/652pcs	Optional : Wooden or SS Shelf/ Glass or SS Door Frame

Single Zone






Bottles : 46L(18 Bottles)	Semiconductor Thermostat Refrigeration Technology
Temperature Range : 8~18°C ; 46~64°F (Ambient temperature : Under 25°C/77°F)	Touchscreen Digital Control Display
Body Size : W345*D505*H665mm	Low Noise
Packing Size : W385*D565*H715mm	LED Interior Light
N.W / G.W : 14kg / 16kg	Adjustable Feet
Loading(20'/40'/40HQ) : 188/380/442pcs	Optional : Wooden or SS Shelf/ Glass or SS Door Frame

Single Zone



Bottles : 76L(18 or 30 Bottles)	Semiconductor Thermostat Refrigeration Technology
Temperature Range : 11~18°C / 52~64°F (Ambient temperature : Under 25°C/77°F)	Touchscreen Digital Control Display
Body Size : W345*D505*H985mm	Low Noise
Packing Size : W385*D565*H1050mm	LED Interior Light
N.W / G.W : 22kg/24kg	Adjustable Feet
Loading(20'/40'/40HQ) : 114/246/309pcs	Optional : Wooden or SS Shelf/Child Lock/ SS Door Frame



Single Zone






Bottles : 78L(32 Bottles)	Semiconductor Thermostat Refrigeration Technology
Temperature Range : 11~18°C ; 52~64°F (Ambient temperature : Under 25°C/77°F)	Touchscreen Digital Control Display
Body Size : W400xD502xH810mm	Low Noise
Packing Size : W448xD560xH865mm	LED Interior Light
N.W / G.W : 20.2kg/22.6kg	Adjustable Feet
Loading(20'/40'/40HQ) : 130/277/315pcs	Optional : Wooden or SS Shelf/Child Lock/ SS Door Frame

Single Zone



Bottles : 108L(30 Bottles)	Semiconductor Thermostat Refrigeration Technology
Temperature Range : 11~18°C ; 52~64°F (Ambient temperature : Under 25°C/77°F)	Touchscreen Digital Control Display
Body Size : W345*D505*H1400mm	Low Noise
Packing Size : W385*D565*H1460mm	LED Interior Light
N.W / G.W : 27kg / 30kg	Adjustable Feet
Loading(20'/40'/40HQ) : 92/190/220pcs	Optional : Wooden or SS Shelf/Child Lock/ SS Door Frame

Single Zone







Freestanding compressor
wine coolers







Bottles : 66L(23 Bottles)	Compressor Fan Cooling
Temperature Range : 5~20°C / 41~68°F (Ambient temperature : Under 32°C/90°F)	Touchscreen Digital Control Display
Body Size : W330*D455*H860mm	NON CFC
Packing Size : W385*D510*H880mm	NON Frost
N.W : 23kg	LED Interior Light
G.W : 26kg	Adjustable Feet
Loading(20'/40'/40HQ) : 168/354/413pcs	Optional : Wooden or SS Shelf/Child Lock/ SS Door Frame



Single Zone




Bottles : 66L(20 Bottles)	Compressor Fan Cooling
Temperature Range : Upper zone: 5~10°C / 41~50°F Lower zone: 10~18°C / 50~64°F (Ambient temperature : Under 32°C/90°F)	Touchscreen Digital Control Display
Body Size : W330*D455*H860mm	NON CFC
Packing Size : W385*D510*H880mm	NON Frost
N.W : 24kg	LED Interior Light
G.W : 27kg	Adjustable Feet
Loading(20'/40'/40HQ) : 168/354/413pcs	Optional : Wooden or SS Shelf/Child Lock/ SS Door Frame



Dual zone



Bottles : 70L(24 Bottles)	Compressor Fan Cooling
Temperature Range : 5~20°C / 41~68°F (Ambient temperature : Under 32°C/90°F)	Touchscreen Digital Control Display
Body Size : W420*D450*H740mm	NON CFC
Packing Size : W460*D501*H765mm	NON Frost
N.W : 21kg	LED Interior Light
G.W : 24kg	Adjustable Feet
Loading(20'/40'/40HQ) : 165/341/345 pcs	Optional : Wooden or SS Shelf/Child Lock/ SS Door Frame



Single Zone

Freestanding compressor wine coolers

© Based on 750ml Bordeaux Bottle





P10

HOT SALE




Bottles : 80L(31 Bottles)	Compressor Fan Cooling
Temperature Range : 5~20°C / 41~68°F (Ambient temperature : Under 32°C/90°F)	Touchscreen Digital Control Display
Body Size : W330xD455xH1080mm	NON CFC
Packing Size : W385xD510xH1130mm	NON Frost
N.W : 32kg	LED Interior Light
G.W : 35kg	Adjustable Feet
Loading(20'/40'/40HQ) : 132/276/316pcs	Optional : Wooden or SS Shelf/Child Lock/ SS Door Frame

Single Zone



Bottles : 80L(28 Bottles)	Compressor Fan Cooling
Temperature Range : Upper zone: 5~10°C / 41~50°F Lower zone: 10~18°C / 50~64°F (Ambient temperature : Under 32°C/90°F)	Touchscreen Digital Control Display
Body Size : W330*D455*H1080mm	NON CFC
Packing Size : W385*D510*H1130mm	NON Frost
N.W : 32kg	LED Interior Light
G.W : 35kg	Adjustable Feet
Loading(20'/40'/40HQ) : 132/276/316pcs	Optional : Wooden or SS Shelf/Child Lock/ SS Door Frame

Dual Zone






HOT SALE



Bottles : 138L(46 Bottles)	Compressor Fan Cooling
Temperature Range : 5~20°C / 41~68°F (Ambient temperature : Under 32°C/90°F)	Touchscreen Digital Control Display
Body Size : W420*D475*H1260mm	NON CFC
Packing Size : W475*D530*H1330mm	NON Frost
N.W : 36kg	LED Interior Light
G.W : 40kg	Adjustable Feet
Loading(20'/40'/40HQ) : 80/168/200PCS	Optional : Wooden or SS Shelf/Child Lock/ SS Door Frame

Single Zone





Freestanding compressor wine coolers

© Based on 750ml Bordeaux Bottle

P11





Bottles : 138L(46 Bottles)	Compressor Fan Cooling
Temperature Range : 5~20°C / 41~68°F (Ambient temperature: Under 32°C/90°F)	Touchscreen Digital Control Display
Body Size : W420*D475*H1260mm	NON CFC
Packing Size : W475*D530*H1330mm	NON Frost
N.W : 36kg	LED Interior Light
G.W : 40kg	Adjustable Feet
Loading(20'/40'/40HQ) : 80/168/200pcs	Optional : Wooden or SS Shelf/Child Lock/ SS Door Frame



Single
Zone



Bottles : 240L(94 Bottles)	Compressor Fan Cooling
Temperature Range : 5~20°C / 41~68°F (Ambient temperature: Under 32°C/90°F)	Touchscreen Digital Control Display
Body Size : W495*D580*H1460mm	NON CFC
Packing Size : W550*D645*H1510mm	NON Frost
N.W : 51kg	LED Interior Light
G.W : 56kg	Adjustable Feet
Loading(20'/40'/40HQ) : 50/105/105pcs	Optional : Wooden or SS Shelf/Child Lock/ SS Door Frame



Single
Zone





Bottles : 280L(87 Bottles)	Compressor Fan Cooling
Temperature Range : Upper zone: 5~10°C / 41~50°F Lower zone: 10~18°C / 50~64°F (Ambient temperature : Under 32°C/90°F)	Touchscreen Digital Control Display
Body Size : W495*D580*H1460mm	NON CFC
Packing Size : W550*D645*H1510mm	NON Frost
N.W : 52kg	LED Interior Light
G.W : 57kg	Adjustable Feet
Loading(20'/40'/40HQ) : 50/105/105pcs	Optional : Wooden or SS Shelf/Child Lock/ SS Door Frame



Dual
Zone



Bottles : 280L(108 Bottles)	Compressor Fan Cooling
Temperature Range : 5~20°C / 41~68°F (Ambient temperature:Under 32°C/90°F)	Touchscreen Digital Control Display
Body Size : W495*D580*H1680mm	NON CFC
Packing Size : W550*D645*H1730mm	NON Frost
N.W : 55kg	LED Interior Light
G.W : 60kg	Adjustable Feet
Loading(20'/40'/40HQ) : 46/100/100pcs	Optional : Wooden or SS Shelf/Child Lock/ SS Door Frame

Single
ZoneNON
CFC5-20°C /
41~68°F

120W



Bottles : 280L(101 Bottles)

Compressor Fan Cooling

Temperature Range :

Upper zone: 5~10°C / 41~50°F

Lower zone: 10~18°C / 50~64°F

(Ambient temperature:Under 32°C/90°F)

Touchscreen Digital Control Display

Body Size : W495*D580*H1680mm

NON CFC

Packing Size : W550*D645*H1730mm

NON Frost



N.W : 56kg

LED Interior Light

G.W : 61kg

Adjustable Feet

Loading(20'/40'/40HQ) : 46/100/100pcs

Optional : Wooden or SS Shelf/Child Lock/
SS Door FrameDual
ZoneNON
CFCUpper:
5-10°C/41~50°F
Lower:
10-18°C/50~64°F


120W



Built-in compressor
wine coolers




How to install ?




Bottles : 50L(24 Bottles)	Compressor Fan Cooling
Temperature Range : 5~20°C / 41~68°F (Ambient temperature : Under 32°C/90°F)	Touchscreen Digital Control Display
Body Size : W595xD570xH455mm	NON CFC
Packing Size : W655xD670xH510mm	NON Frost
Installation Size : W:600~605mm, D:≥590mm, H:460~465mm	LED Interior Light
N.W / G.W : 30kg/32kg	Adjustable Feet
Loading(20'/40'/40HQ) : 119/239/270pcs	Optional : Wooden or SS Shelf/ Glass or SS Door Frame

Single
Zone



**NON
CFC**





5-20°C /
41~68°F

100W










Bottles : 80L(34 Bottles)	Compressor Fan Cooling
Temperature Range : Upper zone: 5~10°C / 41~50°F Lower zone: 10~18°C / 50~64°F (Ambient temperature : Under 32°C/90°F)	Touchscreen Digital Control Display
Body Size : W595xD570xH595mm	NON CFC
Packing Size : W655xD670xH660mm	NON Frost
Installation Size : W:600~605mm, D:≥570mm, H:600~605mm	LED Interior Light
N.W / G.W : 32kg/34kg	Adjustable Feet
Loading(20'/40'/40HQ) : 81/162/216pcs	Optional : Wooden or SS Shelf/ Glass or SS Door Frame



Bottles : 130L(35 Bottles)	Compressor Fan Cooling
Temperature Range : Upper zone: 5~10°C / 41~50°F Lower zone: 10~18°C / 50~64°F (Ambient temperature : Under 32°C/90°F)	Touchscreen Digital Control Display
Body Size : W595xD570xH885mm	NON CFC
Packing Size : W655xD670xH940mm	NON Frost
Installation Size : W:600~605mm, D:≥570mm, H:890~895mm	LED Interior Light
N.W / G.W : 42kg/45kg	Adjustable Feet
Loading(20'/40'/40HQ) : 48/108/151pcs	Optional : Wooden or SS Shelf/ Glass or SS Door Frame



Bottles : 235L(87 Bottles)	Compressor Fan Cooling
Temperature Range : Upper zone: 5~10°C / 41~50°F Lower zone: 10~18°C / 50~64°F (Ambient temperature : Under 32°C/90°F)	Touchscreen Digital Control Display
Body Size : W595xD460xH1790mm	NON CFC
Packing Size : W655xD1540xH2000mm	NON Frost
Installation Size : W:600~605mm, D:≥470mm, H: 1770~1780mm	LED Interior Light
N.W / G.W : 70kg/78kg	Adjustable Feet
Loading(20'/40'/40HQ) : 81/162/216pcs	Optional : Wooden or SS Shelf/ Glass or SS Door Frame





Mini Refrigerator

Small but strong enough







Volume : 17L	Semiconductor Thermostat Refrigeration Technology
Temperature Range : 7-9°C / 45~48°F	SOFT LED Light
Body Size : W343*D276*H450mm	Adjustable Feet
Packing Size : W370*D298*H480mm	Automatic Defrost
N.W / G.W : 5.3kg/6.5kg	Removable Shelf
Rate Power : 60W	Low Noise
Power Consumption : 1.44Kwh/24h	Customized Colors
Voltage : 220V~240V	Optional : Child Lock / Foam or glass door
Loading(20'/40'/40HQ) : 580/1160/1320pcs	Small but strong enough



Volume : 30L	Semiconductor Thermostat Refrigeration Technology
Temperature Range : 10-15°C / 50~59°F	SOFT LED Light
Body Size : W400*D398*H480mm	Adjustable Feet
Packing Size : W448*D440*H534mm	Automatic Defrost
N.W / G.W : 11kg/12.6kg	Removable Shelf
Rate Power : 55W	Low Noise
Power Consumption : 0.5Kwh/24h	Customized Colors
Voltage : 220V~240V	Optional : Child Lock / Foam or glass door
Loading(20'/40'/40HQ) : 240/520/650pcs	Small but strong enough



Volume : 40L	Semiconductor Thermostat Refrigeration Technology
Temperature Range : 10-15°C / 50~59°F	SOFT LED Light
Body Size : W400*D420*H550mm	Adjustable Feet
Packing Size : W450*D472*H580mm	Automatic Defrost
N.W / G.W : 12.45kg/14.5kg	Removable Shelf
Rate Power : 55W	Low Noise
Power Consumption : 0.5Kwh/24h	Customized Colors
Voltage : 220V~240V	Optional : Child Lock / Foam or glass door
Loading(20'/40'/40HQ) : 295/640/640pcs	Small but strong enough

