




# Water Dispenser Catalog



## GPS-01



Environmental protection products



Child Lock



Refrigeration



Heating



Bottled water



Made in China



### Product parameters

Model:	GPS-01
Rated voltage:	110V-220V ~
Rated frequency:	50/60HZ
Rated total power:	590W
Thermal power:	500W
Refrigeration power:	90W
Power consumption:	1.5KW.h/24h
Anti electric protection type:	I class
Use of ambient temperature:	10 ~ 32°C
Water heating capacity:	≥90°C 5L/h
Water cooling capacity:	≤10°C 2L/h
Shape size:	310X320X960mm

## GPS-02



Environmental protection products



Child Lock



Refrigeration



Heating



Bottled water



Refrigerating function



Made in China



### Product parameters

Model:	GPS-02
Rated voltage:	110V-220V ~
Rated frequency:	50/60HZ
Rated total power:	600W
Thermal power:	500W
Refrigeration power:	100W
Power consumption:	1.9KW.h/24h
Anti electric protection type:	I class
Use of ambient temperature:	10 ~ 32°C
Water heating capacity:	≥90°C 5L/h
Water cooling capacity:	≤10°C 2L/h
Shape size:	310X320X960mm

## GPS-03



## Product parameters

Model:	GPS-03
Rated voltage:	110V - 220V~
Rated frequency:	50/60HZ
Rated total power:	590W
Thermal power:	500W
Refrigeration power:	90W
Power consumption:	1.5KW h/24h
Anti electric protection type:	I class
Use for ambient temperature:	10~ 32
Water heating capacity:	90 L/h
Water cooling capacity:	10 L/hg
Shape size:	310X320X960mm


## GPS-04



## Product parameters

Model:	GPS-04
Rated voltage:	110V - 220V~
Rated frequency:	50/60HZ
Rated total power:	590W
Thermal power:	500W
Refrigeration power:	90W
Power consumption:	1.5KW h/24h
Anti electric protection type:	I class
Use for ambient temperature:	10~ 32
Water heating capacity:	90 L/h
Water cooling capacity:	10 L/hg
Shape size:	31X34X50mm

## GPS-05



## Product parameters

Model:	GPS-05
Rated voltage:	110V-220V ~
Rated frequency:	50/60HZ
Rated total power:	600W
Thermal power:	500W
Refrigeration power:	100W
Power consumption:	1.9KW.h/24h
Anti electric protection type:	I class
Use of ambient temperature:	10 ~ 32℃
Water heating capacity:	≥90℃ 5L/h
Water cooling capacity:	≤10℃ 2L/h
Shape size:	310X320X960mm

## GPS-06



## Product parameters

Model:	GPS-06
Rated voltage:	110V-220V ~
Rated frequency:	50/60HZ
Rated total power:	590W
Thermal power:	500W
Refrigeration power:	90W
Power consumption:	1.5KW.h/24h
Anti electric protection type:	I class
Use of ambient temperature:	10 ~ 32℃
Water heating capacity:	≥90℃ 5L/h
Water cooling capacity:	≤10℃ 2L/h
Shape size:	310X320X960mm


## GPS-07



## Product parameters

Model:	GPS-07
Rated voltage:	110-220V ~
Rated frequency:	50/60HZ
Rated total power:	590W
Thermal power:	500W
Refrigeration power:	90W
Power consumption:	1.5KW.h/24h
Anti electric protection type:	I class
Use of ambient temperature:	10 ~ 32℃
Water heating capacity:	≥ 90℃ 5L/h
Water cooling capacity:	≤ 10℃ 2L/h
Shape size:	310X410X500mm

## GPS-08



## Product parameters

Model:	GPS-08
Rated voltage:	110V-220V ~
Rated frequency:	50/60HZ
Rated total power:	590W
Thermal power:	500W
Refrigeration power:	90W
Power consumption:	1.5KW.h/24h
Anti electric protection type:	I class
Use of ambient temperature:	10 ~ 32℃
Water heating capacity:	≥ 90℃ 5L/h
Water cooling capacity:	≤ 15℃ 0.7L/h
Shape size:	310X320X960mm

GPS-09



Product parameters

Model:	GPS-09
Rated voltage:	110V - 220V~
Rated frequency:	50/60HZ
Rated total power:	590W
Thermal power:	500W
Refrigeration power:	90W
Power consumption:	1.5KW h/24h
Anti electric protection type:	I class
Use for ambient temperature:	10~ 32
Water heating capacity:	90 L/h
Water cooling capacity:	10 L/hg
Shape size:	310X320X470mm



GPS-10



Product parameters

Model:	GPS-10
Rated voltage:	110V - 220V ~
Rated frequency:	50/60HZ
Rated total power:	590W
Thermal power:	500W
Refrigeration power:	90W
Power consumption:	1.5KW h/24h
Anti electric protection type:	I class
Use for ambient temperature:	10 ~ 32
Water heating capacity:	90 L/h
Water cooling capacity:	10 L/h
Shape size:	310X320X960mm



## GPS-11



## 产品参数

Model:	GPS-11
Rated voltage:	110V-220V ~
Rated frequency:	50/60HZ
Rated total power:	590W
Thermal power:	500W
Refrigeration power:	90W
Power consumption:	1.5KW.h/24h
Anti electric protection type:	I class
Use of ambient temperature:	10 ~ 32℃
Water heating capacity:	≥90℃ 5L/h
Water cooling capacity:	≤10℃ 2L/h
Shape size:	310X340X470mm

## GPS-12



## 产品参数

Model:	GPS-12
Rated voltage:	110V-220V ~
Rated frequency:	50/60HZ
Rated total power:	590W
Thermal power:	500W
Refrigeration power:	90W
Power consumption:	1.5KW.h/24h
Anti electric protection type:	I class
Use of ambient temperature:	10 ~ 32℃
Water heating capacity:	≥90℃ 5L/h
Water cooling capacity:	≤10℃ 2L/h
Shape size:	310X340X960mm

## GPS-13



## Product parameters

Model:	GPS-13
Rated voltage:	110V-220V ~
Rated frequency:	50/60HZ
Rated total power:	600W
Thermal power:	500W
Refrigeration power:	100W
Power consumption:	1.9KW.h/24h
Anti electric protection type:	I class
Use of ambient temperature:	10 ~ 32℃
Water heating capacity:	≥90℃ 5L/h
Water cooling capacity:	≤10℃ 2L/h
Shape size:	310X320X90mm

## GPS-14



## Product parameters

Model:	GPS-14
Rated voltage:	110V-220V ~
Rated frequency:	50/60HZ
Rated total power:	590W
Thermal power:	500W
Refrigeration power:	90W
Power consumption:	1.5KW.h/24h
Anti electric protection type:	I class
Use of ambient temperature:	10 ~ 32℃
Water heating capacity:	≥90℃ 5L/h
Water cooling capacity:	≤10℃ 2L/h
Shape size:	310X320X960mm



## GPS-15



## Product parameters

Model:	GPS-15
Rated voltage:	110V-220V ~
Rated frequency:	50/60HZ
Rated total power:	600W
Thermal power:	500W
Refrigeration power:	100W
Power consumption:	1.9KW.h/24h
Anti electric protection type:	I class
Use of ambient temperature:	10 ~ 32℃
Water heating capacity:	≥90℃ 5L/h
Water cooling capacity:	≤10℃ 2L/h
Shape size:	310X340X960mm

## GPS-16



## Product parameters

Model:	GPS-16
Rated voltage:	110V-220V ~
Rated frequency:	50HZ
Rated total power:	590W
Thermal power:	500W
Refrigeration power:	90W
Power consumption:	1.5KW.h/24h
Anti electric protection type:	I class
Use of ambient temperature:	10 ~ 32℃
Water heating capacity:	≥90℃ 5L/h
Water cooling capacity:	≤10℃ 2L/h
Shape size:	310X340X960mm

## GPS-17



Environmental protection products



Child Lock



Refrigeration



Heating



Bottled water



Made in China



## Product parameters

Model:	GPS-17
Rated voltage:	110V-220V ~
Rated frequency:	50/60HZ
Rated total power:	590W
Thermal power:	500W
Refrigeration power:	90W
Power consumption:	1.5KW.h/24h
Anti electric protection type:	I class
Use of ambient temperature:	10 ~ 32°C
Water heating capacity:	≥90°C 5L/h
Water cooling capacity:	≤10°C 2L/h
Shape size:	310X340X480mm

## GPS-18



Environmental protection products



Child Lock



Refrigeration



Heating



Four stage filter(selection)



Direct drinking water



Made in China



## Product parameters

Model:	GPS-18
Rated voltage:	110V-220V ~
Rated frequency:	50/60HZ
Rated total power:	590W
Thermal power:	500W
Refrigeration power:	90W
Power consumption:	1.5KW.h/24h
Anti electric protection type:	I class
Use of ambient temperature:	10 ~ 32°C
Water heating capacity:	≥90°C 5L/h
Water cooling capacity:	≤10°C 2L/h
Shape size:	330X420X480mm

GPS-19



Product parameters

Model:	GPS-19
Rated voltage:	110V-220V ~
Rated frequency:	50/60HZ
Rated total power:	590W
Thermal power:	500W
Refrigeration power:	90W
Power consumption:	1.5KW.h/24h
Anti electric protection type:	I class
Use of ambient temperature:	10 ~ 32°C
Water heating capacity:	≥90°C 5L/h
Water cooling capacity:	≤10°C 2L/h
Shape size:	310X340X480mm

GPS-20



Product parameters

Model:	GPS-
Rated voltage:	110V-220V ~
Rated frequency:	50/60HZ
Rated total power:	590W
Thermal power:	500W
Refrigeration power:	90W
Power consumption:	1.5KW.h/24h
Anti electric protection type:	I class
Use of ambient temperature:	10 ~ 32°C
Water heating capacity:	≥90°C 5L/h
Water cooling capacity:	≤10°C 2L/h
Shape size:	330X420X480mm

## GPS-21



Environmental protection products



Child Lock



Refrigeration



Heating



Bottled water



Made in China



### Product parameters

Model:	GPS-21
Rated voltage:	110V-220V ~
Rated frequency:	50/60HZ
Rated total power:	590W
Thermal power:	500W
Refrigeration power:	90W
Power consumption:	1.5KW.h/24h
Anti electric protection type:	I class
Use of ambient temperature:	10 ~ 32°C
Water heating capacity:	≥90°C 5L/h
Water cooling capacity:	≤10°C 2L/h
Shape size:	340X340X970mm

## GPS-22



Environmental protection products



Bottled water



Made in China



### Product parameters

Model:	GPS-22
Rated voltage:	/
Rated frequency:	/
Rated total power:	/
Thermal power:	/
Refrigeration power:	/
Power consumption:	/
Anti electric protection type:	/
Use of ambient temperature:	/
Water heating capacity:	/
Water cooling capacity:	/
Shape size:	265X265X245mm

## GPS-23



Environmental protection products



Child Lock



Refrigeration



Heating



Bottled water



Made in China



### Product parameters

Model:	GPS-23
Rated voltage:	110V-220V ~
Rated frequency:	50/60HZ
Rated total power:	590W
Thermal power:	500W
Refrigeration power:	90W
Power consumption:	1.5KW.h/24h
Anti electric protection type:	I class
Use of ambient temperature:	10 ~ 32°C
Water heating capacity:	≥90°C 5L/h
Water cooling capacity:	≤10°C 2L/h
Shape size:	310X340X960mm

## GPS-24



Environmental protection products



Child Lock



Refrigeration



Heating



Bottled water



Refrigerating function



Made in China



### Product parameters

Model:	GPS-24
Rated voltage:	110V-220V ~
Rated frequency:	50/60HZ
Rated total power:	600W
Thermal power:	500W
Refrigeration power:	100W
Power consumption:	1.9KW.h/24h
Anti electric protection type:	I class
Use of ambient temperature:	10 ~ 32°C
Water heating capacity:	≥90°C 5L/h
Water cooling capacity:	≤10°C 2L/h
Shape size:	310X340X960mm

## GPS-25



## Product parameters

Model:	GPS-25
Rated voltage:	220V ~
Rated frequency:	50HZ
Rated total power:	590W
Thermal power:	500W
Refrigeration power:	90W
Power consumption:	1.5KW.h/24h
Anti electric protection type:	I class
Use of ambient temperature:	10 ~ 32°C
Water heating capacity:	≥90°C 5L/h
Water cooling capacity:	≤10°C 2L/h
Shape size:	310X340X480mm


## GPS-26



## Product parameters

Model:	GPS-26
Rated voltage:	220V ~
Rated frequency:	50HZ
Rated total power:	590W
Thermal power:	500W
Refrigeration power:	90W
Power consumption:	1.5KW.h/24h
Anti electric protection type:	I class
Use of ambient temperature:	10 ~ 32°C
Water heating capacity:	≥90°C 5L/h
Water cooling capacity:	≤10°C 2L/h
Shape size:	310X340X480mm

## GPS-27



Environmental protection products



Child Lock



Refrigeration



Heating



Bottled water



Made in China



## Product parameters

Model:	GPS-27
Rated voltage:	110V-220V ~
Rated frequency:	50/60HZ
Rated total power:	590W
Thermal power:	500W
Refrigeration power:	90W
Power consumption:	1.5KW.h/24h
Anti electric protection type:	I class
Use of ambient temperature:	10 ~ 32°C
Water heating capacity:	≥90°C 5L/h
Water cooling capacity:	≤10°C 2L/h
Shape size:	310X340X1100mm

## GPS-28



Environmental protection products



Child Lock



Refrigeration



Heating



Four stage filter(selection)



Direct drinking water



Made in China



## Product parameters

Model:	GPS-28
Rated voltage:	110V-220V ~
Rated frequency:	50/60HZ
Rated total power:	590W
Thermal power:	500W
Refrigeration power:	90W
Power consumption:	1.5KW.h/24h
Anti electric protection type:	I class
Use of ambient temperature:	10 ~ 32°C
Water heating capacity:	≥90°C 5L/h
Water cooling capacity:	≤10°C 2L/h
Shape size:	310X340X1100mm

GPS-29



Product parameters

Model:	GPS-29
Rated voltage:	110V-220V ~
Rated frequency:	50/60HZ
Rated total power:	590W
Thermal power:	500W
Refrigeration power:	90W
Power consumption:	1.5KW.h/24h
Anti electric protection type:	I class
Use of ambient temperature:	10 ~ 32°C
Water heating capacity:	≥90°C 5L/h
Water cooling capacity:	≤10°C 2L/h
Shape size:	310X340X1100mm

GPS-30



Product parameters

Model:	GPS-30
Rated voltage:	110V-220V ~
Rated frequency:	50/60HZ
Rated total power:	590W
Thermal power:	500W
Refrigeration power:	90W
Power consumption:	1.5KW.h/24h
Anti electric protection type:	I class
Use of ambient temperature:	10 ~ 32°C
Water heating capacity:	≥90°C 5L/h
Water cooling capacity:	≤10°C 2L/h
Shape size:	310X340X1100mm



## GPS-31



Environmental protection products



Child Lock



Refrigeration



Heating



Bottled water



Made in China



## Product parameters

Model:	GPS-31
Rated voltage:	110V-220V ~
Rated frequency:	50/60HZ
Rated total power:	590W
Thermal power:	500W
Refrigeration power:	90W
Power consumption:	1.5KW.h/24h
Anti electric protection type:	I class
Use of ambient temperature:	10 ~ 32°C
Water heating capacity:	≥90°C 5L/h
Water cooling capacity:	≤10°C 2L/h
Shape size:	310X340X1100mm

## GPS-32



Environmental protection products



Child Lock



Refrigeration



Heating



Bottled water



Made in China



## Product parameters

Model:	GPS-32
Rated voltage:	110V-220V ~
Rated frequency:	50HZ
Rated total power:	590W
Thermal power:	500W
Refrigeration power:	90W
Power consumption:	1.5KW.h/24h
Anti electric protection type:	I class
Use of ambient temperature:	10 ~ 32°C
Water heating capacity:	≥90°C 5L/h
Water cooling capacity:	≤10°C 2L/h
Shape size:	310X360X480mm