



Solar Garden Lights Catalog






太阳能系列 SOLAR SERIES



+++ 产品细节 PRODUCT DETAILS



+++ 灯具结构图 LAMP CONSTRUCTION DRAWING



产品参数

+++

- 产品尺寸：φ160*H300-800mm
- 功率：1.5W
- 色温：3000K
- 电压：3.7V
- 电池容量：4000mA (18650)
- 光伏板：6V/5W
- 灯体材质：压铸铝+型材铝
- 灯体颜色：砂黑/砂灰
- 光源类型：CREE 3535
- 显色指数：>80
- 防护等级：IP65
- 适用场景：别墅、花园、公园、小区等绿化工程

PRODUCT PARAMETER

+++

- Product size: φ160*H300-800mm
- Power rate: 1.5W
- Color temperature: 3000K
- Voltage: 3.7V
- Battery capacity: 4000mA (18650)
- Photovoltaic board: 6V/5W
- Lamp body material: die-cast aluminum + profile aluminum
- Light body color: sand black/sand gray
- Light source type: CREE 3535
- Color rendering index: >80
- Degree of protection: IP65
- Applicable scenarios: villas, gardens, parks, communities and other greening projects



太阳能系列 SOLAR SERIES



产品参数

+++

- 产品尺寸：165*165*H300-800mm
- 功率：1.5W
- 色温：3000K
- 电压：3.7V
- 电池容量：4000mA (18650)
- 光伏板：6V/5W
- 灯体材质：压铸铝+型材铝
- 灯体颜色：砂黑/砂灰
- 光源类型：CREE 3535
- 显色指数：>80
- 防护等级：IP65
- 适用场景：别墅、花园、公园、小区等绿化工程

+++

产品细节


PRODUCT DETAILS



+++

灯具结构图


LAMP CONSTRUCTION DRAWING



PRODUCT PARAMETER

+++

- Product size: 165*165*H300-800mm
- Power rate: 1.5W
- Color temperature: 3000K
- Voltage: 3.7V
- Battery capacity: 4000mA (18650)
- Photovoltaic board: 6V/5W
- Lamp body material: die-cast aluminum + profile aluminum
- Light body color: sand black/sand gray
- Light source type: CREE 3535
- Color rendering index: >80
- Degree of protection: IP65
- Applicable scenarios: villas, gardens, parks, communities and other greening projects



073


照树灯系列 ACCORDING TO THE TREE LAMP SERIES



+++ 产品细节 PRODUCT DETAILS



+++ 灯具结构图 LAMP CONSTRUCTION DRAWING



产品参数

+++

- 产品尺寸：φ180*H300-800mm
- 功率：1.5W
- 色温：3000K/6000K/混光
- 电压：3.7V
- 电池容量：4000mA (18650)
- 光伏板：6V/5W
- 灯体材质：压铸铝+型材铝
- 灯体颜色：砂黑/砂灰
- 光源类型：LED 5730 (晶元芯片)
- 显色指数：>80
- 防护等级：IP65
- 适用场景：别墅、花园、公园、小区等绿化工程

PRODUCT PARAMETER

+++

- Product size: φ180*H300-800mm
- Power rate: 1.5W
- Color temperature: 3000K/6000K/mixed light
- Voltage: 3.7V
- Battery capacity: 4000mA (18650)
- Photovoltaic board: 6V/5W
- Lamp body material: die-cast aluminum + profile aluminum
- Light body color: sand black/sand gray
- Light source type: LED 5730 (Epistar Chip)
- Color rendering index: >80
- Degree of protection: IP65
- Applicable scenarios: villas, gardens, parks, communities and other greening projects




太阳能系列 SOLAR SERIES



+++ 产品细节 PRODUCT DETAILS



+++ 灯具结构图 LAMP CONSTRUCTION DRAWING



产品参数

+++

- 产品尺寸：φ160*H300-800mm
- 功率：1.5W
- 色温：3000K
- 电压：3.7V
- 电池容量：4000mA (18650)
- 光伏板：6V/5W
- 灯体材质：压铸铝+型材铝
- 灯体颜色：砂黑/砂灰
- 光源类型：CREE 3535
- 显色指数：>80
- 防护等级：IP65
- 适用场景：别墅、花园、公园、小区等绿化工程

PRODUCT PARAMETER

+++

- Product size: φ160*H300-800mm
- Power rate: 1.5W
- Color temperature: 3000K
- Voltage: 3.7V
- Battery capacity: 4000mA (18650)
- Photovoltaic board: 6V/5W
- Lamp body material: die-cast aluminum + profile aluminum
- Light body color: sand black/sand gray
- Light source type: CREE 3535
- Color rendering index: >80
- Degree of protection: IP65
- Applicable scenarios: villas, gardens, parks, communities and other greening projects



太阳能系列 SOLAR SERIES



产品参数

+++

- 产品尺寸：φ230*H300-800mm
- 功率：2W
- 色温：3000K/6000K/混光
- 电压：3.7V
- 电池容量：4000mA (18650)
- 光伏板：6V/6W
- 灯体材质：压铸铝+型材铝
- 灯体颜色：砂黑/砂灰
- 光源类型：LED 5730 (晶元芯片)
- 显色指数：>80
- 防护等级：IP65
- 适用场景：别墅、花园、公园、小区等绿化工程

+++

产品细节


PRODUCT DETAILS



+++

灯具结构图

LAMP CONSTRUCTION DRAWING



PRODUCT PARAMETER

+++

- Product size: φ230*H300-800mm
- Power rate: 2W
- Color temperature: 3000K/6000K/mixed light
- Voltage: 3.7V
- Battery capacity: 4000mA (18650)
- Photovoltaic board: 6V/6W
- Lamp body material: die-cast aluminum + profile aluminum
- Light body color: sand black/sand gray
- Light source type: LED 5730 (Epistar Chip)
- Color rendering index: >80
- Degree of protection: IP65
- Applicable scenarios: villas, gardens, parks, communities and other greening projects



太阳能系列
SOLAR SERIES

太阳能系列 SOLAR SERIES




产品参数

- +++
- 产品尺寸：230*230*H300-800mm
 - 功率：2W
 - 色温：3000K/6000K/混光
 - 电压：3.7V
 - 电池容量：4000mA (18650)
 - 光伏板：6V/6W
 - 灯体材质：压铸铝+型材铝
 - 灯体颜色：砂黑/砂灰
 - 光源类型：LED 5730 (晶元芯片)
 - 显色指数：>80
 - 防护等级：IP65
 - 适用场景：别墅、花园、公园、小区等绿化工程

+++ 产品细节 PRODUCT DETAILS



+++ 灯具结构图 LAMP CONSTRUCTION DRAWING



PRODUCT PARAMETER

- +++
- Product size: 230*230*H300-800mm
 - Power rate: 2W
 - Color temperature: 3000K/6000K/mixed light
 - Voltage: 3.7V
 - Battery capacity: 4000mA (18650)
 - Photovoltaic board: 6V/6W
 - Lamp body material: die-cast aluminum + profile aluminum
 - Light body color: sand black/sand gray
 - Light source type: LED 5730 (Epistar Chip)
 - Color rendering index: >80
 - Degree of protection: IP65
 - Applicable scenarios: villas, gardens, parks, communities and other greening projects




太阳能系列 SOLAR SERIES



+++ 产品细节 PRODUCT DETAILS



+++ 灯具结构图 LAMP CONSTRUCTION DRAWING



产品参数


+++

- 产品尺寸：φ150*H300-800mm
- 功率：1.5W
- 色温：3000K
- 电压：3.7V
- 电池容量：4000mA (18650)
- 光伏板：6V/5W
- 灯体材质：压铸铝+型材铝
- 灯体颜色：砂黑/砂灰
- 光源类型：CREE 3535
- 显色指数：>80
- 防护等级：IP65
- 适用场景：别墅、花园、公园、小区等绿化工程

PRODUCT PARAMETER

+++

- Product size: φ150*H300-800mm
- Power rate: 1.5W
- Color temperature: 3000K
- Voltage: 3.7V
- Battery capacity: 4000mA (18650)
- Photovoltaic board: 6V/5W
- Lamp body material: die-cast aluminum + profile aluminum
- Light body color: sand black/sand gray
- Light source type: CREE 3535
- Color rendering index: >80
- Degree of protection: IP65
- Applicable scenarios: villas, gardens, parks, communities and other greening projects




太阳能系列 SOLAR SERIES



+++ 产品细节 PRODUCT DETAILS



+++ 灯具结构图 LAMP CONSTRUCTION DRAWING



产品参数

+++

- 产品尺寸：150*150*H300-800mm
- 功率：1.5W
- 色温：3000K
- 电压：3.7V
- 电池容量：4000mA (18650)
- 光伏板：6V/5W
- 灯体材质：压铸铝+型材铝
- 灯体颜色：砂黑/砂灰
- 光源类型：CREE 3535
- 显色指数：>80
- 防护等级：IP65
- 适用场景：别墅、花园、公园、小区等绿化工程

PRODUCT PARAMETER

+++

- Product size: 150*150*H300-800mm
- Power rate: 1.5W
- Color temperature: 3000K
- Voltage: 3.7V
- Battery capacity: 4000mA (18650)
- Photovoltaic board: 6V/5W
- Lamp body material: die-cast aluminum + profile aluminum
- Light body color: sand black/sand gray
- Light source type: CREE 3535
- Color rendering index: >80
- Degree of protection: IP65
- Applicable scenarios: villas, gardens, parks, communities and other greening projects




太阳能系列 SOLAR SERIES



+++ 产品细节 PRODUCT DETAILS



+++ 灯具结构图 LAMP CONSTRUCTION DRAWING



产品参数

+++

- 产品尺寸：230*230*H300-800mm
- 功率：2W
- 色温：3000K/6000K/混光
- 电压：3.7V
- 电池容量：4000mA (18650)
- 光伏板：6V 6W
- 灯体材质：压铸铝+型材铝
- 灯体颜色：砂黑/砂灰
- 光源类型：LED 5730 (晶元芯片)
- 显色指数：>80
- 防护等级：IP65
- 适用场景：别墅、花园、公园、小区等绿化工程

PRODUCT PARAMETER

+++


- Product size: 230*230*H300-800mm
- Power rate: 2W
- Color temperature: 3000K/6000K/mixed light
- Voltage: 3.7V
- Battery capacity: 4000mA (18650)
- Photovoltaic board: 6V 6W
- Lamp body material: die-cast aluminum + profile aluminum
- Light body color: sand black/sand gray
- Light source type: LED 5730 (Epistar Chip)
- Color rendering index: >80
- Degree of protection: IP65
- Applicable scenarios: villas, gardens, parks, communities and other greening projects




太阳能系列 SOLAR SERIES



+++ 产品细节 PRODUCT DETAILS



+++ 灯具结构图 LAMP CONSTRUCTION DRAWING



产品参数

+++

- 产品尺寸： $\phi 230 \times H300-800\text{mm}$
- 功率：2W
- 色温：3000K/6000K/混光
- 电压：3.7V
- 电池容量：4000mA (18650)
- 光伏板：6V/6W
- 灯体材质：压铸铝+型材铝
- 灯体颜色：砂黑/砂灰
- 光源类型：LED 5730 (晶元芯片)
- 显色指数：>80
- 防护等级：IP65
- 适用场景：别墅、花园、公园、小区等绿化工程

PRODUCT PARAMETER

+++

- Product size: $\phi 230 \times H300-800\text{mm}$
- Power rate: 2W
- Color temperature: 3000K/6000K/mixed light
- Voltage: 3.7V
- Battery capacity: 4000mA (18650)
- Photovoltaic board: 6V/6W
- Lamp body material: die-cast aluminum + profile aluminum
- Light body color: sand black/sand gray
- Light source type: LED 5730 (Epistar Chip)
- Color rendering index: >80
- Degree of protection: IP65
- Applicable scenarios: villas, gardens, parks, communities and other greening projects



太阳能系列
SOLAR SERIES


太阳能系列 SOLAR SERIES



+++ 产品细节 PRODUCT DETAILS



+++ 灯具结构图 LAMP CONSTRUCTION DRAWING



产品参数

- +++
- 产品尺寸：φ230*H300-800mm
 - 功率：2W
 - 色温：3000K/6000K/混光
 - 电压：3.7V
 - 电池容量：4000mA (18650)
 - 光伏板：6V/6W
 - 灯体材质：压铸铝+型材铝
 - 灯体颜色：砂黑/砂灰
 - 光源类型：LED 5730 (晶元芯片)
 - 显色指数：>80
 - 防护等级：IP65
 - 适用场景：别墅、花园、公园、小区等绿化工程

PRODUCT PARAMETER

- +++
- Product size: φ230*H300-800mm
 - Power rate: 2W
 - Color temperature: 3000K/6000K/mixed light
 - Voltage: 3.7V
 - Battery capacity: 4000mA (18650)
 - Photovoltaic board: 6V/6W
 - Lamp body material: die-cast aluminum + profile aluminum
 - Light body color: sand black/sand gray
 - Light source type: LED 5730 (Epistar Chip)
 - Color rendering index: >80
 - Degree of protection: IP65
 - Applicable scenarios: villas, gardens, parks, communities and other greening projects