



Lighting Catalog



OUTDOOR LIGHT LED HIGH POWER FLOOD LIGHTS SERIES



01



LED FLOOD LIGHT

IP65
无惧应对恶劣天气
Dustproof and waterproof grade
against bad weather



Parameters

高效散热
采用ADC12压铸成型
Adopt ADC12 aluminum material
efficient heat dissipation



高强度
钢化圆角玻璃 ,Bright
robust and durable



Various applications areas:
outdoor billboards, Factory, warehouse, Park

- **Model NO.:** GPS-01
- **Material :** Die-casting aluminum + tempered glass
- **Product Solution:** Linear/DOB
- **Voltage Range** : AC 220V-240V/ AC100V-265V

Wattage	10W	20W	30W	50W	100W	150W	200W	300W
Product size (mm)	100*30*80	120*30*90	160*30*120	230*30*165	285*38*200	340*38*245	360*45*270	430*44*340
PCS/CTN	60	60	40	20	10	10	5	5
Master Carton (cm)	38*37*22	44*37*24	42*38*30	44*25*35	47*30.5*21.5	57*35.5*25.5	38.5*34.5*29.5	45.5*34.5*37

02



LED FLOOD LIGHT

IP65
无惧应对恶劣天气
Dustproof and waterproof grade
against bad weather



Parameters:

大发光面
增强散热面积
Large luminous surface for faster
heat dissipation



高强度
钢化直角玻璃
Adopt optical lens, high light
transmittance and anti-UV



Various applications areas:
outdoor billboards, Factory warehouse Park

- **Model NO.:** GPS-02
- **Material:** Die-casting aluminum + Tempered glass
- **Product Solution:** Linear/DOB
- **Voltage Range** : AC 220V-240V/ AC100V-265V

Wattage	10W	20W	30W	50W	70W	100W	150W	200W	300W	400W
Product size (mm)	115*77*26	116*62*29	118*120*24	202*43*30	215*176*31	266*268*32.5	333*226*33.5	375*176*34	411*316*34	485*325*43
PCS/CTN	50	50	50	40	40	40	20	20	20	5
Master Carton (cm)	52*18*25.5	57*18*26.5	69.5*18*36.4	88*18.5*44.4	100.5*38*44.5	146.5*38*45.5	181.5*38*46.5	207*44	242*46.5	315.5*50*51



LED FLOOD LIGHT

金属支架1.8M
高度可随意伸缩
1.8 M of the metal pole can
be adjusted freely



Parameters:

IP65
无惧应对恶劣天气
Dustproof and waterproof grade
against bad weather




国际插头
均可按需匹配
International universal plugs
can be matched as required



Various applications areas:
Floodlight with widebeam, for various application areas

高亮灯珠
低光衰寿命长
Ultra-bright LED beads



- **Model NO.:** GPS-03/GPS-04
- **Material:** Die-casting aluminum + Tempered glass
- **Product Solution:** Linear/DOB
- **Voltage Range** : AC 220V-240V/ AC100V-265V

Wattage	30W	2X30W	50W	2X50W	100W	2X100W	30W	50W	100W
Product size (mm)	800*800*1760	800*800*1760	800*800*1780	800*800*1780	800*800*1820	800*800*1820	230*45*240	275*50*280	335*50*320
PCS/CTN	1	1	1	1	1	1	10	10	10
Master Carton (cm)	92*23*16	92*23*16	92*23*16	92*23*16	99*27*14.5	99*27*14.5	57*24.5*27	62*29*29.5	62*35.5*36



LED FLOOD LIGHT

IP65
无惧应对恶劣天气
Dustproof and waterproof grade against bad weather



Parameters:

高效散热
采用ADC12压铸成型
Adopt ADC12 aluminum material
efficient heat dissipation



光学透镜
高透光 抗UV 抗摔性强
Adopt optical lens, high light
transmittance and anti-UV



Various applications areas:
outdoor billboards, Factory warehouse, Park

- **Model NO.:** GPS-05
- **Material:** Die-casting aluminum + PC Lens + Breather Valve
- **Product Solution:** Linear/DOB
- **Voltage Range:** AC 220V-240V/AC100V-265V

Wattage	30W	50W	100W	150W	200W	300W	400W
Product size (mm)	123*148*23.8	205*160*25.5	270*210*25	329*248*25	378*280*25	425*315*27	470*360*28
PCS/CTN	40	20	20	10	10	5	5
Master Carton (cm)	35*30*31	47.5*36*20	60*36*25	36.5*36*29.5	41*37*32.5	46*19.5*35.5	51*20*40



LED FLOOD LIGHT

IP65
无惧应对恶劣天气
Dustproof and waterproof grade against bad weather



Parameters:

高效散热
采用ADC12压铸成型
Adopt ADC12 aluminum material
efficient heat dissipation



高强度
钢化圆角玻璃
Tempered glass, Bright
robust and durable



Various applications areas:
outdoor billboards, Factory, warehouse, Park

- **Model NO.:** GPS-06
- **Material:** Die-casting aluminum + Tempered glass
- **Product Solution:** Linear/DOB
- **Voltage Range:** AC 220V-240V/AC100V-265V

Wattage	50W	100W	200W	300W	400W
Product size (mm)	205*35*217	270*39*273	353*48*353	423*50*433	523*55*537
PCS/CTN	12	10	8	6	4
Master Carton (cm)	430*240*235	425*282*295	425*365*375	435*330*455	535*250*560



LED FLOOD LIGHT

IP65
 无惧应对恶劣天气
 Dustproof and waterproof grade
 against bad weather



Parameters

高效散热
 采用ADC12压铸成型
 Adopt ADC12 aluminum material
 efficient heat dissipation



高强度
 钢化圆角玻璃
 Tempered glass ,Bright
 robust and durable



Various applications areas:
 outdoor billboards, Factory warehouse, Park

- **Model NO.:** GPS-07
- **Material :** Die-casting aluminum + Tempered glass
- **Product Solution:** Linear/DOB/Non-isolated/Isolated
- **Voltage Range :** AC220V-240V/AC100V-265V

Wattage	50W	100W	150W	200W	300W	400W
Product size (mm)	240*210*40	275*240*55	305*260*55	355*295*55	405*335*55	465*395*65
PCS/CTN	20	10	10	10	10	5
Master Carton (cm)	47*43.5*26	55*29.5*26	55*33*28	55*37.5*32	55*42.5*36	48.5*37*41.5

LED FLOOD LIGHT

Explosion-proof, dust-proof,
 drop-proof, High light uniformity

IP65
 无惧应对恶劣天气
 Dustproof and waterproof grade
 against bad weather



Parameters

高效散热
 采用ADC12压铸成型
 Adopt ADC12 aluminum material
 efficient heat dissipation



高强度
 钢化圆角玻璃
 Tempered glass ,Bright
 robust and durable



Various applications areas:
 outdoor billboards, Factory warehouse, Park

- **Model NO.:** GPS-08
- **Material :** Die-casting aluminum + Tempered glass
- **Product Solution:** Linear/DOB/Non-isolated/Isolated
- **Voltage Range :** AC220V-240V/AC100V-265V

	50W	100W	150W	200W	300W	400W
	182*190*30	230*245*30	270*285*30	320*340*40	365*385*45	400*425*50
	40	20	10	10	10	5
	45*52*37	54*32*37	36*31*37	42*37*47	48*43*52	50*45*28



LED FLOOD LIGHT

IP66

无惧应对恶劣天气
Dustproof and waterproof grade
against bad weather



Parameters:

高效散热

采用ADC12压铸成型
Adopt ADC12 aluminum material
efficient heat dissipation



光学透镜

高透光 抗UV 抗摔性强
Adopt optical lens, high light
transmittance and anti-UV



Various applications areas:
outdoor billboards, Factory warehouse, Park

- **Model NO.:** GPS-09
- **Material:** Die-casting aluminum + PC Lens + Tempered glass + Breather Valve
- **Product Solution:** Non-isolated/Isolated (The any Brand driver is optional)
- **Voltage Range :** AC100V-265V

Wattage	50W	100W	150W	200W	300W	400W	500W	600W
Product size (mm)	210*255*55	260*300*50	350*385*75	350*385*75	460*410*77	565*440*80	645*440*85	748*440*90
PCS/CTN	10	5	5	5	1	1	1	1
Master Carton (cm)	57*23*27.5	57*29*32.5	40*37*40.5	40*37*40.5	48*42*12.5	58*46*13.5	65*45*13.5	76*45*13.5



LED FLOOD LIGHT

IP65

无惧应对恶劣天气
Dustproof and waterproof grade
against bad weather



Parameters:

压铸刀片散热

散热效果更快
Die-casting blade integration
efficient heat dissipation



Various applications areas:
Tunnel, Outdoor arenas, stadiums and Racing tracks, Plaza, Parking lots.

光学透镜 高透光

抗UV抗摔性强
Adopt optical lens, high light
transmittance and anti-UV



- **Model NO.:** GPS-10
- **Material:** Die-casting aluminum + PC Lens
- **Product Solution:** Non-isolated/Isolated (The any Brand driver is optional)
- **Voltage Range :** AC100V-265V

Wattage	100W	200W	300W	400W	500W	600W	800W	1000W	1200W
Product size (mm)	400*100*180	400*205*180	400*305*180	400*410*180	400*515*180	765*305*180	765*410*180	765*515*180	765*620*180
PCS/CTN	1	1	1	1	1	1	1	1	1
Master Carton (cm)	41.5*11.5*15	41.5*22*15	41.5*32*15	41.5*42.5*15	41.5*53*15	78*32.5*15	78*42.5*15	78*53*15	78*63.5*15

LED STREET LIGHTS SERIES

Ultra-bright LED beads, heat dissipation, Small temperature rise



LED STREET LIGHT

Projects priority

IP65
无惧应对恶劣天气
Dustproof and waterproof
grade against bad weather



Parameters:

压铸流线设计
散热更高效
Die-casting integration
efficient heat dissipation



钢化玻璃·PC透镜
高透光 抗摔性强
High-strength transparent
tempered glass+PC lens, high light
transmission, impact resistance



Various applications areas:
Roadway, Highway, Country side

- **Model NO.:** GPS-11
- **Material:** Die-casting aluminum + PC Lens + Tempered glass (Beam Angel: 60°/90°/70°/140°)
- **Product Solution:** Non-isolated/Isolated (The any Brand driver is optional)
- **Voltage Range:** AC100V-265V

Wattage	50W	100W	150W	200W
Product size (mm)	400*166*85	490*210*85	550*240*90	645*287*90
PCS/CTN	1	1	1	1
Master Carton (cm)	41.5*21.5*12	50.5*24*12	56.5*27*12.5	66*30.5*12.5



LED STREET LIGHT

IP65
无惧应对恶劣天气
Dustproof and waterproof
grade against bad weather



Parameters

超薄壳体
节省运输空间
Ultra-thin lamp body saves
transportation space



高亮度
低光衰寿命长
Ultra-bright LED beads
long life span



Various applications areas:
Roadway, Highway, Country side

- **Model NO.:** GPS-12
- **Material:** Die-casting aluminum + PC Lens(Beam Angel:70°*140°)
- **Product Solution:** Linear/DOB
- **Voltage Range** : AC 220V-240V/AC100V-265V

Wattage	50W	100W	150W	200W
Product size (mm)	410*140*50	460*150*60	540*185*60	651*211*60
PCS/CTN	10	10	5	5
Master Carton (cm)	43*29.5*31	48*34.5*33	56*34.5*20.5	67*34.5*23



LED STREET LIGHT

IP65
无惧应对恶劣天气
Dustproof and waterproof
grade against bad weather



Parameters

高效散热
采用ADC12压铸成型
Adopt ADC12 aluminum material
efficient heat dissipation



光学透镜
高透光 抗UV
Adopt optical lens, high light
transmittance and anti-UV



Various applications areas:
Roadway, Highway, Country side

- **Model NO.:** GPS-13
- **Material:** Die-casting aluminum + PC Lens(Beam Angel:70°*140°)
- **Product Solution:** Linear/DOB/Driver
- **Voltage Range** : AC 220V-240V/AC100V-265V

Wattage	50W	100W	150W	200W
Product size (mm)	400*165*85	489*205*85	563*240*85	619*268*85
PCS/CTN	10	10	5	5
Master Carton (cm)	47*42.5*36	51.5*47*44	58.5*47*26	64.5*47*29



LED STREET LIGHT

可调支臂
最大可调90°
The angle of the arm can be adjustable to 90° max



Parameters

高效散热
采用ADC12压铸成型
Adopt ADC12 aluminum material
efficient heat dissipation



高亮度
低光衰寿命长
Ultra-bright LED beads
long life span



Various applications areas:
Roadway, Highway, Country side

- **Model NO.:** GPS-14
- **Material :** Die-casting aluminum+PC Lens (Beam Angel:/70°140°)
- **Product Solution:** Linear/DOB
- **Voltage Range** : AC 220V-240V/ AC100V-265V

Wattage	30W	50W	100W	150W	200W
Product size (mm)	155*374*65	173*424*65	201*533*75	223*588*75	252*647*75
PCS/CTN	10	10	5	1	1
Master Carton (cm)	40*38*17.5	45*38*19.5	55.5*42*22	61*24.5*10.5	67*27.5*10.5

LED STREET LIGHT

Projects priority

可调支臂
最大可调90°
The angle of the arm can be adjustable to 90° max



Parameters

IP65
无惧应对恶劣天气
Dustproof and waterproof
grade-against bad weather



高效散热
采用ADC12压铸成型
Adopt ADC12 aluminum material
efficient heat dissipation



钢化玻璃+PC透镜
高透光 抗摔性强
High-strength transparent tempered glass+PC lens, high light transmission impact resistance



Various applications areas:
Roadway, Highway, Country side

- **Model NO.:** GPS-15
- **Material :** Die-casting aluminum + PC Lens+ Tempered glass (Beam Angel:70°140°)
- **Product Solution:** Non-isolated/ Isolated(The any Brand driver is optional)
- **Voltage Range** : AC100V-265V

Wattage	50W	100W	150W	200W
Product size (mm)	525*195*201	546*220*201	636*250*201	901*310*201
PCS/CTN	1	1	1	1
Master Carton (cm)	56.5*23.5*13	59*26*14	68*30*15	72*35*15

LED STREET LIGHTS SERIES

Ultra-bright LED beads, heat dissipation, Small temperature rise



LED STREET LIGHT

Projects priority

IP65
无惧应对恶劣天气
Dustproof and waterproof
grade against bad weather



Parameters

压铸流线设计
散热更高效
Die-casting integration
efficient heat dissipation



光学透镜
高透光 抗UV
Adopt optical lens, high light
transmittance and anti-UV




Various applications areas:
Roadway, Highway, Country side

- **Model NO.:** GPS-16
- **Material:** Die-casting aluminum + PC Lens (Beam Angel: 70°140)
- **Product Solution:** Non-isolated/Isolated (The any Brand driver is optional)
- **Voltage Range :** AC100V-265V

Wattage	50W	100W	150W	200W
Product size (mm)	175*471*55	221*566*60	241*654*65	276*745*75
PCS/CTN	1	1	1	1
Master Carton (cm)	49*21.6*11.9	59*24*11.9	66.5*26.4*11.9	76.5*31.5*11.9

OUTDOOR LIGHT LED HIGH BAY SERIES

High brightness without glare, Longlife, Quality is top priority !



UFO HIGH BAY

IP65
无惧应对恶劣天气
Dustproof and waterproof
grade against bad weather




Parameters:

高效散热
采用ADC12压铸成型
Adopt ADC12 aluminum material
efficient heat dissipation



光学透镜
抗UV抗痒性强
Adopt optical lens, high light
transmittance and anti-UV




Various applications areas:
Factory, warehouse

- **Model NO.:** GPS-17
- **Material:** Die-casting aluminum+PC Lens (Beam Angel:90°)
- **Product Solution:** Non-isolated/ Isolated
- **Voltage Range :** AC100V-265V

Wattage	100W	150W	200W
Product size (mm)	255*255*135	330*330*135	360*360*145
PCS/CTN	1	1	1
Master Carton (cm)	26.5*26.5*15.5	34.5*34.5*115	37.5*37.5*16


OUTDOOR LIGHT LED HIGH BAY SERIES

High brightness without glare, Longlife, Quality is top priority!



UFO HIGH BAY

IP65
无惧应对恶劣天气
Dustproof and waterproof
grade against bad weather




Parameters:

超薄壳体
节省运输空间
Ultra-thin lamp body saves
transportation space



环形透镜，颗粒透镜
两种方案可选
Circular Lens or Granule
Lens are Options



Various applications areas:
Factory, warehouse

- **ModelNO.:** GPS-18
- **Material:** Die-casting aluminum + PC Lens (Beam Angel: 90°)
- **Product Solution:** Non-isolated/ Isolated
- **Voltage Range:** AC100V-265V

Wattage	100W	150W	200W	300W
Product size (mm)	270*110*270	315*115*270	335*115*335	410*110*410
PCS/CTN	1	1	1	1
Master Carton (cm)	27.5*27.5*13.5	32.5*32.5*13.5	36*36*13.5	42*42*13.5



UFO HIGH BAY

可选配铝罩

aluminum cover are optional



Parameters

超薄壳体

节省运输空间
Ultra-thin lamp body saves transportation space



光学透镜


抗UV抗摔性强
Adpot optical lens, high light transmittance and anti-UV



Various applications areas:
Factory, warehouse

- **Model NO.:** GPS-19
- **Material:** Die-casting aluminum + PC Lens (Beam Angel:90°)
- **Product Solution:** Linear/DOB
- **Voltage Range** : AC 220V-240V/AC100V-265V


Wattage	100W	150W	200W	300W
Product size (mm)	Φ256*32	Φ296*32	Φ358*32	Φ410*32
PCS/CTN	10	10	10	5
Master Carton (cm)	42*27.5*27.5	42*31.5*31.5	42*38*38	43*22*43



UFO HIGH BAY

IP65


无惧应对恶劣天气
Dustproof and waterproof grade against bad weather



Parameters

超薄壳体

节省运输空间
Ultra-thin lamp body saves transportation space



光学透镜

抗UV抗摔性强
Adpot optical lens, high light transmittance and anti-UV



Various applications areas:
Factory, warehouse

- **Model NO.:** GPS-20
- **Material:** Die-casting aluminum + PC Lens (Beam Angel:90°)
- **Product Solution:** Linear/DOB
- **Voltage Range** : AC 220V-240V/AC100V-265V

Wattage	100W	150W	200W
Product size (mm)	262*262*35	295*295*35	325*325*35
PCS/CTN	10	10	10
Master Carton (cm)	42*28*28	42*31.5*31.5	42*34.5*34.5

OUTDOOR LIGHT SOLAR LIGHTING SERIES

All die- cast aluminum new patent model solar flood light comes with a MONO photovoltaic panel



Ultra-bright
LED beads



Solar
Charging



Rapid heat
dissipation



Waterproof



OUTDOOR LIGHT SOLAR LIGHTING SERIES

Now you can add light virtually anywhere and provide years of efficient, maintenance-free lighting for off- electrical grid applications



SOLAR LIGHT

Easy Installation for any off-grid application areas

**高容量电
池经久耐用**
Huge capacity battery



Parameter:

照射面积
Irradiation area



IP65
无惧应对恶劣天气
Dustproof and waterproof
grade against bad weather



Various applications areas:
Roadway, Country side, emergency light.

- **Model NO.:** GPS-21
- **Material:** Die-casting aluminum+ PC Lens
- **Product Solution:** Life PO4 +Monocrystal Tempered glass
- **Voltage Range** : Intelligent light control+Remote control
- **Charging time** : 4-6H **Discharging time:** 10-12H

Wattage	100W	200W	300W
Product size (mm)	220*195*41.5	260*230*41.5	300*255*41.5
PCS/CTN	5	5	5
Master Carton (cm)	34*41.5*27	46*41.5*27	59*41.5*27



SOLAR LIGHT

Easy Installation for any off-grid application areas

大容量电池
经久耐用
Huge capacity battery



Parameters:

照射面积
Irradiation area



高亮度
低光衰寿命长
Ultra-bright LED beads
long life span



Various applications areas:
Roadway, Country side, emergency light

- Model NO.: GPS-22
- Material: Die-casting aluminum/ABS+Tempered glass
- Product Solution: Life PO4 +Polysilicon Photovoltaic Panel
- Voltage Range : Intelligent light control+Remote control
- Charging time : 4-6H Discharging time: 10-12H

Wattage	25W	40W	60W	100W	200W	300W
Product size (mm)	193*146*50	227*180*50	255*208*65	300*250*75	335*270*80	397*310*85
PCS CTN	20	20	10	5	5	5
Master Carton (cm)	57*41.5*17.5	62*48.5*21.5	354*37*24	42*32*28	47*35.5*30	47.5*42*34



SOLAR LIGHT

Easy Installation for any off-grid application areas

大容量电池
经久耐用
Huge capacity battery




Parameters:

照射面积
Irradiation area



高亮度
低光衰寿命长
Ultra-bright LED beads
long life span



Various applications areas:
Roadway, Country side, emergency light

- Model NO.: GPS-23
- Material: Die-casting aluminum+ Tempered glass
- Product Solution: Life PO4 +Polysilicon Photovoltaic Panel
- Voltage Range : Intelligent light control+Remote control
- Charging time : 4-6H Discharging time: 10-12H

Wattage	40W	60W	120W	200W	300W	400W	500W	1000W
Product size (mm)	205*151*56	240*200*56	265*212*56	320*273*56	360*310*56	395*335*56	460*370*56	460*370*56
PCS CTN	8	8	6	5	4	3	2	2
Master Carton (cm)	51*34*37.5	62*34*37.5	50*37.5*37.5	47.5*42*37	55.5*34*37	62.5*27.5*37	69.5*19*40	69.5*20*46.5



SOLAR LIGHT

Easy Installation for any off-grid application areas

大容量电池
经久耐用
Huge capacity battery



Parameters

照射面积
Irradiation area



高亮度
低光衰寿命长
Ultra-bright LED beads
long life span



Various applications areas:
Roadway, Country side, emergency light

- **Model NO.:** GPS-24
- **Material:** Die-cast aluminum+PC Lens
- **Product Solution:** Life PO4 +Polysilicon Photovoltaic Panel
- **Voltage Range** : Intelligent light control+Remote control
- **Charging time** : 4-6H **Discharging time:** 10-12H

Wattage	100W	200W	300W	400W
Product size (mm)	252*182*62	292*222*62	330*260*62	370*300*62
PCS/CTN	10	10	10	10
Master Carton (cm)	35*28.5*41.5	35*33*48.5	56.5*35*37.5	63.5*35*41.5



SOLAR LIGHT

Easy Installation for any off-grid application areas

大容量电池
经久耐用
Huge capacity battery



Parameters

照射面积
Irradiation area



高亮度
低光衰寿命长
Ultra-bright LED beads
long life span



Various applications areas:
Roadway, Country side, emergency light

- **Model NO.:** GPS-25
- **Material:** ABS housing+PC Lens
- **Product Solution:** Life PO4 +Polysilicon Photovoltaic Panel
- **Voltage Range** : Intelligent light control+Remote control
- **Charging time** : 4-6H **Discharging time:** 10-12H

Wattage	60W	100W	200W
Product size (mm)	200*160*53	265*200*58	306*230*58
PCS/CTN	40	20	10
Master Carton (cm)	60*42.5*35	64.5*28.5*22.5	64.5*32.5*24.5

OUTDOOR LIGHT SOLAR LIGHTING SERIES

Solar flood light has a Large luminous surface and very good performance , the large-capacity battery can last for 2-3 rainy days .Warranty 3 years



SOLAR LIGHT

大容量电池
经久耐用
Huge capacity battery



Parameters:

高效散热
采用ADC12压铸成型
Adopt ADC12 aluminum
material, efficient heat
dissipation



高亮度
低光衰寿命长
Ultra-bright LED beads
long life span



Various applications areas:
Roadway, Country side, emergency light

- Model NO.: GPS-26
- Material: Die-casting aluminum+PC Lens
- Product Solution: Life PO4 + Polysilicon Photovoltaic Panel
- Voltage Range : Intelligent light control+Remote control
- Charging time : 4-6H Discharging time: 10-12H

Wattage	200W
Product size (mm)	600*250*82
PCS/CTN	1
Master Carton (cm)	61.5*26.5*10.5



SOLAR LIGHT

大容量电池
经久耐用



Parameters:


IP65
不惧应对恶劣天气
Dustproof and waterproof
grade against bad weather



高效散热
采用ADC12压铸成型
Adopt ADC12 aluminum
material, efficient heat
dissipation



高亮度
低光衰寿命长
Ultra-bright LED beads
long life span



Various applications areas:
Roadway, Country side, emergency light

- **Model NO.:** GPS-27
- **Material:** Die-casting aluminum+Tempered glass
- **Product Solution:** Life PO4 +Polysilicon Photovoltaic Panel
- **Voltage Range** : Intelligent light control+Remote control
- **Charging time** : 4-6H **Discharging time:** 10-12H

Wattage	30W	50W	100W	200W	300W
Product size (mm)	390*140*60	500*220*70	500*220*70	500*220*70	500*220*70
PCS/CTN	10	10	10	5	5
Master Carton (cm)	43*37*34	52*37*50	52*37*50	52*37*24	52*37*24




SOLAR LIGHT

大容量电池
经久耐用



Parameters:

IP65
不惧应对恶劣天气
Dustproof and waterproof
grade against bad weather



高效散热
采用ADC12压铸成型
Adopt ADC12 aluminum
material, efficient heat
dissipation



高亮度
低光衰寿命长
Ultra-bright LED beads
long life span



Various applications areas:
Roadway, Country side, emergency light

- **Model NO.:** GPS-28
- **Material:** Die-casting aluminum+PC Lens
- **Product Solution:** Life PO4 +Polysilicon Photovoltaic Panel
- **Voltage Range** : Intelligent light control+Remote control
- **Charging time** : 4-6H **Discharging time:** 10-12H

Wattage	60W	120W	240W
Product size (mm)	495*213*55	495*213*55	600*250*80
PCS/CTN	1	1	1
Master Carton (cm)	51*22.5*9	51*22.5*9	61.5*26.5*11.5

LED ALL-IN-ONE SOLAR LIGHTS



SOLAR LIGHT

高容量电池
经久耐用
Huge capacity battery



Parameters

IP65
无惧应对恶劣天气
Dustproof and waterproof
grade against bad weather



高亮度
低光衰寿命长
Ultra-bright LED beads
long life span



Various applications areas:
Backyard Garden, Park

- Model NO.: GPS-29
- Material: ABS housing+Tempered glass
- Product Solution: Life PO4 +Polysilicon Photovoltaic Panel
- Voltage Range : Intelligent light control+Remote control
- Charging time : 4-6H Discharging time: 10-12H

Wattage	80W	100W	180W	210W
Product size (mm)	521*281*57	586*281*57	651*281*57	782*281*57
PCS/CTN	5	5	5	5
Master Carton (cm)	54*35*30	60.5*35*30	67*35*30	80*35*30



SOLAR LIGHT

大容量电池
经久耐用
Huge capacity battery



Parameters:

IP65
无惧应对恶劣天气
Dustproof and waterproof
grade against bad weather



高亮度
低光衰寿命长
Ultra-bright LED beads
long life span



Various applications areas:
Roadway, Country side, emergency light

- Model NO.: GPS-30
- Material : ABS housing+PC Lens
- Product Solution: Life PO4+Polysilicon Photovoltaic Panel
- Voltage Range : Intelligent light control+Remote control
- Charging time : 4-6H Discharging time: 10-12H

Wattage	30W	60W	90W	120W	150W
Product size (mm)	390*95*62	485*220*62	620*240*62	720*240*62	820*240*62
PCS/CTN	10	10	5	5	5
Master Carton (cm)	41*35.5*22	50.5*35.5*47	64*35.5*26	74*35.5*26	84*35.5*26



SOLAR LIGHT

大容量电池
经久耐用
Huge capacity battery




Parameters:

IP65
无惧应对恶劣天气
Dustproof and waterproof
grade against bad weather



扇形发光,照射面更广
Unique design with
wider irradiation area



Various applications areas:
Roadway, Country side, emergency light

- Model NO : GPS-31
- Material : ABS housing+PC Lens
- Product Solution:Life PO4+Polysilicon Photovoltaic Panel
- Voltage Range : Intelligent light control+Remote control
- Charging time : 4-6H Discharging time: 10-12H

Wattage	180W	240W	300W
Product size (mm)	447*342*70	597*342*70	677*342*75
PCS/CTN	5	5	5
Master Carton (cm)	48*37*42	63*37*42	71*37*43

LED ALL-IN-ONE SOLAR LIGHTS



SOLAR LIGHT

高容量电池
经久耐用
Huge capacity battery



Parameters

IP65
无惧应对恶劣天气
Dustproof and waterproof
grade against bad weather



高亮度
低光衰寿命长
Ultra-bright LED beads
long life span



Various applications areas:
Backyard Garden, Park

- Model NO.: GPS-32
- Material: ABS+PC Lens
- Product Solution: Life PO4+Polysilicon Photovoltaic Panel
- Voltage Range : Intelligent light control+Remote control
- Charging time : 4-6H Discharging time: 10-12H

Wattage	100W	200W	300W	400W	500W
Product size (mm)	500*310*78	580*310*78	660*310*78	740*310*78	820*310*78
PCS/CTN	1	1	1	1	1
Master Carton (cm)	53*34.5*59	61*34.5*59	69*34*59	77*34*59	85*34*59



SOLAR LIGHT

大容量电池
经久耐用
Huge capacity battery



Parameters:

IP65
无惧应对恶劣天气
Dustproof and waterproof
grade against bad weather



高亮度
低光衰寿命长
Ultra-bright LED beads
long life span



Various applications areas:
Roadway, Country side, emergency light


- **Model NO.:** GPS-33
- **Material:** ABS+PC Lens
- **Product Solution:** Life PO4+Polysilicon Photovoltaic Panel
- **Voltage Range** : Intelligent light control+Remote control
- **Charging time** : 4-6H **Discharging time:** 10-12H (2-3 Rainy days)

Wattage	100W	200W
Product size (mm)	531*340*82	713*342*82
PCS/CTN	5	4
Master Carton (cm)	56*49.5*36.5	74*40*37



SOLAR LIGHT

大容量电池
经久耐用
Huge capacity battery



Parameters:

IP65
无惧应对恶劣天气
Dustproof and waterproof
grade against bad weather



高亮度
低光衰寿命长
Ultra-bright LED beads
long life span



Various applications areas:
Roadway, Country side, emergency light

- **Model NO.:** GPS-34
- **Material:** Die-casting aluminum+PC Lens
- **Product Solution:** Life PO4+Polysilicon Photovoltaic Panel
- **Voltage Range** : Intelligent light control+Remote control
- **Charging time** : 4-6H **Discharging time:** 10-12H (2-3 Rainy days)

Wattage	60W	80W	100W	120W
Product size (mm)	942*415*150	1107*415*150	1370*415*150	1600*415*150
PCS/CTN	1	1	1	1
Master Carton (cm)	99*47*16	117.5*47*16	142*47*16	70*39.5*29




SOLAR LIGHT

大容量电池
经久耐用
Huge capacity battery




Parameters:

IP65
无惧应对恶劣天气
Dustproof and waterproof
grade against bad weather



高亮度
低光衰寿命长
Ultra-bright LED beads
long life span



Various applications areas:
Roadway, Country side, emergency light

- Model NO.: GPS-35
- Material: Die-casting aluminum+PC Lens
- Product Solution: Life PO4+Polysilicon Photovoltaic Panel
- Voltage Range : Intelligent light control+Remote control
- Charging time : 4-6H Discharging time: 10-12H (2-3 Rainy days)

Wattage	300W	400W
Product size (mm)	1135*400	1335*400
PCS/CTN	5	5
Master Carton (cm)	122.5*41.5*20	142.5*41.5*20

SOLAR LIGHT

支臂可调角度
最大可调180°
The angle of the arm
can be adjustable to
180° max



Parameters:

大容量电池, 经久耐用
Huge capacity battery



IP65
无惧应对恶劣天气
Dustproof and waterproof
grade against bad weather



高亮度
低光衰寿命长
Ultra-bright LED beads
long life span



Various applications areas:
Roadway, Country side, emergency light

- Model NO.: GPS-36
- Material: Die-casting aluminum+PC Lens
- Product Solution: Life PO4+Polysilicon Photovoltaic Panel
- Voltage Range : Intelligent light control+Remote control
- Charging time : 4-6H Discharging time: 10-12H (2-3 Rainy days)

Wattage	300W	400W	500W
Product size (mm)	887*400*180	1160*400*180	1435*400*180
PCS/CTN	1	1	1
Master Carton (cm)	103.5*45*11.5	131*45*11.5	158.5*45*11.5

LED SOLAR GARDEN LIGHTS



SOLAR GARDEN LIGHT

大容量电池
经久耐用
Huge capacity battery



Parameters

IP65
无惧应对恶劣天气
Dustproof and waterproof
grade against bad weather



高亮度
低光衰寿命长
Ultra-bright LED beads
long life span



Various applications areas:
Backyard, Garden, Park

- Model NO.: GPS-37
- Material: ABS+PC Lens
- Product Solution: Life PO4+Polysilicon Photovoltaic Panel
- Voltage Range : Intelligent light control+Remote control
- Charging time : 4-6H Discharging time: 10-12H

Wattage	150W	200W	250W
Product size (mm)	437*437*123	410*410*122	572*572*123
PCS/CTN	5	5	5
Master Carton (cm)	67*44*44	67*44*44	67*57*57