

Solar Lights Catalog







 BSCI  ETL  FCC  DLC  CE  RoHS  EMC



1



2



1

TL1961

4,4w Max. 600lm
L20 × W6,3 × H20cm

2


TL1962

4,4w Max. 600lm
L20,8 × W6,3 × H20cm



Material: Aluminum+PC

Lamp Color: Black




LED Color: 3000K / 4000K / 6500K



1. Press for 3sec



2. Press for 1sec



Stainless steel in high corrosion resistance
100% Pass 300 Hours Neutral Salt Spray Test



Lighting Solutions



1

TL1966WSR

4,4w Max. 600lm
L18,8 × W12,3 × H8cm

2

TL1966PSH 0.5M






4,4w Max. 600lm
L18,8 × W13,4 × H50cm

3

TL1966PSH 0.8M

4,4w Max. 600lm
L18,8 × W13,4 × H80cm

Material: Aluminum+PC
Lamp Color: Black
LED Color: 3000K / 4000K / 6500K




Stainless steel in high corrosion resistance
100% Pass 300 Hours Neutral Salt Spray Test



1



2



1

TL1972WSR

4,4w Max. 600lm
L15 × W16,5 × H27cm

2

TL1972PSH 0.5M

4,4w Max. 600lm
L15 × W15 × H50cm

3


TL1972PSH 0.8M

4,4w Max. 600lm
L15 × W15 × H80cm

Material: Aluminum+PC
Lamp Color: Black
LED Color: 3000K / 4000K / 6500K



SOLAR



Mode A

1. Press for 3sec



MOTION
ACTIVATED




Mode B

2. Press for 1sec



HIGH
BRIGHT



Mode C



Stainless steel in high corrosion resistance
100% Pass 300 Hours Neutral Salt Spray Test



TL1973WSR







1
TL1973WSR
 4,4w Max. 600lm
 L16,5 × W15 × H27cm

2
TL1973PSH 0.5M
 4,4w Max. 600lm
 L15 × W15 × H50cm

3
TL1973PSH 0.8M
 4,4w Max. 600lm
 L15 × W15 × H80cm




Material: Aluminum+Glass
Lamp Color: Black
LED Color: 3000K / 4000K / 6500K



Stainless steel in high corrosion resistance
 100% Pass 300 Hours Neutral Salt Spray Test



TL1974WSR




TL1974WSR

4,4w Max. 600lm
L18,4 × W15 × H4cm


Material: Aluminum+PC

Lamp Color: Black


LED Color: 3000K / 4000K / 6500K



1. Press for 3sec



2. Press for 1sec



Stainless steel in high corrosion resistance
100% Pass 300 Hours Neutral Salt Spray Test





TL1975

1w 110lm
L22,5 × W15 × H13cm

Material: Aluminum+Glass

Lamp Color: Black

LED Color: 3000K / 4000K / 6500K



Stainless steel in high corrosion resistance
100% Pass 300 Hours Neutral Salt Spray Test





1

TL1960WSR

4,4w Max. 600lm
L17,3 × W16 × H15,5cm

2

TL1960PSH 0.5M

4,4w Max. 600lm
L16 × W16 × H50cm

3

TL1960PSH 0.5M+SPIKE

4,4w Max. 600lm
L16 × W16 × H50 +16cm

4


TL1960PSH 0.8M

4,4w Max. 600lm
L16 × W16 × H80cm



Material: Stainless Steel+PC

Lamp Color: White / Grey / Black


LED Color: 3000K / 4000K / 6500K



1. Press for 3sec



2. Press for 1sec



Stainless steel in high corrosion resistance
100% Pass 300 Hours Neutral Salt Spray Test





1

TL1960-1WSR
4,4w Max. 600lm
L17,3 × W16 × H15,5cm

2

TL1960PSH-1 0.5M
4,4w Max. 600lm
L16 × W16 × H50cm




3

TL1960PSH-1 0.5M+SPIKE
4,4w Max. 600lm
L16 × W16 × H50 +16cm


4

TL1960PSH-1 0.8M
4,4w Max. 600lm
L16 × W16 × H80cm

Material: Stainless Steel+PC
Lamp Color: White / Grey / Black
LED Color: 3000K / 4000K / 6500K



1. Press for 3sec



2. Press for 1sec








Stainless steel in high corrosion resistance
100% Pass 300 Hours Neutral Salt Spray Test





- 1**
TL1964WSR
4,4w Max. 600lm
L16,3 × W15 × H15,5cm
- 2**
TL1964PSH 0.5M
4,4w Max. 600lm
L15 × W15 × H50cm
- 3**
TL1964PSH 0.5M+SPIKE
4,4w Max. 600lm
L15 × W15 × H50 +16cm
- 4**
TL1964PSH 0.8M
4,4w Max. 600lm
L15 × W15 × H80cm

Material: Stainless Steel+PC
Lamp Color: White / Grey / Black
LED Color: 3000K / 4000K / 6500K






Stainless steel in high corrosion resistance
 100% Pass 300 Hours Neutral Salt Spray Test





- 1**
TL1964-1
4,4w Max. 600lm
L16,3 × W15 × H15,5cm
- 2**
TL1964PSH-1 0.5M
4,4w Max. 600lm
L15 × W15 × H50cm
- 3**
TL1964PSH-1 0.5M+SPIKE
4,4w Max. 600lm
L15 × W15 × H50 +16cm
- 4**
TL1964PSH-1 0.8M
4,4w Max. 600lm
L15 × W15 × H80cm


Material: Stainless Steel+PC
Lamp Color: White / Grey / Black
LED Color: 3000K / 4000K / 6500K



1. Press for 3sec



2. Press for 1sec



Stainless steel in high corrosion resistance
 100% Pass 300 Hours Neutral Salt Spray Test



W = 17,5cm








1
TL1967WSR
 4,4w Max. 600lm
 L17,5 × W16 × H23,5cm

2
TL1967PSH 0.5M
 4,4w Max. 600lm
 L16 × W16 × H50cm

3
TL1967PSH 0.5M+SPIKE
 4,4w Max. 600lm
 L16 × W16 × H50 +16cm

4
TL1967PSH 0.8M
 4,4w Max. 600lm
 L16 × W16 × H80cm

Material: Stainless Steel+PC
Lamp Color: White / Grey / Black
LED Color: 3000K / 4000K / 6500K



Stainless steel in high corrosion resistance
 100% Pass 300 Hours Neutral Salt Spray Test



Outdoor Lighting



1

TL1968WSR
4,4w Max. 600lm
L17,5 × W16 × H25cm

2

TL1968PSH 0.5M
4,4w Max. 600lm
L16 × W16 × H50cm


3

TL1968PSH 0.5M+SPIKE
4,4w Max. 600lm
L16 × W16 × H50 +16cm


4

TL1968PSH 0.8M
4,4w Max. 600lm
L16 × W16 × H80cm


Material: Stainless Steel+PC
Lamp Color: White / Grey / Black
LED Color: 3000K / 4000K / 6500K



1. Press for 3sec



2. Press for 1sec



Stainless steel in high corrosion resistance
100% Pass 300 Hours Neutral Salt Spray Test





1

TL19WSR





6w Max. 600lm
L17 × W16 × H23cm

2

TL19PSR a(a=0.3-1.5m)

6w Max. 600lm
L16 × W16 cm

Material: Stainless Steel+PC
Lamp Color: White / Grey / Black
LED Color: 3000K / 4000K / 6500K



Stainless steel in high corrosion resistance
100% Pass 300 Hours Neutral Salt Spray Test




TL17WSR TL17PSR

1



2



1

TL17WSR





6w Max. 600lm
L16,5 × W9,5 × H12,5cm

2

TL17PSR a(a=0.3-1.5m)

6w Max. 600lm
L16 × W16 cm

Material: Stainless Steel+PC
Lamp Color: White / Grey / Black
LED Color: 3000K / 4000K / 6500K



Stainless steel in high corrosion resistance
100% Pass 300 Hours Neutral Salt Spray Test







1
TL0004DN-1
0,5w 50lm
L10,5 × W8,4 × H11cm

2
TL0004DN-1N
0,5w 50lm
L10,5 × W8,4 × H11,5cm



3
TL0004DN-1R
0,5w 50lm
L11,5 × W8 × H10,3cm

4
TL0004DN-1RN
0,5w 50lm
L11,5 × W8 × H11,5cm



Material: Stainless Steel+PC

Lamp Color: White / Grey / Black

LED Color: 3000K / 4000K / 6500K



Stainless steel in high corrosion resistance
100% Pass 300 Hours Neutral Salt Spray Test



1



2



1

TL24WSR





6w Max. 600lm
L17 × W15 × H21,5cm

2

TL24PSH a(a=0.3-1.5m)

6w Max. 600lm
L15 × W15 cm

Material: Stainless Steel+PC
Lamp Color: White / Grey / Black
LED Color: 3000K / 4000K / 6500K



Stainless steel in high corrosion resistance
s 300 Hours Neutral Salt Spray Test



1



1

TL04WSR

3w Max. 500lm
L17 × W16 × H15cm



Material: Stainless Steel+PC
Lamp Color: White / Grey / Black
LED Color: 3000K / 4000K / 6500K



SOLAR



MOTION
ACTIVATED



HIGH
BRIGHT



RUST



300 HOURS

NEUTRAL SALT SPRAY TEST

Stainless steel in high corrosion resistance
100% Pass 300 Hours Neutral Salt Spray Test





1



3



2



1

TL18WSR

6w Max. 600lm
L16,5 × W15 × H16,5cm

2


TL18PSR 0.44M

6w Max. 600lm
L15 × W15 × H44cm

3

TL18PSR 0.74M


6w Max. 600lm
L15 × W15 × H74cm



Material: Stainless Steel+PC
Lamp Color: White / Grey / Black
LED Color: 3000K / 4000K / 6500K



SOLAR




Mode A

1. Press for 3sec



MOTION
ACTIVATED




Mode B

2. Press for 1sec



HIGH
BRIGHT



Mode C



RUST



300 HOURS

NEUTRAL SALT SPRAY TEST



Stainless steel in high corrosion resistance
100% Pass 300 Hours Neutral Salt Spray Test






1



2



3



1

TL16WSR

6w Max. 600lm
L17 × W16 × H17cm

2

TL16PSH 0.45M


6w Max. 600lm
L16 × W16 × H45cm

3



TL16PSH 0.85M

6w Max. 600lm
L16 × W16 × H85cm


Material: Stainless Steel+PC
Lamp Color: White / Grey / Black
LED Color: 3000K / 4000K / 6500K



1. Press for 3sec



2. Press for 1sec



Stainless steel in high corrosion resistance
100% Pass 300 Hours Neutral Salt Spray Test



太阳能灯

1



2



1

TL22WSR

6w Max. 600lm
L17 × W16 × H26cm


2

TL22PSR a(a=0.3-1.5m)


6w Max. 600lm
L16 × W16 cm




Material: Stainless Steel+PC
Lamp Color: White / Grey / Black
LED Color: 3000K / 4000K / 6500K



1. Press for 3sec




2. Press for 1sec



Stainless steel in high corrosion resistance
100% Pass 300 Hours Neutral Salt Spray Test





Stainless steel in high corrosion resistance
100% Pass 300 Hours Neutral Salt Spray Test

1

TL00007AUP-4

3w Max. 500lm
L18 × W16 × H21cm

2

TL00007PSH-4 0,54M

3w Max. 500lm
L16 × W16 × H54cm

3

TL00007PSH-4 0,94M

3w Max. 500lm
L16 × W16 × H94cm

Material: Stainless Steel+PC

Lamp Color: White / Grey / Black

LED Color: 3000K / 4000K / 6500K





1

TL0032AUP

6w Max. 600lm
L18 × W17 × H24cm

2

TL0032PSH 0,5M


6w Max. 600lm
L17 × W17 × H50cm

3


TL00032PSH 0,8M

6w Max. 600lm
L17 × W17 × H80cm


Material: Stainless Steel+PC
Lamp Color: White / Grey / Black
LED Color: 3000K / 4000K / 6500K



1. Press for 3sec



2. Press for 1sec



Stainless steel in high corrosion resistance
100% Pass 300 Hours Neutral Salt Spray Test



STAINLESS STEEL



1
TL0016AUP
 6w Max. 600lm
 L18 × W16 × H17cm


2
TL0016PSH 0,47M
 6w Max. 600lm
 L16 × W16 × H47cm

3
TL0016PSH 0,77M
 6w Max. 600lm
 L16 × W16 × H77cm


Material: Stainless Steel+PC
Lamp Color: White / Grey / Black
LED Color: 3000K / 4000K / 6500K



1. Press for 3sec
 ON
 OFF



2. Press for 1sec
 A
 B C



Stainless steel in high corrosion resistance
 100% Pass 300 Hours Neutral Salt Spray Test





1

TL0005AUP-3

3w Max. 500lm
L17,5 × W16 × H21cm

2

TL0005PSH-3 0,54M

3w Max. 500lm
L16 × W16 × H54cm

3

TL0005PSH-3 0,94M

3w Max. 500lm
L16 × W16 × H94cm



Material: Stainless Steel+PC
Lamp Color: White / Grey / Black
LED Color: 3000K / 4000K / 6500K



500Lumen
 75Lumen

 SMD LED **incl.**
 3.7V~



Stainless steel in high corrosion resistance
100% Pass 300 Hours Neutral Salt Spray Test





1

TL0006AUP-2

3w Max. 500lm
L17,7 × W16 × H29cm

2

TL0006PSH-2 0,56M

3w Max. 500lm
L16 × W16 × H56cm

3

TL0006PSH-2 0,96M

3w Max. 500lm
L16 × W16 × H96cm

Material: Stainless Steel+PC

Lamp Color: White / Grey / Black

LED Color: 3000K / 4000K / 6500K




Stainless steel in high corrosion resistance
100% Pass 300 Hours Neutral Salt Spray Test



Outdoor Lighting



2



1

TL0006AUP

6w Max. 600lm
L17 × W16 × H28,7cm

2

TL0006PSH 0,56M

6w Max. 600lm
L15,8 × W15,8 × H56cm

3


TL0006PSH 0,96M

6w Max. 600lm
L15,8 × W15,8 × H96cm


Material: Stainless Steel+PC

Lamp Color: White / Grey / Black


LED Color: 3000K / 4000K / 6500K



1. Press for 3sec



2. Press for 1sec



Stainless steel in high corrosion resistance
100% Pass 300 Hours Neutral Salt Spray Test



WATER SALES







1
TL0023AUP
 6w Max. 600lm
 L17,5 × W16 × H28cm

2
TL0023PSH 0,56M
 6w Max. 600lm
 L16 × W16 × H56cm

3
TL0023PSH 0,96M
 6w Max. 600lm
 L16 × W16 × H96cm

Material: Stainless Steel+PC
Lamp Color: White / Grey / Black
LED Color: 3000K / 4000K / 6500K



Stainless steel in high corrosion resistance
 100% Pass 300 Hours Neutral Salt Spray Test









1
TL002AUP-10
 6w Max. 600lm
 L17,2 × W16 × H26cm

2
TL002PSH-10 0,53M
 6w Max. 600lm
 L16 × W16 × H53cm


3
TL002PSH-10 0,93M
 6w Max. 600lm
 L16 × W16 × H93cm

Material: Stainless Steel+PC
Lamp Color: White / Grey / Black
LED Color: 3000K / 4000K / 6500K



Stainless steel in high corrosion resistance
 100% Pass 300 Hours Neutral Salt Spray Test





TL38WSR

6w Max. 600lm
L16,2 × W14,8 × H3,5cm


Material: Plastic

Lamp Color: White / Grey / Black


LED Color: 3000K / 4000K / 6500K



1. Press for 3sec



2. Press for 1sec




Stainless steel in high corrosion resistance
100% Pass 300 Hours Neutral Salt Spray Test



2024/11/28

1



1

TL39WSR
6w Max. 600lm
L20 × W11 × H6,8cm






2



2


TL39WSRN
6w Max. 600lm
L20 × W21 × H6,8cm

Material: Plastic + Glass
Lamp Color: White / Grey / Black
LED Color: 3000K / 4000K / 6500K



Stainless steel in high corrosion resistance
100% Pass 300 Hours Neutral Salt Spray Test






TL01WSR

6w Max. 600lm
L20,5 × W10,6 × H4cm



Material: Plastic

Lamp Color: White / Grey / Black


LED Color: 3000K / 4000K / 6500K



1. Press for 3sec




2. Press for 1sec



Stainless steel in high corrosion resistance
100% Pass 300 Hours Neutral Salt Spray Test



太阳能灯



TL06WSR

3w Max. 500lm
L18,8 × W4 × H16cm

Material: Stainless Steel + PC
Lamp Color: White / Grey / Black
LED Color: 3000K / 4000K / 6500K



SOLAR



MOTION
ACTIVATED



HIGH
BRIGHT



500Lumen

75Lumen

SMD LED

incl.

3.7V~



RUST



300 HOURS

NEUTRAL SALT SPRAY TEST



Stainless steel in high corrosion resistance
100% Pass 300 Hours Neutral Salt Spray Test



1



1

TL30WLRR

3w Max. 270lm
 L12,5 × W12,5 × H2,9cm

2



2

TL30WLR

3w Max. 270lm
 L11,8 × W11,8 × H2,9cm

Material: Stainless Steel+PC
Lamp Color: White / Grey / Black
LED Color: 3000K / 4000K / 6500K



Stainless steel in high corrosion resistance
 100% Pass 300 Hours Neutral Salt Spray Test



WORLDWIDE



AFL20



AFL30



AFL50

LED Qty: 24 / 42 / 56 PC
Beam Angle: 130°
Voltage: AC 100-140V
Body Material: Aluminum
Driver: Included
Color Temperature: 2700 - 6400k IP65
Lumens: 2000 / 3000 / 5000 LM
With 20cm cable



BSCI



台灣製造



AWL20A



AWL30A



AWL50A

LED Qty: 24 / 42 / 56 PC
Beam Angle: 130°
Voltage: AC 100-140V
Body Material: Aluminum
Driver: Included
Color Temperature: 2700 - 6400k IP65
Lumens: 2000 / 3000 / 5000LM
With 1.5M PVC 18AWGx3C Cable + Plug



BSCI





AWL20B



AWL30B



AWL50B

LED Qty: 24 / 42 / 56 PC

Beam Angle: 130°

Voltage: AC 100-140V


Body Material: Aluminum

Driver: Included

Color Temperature: 2700 - 6400k IP65

Lumens: 2000 / 3000 / 5000LM

With 1.5M PVC 18AWGx3C Cable + Plug



BSCI





ASWL20



ASWL30



ASWL50

LED Qty: 24 / 42 / 56 PC

Beam Angle: 130°

Voltage: AC 100-140V

Body Material: Aluminum

Driver: Included

Color Temperature: 2700 - 6400k IP65

Lumens: 2000 / 3000 / 5000 LM

With 3M PVC 18AWGx3C Cable + Plug





ASWL40



ASWL60



ASWL100

LED Qty: 24 / 42 / 56 PC

Beam Angle: 130°

Voltage: AC 100-140V

Body Material: Aluminum

Driver: Included

Color Temperature: 2700 - 6400k IP65

Lumens: 4000 / 6000 / 10000 LM

With 3M PVC 18AWGx3C Cable + Plug



BSCI

