



String Lights Catalog

CATALOGUE



Festoon String Light

Page03-05



G40/G50 String Light

Page06-11



Copper Wire String Light

Page12-29



Festoon String Light



GPS-L001-E27

LED Length/Qty: 14.4M/15pcs
Cable Wire:0.9M
Socket Spacing: 0.9M
Socket: Suspended Socket
Waterproof Level: IP44
Input Voltage: 220V-240V
Cable color: Black
Main cable: H05VV-F 2X0.75 MM²
Hanged cable: H03VVH2-F 2X0.75 MM²
Plug: EU Plug & Waterproof Connector
Material: PVC cover+ 100% copper wire

GPS-L002-E27

LED Length/Qty: 10M/10pcs
Cable Wire:1M
Socket Spacing: 0.9m
Socket: Fixed Socket
Waterproof Level: IP65
Input Voltage: 220V-240V
Cable color: Black
Main cable:H05VV-F 2X1.50 MM²
Plug: AU Plug & Waterproof Connector
Material: PVC cover+ 100% copper wire



Festoon String Light

GPS-L003-E27

LED Length/Qty: 20M/20pcs
Cable Wire:2M
Socket Spacing: 0.9m
Socket: Fixed Socket
Waterproof Level: IP65
Input Voltage: 220V-240V
Cable color: Black
Main cable:H05VV-F 2X1.50 MM²
Plug: AU Plug & Waterproof Connector
Material: PVC cover+ 100% copper wire





G50 String Light

G40/G50 String Light

GPS-L004

LED Length/Qty: 25ft 25bulbs
 Bulb Type: Copper Wire String Light bulbs(5 leds)
 Bulb Wattage: 0.3W/Bulb
 Power Source: DC power
 Socket: E12
 Plug: EU/AU/US/UK
 Input: 110V-120V/220V-240V
 Material: PVC cover+ 100% copper wire
 Cable Color: Black



GPS-L005

LED Length/Qty: 25ft 25bulbs
 Bulb Type: Short LED Filament Bulb
 Bulb Wattage: 0.3W/Bulb
 Power Source: DC power
 Socket: E12
 Plug: EU/AU/US/UK
 Input: 110V-120V/220V-240V
 Material: PVC cover+ 100% copper wire
 Cable Color: Black

G40/G50 String Light



GPS-L006

LED Length/Qty: 5m/10pcs (Spec.1)
LED Length/Qty: 10m/20pcs (Spec.2)
LED Spacing:50cm
LED Type: 2835 SMD
LED Color: Warm White
Bulb Shell: Milky White
Cover&Base Material: Plastic
Waterproof:IP44
Watts:0.2W/bulb
Voltage:24V(low voltage)
Wire Material: 2X0.2MM² Rubber and Plastic Wire
Max Connectable: 60pcs Bulb

GPS-L007


LED Length/Qty: 5m/10pcs (Spec.1)
LED Length/Qty: 10m/20pcs (Spec.2)
LED Spacing:50cm
LED Type: LED Filament
LED Color: Warm White
Bulb Shell: Clear
Cover&Base Material: Plastic
Waterproof:IP44
Watts:0.2W/bulb
Voltage:24V(low voltage)
Wire Material: 2X0.2MM² Rubber and Plastic Wire
Max Connectable: 60pcs Bulb



G40/G50 String Light

GPS-L008

LED Length/Qty: 5m/10pcs (Spec.1)
LED Length/Qty: 10m/20pcs (Spec.2)
LED Spacing:50cm
LED Type: LGP (light guide plate)
LED Color: Warm White
Bulb Shell: Clear
Cover&Base Material: Plastic
Waterproof:IP44
Watts:3W
Voltage:3.2V
Wire Material: 2X0.2MM² Rubber and Plastic Wire
Connectable: No



GPS-L009

LED Length/Qty:5m/10pcs (Spec.1)
LED Length/Qty:10m/20pcs (Spec.2)
LED Spacing:50cm
LED Type: SMD (Clover)
LED Color: Warm White
Bulb Shell: Clear
Cover&Base Material: Plastic
Waterproof:IP44
Watts:0.2W/Bulb
Voltage:24V(low voltage)
Wire Material: 2X0.2MM² Rubber and Plastic Wire
Max Connectable: 60pcs Bulb



G40/G50 String Light

GPS-L010

LED Length/Qty:5m/10pcs (Spec.1)
LED Length/Qty:10m/20pcs (Spec.2)
LED Spacing:50cm
LED Type: 2835 SMD
LED Color: Warm White
Bulb Shell: Clear
Cover&Base Material: Plastic
Waterproof:IP44
Watts:0.2W/bulb
Voltage:24V(low voltage)
Wire Material: 2X0.2 MM² Rubber and Plastic Wire
Max Connectable: 60pcs Bulb



GPS-L011


LED Length/Qty:5m/10pcs (Spec.1)
LED Length/Qty:10m/20pcs (Spec.2)
LED Spacing:50cm
LED Type: 3pcs*RGB 5050LEDs
LED Color: RGB
Bulb Shell: Milky White
Cover&Base Material: Plastic
Waterproof:IP44
Watts:0.2W/bulb
Voltage:24V(low voltage)
Wire Material: 2X0.2MM² Rubber and Plastic Wire
Max Connectable: 60pcs Bulb
Mode: 8 Modes (with controller)



G40/G50 String Light

GPS-L012

LED Length/Qty:5m/10pcs (Spec.1)
LED Length/Qty:10m/20pcs (Spec.2)
LED Spacing:50cm
LED Type: SMD (RGBY)
LED Color: Warm white
Bulb Shell: RGBY
Cover&Base Material: Plastic
Waterproof:IP44
Watts:0.2W/bulb
Voltage:24V(low voltage)
Wire Material: 2X0.2MM² Rubber and Plastic Wire
Max Connectable: 60pcs Bulb



GPS-L013

LED Length/Qty:5m/10pcs
LED Spacing:50cm
LED Type: A60 Bulb copper wire string light
LED Color: Warm White
Bulb Shell: Clear
Base Material: Plastic
Waterproof:IP44
Watts:0.2W/Bulb
Voltage:24V(low voltage)
Wire Material: 2X0.2MM² Rubber and Plastic Wire
Connectable: No



Copper string Light
Many models for your choice

Copper Wire String Light

GPS-L014

Power Source: Battery Power
LED Length/QTY: 2M/20LEDS
LED Spacing: 10CM
LED Color : Warm White
Wire Color: Copper/Silver
Battery: 2*CR2032 Battery (Included)
LED Mode : Steady On
Rated Voltage:3V
Rated Power: 1.2W
Certificate: CE ROHS



GPS-L015

Power Source: Battery Power
LED Length/QTY: 2M/20LEDS
LED Spacing: 10CM
LED Color : Warm White
Wire Color: Copper/Silver
Battery: 3* LR44 Battery (Included)
LED Mode : Steady On
Rated Voltage:4.5V
Rated Power: 1.2W
Certificate: CE ROHS

Copper Wire String Light



GPS-L016

Power Source: Solar Power
LED Length/QTY:10M/100LEDS
LED Spacing : 10cm
LED Color : Warm White
Wire Color: Copper/Silver
Modes: 2 Modes/8 Modes
Rated Voltage:4.5V
Rated Power: 6W
Solar panel: 1.2V, 140MA
Inner Battery:NI-MH 800ma
Charging time: ≈ 6-8 hours
Lighting time: ≈ 8-10 hours
Certificate: CE ROHS

GPS-L017

Power Source: 3AA Battery (Not Included)
LED Length/QTY:10M/100LEDS
LED Spacing: 10CM
LED Color : Warm White
Wire Color: Copper/Silver
LED Mode : Steady On
Rated Voltage:4.5V
Rated Power: 6W
Certificate: CE ROHS



Copper Wire String Light


GPS-L018

Power Source: 3AA Battery (Not Included)
LED Length/QTY:10M/100LEDS
LED Spacing: 10CM
LED Color : Warm White
Wire Color: Copper/Silver
Rated Voltage:4.5V
Rated Power: 6W
Flash Mode: 8 Modes
Certificate: CE ROHS



GPS-L019

Power Source: 3AA Battery (Not Included)
LED Length/QTY:10M/100LEDS
LED Spacing: 10CM
LED Color : Warm White
Wire Color: Copper/Silver
Rated Voltage:4.5V
Rated Power: 6W
Flash Mode: 8 Modes
Remote Control: 13 Keys
Certificate: CE ROHS



Copper Wire String Light



GPS-L020

Power Source: USB Plug
LED Length/QTY:10M/100LEDS
LED Spacing: 10CM
LED Color : Warm White
Wire Color: Copper/Silver
LED Mode : Steady On
Rated Voltage: 5V
Rated Power: 6W
Certificate: CE ROHS

GPS-L021

Power Source: Battery Power
LED Length/QTY: 2M/20LEDS
LED Spacing: 10CM
LED Color : Warm White
Wire Color: Copper/Silver
Battery: 2*CR2032 Battery (Included)
LED Mode : Steady On
Rated Voltage:3V
Rated Power: 1.2W
Certificate: CE ROHS



Copper Wire String Light

GPS-L022

Power Source: USB Plug
LED Length/QTY:10M/100LEDS
LED Spacing: 10CM
LED Color : Warm White
Wire Color: Copper/Silver
Rated Voltage: 5V
Rated Power: 6W
Flash Mode: 8 Modes
RemoteControl: 13 Keys
Certificate: CE ROHS



GPS-L023

Power Source: USB Plug
LED Length/QTY:10M/100LEDS
LED Spacing: 10CM
LED Color : Warm White
Wire Color: Copper/Silver
Rated Voltage: 5V
Rated Power: 6W
Remote Control: 11 Keys RF Remote Control
Certificate: CE ROHS

Copper Wire String Light



GPS-L024

Power Source: DC Plug
LED Length/QTY:10M/100LEDS
LED Spacing: 10CM
LED Color : Warm White
Wire Color: Copper/Silver
LED Mode: Steady On
DC Plug: AU/EU/US/UK
Rated Voltage:4.5V
Rated Power: 6W
Certificate: CE ROHS

GPS-L025

Power Source: DC Plug
LED Length/QTY:10M/100LEDS
LED Spacing: 10CM
LED Color : Warm White
Wire Color: Copper/Silver
DC Plug: AU/EU/US/UK
Rated Voltage: 4.5V
Rated Power: 6W
Flash Mode: 8 Modes
Remote Control: 24 Keys
Certificate: CE ROHS



Copper Wire String Light

GPS-L026

Power Source: DC Plug
LED Length/QTY:10M/100LEDS
LED Spacing: 10CM
LED Color : Warm White
Wire Color: Copper/Silver
DC Plug: AU/EU/US/UK
Rated Voltage: 4.5V
Rated Power: 6W
Remote Control: 11 Keys RF Remote Control
Certificate: CE ROHS



GPS-L027

Power Source: Battery Power
LED Length/QTY: 2M/20LEDS
LED Spacing: 10CM
LED Color : Warm White
Wire Color: Copper/Silver
Battery: 3* LR44 Battery (Included)
LED Mode:8 Modes
Rated Voltage:4.5V
Rated Power: 1.2W
Certificate: CE ROHS

Copper Wire String Light



GPS-L028

Power Source: DC plug
LED Length/QTY: 2M/200LEDs
LED Spacing: 10CM
LED Color: Warm White
Wire Color: Copper/Silver
DC Plug: AU/EU/US/UK
Remote Control: 8 Modes 13 Keys
Rated Voltage: 6V
Rated Power: 12W
Certificate: CE ROHS

GPS-L029

Power Source: 3AA Battery (Not Included)
LED Length/QTY: 10M/100LEDs
LED Spacing: 10CM
LED Color: Warm White
Wire Color: Copper/Silver
Rated Voltage: 4.5V
Rated Power: 6W
Flash Mode: 12 Modes
Remote Control: 17 Keys
Feature: Music Control + Timer
Certificate: CE ROHS



Copper Wire String Light


GPS-L030

Power Source: 3AA Battery (Not Included)
+ USB power
LED Length/QTY: 10M/100LEDs
LED Spacing: 10CM
LED Color: Warm White
Wire Color: Copper/Silver
Rated Voltage: 4.5V
Rated Power: 6W
Flash Mode: 8 Modes
Remote Control: 13 Keys
Certificate: CE ROHS



GPS-L031

Power Source: 3AA Battery (Not Included)
LED Length/QTY: 5M/50LEDs
LED Spacing: 10CM
LED Type: 5028
LED Color: RGBY
Wire Color: Green
Rated Voltage: 4.5V
Rated Power: 6W
Flash Mode: 12 Modes
Remote Control: 13 Keys
Certificate: CE ROHS



Copper Wire String Light



GPS-L032

Power Source: DC Power
 Size: 2*3M
 LED QTY:300LEDS
 Vertical Line: 10pcs (1pcs/30leds)
 LED Type: PVC
 LED Color : Warm White/White
 Wire: 3 Wires Transparent
 Rated Voltage:110V-120V/220V-240V
 Rated Power: 18W
 Flash Mode: 8Modes
 Max Connectable: 10 sets

GPS-L033

Power Source: 3AA Battery (Not Included)
 LED Length/QTY: 3M/30LEDS
 LED Spacing: 10CM
 Shape: Cat
 Size of Shape:15*15MM
 LED Color : Warm White
 Wire Color: Copper/Silver
 LED Mode : Steady On
 Rated Voltage:4.5V
 Rated Power: 6W
 Certificate: CE ROHS



Copper Wire String Light

GPS-L033


Power Source: 3AA Battery (Not Included)
 LED Length/QTY:3M/30LEDS
 LED Spacing: 10CM
 Shape: Pumpkin1
 Size of Shape:18*20MM
 LED Color : Warm White
 Wire Color: Copper/Silver
 LED Mode : Steady On
 Rated Voltage:4.5V
 Rated Power: 6W
 Certificate: CE ROHS



GPS-L034

Power Source: 3AA Battery (Not Included)
 LED Length/QTY:3M/30LEDS
 LED Spacing: 10CM
 Shape: Ghost
 Size of Shape: 22*22MM
 LED Color : Warm White
 Wire Color: Copper/Silver
 LED Mode : Steady On
 Rated Voltage:4.5V
 Rated Power: 6W
 Certificate: CE ROHS

Copper Wire String Light



GPS-L035

Power Source: 3AA Battery (Not Included)
LED Length/QTY: 3M/30LEDs
LED Spacing: 10CM
Shape: Tree
Size of Shape: 17*25MM
LED Color: Warm White
Wire Color: Copper/Silver
LED Mode: Steady On
Rated Voltage: 4.5V
Rated Power: 6W
Certificate: CE ROHS

GPS-L036

Power Source: 3AA Battery (Not Included)
LED Length/QTY: 3M/30LEDs
LED Spacing: 10CM
Shape: Gift
Size of Shape: 15*22MM
LED Color: Warm White
Wire Color: Copper/Silver
LED Mode: Steady On
Rated Voltage: 3V
Rated Power: 6W
Certificate: CE ROHS



Copper Wire String Light

GPS-L037

Power Source: 3AA Battery (Not Included)
LED Length/QTY: 3M/30LEDs
LED Spacing: 10CM
Shape: Red snowflake
Size of Shape: 22.5*24MM
LED Color: Warm White
Wire Color: Copper/Silver
LED Mode: Steady On
Rated Voltage: 4.5V
Rated Power: 6W
Certificate: CE ROHS



GPS-L038

Power Source: 3AA Battery (Not Included)
LED Length/QTY: 3M/30LEDs
LED Spacing: 10CM
Shape: Sock
Size of Shape: 22*22MM
LED Color: Warm White
Wire Color: Copper/Silver
LED Mode: Steady On
Rated Voltage: 4.5V
Rated Power: 6W
Certificate: CE ROHS



Copper Wire String Light



GPS-L039

Power Source: 3AA Battery (Not Included)
LED Length/QTY: 3M/30LEDs
LED Spacing: 10CM
Shape: Star
Size of Shape: 25*12MM
LED Color: Warm White
Wire Color: Copper/Silver
LED Mode: Steady On
Rated Voltage: 4.5V
Rated Power: 6W
Certificate: CE ROHS

GPS-L040

Power Source: 3AA Battery (Not Included)
LED Length/QTY: 3M/30LEDs
LED Spacing: 10CM
Shape: Santa Claus
LED Color: Warm White
Wire Color: Copper/Silver
LED Mode: Steady On
Rated Voltage: 4.5V
Rated Power: 6W
Certificate: CE ROHS



Copper Wire String Light

GPS-L041

Power Source: 3AA Battery (Not Included)
LED Length/QTY: 3M/30LEDs
LED Spacing: 10CM
Shape: Bowknot
Size of Shape: 19*23MM
LED Color: Warm White
Wire Color: Copper/Silver
LED Mode: Steady On
Rated Voltage: 4.5V
Rated Power: 6W
Certificate: CE ROHS




GPS-L042

Power Source: 3AA Battery (Not Included)
LED Length/QTY: 3M/30LEDs
LED Spacing: 10CM
Shape: Deer
Size of Shape: 17*25MM
LED Color: Warm White
Wire Color: Copper/Silver
LED Mode: Steady On
Rated Voltage: 4.5V
Rated Power: 6W
Certificate: CE ROHS



Copper Wire String Light




GPS-L043

Power Source: 3AA Battery (Not Included)
LED Length/QTY: 3M/30LEDs
LED Spacing: 10CM
Shape: Snowman
Size of Shape: 27*20MM
LED Color: Warm White
Wire Color: Copper/Silver
LED Mode: Steady On
Rated Voltage: 4.5V
Rated Power: 6W
Certificate: CE ROHS

GPS-L044

Power Source: 3AA Battery (Not Included)
LED Length/QTY: 3M/30LEDs
LED Spacing: 10CM
Shape: Bat
Size of Shape: 26*15MM
LED Color: Warm White
Wire Color: Copper/Silver
LED Mode: Steady On
Rated Voltage: 4.5V
Rated Power: 6W
Certificate: CE ROHS



Copper Wire String Light

GPS-L045

Power Source: 3AA Battery (Not Included)
LED Length/QTY: 3M/30LEDs
LED Spacing: 10CM
Shape: Pumpkin
Size of Shape: 19*19MM
LED Color: Warm White
Wire Color: Copper/Silver
LED Mode: Steady On
Rated Voltage: 4.5V
Rated Power: 6W
Certificate: CE ROHS



GPS-L046

Power Source: 3AA Battery (Not Included)
LED Length/QTY: 3M/30LEDs
LED Spacing: 10CM
Shape: Cactus
Size of Shape: 18*24.5MM
LED Color: Warm White
Wire Color: Copper/Silver
LED Mode: Steady On
Rated Voltage: 4.5V
Rated Power: 6W
Certificate: CE ROHS



