


# Decorative Lights Catalog





## DIRECTORY

### LED STRING LIGHTS

IP65 information	P07
Accessory series	P13

### LED Christmas lights P16

LED string lights	P17
C7 LED string lights	P19
RGB LED string lights	P20
Ball string lights	P21
LED string lights IP65	P22
Firefly LED string lights	P24
LED icicle lights	P25
LED curtain lights	P25
LED net lights	P26
Wisteria LED lights	P27
LED meteor shower lights	P28

### LED Motif Lights P30

Musical notes series	P31
Christmas ornament	P32
Balls motif series	P36
Cones motif series	P37

Angel motif series	P40
Snowman motif	P41
Animals motif series	P42
Ocean series	P44
Christmas star	P46
Christmas Wreath	P47

### Rope Motif Lights P48

LED rope lights	P49
Merry christmas	P51
Tree topper	P52
Snowflakes series	P53
Combination series	P56

### Christmas Street Decorations P61

### LED Twig Tree Lights P66

LED birch tree lights	P67
LED cherry & maple tree	P67
LED rose tree lights	P69

### Solar Artificial Flowers Lights P70

## The Acquisition of IP65

### IP65 acquired

we conducted an IP test at a third-party public institution in Japan in April, 2015. Test product: 2 core/3core string light

As a result of the examination, we got the approval as a product that is suitable for IP65 and officially acquired IP65.

We will keep focusing on trial in future and strive for product development for customers' safety.

### What is IP and IP test?

IP (International Protection) is degree of protection against foreign matter, dust and water for electrical machinery and equipment. The test evaluation is carried out by the test method standardized by the protection grade. The IP code is a system that represents the protection class specified in JIS C 0920 (IEC 60529), and the two numbers following the IP represent the protection grade.


The first characteristic number indicates the degree of protection against foreign solid matter, the second characteristic number represents the degree of protection against ingress of water.

The IP code is applied to small machinery parts such as switches and connectors and electric machinery and equipment.

### IP code notation combination (first characteristic number/ second characteristic number)


The IP code is a combination of numbers, the first characteristic number represents the protection grade against foreign solid matter,

The second characteristic number represents the degree of protection against invasion of water.



IP65 water-proof string lights commonly used for outdoor, mainly for street, public spaces, Parks, building decoration

IP65 water-proof products are made by high quality LEDs and special process for curtain lights, icicle lights, acrylic motif lights, tree lights, and so on.



※Since IP is only an estimate of acquisition, it may not be fully demonstrated depending on the environment and condition to be installed and the construction method, so please understand it beforehand.

**IP test content (IP65)**

**IP 6 X (against outside solids)**

Definition: Dust for dust test (talc powder / diameter 75 μm) is protected from entering.

**IPX 5 (Water resistant)**

Definition: Protected against jet water from all directions (12.5 l / min).




Test report by a third-party organization above mark is



For the product that acquired IP65, the marked on the corresponding page.

**IP TEST**






PROFESSIONAL CHRISTMAS ILLUMINATION

Our company produce acrylic motif lights according to the 2D and 3D objects, such as shop logo, landmarks building, animals, people, plants, and so on.

Tailor-made is also welcome according to the demand of customers' drawing, photo, manuscripts, any detail specification will be much appreciated, such as length, wide, height, LED numbers, colors.



For example, the above drawing is reference from customers' photo

Discussed with customers first




We assemble the perfect motif lights from separate parts



Done, we will do the assembling test before packing and shipping



Christmas Motif Lights



Not only the finished products, we also can help customers to design, if you need.

Leading wire / Extension wire / Controller


Fittings

	Model	Name	Color	Length	Weight	Plug	Remarks
①	GPS-01-1	Leading wire with rectifier	White	175cm	170g	European Australian American	
	Black						
②	GPS-02-1	Extension wire	White	300cm	180g		
	GPS-02-2		Black				
③	GPS-03-1	Leading wire with controller	White	180cm	220g	European Australian American	8 function with memory
	GPS-03-2		Black				
④	GPS-04-1	Y extension wire	White	30cm	80g		
	GPS-04-2		Black				




① Leading wire with rectifier

② Extension wire




③ Leading wire with controller

④ Y extension wire




**Leading-connectors**




Model	Name	Color	Length	Weight	Space	Remarks
GPS-05-1	Leading connectors	White	1225cm	1.2kg	1m	Tailor-made is acceptable
GPS-05-2		Black				

Not only apply for string lights, curtain lights, icicle lights, also for acrylic motif lights and rope motif lights

For example




Connect with motif lights, stars, balls, diamond, and so on



Connect with many shapes of note motif lights, also combined with other motif lights



**T shape connectors**



Model	Name	Color	Length	Weight	Remarks
GPS-06-1	T-shape connectors	White	W45*H12cm	90G	Tailor-made is acceptable
GPS-06-2		Black			

**5 division extension connectors**

Commonly apply for big trees



## LED Christmas Lights



## LED String Lights

Commonly used to decorate Christmas, home, trees, parks, weddings, and so on.

LED number: 100LEDs

Length: 10m

Weight: 260g

Connect: 5pcs together with controllers or rectifier for your choice

Voltage: 24V / 36V / 100-130V / 220-240V



### Black wire



GPS-07-1



GPS-07-2



GPS-07-3



GPS-07-4




GPS-07-5



GPS-07-6



GPS-07-7



GPS-07-8



GPS-07-9



GPS-07-10



GPS-07-11



GPS-07-12



GPS-07-13



GPS-07-14



GPS-07-15



GPS-07-16



White wire



GPS-08-1



GPS-08-2



GPS-08-3



GPS-08-4



GPS-08-5



GPS-08-6


Clear wire



GPS-09-1




GPS-09-2



GPS-09-3



GPS-09-4




GPS-09-5



GPS-09-6



GPS-09-7



GPS-09-8

Other color can be customized, such as lemon yellow, champagne yellow, orange, mint green etc.

C7 LED String Lights



GPS-10

LED number: 50LEDs

Length: 10m bulbs size:  $\phi 2 \times H4\text{cm}$

Weight: 350g

Connect: 5pcs together with controllers or rectifier for your choice

Voltage: 24V / 36V / 100-130V / 220-240V



Focus on led lighting



GPS-11-1



GPS-12-1

LED number: 100LEDs

Length: 10m

Weight: 260g

Connect: 5pcs together with controllers or rectifier for your choice


Voltage: 24V / 36V / 100-130V / 220-240V



200 bulbs LED String Lights



GPS-11-2



GPS-12-2

LED number: 200LEDs

Length: 10m


Weight: 350g

Connect: 5pcs together with controllers or rectifier for your choice

Voltage: 24V / 36V / 100-130V / 220-240V



RGB LED String Lights



GPS-13

LED number: 50LEDs

Length: 10m bulbs size:  $\phi$  3 x H5cm

Weight: 1.2kg

Connect: 5pcs together with controllers or rectifier for your choice

Voltage: 12V with transformer



GPS-14

Length: 1.5m

Size: W15 x H4 x D6cm

Weight: 750g



GPS-15

Length: 55cm

Size: W6.5 x H2.5 x D9.5cm

Weight: 200g

Note: 10 functions with memory



E27 blubs LED String Lights



GPS-16

LED number: 10LEDs

Length: 5m bulbs size:  $\phi$  4.5cm

Weight: 1.2kg

Connect: 5pcs together with rectifier

Voltage: 24V / 36V / 100-130V / 220-240V



Ball String Lights



GPS-17

LED bulbs: 10pcs

Length: 10m

Distance of each bulb: 1m

Bulbs diameter: 15cm

Voltage: 12VDC with transformer



This kind of NEW lighting products passed the strict inspection of under water test more than 50hrs, the insulation resistance is always > 2000 MOHM It's completely used for outdoor



### GPS-18

LED number: 100LEDs

Length: 10m


Weight: 350g

Connect: 5pcs together with controllers or rectifier for your choice

Voltage: 24V / 36V / 100-130V / 220-240V



### Firefly LED String Lights



#### GPS-19

LED number: 30LEDs with Concentrator LED

Length: 6 x 3m

Weight: 610g

Connect: 6pcs together to contact leading wire with special-made controller

Voltage: 12V with transformer



### LED Icicle Lights


Christmas decorations for indoor and outdoor



GPS-20-1



GPS-20-2



GPS-20-3

#### 216 BULBS LED ICICLE LIGHTS

LED number: 216LEDs


Size: W300 x H(40 x 60 x 80)cm

Line space: 10cm LED bulb space:10cm

Weight: 440g

Connect: 3pcs together with controllers or rectifier for your choice

Voltage: 24V / 36V / 100-130V / 220-240V



### LED Curtain Lights



GPS-21-1



GPS-21-2

#### 300 BULBS LED CURTAIN LIGHTS

LED number: 300LEDs


Size: W300 x H100cm

Line space: 10cm LED bulb space:10cm

Weight: 810g


Connect: 3pcs together with controllers or rectifier for your choice

Voltage: 24V / 36V / 100-130V / 220-240V



### LED Net Lights

Christmas decorations for indoor and outdoor



#### 180 BULBS LED NET LIGHTS


LED number: 180LEDs

Size: W240 x H120cm

Weight: 720g

Connect: 3pcs together with controllers or rectifier for your choice

Voltage: 24V / 36V / 100-130V / 220-240V



### LED Lawn Net Lights



GPS-23-1



GPS-23-2

#### 288 BULBS LED LAWN NET LIGHTS

LED number: 288LEDs

Size: W240 x H120cm

Weight: 1.2kg

Connect: 2pcs together with controllers or rectifier for your choice

Voltage: 24V / 36V / 100-130V / 220-240V



### Wisteria LED Decoration Lights

Apply for garden and parks decorations, outdoor use



#### GPS-24

LED number: 120LEDs

Size: W300 x H75cm


15 lines, 10LEDs/line

Weight: 1.65kg

Voltage: 24VDC with transformer



LED Meteor Shower Lights



**GPS-25**

LED number: 42LEDs x 5pcs  
 Size: D1cm x H30cm  
 Weight: 220g/pcs  
 Voltage: 12VDC with transformer



**GPS-26**

LED number: 96LEDs x 1pcs  
 Size: D3cm x H74cm  
 Weight: 180g/pcs  
 Voltage: 12VDC with transformer



**GPS-27**

Length: 165cm  
 Size: W18 x H2 x D3cm  
 Weight: 390g



**GPS-28**

Length: 10m with 10pcs of T-shaped sockets  
 Weight: 1.05kg



## LED Motif Lights



**GPS-29**  
LED number: 56LEDs  
Size: W35 x H46cm  
Weight: 480g



**GPS-30**  
LED number: 87LEDs  
Size: W19 x H 50cm  
Weight: 630g



**GPS-31**  
LED number: 96LEDs  
Size: W40 x H48cm  
Weight: 720g

Voltage: 24VDC / 100-130VAC / 220-240VAC



**GPS-32**  
LED number: 60LEDs  
Size: W22 x H49cm  
Weight: 480g



**GPS-33**  
LED number: 60LEDs  
Size: W24 x H31cm  
Weight: 1kg

Voltage: 24VDC / 100-130VAC / 220-240VAC / 24VDC



**GPS-34**  
LED number: 115LEDs  
Size: W47 x H48cm  
Weight: 730g

**GPS-35**  
LED number: 250LEDs  
Size: W48 x H52cm  
Weight: 2.6kg



**GPS-36**  
LED number: 90LEDs  
Size: W37 x H52cm  
Weight: 1.1kg  
Voltage: 24VDC / 100-130VAC / 220-240VAC



**GPS-37**  
LED number: 138LEDs  
Size: W45 x H 53cm  
Weight: 1.5kg

Voltage: 24VDC / 100-130VAC / 220-240VAC



**GPS-38**  
LED number: 70LEDs  
Size: W40 x H45cm  
Weight: 1kg



**GPS-39**  
LED number: 126LEDs  
Size: W36 x H64cm  
Weight: 1.5kg



**GPS-40**  
LED number: 50LEDs  
Size: W25 x H53cm  
Weight: 800g

Voltage: 24VDC / 100-130VAC / 220-240VAC



**GPS-41**  
LED number: 100LEDs  
Size: W39 x H40cm  
Weight: 720g  
Voltage: 24VDC / 100-130VAC / 220-240VAC / 24VDC



**GPS-42**  
LED number: 68LEDs  
Size: W52 x H31cm  
Weight: 1kg  
Voltage: 24VDC / 100-130VAC / 220-240VAC / 24VDC





**GPS-43**

LED number: 50LEDs  
 Size: W45 x H45cm  
 Weight: 800g  
 Voltage: 24VDC / 100-130VAC / 220-240VAC



**GPS-48**

LED number: 162LEDs  
 Size: W49 x H63cm  
 Voltage: 24VDC / 100-130VAC / 220-240VAC


**GPS-44**

LED number: 62LEDs  
 Size: W30 x H54cm  
 Weight: 450g  
 Voltage: 24VDC / 100-130VAC / 220-240VAC



**GPS-49**

LED number: 38LEDs  
 Size: W45 x H45cm  
 Weight: 800g  
 Voltage: 24VDC / 100-130VAC / 220-240VAC



**GPS-45**

LED number: 69LEDs  
 Size: W40 x H40cm  
 Weight: 550g  
 Voltage: 24VDC / 100-130VAC / 220-240VAC

**GPS-46**

LED number: 62LEDs  
 Size: W39 x H35cm  
 Weight: 500g  
 Voltage: 24VDC / 100-130VAC / 220-240VAC



**GPS-47**

LED NO: 30LEDs  
 Size: W28 x H28cm  
 Weight: 835g  
 Voltage: 100-130VAC / 220-240VAC





**GPS-50**  
LED number: 200LEDs  
Size: W90 x H90 x D15cm  
Weight: 3.2kg



**GPS-50-1**  
LED number: 100LEDs  
Size: W60 x H60 x D12cm  
Weight: 1.7kg




**GPS-50-2**  
LED number: 40LEDs  
Size: W30 x H30 x D10cm  
Weight: 900g

Voltage: 24VDC / 100-130VAC / 220-240VAC



**GPS-51**  
LED number: 240LEDs  
Size: D80cm  
Weight: 8.3kg




**GPS-51-1**  
LED number: 100LEDs  
Size: D45cm  
Weight: 3.5kg



**GPS-51-2**  
LED number: 40LEDs  
Size: D20cm  
Weight: 1kg

Voltage: 24VDC / 100-130VAC / 220-240VAC



**GPS-52**  
LED number: 200LEDs  
Size: W90 x H120 x D13cm  
Weight: 5kg  
Voltage: 24VDC / 100-130VAC / 220-240VAC



**GPS-53**  
MODEL: RY-3PILLARL  
LED number: 400LEDs  
Size: W240 x W50 x D30cm  
Weight: 33kg  
Voltage: 24VDC / 100-130VAC / 220-240VAC

**GPS-53-1**  
MODEL: RY-3PILLARS  
LED number: 300LEDs  
Size: W156 x 50 x 30cm  
Weight: 25kg



**GPS-54**  
LED number: 220LEDs  
Size: D60 x H240cm  
Weight: 7.4kg



**GPS-54-1**  
LED number: 120LEDs  
Size: D45 x H180cm  
Weight: 4.4kg



**GPS-54-2**  
LED number: 90LEDs  
Size: D37 x H150  
Weight: 3.8kg  
Voltage: 24VDC / 100-130VAC / 220-240VAC



**GPS-55**  
 LED NO.: 146LEDs  
 Size: D55 x 200cm  
 Weight: 15kg  
 Voltage: 24VDC / 100-130VAC / 220-240VAC



**GPS-56**  
 LED number: 80LEDs  
 Size: W45 x H70 x D22cm  
 Weight: 3kg

**GPS-56-1**  
 LED number: 150LEDs  
 Size: W100 x H128 x D34cm  
 Weight: 5kg  
 Voltage: 24VDC / 100-130VAC / 220-240VAC

**GPS-57**  
 LED number: 350LEDs  
 Size: W110 x H70 x D48cm  
 Weight: 8kg  
 Voltage: 24VDC / 100-130VAC / 220-240VAC



**GPS-58**  
 LED number: 350LEDs  
 Size: W80 x H50 x D74cm  
 Weight: 7.4kg

**GPS-58-1**  
 LED number: 90LEDs  
 Size: W40 x H25 x D37cm  
 Weight: 2.4kg  
 Voltage: 24VDC / 100-130VAC / 220-240VAC



**GPS-59**  
 LED number: 640LEDs  
 Size: W140 x H102 x D53cm  
 Weight: 18kg  
 Voltage: 24VDC / 100-130VAC / 220-240VAC



**GPS-62-1**  
 LED number: 1280LEDs  
 Size: W74 x H160 x D65cm  
 Weight: 22kg  
 Voltage: 24VDC / 100-130VAC / 220-240VAC



**GPS-60**  
 LED number: 120LEDs  
 Size: W43 x H104 x D43cm  
 Weight: 10kg  
 Voltage: 24VDC / 100-130VAC / 220-240VAC



**GPS-61**  
 LED number: 500LEDs  
 Size: W138 x H174 x D100cm  
 Weight: 15kg  
 Voltage: 24VDC / 100-130VAC / 220-240VAC

**GPS-63**  
 LED number: 350LEDs  
 Size: W40 x H136 x D78cm  
 Weight: 16.3kg  
 Voltage: 24VDC / 100-130VAC / 220-240VAC



**GPS-63-1**  
 LED number: 210LEDs  
 Size: W175 x H95 x D35cm  
 Weight: 16.3kg  
 Voltage: 24VDC / 100-130VAC / 220-240VAC

**GPS-62**  
 LED number: 335LEDs  
 Size: W130 x H165 x D70cm  
 Weight: 12kg  
 Voltage: 24VDC / 100-130VAC / 220-240VAC




**GPS-64**  
 LED number: 575LEDs  
 Size: W145 x H120 x D45cm  
 Weight: 16kg  
 Voltage: 24VDC / 100-130VAC / 220-240VAC





**GPS-64-1**

LED number: 575LEDs  
 Size: W135 x H165 x D48cm  
 Weight: 16.3kg  
 Voltage: 24VDC / 100-130VAC / 220-240VAC



**GPS-65**

LED number: 150LEDs  
 Size: W120 x H31 x D50cm  
 Weight: 6kg  
 Voltage: 24VDC / 100-130VAC / 220-240VAC




**GPS-65-1**

LED number: 300LEDs  
 Size: W60 x H80 x D60cm  
 Weight: 7kg  
 Voltage: 24VDC / 100-130VAC / 220-240VAC



**GPS-65-2**

LED NO.: 90LEDs  
 Size: W55 x H96 x D44cm  
 Voltage: 24VDC / 100-130VAC / 220-240VAC



**GPS-66 / GPS-66-1**

LED number: 220LEDs / 100LEDs  
 Size: W47 x H60 x D72m / W30 x H36 x D43m  
 Weight: 4.6kg / 2.2kg  
 Voltage: 24VDC / 100-130VAC / 220-240VAC



**GPS-67**

LED number: 138LEDs  
 Size: W22.5 x H63 x D49cm  
 Weight: 3.7kg  
 Voltage: 24VDC / 100-130VAC / 220-240VAC



**GPS-63-2**

LED number: 100LEDs  
 Size: W18 x H70 x D52cm  
 Weight: 3kg  
 Voltage: 24VDC / 100-130VAC / 220-240VAC



**GPS-68**  
 LED number: 150LEDs  
 Size: W110 x H50 x D83cm  
 Weight: 8kg  
 Voltage: 24VDC / 100-130VAC / 220-240VAC



**GPS-72**  
 LED number: 300LEDs  
 Size: W132 x H55 x D36cm  
 Weight: 4kg  
 Voltage: 24VDC / 100-130VAC / 220-240VAC


**GPS-69**

LED number: 145LEDs  
 Size: W89 x H55cm  
 Weight: 5.7kg  
 Voltage: 24VDC / 100-130VAC / 220-240VAC



**GPS-73**

LED number: 192LEDs  
 Size: W58 x H52 x D83cm  
 Weight: 8kg  
 Voltage: 24VDC / 100-130VAC / 220-240VAC




**GPS-70**

LED number: 80LEDs  
 Size: W63 x H85 x D10cm  
 Weight: 2kg  
 Voltage: 24VDC / 100-130VAC / 220-240VAC

**GPS-71**

LED number: 100LEDs  
 Size: W60 x H30.7 x D22.2cm  
 Weight: 2.1kg  
 Voltage: 24VDC / 100-130VAC / 220-240VAC



**NEW**

**GPS-74  
GPS-74-1**

LED number: 60LEDs / 20LEDs

Size: W62 x H64 x D62cm / W32 x H34 x D32cm

Weight: 3kg / 1.2kg

Voltage: 24VDC / 100-130VAC / 220-240VAC



**NEW**

**GPS-75**

LED NO.: 40LEDs

Size: W57 x H54 x D14.5cm

Weight: 1.3kg

Voltage: 24VDC / 100-130VAC / 220-240VAC




**GPS-76**

LED number: 200LEDs

Size: W56 x H45 x D5cm

Weight: 1.6kg

Voltage: 24VDC / 100-130VAC / 220-240VAC



**GPS-77**

LED number: 1000LEDs

Outer size: D200cm

Inner size: D140cm

Weight: 13kg

Voltage: 24VDC / 100-130VAC / 220-240VAC



Can be used indoor or outdoor , with steady lighting and flashing effects to choose.  
Widely used to decorate the wall of the corridor, balcony, garden tree etc..

**GPS-78**  
Name: Power Cable Used For Rope Light  
LED Color: Black  
Size: 150cm  
Connect: 40



**GPS-79**  
Name: Fixed Clips  
Unit: 10Pieces



**GPS-80**  
Name: Access  
Unit: 1Pieces



**GPS-81**  
Name: Pin  
Unit: 10Pieces



**GPS-82**  
Name: Tail Plug  
Unit: 10Pieces



**GPS-83**  
Name: Rope Light Controller(Big)  
LED Color: Black  
Size: 155cm  
Connect: 80  
Note: Built with memory, Eight functions, Can adjust speed



**GPS-84**  
Name: Rope Light Controller(Small)  
Size: 150cm  
Connect: 40  
Note: Built with memory, Eight functions, Can adjust speed






**Merry Christmas**  
**GPS-85**  
LED number: 648LEDs  
Size: W180 x H62cm  
Weight: 6.4kg  
Voltage: 24VDC / 100-130VAC / 220-240VAC



**Happy New Year**

**GPS-86**  
LED number: 756LEDs  
Size: W180 x H92cm  
Weight: 7kg  
Voltage: 24VDC / 100-130VAC / 220-240VAC

**Pigeon**  
**GPS-87**  
LED number: 180LEDs  
Size: W85 x H42cm  
Weight: 560g  
Voltage: 24VDC / 100-130VAC / 220-240VAC



**Oliver**

**GPS-88**  
LED number: 142LEDs  
Size: W63 x H35cm  
Weight: 1kg  
Voltage: 24VDC / 100-130VAC / 220-240VAC








**Angel**  
**GPS-89**  
 LED number: 144LEDs  
 Size: W76 x H56cm  
 Weight: 1.4kg  
 Voltage: 24VDC / 100-130VAC / 220-240VAC



**Reindeer**  
**GPS-90**  
 LED number: 144LEDs  
 Size: W73 x H53cm  
 Weight: 2kg  
 Voltage: 24VDC / 100-130VAC / 220-240VAC




**Snowflakes 012**  
**GPS-93**  
 LED number: 504LEDs  
 Size:  $\phi$  100cm  
 Weight: 2.7kg  
 Voltage: 24VDC / 100-130VAC / 220-240VAC



**Snowflakes 010**  
**GPS-94**  
 LED number: 612LEDs  
 Size:  $\phi$  100cm  
 Weight: 3kg  
 Voltage: 24VDC / 100-130VAC / 220-240VAC



**Angel**  
**GPS-91 / GPS-91-1 / GPS-91-2**  
 LED number: 576LEDs  
 Size: W133 x H153cm  
 Weight: 2.6kg  
 Voltage: 24VDC / 100-130VAC / 220-240VAC



**Snowflakes 001**  
**GPS-95**  
**GPS-95-1**  
 LED number: 450LEDs  
 Size:  $\phi$  100cm  
 Weight: 2.3kg  
 Voltage: 24VDC / 100-130VAC / 220-240VAC



**Tree topper**  
**GPS-92**  
 LED number: 576LEDs  
 Size: W65 x H65cm  
 Weight: 5kg  
 Voltage: 24VDC / 100-130VAC / 220-240VAC



**Snowflakes 003**  
**GPS-96**  
**GPS-96-1**  
 LED number: 756LEDs  
 Size:  $\phi$  100cm  
 Weight: 3.8kg  
 Voltage: 24VDC / 100-130VAC / 220-240VAC





Snowflakes 013


**GPS-97**

LED number: 360LEDs

Size:  $\phi$  100cm

Weight: 2.5kg

Voltage: 24VDC / 100-130VAC / 220-240VAC



Snowflakes 015

**GPS-98**

LED number: 504LEDs

Size:  $\phi$  100cm

Weight: 3kg

Voltage: 24VDC / 100-130VAC / 220-240VAC



Snowflakes 002

**GPS-102 / GPS-102-1**

LED number: 216LEDs

Size:  $\phi$  63cm

Weight: 1.2kg

Voltage: 24VDC / 100-130VAC / 220-240VAC



Snowflakes 005


**GPS-99**

LED number: 288LEDs

Size:  $\phi$  67cm

Weight: 1.5kg

Voltage: 24VDC / 100-130VAC / 220-240VAC



Snowflakes 004


**GPS-100**

LED number: 180LEDs

Size:  $\phi$  62cm

Weight: 1.2kg

Voltage: 24VDC / 100-130VAC / 220-240VAC



Snowflakes 016

**GPS-101**

LED number: 144LEDs

Size:  $\phi$  63cm

Weight: 1kg

Voltage: 24VDC / 100-130VAC / 220-240VAC





**NEW**

Corner light

**GPS-103**

LED number: 216LEDs

Size: W50 x H87cm

Weight: 1.9kg

Voltage: 24VDC / 100-130VAC / 220-240VAC



Water-proof

Outdoor use



Widely used for wall corner, window corner or street decoration etc. via different combination.



Branches

**GPS-104**

LED number: 396LEDs

Size: W140 x H60cm

Weight: 2.6kg

Voltage: 24VDC / 100-130VAC

220-240VAC



Water-proof

Outdoor use



WAVE ILLUMINATION



GPS-105

GPS-105-1

Wave

GPS-105 / GPS-105-1

LED number: 252LEDs

Size: W132 x H54cm

Weight: 1.8kg

Voltage: 24VDC / 100-130VAC / 220-240VAC



GPS-106

GPS-106-1

Wing

GPS-106 / GPS-106-1

LED number: 216LEDs

Size: W103 x H48cm

Weight: 1.4kg

Voltage: 24VDC / 100-130VAC / 220-240VAC



GPS-107

GPS-107-1

Ivy

GPS-107 / GPS-107-1

LED number: 294LEDs

Size: W152 x H62cm

Weight: 2.2kg

Voltage: 24VDC / 100-130VAC / 220-240VAC



GPS-108

GPS-108-1

Oriental

GPS-108 / GPS-108-1

LED number: 216LEDs

Size: W90 x H67cm

Weight: 1.7kg

Voltage: 24VDC / 100-130VAC / 220-240VAC



GPS-109

GPS-109-1

Western

GPS-109 / GPS-109-1

LED number: 144LEDs

Size: W98 x H52cm

Weight: 1.3kg

Voltage: 24VDC / 100-130VAC / 220-240VAC



GPS-110

GPS-110-1

Meridional


GPS-110 / GPS-110-1

LED number: 144LEDs


Size: W63 x H42cm

Weight: 1.3kg

Voltage: 24VDC / 100-130VAC / 220-240VAC



WAVE ILLUMINATION



Festive Lights for Street Poles

