

Insect-killer Lamps Catalog



GPS-01



GPS-01-1x4W



GPS-01-1x6W



GPS-01-1x11W

PLASTIC INSECT KILLER

FEATURES:

- ◆ Housing: It is made of ABS material, which is strong, nice and durable
- ◆ Efficiency: High efficiency with 1,000-1,200 V high voltage to grab mosquitoes
- ◆ Lamps: Effective UVA lamp to attract mosquitoes more easily, working life to be 8,000 hours
- ◆ Collection Tray: Removable collection tray can help to keep your environment clean
- ◆ Position: Ceiling suspended or free standing

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-01-1x4W	1x4 W	20 m ²	4 Watt	120*120*255 mm	620*500*270 mm/20pcs	6700 pcs	13900 pcs	16300 pcs
GPS-01-1x6W	1x6 W	30 m ²	6 Watt	135*135*325 mm	690*285*675 mm/20pcs	4300 pcs	8800 pcs	10300 pcs
GPS-01-1x11W	1x11 W	40 m ²	11 Watt	135*135*330 mm	675*285*680 mm/20pcs	4240 pcs	8820 pcs	10340 pcs

GPS-02



GPS-02-6W

FEATURES:

- ◆ Housing: It is made of ABS material, which is strong, nice and durable
- ◆ Efficiency: High efficiency with 1,000-1,200 V high voltage to grab mosquitoes
- ◆ Lamps: Effective UVA lamp to attract mosquitoes more easily, working life to be 8,000 hours
- ◆ Collection Tray: Removable collection tray can help to keep your environment clean
- ◆ Position: Ceiling suspended or free standing

GPS-03



GPS-03-1x4W



GPS-03-1x6W



GPS-03-1x11W

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-02-6W	1x4 W	20 m ²	4 Watt	130*130*280 mm	665*535*295 mm/20pcs	5200 pcs	10700 pcs	12600 pcs
GPS-03-1x4W	1x4 W	20 m ²	4 Watt	115*115*220 mm	620*500*250 mm/20pcs	7000 pcs	14600 pcs	17160 pcs
GPS-03-1x6W	1x6 W	30 m ²	6 Watt	120*120*300 mm	620*500*315 mm/20pcs	5720 pcs	11880 pcs	13920 pcs
GPS-03-1x11W	1x11W	40 m ²	11 Watt	120*120*320 mm	620*500*335 mm/20pcs	5400 pcs	11160 pcs	13100 pcs

GPS-04



GPS-04-1x4W



GPS-04-1x6W

GPS-05



GPS-05-1x4W



GPS-05-1x6W

PLASTIC INSECT KILLER

FEATURES:

- ◆ Housing: It is made of ABS material, which is strong, nice and durable
- ◆ Efficiency: High efficiency with 1,000-1,200 V high voltage to grab mosquitoes
- ◆ Lamps: Effective UVA lamp to attract mosquitoes more easily, working life to be 8,000 hours
- ◆ Collection Tray: Removable collection tray can help to keep your environment clean
- ◆ Position: Ceiling suspended or free standing

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40"HQ
GPS-04-1x4W	1x4 W	20 m ²	4 Watt	120*120*255 mm	615*495*270 mm/20pcs	6700 pcs	13900 pcs	16300 pcs
GPS-04-1x6W	1x6 W	30 m ²	6 Watt	135*135*330 mm	690*555*345 mm/20pcs	4300 pcs	8800 pcs	10300 pcs

FEATURES:

- ◆ Housing: It is made of ABS material, which is strong, nice and durable
- ◆ Efficiency: High efficiency with 1,000-1,200 V high voltage to grab mosquitoes
- ◆ Lamps: Effective UVA lamp to attract mosquitoes more easily, working life to be 8,000 hours
- ◆ Collection Tray: Removable collection tray can help to keep your environment clean
- ◆ Position: Ceiling suspended or free standing

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40"HQ
GPS-05-1x4W	1x4 W	20 m ²	4 Watt	120*120*255 mm	615*495*270 mm/20pcs	6700 pcs	13900 pcs	16300 pcs
GPS-05-1x6W	1x6 W	30 m ²	6 Watt	135*135*330 mm	690*555*345 mm/20pcs	4300 pcs	8800 pcs	10300 pcs

GPS-06



GPS-06-1x4W



GPS-06-1x6W

GPS-07



GPS-07-8W



GPS-07-1x11W

PLASTIC INSECT KILLER

FEATURES:

- ◆ Housing: It is made of ABS material, which is strong, nice and durable
- ◆ Efficiency: High efficiency with 1,000-1,200 V high voltage to grab mosquitoes
- ◆ Lamps: Effective UVA lamp to attract mosquitoes more easily, working life to be 8,000 hours
- ◆ Collection Tray: Removable collection tray can help to keep your environment clean
- ◆ Position: Ceiling suspended or free standing

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-06-1x4W	1x4 W	20 m ²	4 Watt	120*120*255 mm	615*495*270 mm/20pcs	6700 pcs	13900 pcs	16300 pcs
GPS-06-1x6W	1x6 W	30 m ²	6 Watt	135*135*330 mm	690*555*345 mm/20pcs	4300 pcs	8800 pcs	10300 pcs

FEATURES:

- ◆ Housing: It is made of ABS material, which is strong, nice and durable
- ◆ Efficiency: High efficiency with 1,000-1,200 V high voltage to grab mosquitoes
- ◆ Lamps: Effective UVA lamp to attract mosquitoes more easily, working life to be 8,000 hours
- ◆ Collection Tray: Removable collection tray can help to keep your environment clean
- ◆ Position: Ceiling suspended or free standing

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-07-8W	1x6W	30 m ²	6 Watt	165*165*318 mm	870*360*670mm/20pcs	2660 pcs	5520 pcs	6500 pcs
GPS-07-1x11W	1x11 W	40 m ²	11Watt	165*165*318 mm	870*360*670mm/20pcs	2660 pcs	5520 pcs	6500 pcs

GPS-08

FEATURES:

- ◆ Ultraviolet LEDs with spectral peak at 365nm, attraction equal to normal UVA tubes
- ◆ Very low power consumption
- ◆ 1,000V high tension grid
- ◆ 30,000-50,000 working life time
- ◆ Strong and durable ABS material



GPS-09

FEATURES:

- ◆ Quality UVA lamp with spectral peak at 365nm, 8,000 hours working life time
- ◆ 1,000V high tension grid
- ◆ Strong and durable ABS material



Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-08-LED	LEDs	20 m ²	0.6Watt	95*70*100 mm	100*60*110 mm/40pcs	34800 pcs	72000 pcs	84000 pcs
GPS-09-1x4W	1x4W	20 m ²	4Watt	120*80*180 mm	500*420*380 mm/40pcs	14000 pcs	29000 pcs	34200 pcs

GPS-10



FEATURES:

- ◆ New design with elegant appearance
- ◆ Operate by battery or adapter, very convenient for camping
- ◆ 100% safe without chemical matters
- ◆ Quality LED lamps with spectral peak at 365nm, efficient to attract insects
- ◆ Ceiling suspending & free standing
- ◆ Ultra long life: from 30,000 to 50,000 hours working life time



GPS-11

FEATURES:

- ◆ Ultraviolet LEDs with spectral peak at 365nm
- ◆ 360 degree wrap-around high tension grid, effectively to attract insects
- ◆ Operated by 12V adapter or rechargeable battery
- ◆ Strong and durable ABS, light weight and portable
- ◆ Transparent plastic guard, maximum coverable of UV lights



Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-10-LED	LED	20 m ²	2 Watt	80*80*180mm	420*340*380 mm/40pcs	19600 pcs	34160 pcs	48720 pcs
GPS-11-LED	LED	20 m ²	2.5 Watt	160*160*280mm	340*500*580 mm/20pcs	3420 pcs	7080pcs	8280 pcs

GPS-12



FEATURES:

- ◆ Ultraviolet LEDs with spectral peak at 365nm
- ◆ ABS material which is strong, nice and durable
- ◆ Very low power consumption
- ◆ 1,000V high tension grid
- ◆ 30,000-50,000 working life time
- ◆ Removable collection tray for easy cleaning



color schemes

9

GPS-13



color schemes

FEATURES:

- ◆ Ultraviolet LEDs with spectral peak at 365nm, attraction equal to normal UVA tubes
- ◆ Very low power consumption
- ◆ 1,000V high tension grid
- ◆ 30,000-50,000 working life time
- ◆ Strong and durable ABS material

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-12-LED	LEDs	20 m ²	0.6 Watt	95*70*100 mm	400*370*240 mm/40pcs	31000 pcs	64400 pcs	75400 pcs
GPS-13-LED	LEDs	20 m ²	0.6 Watt	98*68*98 mm	410*360*215 mm/40pcs	35000 pcs	72480 pcs	85000 pcs

GPS-14



PLASTIC INSECT KILLER

FEATURES:

- ◆ Housing: It is made of ABS material, which is strong, nice and durable
- ◆ Efficiency: High efficiency with 1,000-1,200 V high voltage to grab mosquitoes
- ◆ Lamps: Effective UVA lamp to attract mosquitoes more easily, working life to be 8,000 hours
- ◆ Design: Unique design makes it look elegant
- ◆ Position: Ceiling suspended or free standing

GPS-15



color schemes



10

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-14-6WB	1x4 W	20 m ²	4 Watt	130*130*280 mm	665*535*295 mm/20pcs	5160 pcs	10700 pcs	12540 pcs
GPS-15-6WC	1x4 W	20 m ²	4 Watt	165*165*285 mm	845*350*590 mm/20pcs	3200 pcs	6640 pcs	7800 pcs

GPS-16

MINI INSECT KILLER

FEATURES:

- ◆ MINI bulb insect killer
- ◆ Strong and durable ABS main body, robust construction
- ◆ Easy operation: E27 screw-cap, easy to replace it
- ◆ Innovative killing grid, best attraction for mosquitoes and insects
- ◆ Removable collection tray, clean the insects body easily
- ◆ LED or UVA tube are available
- ◆ Energy saving, safe



GPS-18



MINI INSECT KILLER WITH BATTERY

FEATURES:

- ◆ MINI bulb insect killer
- ◆ Strong and durable ABS main body, robust construction
- ◆ Innovative killing grid, best attraction for mosquitoes and insects
- ◆ Very low power consumption with ON/OFF switch
- ◆ 30,000-50,000 working life time for LED light
- ◆ 1000V high tension grid



Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-18-LED	LEDS	20 m ²	2 Watt	95*95*150mm	520*420*340 mm/40pcs	15080 pcs	31200 pcs	36600 pcs

GPS-17



FEATURES:

- ◆ Ultraviolet UVA LED with 30,000 - 50,000 hours life time
- ◆ One built-in aspiration fan can better the performance
- ◆ Fan ON/OFF switch
- ◆ Removable collection tray, easy for cleaning

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-16-1x5W	1x5W	20 m ²	5Watt	105*105*190mm	540*435*205 mm/20pcs	11020 pcs	23260 pcs	27340 pcs
GPS-17-LED	LEDS	30 m ²	5Watt	170*170*290mm	695*525*305 mm/12pcs	3000 pcs	6060 pcs	7080 pcs

NEW DESIGN

GPS-19



GPS-19-2x6W

PLASTIC INSECT KILLER

FEATURES:

- ◆ Newest plastic insect killer
- ◆ ABS material
- ◆ High efficiency with 1,000-2,000V high voltage
- ◆ Bottom design collection tray of cleaning easily
- ◆ Position: ceiling suspended or free standing

GPS-20



GPS-20-2x6W

GPS-20-2x11W

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-19-2X6W	2x6 W	60 m ²	12 Watt	220*100*305mm	740*500*345 mm/12pcs	2520 pcs	5340 pcs	6276 pcs
GPS-20-2X6W	2x6 W	60 m ²	12 Watt	220*100*305mm	630*250*680 mm/10pcs	2590 pcs	5370 pcs	6290 pcs
GPS-20-2X11W	2x11 W	60 m ²	18 Watt	220*100*305mm	630*250*680 mm/10pcs	2590 pcs	5370 pcs	6290 pcs



GPS-21

Multifunctional electric mosquito racket

FEATURES:

- ◆ Multifunctional electric mosquito racket, foldable, wall-mounted
- ◆ 100% safe without chemical matters
- ◆ UVA lamp with spectral peak at 365nm



Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-21	LEDs	30 m ²	3Watt	482*220*41mm	690*255*560 mm/20pcs	6580 pcs	13640 pcs	16000 pcs

GPS-22



GPS-22-13WA




GPS-22-13WB



GPS-22-13WC

GPS-23



GPS-23-1X11W



15

16

PLASTIC INSECT KILLER with FAN

FEATURES:

- ◆ Housing: It is made of ABS material, which is strong, nice and durable
- ◆ Efficiency: High efficiency with 1,000-1,200 V high voltage to grab mosquitoes
- ◆ Lamps: Effective UVA lamp to attract mosquitoes more easily, working life to be 8,000 hours
- ◆ Optional fans: aspiration fan to draw pests into the unit, higher performance in killing mosquitoes and other small insects
- ◆ Removable collection tray can help to keep your environment clean
- ◆ Ceiling suspended or free standing

Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
1x11W	40 m ²	11 Watt	185*135*395 mm	575*560*415 mm/12pcs	2400 pcs	4800 pcs	5640 pcs

FEATURES:

- ◆ NEW DESIGN slim insect killer
- ◆ Strong and durable ABS main body, robust construction
- ◆ Removable collection tray, clean the insects body easily
- ◆ UVA lamp with spectral peak at 365nm, working life to be 8,000 hours
- ◆ Ceiling suspend or free standing


Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-23-1x11W	1x11W	40 m ²	11Watt	175*95*355 mm	540*395*370mm/12pcs	4260 pcs	8820 pcs	10320 pcs

GPS-24



GPS-25

GPS-26



GPS-24-1X10W

COMMERCIAL INSECT KILLER

GPS-25-1X10W

COMMERCIAL INSECT KILLER

GPS-26-2x10W

GPS-24-1X15W

FEATURES:

- ◆ Design full-size high tension grid, kill the insects efficiently
- ◆ Strong and durable ABS main body, light and portable
- ◆ Removable collection tray, clean the insects body easily
- ◆ UVA lamp with spectral peak at 365nm, working life to be 8,000 hours
- ◆ Ceiling suspend or free standing

GPS-25-1X15W

FEATURES:

- ◆ NEW DESIGN, full-size high tension grid, kill the insects efficiently
- ◆ 2 lamps for highly effectiveness
- ◆ Strong and durable ABS main body, light and portable
- ◆ Removable collection tray, clean the insects body easily
- ◆ UVA lamp with spectral peak at 365nm, working life to be 8,000 hours
- ◆ Ceiling suspend or free standing

GPS-26-2x15W

GPS-24-1X20W

GPS-25-1X20W

GPS-26-2x20W

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-24-1x10W	1x10 W	35 m ²	10 Watt	220*140*440 mm	580*440*460 mm/8pcs	1896 pcs	3928 pcs	4608 pcs
GPS-24-1x15W	1x15 W	45 m ²	15 Watt	220*140*550 mm	460*440*570 mm/6pcs	1446 pcs	3000 pcs	3516 pcs
GPS-24-1x20W	1x18W	55 m ²	18 Watt	220*140*690 mm	460*440*705 mm/6pcs	1170 pcs	2430 pcs	2850 pcs
GPS-25-1x10W	1x10 W	35 m ²	10 Watt	220*140*440 mm	580*440*460 mm/8pcs	1896 pcs	3928 pcs	4608 pcs
GPS-25-1x15W	1x15 W	45 m ²	15 Watt	220*140*550 mm	460*440*570 mm/6pcs	1446 pcs	3000 pcs	3516 pcs
GPS-25-1x20W	1x18 W	55 m ²	18 Watt	220*140*690 mm	460*440*705 mm/6pcs	1170 pcs	2430 pcs	2850 pcs

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-26-2x10W	2x10 W	60 m ²	18 Watt	258*140*460 mm	590*440*480mm/6pcs	1296 pcs	2736 pcs	3216 pcs
GPS-26-2x15W	2x15 W	80 m ²	22 Watt	285*140*570 mm	590*440*590mm/6pcs	1050 pcs	2220 pcs	2610 pcs
GPS-26-2x20W	2x18 W	100 m ²	26 Watt	285*140*720 mm	590*440*740mm/6pcs	840 pcs	1776 pcs	2088 pcs

NEW DESIGN



FEATURES:

- ◆ NEW DESIGN, full-size high tension grid, kill the insects efficiently
- ◆ 2 lamps for highly effective
- ◆ Strong and durable ABS main body, light and portable
- ◆ Removable collection tray, clean the insects body easily
- ◆ UVA lamp with spectral peak at 365nm, working life to be 8,000 hours
- ◆ Free standing



GPS-27

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-27-2x8W	2x8 W	40 m ²	16 Watt	200*132*392 mm	730*440*420mm/10pcs	2004 pcs	4152 pcs	4860 pcs
GPS-27-2x10W	2x10 W	60 m ²	20 Watt	200*132*432 mm	730*440*463mm/10pcs	1880 pcs	3900 pcs	4570 pcs
GPS-27-2x15W	2x15 W	80 m ²	30 Watt	200*132*539 mm	588*440*569mm/8pcs	1520 pcs	3151 pcs	3688 pcs

GPS-29

GPS-30

OPTIONAL

- UV LED
- UV LAMP
- Remote control

FEATURES:

- ◆ NEW DESIGN, full-size high tension grid, kill the insects efficiently
- ◆ 2 lamps for highly effective
- ◆ Strong and durable ABS main body, light and portable
- ◆ Removable collection tray, clean the insects body easily
- ◆ UVA lamp with spectral peak at 365nm, working life to be 8,000 hours
- ◆ Remote control, timing open

GPS-29-1x6W

GPS-29-1x8W

GPS-30-1x10W

GPS-30-1x15W

GPS-29-2x6W

GPS-29-2x8W

GPS-30-2x10W

GPS-30-2x15W

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-29-1x6W	1x6 W	10 m ²	6 Watt	190*100*303 mm	440*410*640mm/16pcs	3872 pcs	8032 pcs	9424 pcs
GPS-29-1x8W	1x8 W	15 m ²	8 Watt	190*100*379 mm	545*410*395mm/10pcs	3170 pcs	6570 pcs	7700 pcs
GPS-29-1x10W	1x10 W	30 m ²	10 Watt	190*100*422 mm	545*410*440mm/10pcs	2840 pcs	5900 pcs	6910 pcs
GPS-29-1x15W	1x15W	40 m ²	15Watt	190*100*529 mm	545*410*545mm/10pcs	2300 pcs	4760 pcs	5580 pcs
GPS-30-2x6W	2x6 W	15 m ²	12 Watt	190*100*303 mm	440*410*640mm/16pcs	3872 pcs	8032 pcs	9424 pcs
GPS-30-2x8W	2x8 W	20 m ²	16 Watt	190*100*379 mm	545*410*395mm/10pcs	3170 pcs	6570 pcs	7700 pcs
GPS-30-2x10W	2x10 W	35 m ²	20 Watt	190*100*422 mm	545*410*440mm/10pcs	2840 pcs	5900 pcs	6910 pcs
GPS-30-2x15W	2x15W	45 m ²	30 Watt	190*100*529 mm	545*410*545mm/10pcs	2300 pcs	4760 pcs	5580 pcs


GPS-28

OPTIONAL

- UV LED
- UV LAMP

FEATURES:

- ◆ Design full-size high tension grid, kill the insects efficiently
- ◆ Strong and durable ABS main body, light and portable
- ◆ Removable collection tray, clean the insects body easily
- ◆ UVA lamp with spectral peak at 365nm, working life to be 8,000 hours
- ◆ Free standing



GPS-28-1X10W

GPS-28-1X15W

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-28-1x10W	1x10W	35 m ²	10 Watt	162*162*427 mm	708*365*455 mm/8pcs	1904 pcs	3944 pcs	4624 pcs
GPS-28-1x15W	1x15W	45 m ²	15 Watt	162*162*427 mm	708*365*455 mm/8pcs	1904 pcs	3944 pcs	4624 pcs

NEW DESIGN

NEW DESIGN



GPS-31

OPTIONAL

UV LED

UV LAMP

FEATURES:

- ◆ Housing: It is made of fire-resistant ABS, strong and durable
- ◆ Design: Ultra slim design make the outlook more elegant
- ◆ Collection Tray: Built-in collection tray which can be drawn out makes easy for cleaning
- ◆ Lamps: Quality UVA lamps ensure working life to be 5,000-8,000 hours
- ◆ ON/OFF: TURN ON/OFF BY PULLING THE WIRE
- ◆ Positioning: Wall mounted or free standing



Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-31-2x4W	2x4W	40 m ²	8 Watt	360*85*255 mm	445*375*530 mm/10pcs	3030 pcs	5280 pcs	7520 pcs
GPS-31-LED	2w	40 m ²	2 Watt	360*85*255 mm	445*375*530 mm/10pcs	3030 pcs	5280 pcs	7520 pcs

GPS-32

FEATURES:

- ◆ New design with elegant appearance
- ◆ Operate by battery or adapter, very convenient for camping
- ◆ 100% safe without chemical matters
- ◆ Quality LED lamps with spectral peak at 365nm, efficient to attract insects
- ◆ Ceiling suspending & free standing
- ◆ Ultra long life: from 30.000 to 50.000 hours working life time



Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-32	LEDS	20 m ²	2 Watt	290*35*240mm	610*625*505 mm/60pcs	8400 pcs	18060 pcs	21180 pcs

GPS-33



GPS-33-1X10W

GPS-34



GPS-34-1X10W

GPS-35



GPS-35-1X9W



FEATURES:

- ◆ Housing: It is made of ABS, strong and durable
- ◆ Design: 360 degree to attract insects efficiently
- ◆ Lamps: Quality UVA lamps ensure working life to be 5,000-8,000 hours
- ◆ On/Off: Turn on/off by pulling the wire
- ◆ Positioning: Wall mounted or free standing

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-35-1x9W	1x9W	35 m ²	9 Watt	190*190*320 mm	775*390*335 mm/8pcs	2240 pcs	4640 pcs	5440 pcs

PLASTIC INSECT KILLER

FEATURES:

- ◆ NEW DESIGN big insect killer
- ◆ Strong and durable ABS main body, robust construction
- ◆ Removable collection tray, clean the insects body easily
- ◆ UVA lamp with spectral peak at 365nm, working life to be 8,000 hours
- ◆ Ceiling suspend or free standing

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-33-1x10W	1x10W	50 m ²	10Watt	220*220*480 mm	710*480*500mm/6pcs	948 pcs	1962 pcs	2298 pcs

GPS-36



GPS-36-8W



FEATURES:

- ◆ Fashion design, use ABS material which is strong, nice and durable
- ◆ Efficiency: High efficiency with 1,000-1,200 V high voltage to grab mosquitoes
- ◆ Aspiration fan to draw pests into the unit, higher performance in killing mosquitoes and other small insects
- ◆ Lamps: Effective UVA lamp to attract mosquitoes more easily, working life to be 8,000 hours
- ◆ Removable collection tray, easy for cleaning

GPS-37



GPS-37-8WC



GPS-37-8WB



Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-36-8W	1x4 W	30 m ²	6 Watt	205*105*240 mm	520*420*490 mm/20pcs	4900 pcs	10160 pcs	11920 pcs
GPS-37-8WC	1X4W	30 m ²	6 Watt	230*105*225 mm	480*540*470 mm/20pcs	4600 pcs	9520 pcs	11160 pcs
GPS-37-8WB	2x4 W	40 m ²	8 Watt	230*105*225 mm	480*540*470 mm/20pcs	4600 pcs	9520 pcs	11160 pcs

GPS-38



GPS-38-8WE

FEATURES:

- ◆ Fashion design, use ABS material which is strong, nice and durable
- ◆ Efficiency: High efficiency with 1,000-1,200 V high voltage to grab mosquitoes
- ◆ Lamps: Effective UVA lamp to attract mosquitoes more easily, working life to be 8,000 hours
- ◆ Aspiration fan to draw pests into the unit, higher performance in killing mosquitoes and other small insects
- ◆ Removable collection tray can help to keep your environment clean

GPS-39



GPS-39-8WF



Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-38-8WE	1x4 W	30 m ²	6 Watt	290*100*260 mm	600*520*540 mm/20pcs	3100 pcs	6400 pcs	7500 pcs
GPS-39-8WF	1x4 W	30 m ²	6 Watt	240*150*240 mm	770*500*500 mm/20pcs	2900 pcs	6040 pcs	7100 pcs

GPS-40



FEATURES:

- ◆ Fashion design, use ABS material which is strong, nice and durable
- ◆ Efficiency: High efficiency with 1,000-1,200 V high voltage to grab mosquitoes
- ◆ Lamps: Effective UVA lamp to attract mosquitoes more easily, working life to be 8,000 hours
- ◆ 2 Built-in aspiration fan to draw pests into the unit, higher performance in killing mosquitoes and other small insects

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40"HQ
GPS-40-8W	1x4 W	30 m ²	6 Watt	245*105*360 mm	545*260*740 mm/10pcs	2550 pcs	5250 pcs	6150 pcs

GPS-41



FEATURES:

- ◆ Fashion LED insect trap design
- ◆ Funnel-type of anti-mosquito escape device and easy for cleaning
- ◆ DC fan with ultra-long life
- ◆ High efficiency to catch the mosquitoes and other insects
- ◆ With safety guard to protect the users from touching the fan
- ◆ Very low power consumption
- ◆ Ultraviolet LEDs with spectral peak at 365nm



Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40"HQ
GPS-41-LED	LED	30 m ²	2 Watt	132*132*225mm	630*630*265 mm/16pcs	4112 pcs	8672 pcs	10208 pcs

GPS-42



GPS-42



GPS-42-1



GPS-42-2



GPS-42-3



GPS-42-4

FEATURES:

- ◆ Quality LED lamps with spectral peak at 365nm, efficient to attract insects
- ◆ Funnel-type of anti-mosquito escape device and easy for cleaning
- ◆ DC fan with ultra-long life
- ◆ High efficiency to catch the mosquitoes and other insects
- ◆ With safety guard to protect the users from touching the fan
- ◆ Unique design and looks elegant with different shape and colors
- ◆ USB model available

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40"HQ
GPS-42-LED	LEDS	30 m ²	2.5 Watt	172*172*200 mm	880*360*420 mm/20pcs	3288 pcs	6800 pcs	8000 pcs

GPS-43



FEATURES:

- ◆ Fashion LED insect trap design
- ◆ Funnel-type of anti-mosquito escape device and easy for cleaning
- ◆ DC fan with ultra-long life
- ◆ High efficiency to catch the mosquitoes and other insects
- ◆ With safety guard to protect the users from touching the fan
- ◆ Very low power consumption
- ◆ Ultraviolet LEDs with spectral peak at 365nm



GPS-44

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40"HQ
GPS-43-LED	LED	30 m ²	2 Watt	175*175*310mm	720*545*320 mm/12pcs	2568 pcs	5424pcs	6372 pcs
GPS-44-LED	LEDS	30 m ²	3 Watt	205*75*200 mm	880*360*420 mm/20pcs	3288 pcs	6800 pcs	8000 pcs

NEW DESIGN

GPS-45



FEATURES:

- ◆ New design with various color available
- ◆ Funnel type of anti-mosquito escape device
- ◆ 100% safe without chemical matters
- ◆ UVA lamp with spectral peak at 365nm
- ◆ Collection basket: Removable collection basket can help to keep your environment clean easily
- ◆ Ultra long life DC fan: from 8.000 to 10.000 hours working life time
- ◆ Light sensor optional

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40"HQ
GPS-45-13W	1x7W	80 m ²	13 Watt	180*180*435mm	375*375*450 mm/4pcs	1720 pcs	3560 pcs	4180 pcs



GPS-46

2 in 1 INSECT TRAPPER WITH FAN

FEATURES:

- ◆ 2 in 1 multifunctional mosquito control
- ◆ Funnel type of anti-mosquito escape device
- ◆ 100% safe without chemical matters
- ◆ UVA lamp with spectral peak at 365nm
- ◆ Collection basket: Removable collection basket can help to keep your environment clean easily
- ◆ Ultra long life DC fan: from 8.000 to 10.000 hours working life time



Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40"HQ
GPS-46-9W	1x9W	20 m ²	9 Watt	140*140*324mm	745*745*345 mm/25pcs	3650 pcs	7575 pcs	8875 pcs

NEW DESIGN



GPS-47

FEATURES:

- ◆ 2 in 1 multifunctional mosquito control
- ◆ Funnel type of anti-mosquito escape device
- ◆ 100% safe without chemical matters
- ◆ UVA lamp with spectral peak at 365nm
- ◆ Collection basket: Removable collection basket can help to keep your environment clean easily
- ◆ Ultra long life DC fan: from 8.000 to 10.000 hours working life time



Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-47	LEDS	30 m ²	7 Watt	125*125*285mm	655*270*590 mm/20pcs	5600 pcs	11600 pcs	13600 pcs

NEW DESIGN



GPS-48

2 in 1 INSECT TRAPPER WITH FAN

FEATURES:

- ◆ 2 in 1 multifunctional mosquito control
- ◆ Funnel type of anti-mosquito escape device
- ◆ 100% safe without chemical matters
- ◆ UVA lamp with spectral peak at 365nm
- ◆ Collection basket: Removable collection basket can help to keep your environment clean easily
- ◆ Ultra long life DC fan: from 8.000 to 10.000 hours working life time



Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-48	7W	30 m ²	7 Watt	265*145*151mm	620*560*330 mm/16pcs	3872 pcs	8032 pcs	9424 pcs

GPS-49

FEATURES:

- ◆ LED: Quality LED lamps with spectral peak at 365nm, efficient to attract insects
- ◆ Design: Ultra thin of body which can save freight cost
- ◆ Housing: ABS housing, strong and durable
- ◆ Collection Tray: Removable collection tray, easy for cleaning
- ◆ Position: Ceiling suspending & free standing



GPS-49-1x2W

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-49-1x2W	LED	50 m ²	2 Watt	370*63*260 mm	645*385*280mm/10pcs	4000 pcs	8280 pcs	9710 pcs

GPS-50

FEATURES:

- ◆ New design with 360 degree high tension grid, kill the insects efficiently
- ◆ Fully made of strong and durable ABS, light and portable
- ◆ Removable collection tray, clean the insects body easily
- ◆ UVA lamp with spectral peak at 365nm, working life to be 8,000 hours
- ◆ Ceiling suspend or free standing



GPS-50-1x6W

GPS-50-2x6W

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-50-1x6W	1x6W	30m ²	6 Watt	280*120*290mm	580*380*600/12pcs	2460 pcs	5184 pcs	6084 pcs
GPS-50-2x6W	2x6W	40m ²	12 Watt	280*120*290mm	580*380*600/12pcs	2460 pcs	5184 pcs	6084 pcs

GPS-51

OPTIONAL

UV LED

UV LAMP

Remote control



FEATURES:

- ◆ Design: As a tradition design, this series is well know by all over world, it is popular in every market and it stands for strength, effectiveness and safety
- ◆ Housing: Fully made of electrophoretic aluminum alloy, shining effect, strong structure, durable, corrosion-proof, scratch-proof, oil-proof and easy to clean
- ◆ Collection tray: Traditional seperable collection tray
- ◆ Lamps: Quality UVA lamp, effective working life to be 8,000hours
- ◆ Position: Wall mounted, ceiling suspended or free standing

GPS-51-2x6W

GPS-51-2x8W

GPS-51-2x10W

GPS-51-2x15W

GPS-51-2x20W

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-51-2x6W	2x6 W	40 m ²	16 Watt	280*120*275 mm	735*295*290 mm/6pcs	2910 pcs	6000 pcs	7050 pcs
GPS-51-2x8W	2x8 W	50 m ²	25 Watt	350*120*275 mm	735*365*290 mm/6pcs	2400 pcs	4800 pcs	5690 pcs
GPS-51-2x10W	2x10 W	60 m ²	30 Watt	400*120*305 mm	735*415*320 mm/6pcs	1790 pcs	3590 pcs	4070 pcs
GPS-51-2x15W	2x15 W	80 m ²	38 Watt	500*120*330 mm	735*515*345 mm/6pcs	1302 pcs	2688 pcs	3108 pcs
GPS-51-2x20W	2x18 W	100 m ²	43 Watt	655*120*390 mm	670*495*405 mm/4pcs	912 pcs	1884 pcs	2088 pcs

GPS-52



OPTIONAL

- UV LED**
- UV LAMP**
- Remote control**

FEATURES:

- ◆ Design: Improved from the traditional range, this series enlarges the effective coverage from more grid structure than the traditional range, the light could be emitted from four sides and it has the same safety structure as the traditional range
- ◆ Housing: Aluminum alloy surface with electrophoretic treatment, which is shining effect, strong structure, durable, corrosion-proof, scratch-proof, oil-proof and easy clean
- ◆ Collection tray: Traditional seperable collection tray
- ◆ Lamps: Quality UVA lamp, effective working life to be 8,000hours
- ◆ Position: Wall mounted, ceiling suspended or free standing

GPS-52-2x6W

GPS-52-2x8W

GPS-52-2x10W

GPS-52-2x15W

GPS-52-2x20W

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-52-2x6W	2x6 W	40 m ²	16 Watt	265*115*275 mm	705*280*290 mm/6pcs	2910 pcs	6030 pcs	7080 pcs
GPS-52-2x8W	2x8 W	50 m ²	25 Watt	345*115*275 mm	705*360*290 mm/6pcs	2250 pcs	4620 pcs	5430 pcs
GPS-52-2x10W	2x10 W	60 m ²	30 Watt	390*115*345 mm	705*405*360 mm/6pcs	1950 pcs	3270 pcs	3840 pcs
GPS-52-2x15W	2x15 W	80 m ²	38 Watt	490*115*330 mm	705*505*345 mm/6pcs	1320 pcs	2760 pcs	3210 pcs
GPS-52-2x20W	2x18 W	100 m ²	43 Watt	640*115*395 mm	475*655*410 mm/4pcs	1290 pcs	1884 pcs	2100 pcs

GPS-53



OPTIONAL

- UV LED**
- UV LAMP**
- Remote control**

FEATURES:

- ◆ Design: Improved from the traditional range, this series combines with aluminum alloy structure and ABS plastic side. It is a fire-new look and it increase the effective coverage with the light emitting from the holes of the side boards to attracting insects
- ◆ Housing: Aluminum alloy surface with electrophoretic treatment, which is shining effect, strong structure, durable, corrosion-proof, scratch-proof, oil-proof and easy clean
- ◆ Collection tray: Innovative collection tray can be fixed into the housing and draw out of cleaning easily
- ◆ Lamps: Quality UVA lamp, effective working life to be 8,000hours
- ◆ Position: Wall mounted, ceiling suspended or free standing

GPS-53-2x6W

GPS-53-2x8W

GPS-53-2x10W

GPS-53-2x15W

GPS-53-2x20W

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-53-2x6W	2x6 W	40 m ²	16 Watt	295*130*280 mm	795*310*295 mm/6pcs	2256 pcs	4680 pcs	5484 pcs
GPS-53-2x8W	2x8 W	50 m ²	25 Watt	370*130*280 mm	795*385*295 mm/6pcs	1818 pcs	3768 pcs	4410 pcs
GPS-53-2x10W	2x10 W	60 m ²	30 Watt	415*130*325 mm	795*430*340 mm/6pcs	1398 pcs	2898 pcs	3402 pcs
GPS-53-2x15W	2x15 W	80 m ²	38 Watt	520*130*325 mm	535*535*340 mm/6pcs	1120 pcs	2328 pcs	2728 pcs
GPS-53-2x20W	2x18 W	100 m ²	43 Watt	670*130*325 mm	685*535*340 mm/4pcs	888 pcs	1832 pcs	2152 pcs

GPS-54



FEATURES:

- ◆ Housing: Aluminum alloy surface with electrophoretic treatment, which is shining effect, strong structure, durable, corrosion-proof, scratch-proof, oil-proof and easy clean
- ◆ Collection tray: Traditional separable collection tray
- ◆ Lamps: Quality UVA lamp, effective working life to be 8,000hours
- ◆ Position: Wall mounted, ceiling suspended or free standing
- ◆ Built-in aspiration fan draws pests into the insect killer unit, better performance in killing mosquitoes and other small insects

GPS-54-2×6W

GPS-54-2×10W

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40"HQ
GPS-54-2x6W	2x6 W	50 m ²	20 Watt	290*120*245 mm	740*310*265 mm/6pcs	2760 pcs	5730 pcs	6720 pcs
GPS-54-2x10W	2x10 W	80 m ²	35 Watt	420*120*280 mm	740*440*300 mm/6pcs	1710 pcs	3570 pcs	4050 pcs

OPTIONAL

UV LED

UV LAMP

Remote control

FEATURES:

- ◆ Housing: Aluminum alloy surface with electrophoretic treatment, which is shining effect, strong structure, durable, corrosion-proof, scratch-proof, oil-proof and easy clean
- ◆ Collection tray: Traditional separable collection tray
- ◆ Lamps: Quality UVA lamp, effective working life to be 8,000hours
- ◆ Position: Wall mounted, ceiling suspended or free standing



GPS-55

GPS-55-2×6W

GPS-55-2×8W


GPS-55-2×10W

GPS-55-2×15W

GPS-55-2×20W

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40"HQ
GPS-55-2x6W	2x6 W	40 m ²	16 Watt	290*100*245 mm	620*310*265 mm/6pcs	3600 pcs	7200 pcs	8064 pcs
GPS-55-2x8W	2x8 W	50 m ²	25 Watt	385*100*245 mm	620*405*265 mm/6pcs	2980 pcs	6030 pcs	7000 pcs
GPS-55-2x10W	2x10 W	60 m ²	30 Watt	420*100*310 mm	620*440*330 mm/6pcs	2330 pcs	4700 pcs	5300 pcs
GPS-55-2x15W	2x15 W	80 m ²	38 Watt	525*100*310 mm	620*545*330 mm/6pcs	1566 pcs	2162 pcs	3618 pcs
GPS-55-2x20W	2x18 W	100 m ²	43 Watt	675*100*310 mm	695*420*330 mm/4pcs	1092 pcs	2208 pcs	2526 pcs

GPS-56



OPTIONAL

UV LED

UV LAMP

Remote control

FEATURES:

- ◆ Housing: Aluminum alloy surface with electrophoretic treatment, which is shining effect, strong structure, durable, corrosion-proof, scratch-proof, oil-proof and easy clean
- ◆ Collection tray: Traditional separable collection tray
- ◆ Lamps: Quality UVA lamp, effective working life to be 8,000hours
- ◆ Position: Wall mounted, ceiling suspended or free standing

GPS-56-2×6W

GPS-56-2×8W

GPS-56-2×10W

GPS-56-2×15W

GPS-56-2×20W

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40"HQ
GPS-56-2x6W	2x6 W	40 m ²	16 Watt	295*100*245 mm	620*310*265 mm/6pcs	3600 pcs	7200 pcs	8064 pcs
GPS-56-2x8W	2x8 W	50 m ²	25 Watt	385*100*245 mm	620*405*265 mm/6pcs	2980 pcs	6030 pcs	7000 pcs
GPS-56-2x10W	2x10 W	60 m ²	30 Watt	420*100*310 mm	620*440*330 mm/6pcs	2330 pcs	4700 pcs	5300 pcs
GPS-56-2x15W	2x15 W	80 m ²	38 Watt	525*100*310 mm	620*545*330 mm/6pcs	1566 pcs	2162 pcs	3618 pcs
GPS-56-2x20W	2x18 W	100 m ²	43 Watt	675*100*310 mm	695*420*330 mm/4pcs	1092 pcs	2208 pcs	2526 pcs

GPS-57



OPTIONAL

- UV LED**
- UV LAMP**
- Remote control**

FEATURES:

- ◆ Design: Improved from the traditional range, this series combines with aluminum alloy structure and ABS plastic side. It is a fire-new look and it increase the effective coverage with the light emitting from the holes of the side boards to attracting insects
- ◆ Housing: Aluminum alloy surface with electrophoretic treatment, which is shining effect, strong structure, durabel, corrosion-proof, scratch-proof, oil-proof and easy clean
- ◆ Collection tray: Traditional seperable collection tray
- ◆ Lamps: Quality UVA lamp , effective working life to be 8,000hours
- ◆ Position: Wall mounted, ceiling suspended or free standing

GPS-57-2x6W

GPS-57-2x8W

GPS-57-2x10W

GPS-57-2x15W

GPS-57-2x20W

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-57-2x6W	2x6 W	40 m ²	16 Watt	280*100*260 mm	615*295*275 mm/6pcs	3360 pcs	6930 pcs	8100 pcs
GPS-57-2x8W	2x8 W	50 m ²	25 Watt	370*100*260 mm	615*385*275 mm/6pcs	2520 pcs	5160 pcs	6030 pcs
GPS-57-2x10W	2x10 W	60 m ²	30 Watt	415*100*315 mm	615*430*330 mm/6pcs	1920 pcs	3960 pcs	4620 pcs
GPS-57-2x15W	2x15 W	80 m ²	38 Watt	510*100*315 mm	615*525*330 mm/6pcs	1560 pcs	3210 pcs	3750 pcs
GPS-57-2x20W	2x18 W	100 m ²	43 Watt	660*100*315 mm	675*415*330 mm/4pcs	1180 pcs	2440 pcs	2880 pcs

GPS-58



OPTIONAL

- UV LED**
- UV LAMP**
- Remote control**

FEATURES:

- ◆ Design: Improved from the traditional range, this series combines with aluminum alloy structure and ABS plastic side. It is a fire-new look and it increase the effective coverage with the light emitting from the holes of the side boards to attracting insects
- ◆ Housing: Aluminum alloy surface with electrophoretic treatment, which is shining effect, strong structure, durabel, corrosion-proof, scratch-proof, oil-proof and easy clean
- ◆ Collection tray: Innovative collection tray can be fixed into the housing and draw out of cleaning easily
- ◆ Lamps: Quality UVA lamp, effective working life to be 8,000hours
- ◆ Position: Wall mounted, ceiling suspended or free standing

GPS-58-2x6W

GPS-58-2x8W

GPS-58-2x10W

GPS-58-2x15W

GPS-58-2x20W

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-58-2x6W	2x6 W	40 m ²	16 Watt	280*116*260 mm	711*295*275 mm/6pcs	2910 pcs	6030 pcs	7050 pcs
GPS-58-2x8W	2x8 W	50 m ²	25 Watt	372*116*260 mm	711*387*275 mm/6pcs	2220 pcs	4590 pcs	5400 pcs
GPS-58-2x10W	2x10 W	60 m ²	30 Watt	410*116*308 mm	711*425*323 mm/6pcs	1710 pcs	3540 pcs	4140 pcs
GPS-58-2x15W	2x15 W	80 m ²	38 Watt	515*116*308 mm	711*530*323 mm/6pcs	1380 pcs	2850 pcs	3360 pcs
GPS-58-2x20W	2x18 W	100 m ²	43 Watt	672*116*365 mm	687*480*380 mm/4pcs	920 pcs	1880 pcs	2200 pcs

GPS-59



OPTIONAL

- UV LED**
- UV LAMP**
- Remote control**

43

FEATURES:

- ◆ Design: Improved from the traditional range, this series combines with aluminum alloy structure and ABS plastic side. It is a fire-new look and it increase the effective coverage with the light emitting from the holes of the side boards to attracting insects
- ◆ Housing: Aluminum alloy surface with electrophoretic treatment, which is shining effect, strong structure, durabel, corrosion-proof, scratch-proof, oil-proof and easy clean
- ◆ Collection tray: Innovative collection tray can be fixed into the housing and draw out of cleaning easily
- ◆ Lamps: Quality UVA lamp, effective working life to be 8,000hours
- ◆ Position: Wall mounted, ceiling suspended or free standing

GPS-59-2x6W

GPS-59-2x8W

GPS-59-2x10W

GPS-59-2x15W

GPS-59-2x20W

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40"HQ
GPS-59-2x6W	2x6 W	40 m ²	16 Watt	285*105*295 mm	645*300*310 mm/6pcs	2790 pcs	5760 pcs	6750 pcs
GPS-59-2x8W	2x8 W	50 m ²	25 Watt	365*105*295 mm	645*380*310 mm/6pcs	2190 pcs	4560 pcs	5340 pcs
GPS-59-2x10W	2x10 W	60 m ²	30 Watt	405*105*325 mm	645*415*340 mm/6pcs	1860 pcs	3840 pcs	4560 pcs
GPS-59-2x15W	2x15 W	80 m ²	38 Watt	500*105*325 mm	645*515*340 mm/6pcs	1470 pcs	3030 pcs	3540 pcs
GPS-59-2x20W	2x18 W	100 m ²	43 Watt	655*105*325 mm	670*435*340 mm/4pcs	1160 pcs	2360 pcs	2760 pcs

GPS-60



OPTIONAL

- UV LED**
- UV LAMP**
- Remote control**

44

FEATURES:

- ◆ Housing: Aluminum alloy surface with electrophoretic treatment, which is shining effect, strong structure, durabel, corrosion-proof, scratch-proof, oil-proof and easy clean
- ◆ Collection tray: Innovative collection tray can be fixed into the housing and draw out of cleaning easily
- ◆ Lamps: Quality UVA lamp effective working life to be 8,000hours
- ◆ Position: Wall mounted, ceiling suspended or free standing

GPS-60-2x6W

GPS-60-2x8W

GPS-60-2x10W

GPS-60-2x15W

GPS-60-2x20W

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40"HQ
GPS-60-2x6W	2x6 W	40 m ²	16 Watt	270*95*260 mm	585*285*275 mm/6pcs	3510 pcs	7260 pcs	8520 pcs
GPS-60-2x8W	2x8 W	50 m ²	25 Watt	350*95*260 mm	585*365*275 mm/6pcs	2760 pcs	5700 pcs	6690 pcs
GPS-60-2x10W	2x10 W	60 m ²	30 Watt	395*95*300 mm	585*410*315 mm/6pcs	2160 pcs	4500 pcs	5280 pcs
GPS-60-2x15W	2x15 W	80 m ²	38 Watt	495*95*325 mm	585*510*340 mm/6pcs	1650 pcs	3390 pcs	3990 pcs
GPS-60-2x20W	2x18 W	100 m ²	43 Watt	645*95*380 mm	660*395*395 mm/4pcs	1040 pcs	2140 pcs	2520 pcs

GPS-61



**IPX4
AVAILABLE**

COMMERCIAL INSECT KILLER

FEATURES:

- ◆ Design: 360 degree wrap, maximum the coverage area to kill the insects
- ◆ Housing: Made of ABS material, which is strong, nice, durable and easy to clean
- ◆ Collection tray: Innovative collection tray can be fixed into the housing and draw out of cleaning easily
- ◆ Lamps: Quality UVA lamp, effective working life to be 8,000hours
- ◆ Waterproof suitable for indoor and outdoor used, IPX4 approval
- ◆ Position: Wall mounted, ceiling suspended or free standing

GPS-61-2x10W

GPS-61-2x15W

GPS-61-2x20W

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-61-2x10W	2x10W	60 m ²	30 Watt	450*130*300 mm	800*420*320 mm/6pcs	1890 pcs	3900 pcs	4560 pcs
GPS-61-2x15W	2x15 W	100 m ²	38 Watt	510*130*300 mm	800*525*320 mm/6pcs	1500 pcs	3120 pcs	3660 pcs
GPS-61-2x20W	2x18 W	120m ²	43 Watt	665*130*300 mm	800*540*320 mm/4pcs	1140 pcs	2340 pcs	2740 pcs

GPS-62



**IPX4
AVAILABLE**

COMMERCIAL INSECT KILLER

FEATURES:

- ◆ Design: 360 degree wrap, maximum the coverage area to kill the insects
- ◆ Housing: Made of ABS material, which is strong, nice, durable and easy to clean
- ◆ Collection tray: Innovative collection tray can be fixed into the housing and draw out of cleaning easily
- ◆ Lamps: Quality UVA lamp, effective working life to be 8,000hours
- ◆ Waterproof suitable for indoor and outdoor used, IPX4 approval
- ◆ Position: Wall mounted, ceiling suspended or free standing

GPS-62-2x10W

GPS-62-2x15W

GPS-62-2x20W

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-62-2x10W	2x10W	60 m ²	30 Watt	405*130*285 mm	800*420*300 mm/6pcs	1680 pcs	3480 pcs	4080 pcs
GPS-62-2x15W	2x15 W	100 m ²	38 Watt	510*130*285 mm	800*525*300 mm/6pcs	1398 pcs	2898 pcs	3396 pcs
GPS-62-2x20W	2x18 W	120 m ²	43 Watt	665*130*285 mm	680*535*300 mm/4pcs	1120 pcs	2320 pcs	2720 pcs

GPS-63



OPTIONAL

- UV LED**
- UV LAMP**
- Remote control**

47

FEATURES:

- ◆ NEW DESIGN, improved from the traditional range, this series enlarges the effective coverage from more grid structure than the traditional range, the light could be emitted from four sides and it has the same safety structure as the traditional range
- ◆ Housing: Aluminum alloy surface with electrophoretic treatment, which is shining effect, strong structure, durabel, corrosion-proof, scratch-proof, oil-proof and easy clean
- ◆ Collection tray: Innovative collection tray can be fixed into the housing and draw out of cleaning easily
- ◆ Lamps: Quality UVA lamp, effective working life to be 8,000hours
- ◆ Position: Wall mounted, ceiling suspended or free standing

GPS-63-2x6W

GPS-63-2x8W

GPS-63-2x10W

GPS-63-2x15W

GPS-63-2x20W

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-63-2x6W	2x6 W	40 m ²	16 Watt	305*105*275 mm	650*325*295 mm/6pcs	2568 pcs	5424 pcs	6378 pcs
GPS-63-2x8W	2x8 W	50 m ²	25 Watt	365*105*275 mm	650*385*295 mm/6pcs	2184 pcs	4620 pcs	5430 pcs
GPS-63-2x10W	2x10 W	60 m ²	30 Watt	405*105*325 mm	650*425*345 mm/6pcs	1686 pcs	3558 pcs	4182 pcs
GPS-63-2x15W	2x15 W	80 m ²	38 Watt	515*105*325 mm	650*535*345 mm/6pcs	1350 pcs	2850 pcs	3348 pcs
GPS-63-2x20W	2x18 W	100 m ²	43 Watt	655*105*325 mm	675*440*345 mm/4pcs	980 pcs	2072 pcs	2436 pcs

GPS-64



OPTIONAL

- UV LED**
- UV LAMP**
- Remote control**

48

FEATURES:

- ◆ New Design: Improved from the traditional range, this series combines with aluminum alloy structure and ABS plastic side. It is a fire-new look and it increase the effective coverage with the light emitting from the holes of the side boards to attracting insects
- ◆ Housing: Aluminum alloy surface with electrophoretic treatment, which is shining effect, strong structure, durabel, corrosion-proof, scratch-proof, oil-proof and easy clean
- ◆ Collection tray: Traditional seperable collection tray
- ◆ Lamps: Quality UVA lamp , effective working life to be 8,000hours
- ◆ Position: Wall mounted, ceiling suspended or free standing

GPS-64-2x6W

GPS-64-2x8W

GPS-64-2x10W

GPS-64-2x15W

GPS-64-2x20W

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-64-2x6W	2x6 W	40 m ²	16 Watt	280*100*260 mm	615*295*275 mm/6pcs	3360 pcs	6930 pcs	8100 pcs
GPS-64-2x8W	2x8 W	50 m ²	25 Watt	370*100*260 mm	615*385*275 mm/6pcs	2520 pcs	5160 pcs	6030 pcs
GPS-64-2x10W	2x10 W	60 m ²	30 Watt	415*100*315 mm	615*430*330 mm/6pcs	1920 pcs	3960 pcs	4620 pcs
GPS-64-2x15W	2x15 W	80 m ²	38 Watt	510*100*315 mm	615*525*330 mm/6pcs	1560 pcs	3210 pcs	3750 pcs
GPS-64-2x20W	2x18 W	100 m ²	43 Watt	660*100*315 mm	675*415*330 mm/4pcs	1180 pcs	2440 pcs	2880 pcs

NEW DESIGN



GPS-65

GPS-65-2x6W

GPS-65-2x8W

GPS-65-2x10W

GPS-65-2x15W

GPS-65-2x20W

FEATURES:

- NEW DESIGN, 3 sides wrap-around metal outer grid, enlarges coverage area effectively
- Fashionable and safe design, save cost, eco-friendly
- Side board made of ABS material, which is strong, nice and durable
- Innovative collection tray can be fixed into the housing and draw out of cleaning easily
- Quality UVA lamp, effective working life to 8,000 hours
- Ceiling suspend or free standing

OPTIONAL

UV LED

UV LAMP



GPS-66

GPS-66-2x6W

GPS-66-2x8W

GPS-66-2x10W

GPS-66-2x15W

GPS-66-2x20W

NEW DESIGN



GPS-67

2 in 1 INSECT TRAPPER GLUE TRAP

FEATURES:

- NEW DESIGN, 3 sides wrap-around metal outer grid, enlarges coverage area effectively
- Fashionable and safe design, save cost, eco-friendly
- Side board made of ABS material, which is strong, nice and durable
- Innovative collection tray can be fixed into the housing and draw out of cleaning easily
- Quality UVA lamp, effective working life to 8,000 hours
- Ceiling suspend or free standing

OPTIONAL

UV LED

UV LAMP

GPS-67-2x6W

GPS-67-2x8W

GPS-67-2x10W

GPS-67-2x15W

GPS-67-2x20W

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-67-2x6W	2x6 W	40 m ²	16 Watt	360*100*290 mm	650*375*315 mm/6pcs	2280 pcs	4812 pcs	5658 pcs
GPS-67-2x8W	2x8 W	50 m ²	25 Watt	435*100*290 mm	650*450*315 mm/6pcs	1902 pcs	4020 pcs	4728 pcs
GPS-67-2x10W	2x10 W	60 m ²	30 Watt	480*100*290 mm	650*495*315 mm/6pcs	1722 pcs	3636 pcs	4272 pcs
GPS-67-2x15W	2x15 W	80 m ²	38 Watt	585*100*290 mm	650*600*315 mm/6pcs	1416 pcs	3000 pcs	3522 pcs
GPS-67-2x20W	2x18 W	100 m ²	43 Watt	735*100*290 mm	750*440*315 mm/4pcs	1140 pcs	2406 pcs	2826 pcs

GPS-68



GPS-69



GPS-70



OPTIONAL

- UV LED
- UV LAMP
- Remote control

FEATURES:

- NEW DESIGN, improved from the traditional range, this series enlarges the effective coverage from more grid structure than the traditional range, the light could be emitted from four sides and it has the same safety structure as the traditional range
- Housing: Aluminum alloy surface with electrophoretic treatment, which is shining effect, strong structure, durabel, corrosion-proof, scratch-proof, oil-proof and easy clean
- Collection tray: Innovative collection tray can be fixed into the housing and draw out of cleaning easily
- Lamps: Quality UVA lamp, effective working life to be 8,000hours
- Position: Wall mounted, ceiling suspended or free standing

OPTIONAL

- UV LED
- UV LAMP
- Remote control

FEATURES:

- Housing: Aluminum alloy surface with electrophoretic treatment, which is shining effect, strong structure, durabel, corrosion-proof, scratch-proof, oil-proof and easy clean
- Collection tray: Innovative collection tray can be fixed into the housing and draw out of cleaning easily
- Lamps: Quality UVA lamp effective working life to be 8,000hours
- Position: Wall mounted, ceiling suspended or free standing

GPS-68-2x6W GPS-68-2x8W GPS-68-2x10W GPS-68-2x15W GPS-68-2x20W

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-68-2x6W	2x6 W	40 m ²	16 Watt	280*100*290 mm	620*300*310 mm/6pcs	2910 pcs	6030 pcs	7080 pcs
GPS-68-2x8W	2x8 W	50 m ²	25 Watt	375*100*290 mm	620*395*310 mm/6pcs	2208 pcs	4584 pcs	5370 pcs
GPS-68-2x10W	2x10 W	60 m ²	30 Watt	410*100*315 mm	620*430*335 mm/6pcs	1878 pcs	3900 pcs	4560 pcs
GPS-68-2x15W	2x15 W	80 m ²	38 Watt	515*100*315 mm	620*535*335 mm/6pcs	1512 pcs	3132 pcs	3636 pcs
GPS-68-2x20W	2x18 W	100 m ²	43 Watt	665*100*315 mm	685*420*335 mm/4pcs	1160 pcs	2400 pcs	2820 pcs

GPS-70-2x6W GPS-70-2x8W GPS-70-2x10W GPS-70-2x15W GPS-70-2x20W

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-70-2x6W	2x6 W	40 m ²	16 Watt	280*105*265 mm	650*300*285 mm/6pcs	2790 pcs	5760 pcs	6750 pcs
GPS-70-2x8W	2x8 W	50 m ²	25 Watt	360*105*265 mm	650*380*285 mm/6pcs	2190 pcs	4560 pcs	5340 pcs
GPS-70-2x10W	2x10 W	60 m ²	30 Watt	395*105*310 mm	650*410*330 mm/6pcs	1860 pcs	3840 pcs	4650 pcs
GPS-70-2x15W	2x15 W	80 m ²	38 Watt	495*105*310 mm	650*515*330 mm/6pcs	1470 pcs	3030 pcs	3540 pcs
GPS-70-2x20W	2x18 W	100 m ²	43 Watt	650*105*310 mm	670*440*330 mm/4pcs	1160 pcs	2360 pcs	2760 pcs

GPS-71

FEATURES:

- ◆ Housing: Aluminum alloy surface with electrophoretic treatment, which is shining effect, strong structure, durabel, corrosion-proof, scratch-proof, oil-proof and easy clean
- ◆ Collection tray: Innovative collection tray can be fixed into the housing and draw out of cleaning easily
- ◆ Lamps: Quality UVA lamp effective working life to be 8,000hours
- ◆ Position: Wall mounted, ceiling suspended or free standing



GPS-71-2x6W

GPS-71-2x8W

GPS-71-2x10W

GPS-71-2x15W

GPS-71-2x20W

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40"HQ
GPS-71-2x6W	2x6 W	40 m ²	16 Watt	270*85*255 mm	445*285*530 mm/10pcs	3970 pcs	6910 pcs	9850 pcs
GPS-71-2x8W	2x8 W	50 m ²	25 Watt	360*85*255 mm	445*375*530 mm/10pcs	3030 pcs	5280 pcs	7520 pcs
GPS-71-2x10W	2x10 W	60 m ²	30 Watt	435*85*255 mm	450*445*530 mm/10pcs	2600 pcs	5400 pcs	6350 pcs
GPS-71-2x15W	2x15 W	80 m ²	38 Watt	495*85*255 mm	515*275*530 mm/6pcs	2130 pcs	3708 pcs	5286 pcs
GPS-71-2x20W	2x18 W	100 m ²	43 Watt	685*85*255 mm	700*355*270 mm/4pcs	1640 pcs	3400 pcs	4000 pcs

OPTIONAL

UV LED

UV LAMP

Remote control

GPS-72

FEATURES:

- ◆ Housing: Aluminum alloy surface with electrophoretic treatment, which is shining effect, strong structure, durabel, corrosion-proof, scratch-proof, oil-proof and easy clean
- ◆ Collection tray: Innovative collection tray can be fixed into the housing and draw out of cleaning easily
- ◆ Lamps: Quality UVA lamp effective working life to be 8,000hours
- ◆ Position: Wall mounted, ceiling suspended or free standing



GPS-72-2x6W

GPS-72-2x8W

GPS-72-2x10W

GPS-72-2x15W

GPS-72-2x20W

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40"HQ
GPS-72-2x6W	2x6 W	40 m ²	16 Watt	270*85*255 mm	445*285*530 mm/10pcs	3970 pcs	6910 pcs	9850 pcs
GPS-72-2x8W	2x8 W	50 m ²	25 Watt	360*85*255 mm	445*375*530 mm/10pcs	3030 pcs	5280 pcs	7520 pcs
GPS-72-2x10W	2x10 W	60 m ²	30 Watt	435*85*255 mm	450*445*530 mm/10pcs	2600 pcs	5400 pcs	6350 pcs
GPS-72-2x15W	2x15 W	80 m ²	38 Watt	495*85*255 mm	515*275*530 mm/6pcs	2130 pcs	3708 pcs	5286 pcs
GPS-72-2x20W	2x18 W	100 m ²	43 Watt	685*85*255 mm	700*355*270 mm/4pcs	1640 pcs	3400 pcs	4000 pcs

GPS-73



GPS-73-2x10W

GPS-73-2x15W

GPS-73-2x20W

FEATURES:

- ◆ Housing: Aluminum alloy surface with electrophoretic treatment, which is shining effect, strong structure, durabel, corrosion-proof, scratch-proof, oil-proof and easy clean
- ◆ Collection tray: Innovative collection tray can be fixed into the housing and draw out of cleaning easily
- ◆ Lamps: Quality UVA lamp effective working life to be 8,000hours
- ◆ Position: Wall mounted, ceiling suspended or free standing

OPTIONAL

UV LED

UV LAMP

Remote control

GPS-74



GPS-74-10W



GPS-74-15W

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40"HQ
GPS-74-2x10W	2x10 W	60 m ²	30 Watt	377*72*261 mm	530*445*292 mm/6pcs	2700 pcs	5580 pcs	6552 pcs
GPS-74-2x15W	2x15 W	80 m ²	38 Watt	482*72*261 mm	550*530*292 mm/6pcs	2142 pcs	4440 pcs	5202 pcs
GPS-74-2x20W	2x18 W	100 m ²	43 Watt	635*72*261 mm	703*360*292 mm/4pcs	1624 pcs	3368 pcs	3944 pcs
GPS-74-2x10W	2x10 W	40 m ²	20 Watt	420*90*280 mm	620*450*305 mm/6pcs	1980 pcs	4080 pcs	4800 pcs
GPS-74-2x15W	2x15 W	50 m ²	30 Watt	540*90*330 mm	620*570*355 mm/6pcs	1338 pcs	2772 pcs	3252 pcs

NEW DESIGN



GPS-75

OPTIONAL

UV LED

UV LAMP

FEATURES:

- ◆ Innovation plastic insect killer design
- ◆ ABS material, which is strong, nice and durable
- ◆ Plastic grill, more stylish
- ◆ Collection tray of cleaning easily
- ◆ Easy tube replacement
- ◆ Position: ceiling suspended or free standing

GPS-75-2x8W

GPS-75-2x10W

GPS-75-2x15W

GPS-75-2x20W

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40"HQ
GPS-75-2x8W	2x8 W	50 m ²	16 Watt	345*90*250 mm	680*385*290 mm/6pcs	2130 pcs	4500 pcs	5286 pcs
GPS-75-2x10W	2x10 W	60 m ²	20 Watt	390*90*250 mm	680*430*290 mm/6pcs	1902 pcs	4020 pcs	4728 pcs
GPS-75-2x15W	2x15 W	80 m ²	30 Watt	495*90*250 mm	680*535*290 mm/6pcs	1470 pcs	3108 pcs	3654 pcs
GPS-75-2x20W	2x18 W	100 m ²	40 Watt	645*90*250 mm	460*665*290 mm/4pcs	1212 pcs	2560 pcs	3008 pcs



GPS-76

OPTIONAL

UV LED

UV LAMP

FEATURES:

- ◆ Innovation plastic insect killer design
- ◆ ABS material, which is strong, nice and durable
- ◆ Plastic grill, more stylish
- ◆ Collection tray of cleaning easily
- ◆ Easy tube replacement
- ◆ Position: ceiling suspended or free standing

GPS-76-2X8W

GPS-76-2X10W

GPS-76-2X15W

GPS-76-2X20W



GPS-77

OPTIONAL

UV LED

UV LAMP

Remote control

FEATURES:

- ◆ NEW DESIGN, full-size high tension grid, kill the insects efficiently
- ◆ 2 lamps for highly effectiveness
- ◆ Strong and durable ABS main body, light and portable
- ◆ Removable collection tray, clean the insects body easily
- ◆ UVA lamp with spectral peak at 365nm, working life to be 8,000 hours
- ◆ Remote control, timing open

GPS-77-2X10W

GPS-77-2X15W

GPS-77-2X20W

GPS-78

OUTDOOR INSECT KILLER

FEATURES:

- ◆ NEW DESIGN outdoor insect killer
- ◆ Strong and durable ABS main body, robust construction
- ◆ IPX4 water-proof, outdoor and indoor use
- ◆ Innovative killing grid
- ◆ Removable collection tray, clean the insects body easily
- ◆ Easy tube replacement
- ◆ UVA lamp with spectral peak at 365nm, working life to be 8,000 hours
- ◆ Ceiling suspend or free standing



GPS-78-1X18W

Water Proof IPX4



GPS-79-1X7W



GPS-79-1X18W



GPS-79-1X18W

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-79-1x18W	1x18W	60 m ²	18 Watt	170*170*335 mm	530*360*355mm/6pcs	2382 pcs	5028 pcs	5910 pcs
GPS-79-1x18W	1x18 W	60 m ²	18 Watt	170*170*335 mm	530*360*355mm/6pcs	2382 pcs	5028 pcs	5910 pcs
GPS-79-1x18W	1x18W	60 m ²	18 Watt	170*170*335 mm	530*360*355mm/6pcs	2382 pcs	5028 pcs	5910 pcs
GPS-79-1x7W	1x7 W	30 m ²	18 Watt	170*170*235 mm	530*360*255mm/6pcs	3300 pcs	6978 pcs	8202 pcs

GPS-80



GPS-80-1X9W



GPS-80-1X18W

Water Proof IPX4

OUTDOOR INSECT KILLER

FEATURES:

- ◆ Outdoor insect killer with IPX4
- ◆ ABS material
- ◆ Innovative inner high voltage grid
- ◆ Bottom design collection tray of cleaning easily
- ◆ Easy tube replacement
- ◆ Position:ceiling suspended or free standing

GPS-81



GPS-81-1X7W



GPS-81-1X13W



Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-81-1x9W	1x9 W	40 m ²	9 Watt	160*160*255mm	740*560*295 mm/12pcs	2628 pcs	5556 pcs	6528 pcs
GPS-81-1x18W	1x18W	50 m ²	18 Watt	170*170*320mm	600*530*340 mm/12pcs	3120 pcs	6420 pcs	7560 pcs
GPS-81-1x7W	1x7W	30 m ²	7 Watt	127*127*275 mm	695*560*300mm/20pcs	4780 pcs	9990 pcs	11620 pcs
GPS-81-1x13W	1x13W	40 m ²	13 Watt	127*127*334 mm	695*560*360mm/20pcs	4000 pcs	8280 pcs	9700 pcs

GPS-82



GPS-82-13WA



GPS-82-13WB

FEATURES:

- ◆ Exclusive hygiea UVA lamps with spectral peak at 365nm-efficient to attract insects
- ◆ Funnel-type of anti-mosquito escape device and easy for cleaning
- ◆ DC fan with ultra-long life
- ◆ High efficiency to catch the mosquitoes and other insects
- ◆ With safety guard to protect the users from touching the fan



GPS-83

GPS-83-13A

GPS-83-13B

INSECT TRAPPER WITH FAN

IPX4

Water Proof

FEATURES:

- ◆ Ideal for outdoor use, such as garden, yard, planting and farms, etc
- ◆ Exclusive hygiea UVA lamps with spectral peak at 365nm, efficient to attract insects
- ◆ Funnel-type of anti-mosquito escape device and easy for cleaning
- ◆ Comply with IPX4 water proof standard, safe and reliable
- ◆ High efficiency to catch the mosquitoes and other insects

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40"HQ
GPS-82-13WA	1x13W	50 m ²	13 Watt	165*165*270 mm	515*350*290 mm/6pcs	3054 pcs	6450 pcs	7584 pcs
GPS-82-13WB	1x13W	50 m ²	13 Watt	165*165*270 mm	515*350*290 mm/6pcs	3054 pcs	6450 pcs	7584 pcs
GPS-83-13A	1x7W	50 m ²	13 Watt	355*325*505 mm	355*325*595 mm/4pcs	408 pcs	845 pcs	990 pcs
GPS-83-13B	1x7W	50 m ²	13 Watt	355*325*505 mm	355*325*595 mm/4pcs	408 pcs	845 pcs	990 pcs

GPS-84



GPS-84-13WA



GPS-84-13WC



GPS-84-13WB

INSECT TRAPPER WITH FAN

FEATURES:

- ◆ Ideal for outdoor use, such as garden, yard, planting and farms, etc
- ◆ Exclusive hygiea UVA lamps with spectral peak at 365nm, efficient to attract insects
- ◆ Funnel-type of anti-mosquito escape device and easy for cleaning
- ◆ High efficiency to catch the mosquitoes and other insects



GPS-84-13WA

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40"HQ
GPS-84-13WA	1x7W	50 m ²	13 Watt	265*265*283 mm	815*285*585 mm/6pcs	1236 pcs	2556 pcs	3000 pcs
GPS-84-13WA	1x7W	50 m ²	13 Watt	265*265*265 mm	815*285*550 mm/6pcs	1260 pcs	2670 pcs	3138 pcs
GPS-84-13WC	1x7W	50 m ²	13 Watt	265*265*265 mm	815*285*550 mm/6pcs	1260 pcs	2670 pcs	3138 pcs
GPS-84-13WB	1x7W	50 m ²	13 Watt	300*300*370 mm	620*620*390 mm/4pcs	720 pcs	1520 pcs	1784 pcs

NEW DESIGN

GPS-85



Water Proof
IPX4

FEATURES:

- ◆ NEW DESIGN outdoor insect killer
- ◆ Strong and durable ABS main body, robust construction
- ◆ IPX4 water-proof, outdoor and indoor use
- ◆ Innovative killing grid
- ◆ Removable collection tray, clean the insects body easily
- ◆ 2x11W or 2x18W tube available
- ◆ UVA lamp with spectral peak at 365nm, working life to be 8,000 hours
- ◆ Ceiling suspend or free standing

61

GPS-86



Water Proof
IPX4

FEATURES:

- ◆ ABS plastic housing, strong and durable
- ◆ Exclusive UVA tubes with spectral peak at 365nm
- ◆ Circular high tension grids effectively kill insects
- ◆ Waterproof suitable for indoor and outdoor used, IPX4 approval
- ◆ Removable collection tray, collects dead insects for easy cleaning
- ◆ Wall-mounted, ceiling suspended & free standing

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-86-1x11W	1x11 W	30 m ²	11 Watt	243*243*385 mm	520*520*435mm/4pcs	912 pcs	1932 pcs	2268 pcs
GPS-86-2x11W	2x11 W	60 m ²	22 Watt	243*243*385 mm	520*520*435mm/4pcs	912 pcs	1932 pcs	2268 pcs
GPS-86-1x18W	1x18 W	50 m ²	18 Watt	243*243*385 mm	520*520*435mm/4pcs	912 pcs	1932 pcs	2268 pcs
GPS-86-2x18W	2x18 W	100 m ²	35 Watt	243*243*385 mm	520*520*435mm/4pcs	912 pcs	1932 pcs	2268 pcs
GPS-86-1x25W	1x25W	100 m ²	30 Watt	225*165*485 mm	515*470*505 mm/6pcs	1380 pcs	2850 pcs	3330 pcs



62

GPS-87

SOLAR INSECT KILLER

FEATURES:

- ◆ Unique design with solar, no extra power consumption, pollution free and safe
- ◆ Quality UVA LED with ultra-long working life time and efficient to attract insect killers
- ◆ The solar panel can charge the insect killer in the day time and insect killer can work at night automatically
- ◆ Made of alluminum alloy and ABS which is very strong and durable
- ◆ Free-standing, suspending from the wall or fixture available

Model No.	Tubes	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-87-2W	2W	2 Watt	320*60*287 mm	715*675*312 mm/20pcs	3700 pcs	7680 pcs	9000 pcs

NEW DESIGN

NEW DESIGN



63

64

GPS-88

GPS-89

**IPX4
OUTDOOR INSECT KILLER**

**IPX4
OUTDOOR INSECT KILLER**

FEATURES:

FEATURES:

- ◆ Unique design with solar, no extra power consumption, pollution free and safe
- ◆ Quality UVA LED with ultra-long working life time and efficient to attract insect killers
- ◆ The solar panel can charge the insect killer in the day time and insect killer can work at night automatically
- ◆ Made of aluminum alloy and ABS which is very strong and durable
- ◆ Free-standing, suspending from the wall or fixture available

- ◆ Unique design with solar, no extra power consumption, pollution free and safe
- ◆ Quality UVA LED with ultra-long working life time and efficient to attract insect killers
- ◆ The solar panel can charge the insect killer in the day time and insect killer can work at night automatically
- ◆ Made of aluminum alloy and ABS which is very strong and durable
- ◆ Free-standing, suspending from the wall or fixture available



NEW DESIGN

GPS-90



OPTIONAL

UV LED

UV LAMP

FEATURES:


- ◆ Exclusive UVA tubes with spectral peak at 365nm
- ◆ Full-size glue board-sticks insects with glue board, offering silent and environmentally friendly pest control
- ◆ No tool service-replace glue board and tube without tool
- ◆ Full stainless steel housing, A variety of surface treatment processes
- ◆ Ceiling suspended or wall mounted

GPS-90-2×10W

GPS-90-2×15W

GPS-90-2×20W

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-90-2x10W	2x10W	60 m ²	30 Watt	380*430*265 mm	460*410*460mm/4pcs	1288 pcs	2672 pcs	3132 pcs
GPS-90-2x15W	2x15W	80 m ²	38 Watt	485*430*265 mm	515*460*460mm/4pcs	1024 pcs	2128 pcs	2496 pcs
GPS-90-2x20W	2x18W	100 m ²	43 Watt	640*430*265mm	670*460*460mm/4pcs	788 pcs	1640 pcs	1920 pcs



GPS-91

Full stainless steel or iron with painting housing

OPTIONAL

UV LED

UV LAMP

FEATURES:

- ◆ Exclusive UVA tubes with spectral peak at 365nm
- ◆ Full-size glue board-sticks insects with glue board, offering silent and environmentally friendly pest control
- ◆ No tool service-replace glue board and tube without tool
- ◆ Ceiling suspended or wall mounted

GPS-91-2×10W

GPS-91-2×15W

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-91-2x10W	2x10W	45 m ²	20 Watt	445*98*280 mm	650*465*300mm/6pcs	1854 pcs	3840 pcs	4500 pcs
GPS-91-2x15W	2x15W	60 m ²	30 Watt	550*98*280 mm	650*570*300mm/6pcs	1512 pcs	3132 pcs	3672 pcs

GPS-92



FEATURES:

- ◆ Elegant design with web glue paper which is the latest, most effective & innovative system for flying insects, the insects are attracted to the LED lamp and are embedded on the special glue board inside the unit
- ◆ Fully made of strong and durable ABS, light and portable
- ◆ Easy operation and need change the glue paper regularly
- ◆ DC 5V adaptor with low power consumption
- ◆ LED lamp with spectral peak at 365nm, ultra-long working life time
- ◆ Wall-mounted or free standing

UV LED



GPS-94



GPS-94-2X10W

OPTIONAL

- UV LED
- UV LAMP

WEB GLUE INSECT TRAP

FEATURES:

- ◆ Exclusive UVA tubes with spectral peak at 365nm
- ◆ Full-size glue board-sticks insects with glue board, offering silent and environmentally friendly pest control
- ◆ No tool service-replace glue board and tube without tool
- ◆ Full stainless steel housing
- ◆ Free standing or wall mounted

GPS-93



Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-92	LEDS	40 m ²	1.5 Watt	205*75*200 mm	440*420*430 mm/20pcs	7040 pcs	14600 pcs	17100 pcs
GPS-93	1x9W	40 m ²	9Watt	200*75*200mm	270*415*415mm/12pcs	6880 pcs	14500 pcs	17100 pcs

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-94-2x10W	2x10W	60 m ²	30 Watt	415*110*270 mm	680*430*290mm/6pcs	1902 pcs	3312 pcs	4728 pcs

GPS-95



UV LED



GPS-96



GPS-96-2x24W



GPS-96-2x24W

GLUE TRAP

FEATURES:

- ◆ Elegant design with web glue paper which is the latest, most effective & innovative system for flying insects, the insects are attracted to the UVA tubes and are embedded on the special glue board inside the unit
- ◆ Fully made of strong and durable ABS, light and portable
- ◆ UVA lamp with spectral peak at 365nm, working life to be 8,000 hours
- ◆ Wall-mounted

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-95	LEDS	20 m ²	1.5Watt	303*140*170 mm	620*330*380mm/8pcs	2880 pcs	5960 pcs	7000 pcs

GLUE TRAP

FEATURES:

- ◆ Elegant design with web glue paper which is the latest, most effective & innovative system for flying insects, the insects are attracted to the UVA tubes and are embedded on the special glue board inside the unit
- ◆ Fully made of strong and durable ABS, light and portable
- ◆ Easy operation and need change the glue paper regularly
- ◆ UVA lamp with spectral peak at 365nm, working life time to be 8,000 hours
- ◆ Wall-mounted

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-96-2x24W	2x24W	120 m ²	48Watt	468*110*220 mm	500*500*480mm/8pcs	1864 pcs	3864 pcs	4528 pcs

GPS-97



GPS-97-2x15W

OPTIONAL

UV LED

UV LAMP

WEB GLUE INSECT TRAP

FEATURES:

- ◆ Newest design with web glue paper which is the latest, most effective & innovative system for flying insects, the insects are attracted to the UVA tubes and are embedded on the special glue board inside the unit
- ◆ Fully made of strong and durable ABS, light and portable
- ◆ Semi-transparent front cover, enlarge the attractive area
- ◆ Sideways opening front with quick release for easy maintenance
- ◆ UVA lamp with spectral peak at 365nm, working life to be 8,000 hours
- ◆ Wall-mounted

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-97-2x15W	2x15W	80m ²	30Watt	480*100*350 mm	680*510*380mm/6pcs	1272 pcs	2640 pcs	3096 pcs

GPS-98



WEB GLUE INSECT TRAP

FEATURES:

- ◆ Elegant design with web glue paper which is the latest, most effective & innovative system for flying insects, the insects are attracted to the UVA tubes and are embedded on the special glue board inside the unit
- ◆ Fully made of strong and durable ABS, light and portable
- ◆ UVA lamp with spectral peak at 365nm, working life to be 8,000 hours
- ◆ Wall-mounted

GPS-98-1x8W

GPS-98-2x8W

GPS-98-1x10W


GPS-98-2x10W

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-98-1x8W	1x8 W	40 m ²	8 Watt	425*155*215 mm	640*445*450 mm/8pcs	1744 pcs	3616 pcs	4240 pcs
GPS-98-2x8W	2x8 W	50 m ²	16 Watt	425*155*215 mm	640*445*450 mm/8pcs	1744 pcs	3616 pcs	4240 pcs
GPS-98-1x10W	1x10 W	60 m ²	10 Watt	425*155*215 mm	640*445*450 mm/8pcs	1744 pcs	3616 pcs	4240 pcs
GPS-98-2x10W	2x10 W	80 m ²	20 Watt	425*155*215 mm	640*445*450 mm/8pcs	1744 pcs	3616 pcs	4240 pcs

GPS-99



GPS-100



FEATURES:

- ◆ Elegant design with web glue paper which is the latest, most effective & innovative system for flying insects, the insects are attracted to the UVA tubes and are embedded on the special glue board inside the unit
- ◆ Fully made of strong and durable ABS, light and portable
- ◆ Easy operation and need change the glue paper regularly
- ◆ UVA lamp with spectral peak at 365nm, working life time to be 8,000 hours
- ◆ Wall-mounted

FEATURES:

- ◆ Elegant design with web glue paper which is the latest, most effective & innovative system for flying insects, the insects are attracted to the UVA tubes and are embedded on the special glue board inside the unit
- ◆ Fully made of strong and durable ABS, light and portable
- ◆ Easy operation and need change the glue paper regularly
- ◆ UVA lamp with spectral peak at 365nm, working life time to be 8,000 hours
- ◆ Wall-mounted

GPS-99-8LED

GPS-99-16LED

GPS-99-1x8W

GPS-99-2x8W

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-99-8LED	LEDS	40 m ²	0.8 Watt	395*155*195 mm	640*415*410 mm/8pcs	2056 pcs	4264 pcs	5000 pcs
GPS-99-16LED	LEDS	50 m ²	1.6 Watt	395*155*195 mm	640*415*410 mm/8pcs	2056 pcs	4264 pcs	5000 pcs
GPS-99-1x8W	1x8 W	40 m ²	8 Watt	395*155*195 mm	640*415*410 mm/8pcs	2056 pcs	4264 pcs	5000 pcs
GPS-99-2x8W	2x8 W	50 m ²	16 Watt	395*155*195 mm	640*415*410 mm/8pcs	2056 pcs	4264 pcs	5000 pcs

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-100	LEDS	40 m ²	1.6Watt	380*138*238 mm	470*410*520mm/6pcs	1662pcs	3444pcs	4038pcs

GPS-101



GPS-101-20W

GPS-101-30W

GPS-101-A



GPS-101-20WA

GPS-101-30WA

GLUE TRAP

FEATURES:

- ♦ Elegant design with web glue paper which is the latest, most effective & innovative system for flying insects, the insects are attracted to the UVA tubes and are embedded on the special glue board inside the unit
- ♦ Fully made of strong and durable ABS, light and portable
- ♦ UVA lamp with spectral peak at 365nm, working life to be 8,000 hours
- ♦ Wall-mounted


OPTIONAL

- UV LED
 UV LAMP

Model No.	Tubes	Coverage Area	Power	Unit Dim.	Carton Dim.	20'GP	40'GP	40" HQ
GPS-101-20W	2x10 W	50 m ²	20 Watt	415*140*310 mm	740*310*265 mm/6pcs	1284 pcs	2664 pcs	3124 pcs
GPS-101-30W	2x15 W	80 m ²	30 Watt	520*140*310 mm	600*540*330 mm/6pcs	1044 pcs	2168 pcs	2540 pcs
GPS-101-20WA	2x10 W	50 m ²	20 Watt	415*140*310 mm	740*310*265 mm/6pcs	1284 pcs	2664 pcs	3124 pcs
GPS-101-30WA	2x15 W	80 m ²	30 Watt	520*140*310 mm	600*540*330 mm/6pcs	1044 pcs	2168 pcs	2540 pcs



Magnetic Ballast



Magnetic Transformer