

Les Nouveautés LED



Décembre 2024

YOUR SMART **G**LOBAL **P**ROUREMENT & **S**OURCING PARTNER

Avec plus de 27 ans d'expérience, GPS Monaco Group est votre Allié de Confiance en matière de Sourcing et d'Approvisionnement International.

NOS AVANTAGES



Excellence à Votre Service

Nous nous efforçons constamment de dépasser les attentes de nos clients en leur offrant des solutions et des services de premier ordre.



Approche Sur Mesure

Notre approche centrée sur le client vous fournit des solutions sur mesure pour vos besoins uniques.




Présence Internationale

Depuis nos bureaux à Monaco, France, Suisse, Asie et Arabie Saoudite, nous sécurisons vos achats de l'usine à vos entrepôts.


Plus de
60
Millions
de Produits Importés.

+1700
Usines Auditées.



SOLAR BULKHEAD LAMP

Solar Panel Separated



MAX. 10m
(10 - 60sec)

800LM 2000mAh
1200LM 3000mAh
1500LM 4000mAh

LED



shape1




shape2



**NEW
DESIGN**

LED solar wall light with PIR sensor
1000LM±10%
Solar Panel: 3.0W, with 3m cable
Battery: 18650 3.7V 3000Mah Li-ion
Material: plastic



SOLAR FLOODLIGHT



MAX. 10m
(10 - 60sec)

700LM 2000mAh
1000LM 3000mAh
1500LM 4000mAh

LED



SOLAR



IP65



18h max

IP65


3m extension cord
with capacity indicator
with ETFE surface
BC solar panel
ABS+PC material

Sensor information:

30LUX—10000LUX(adjustable)
Delay time: 10±3s~60±5s(adjustable)
Distance: Max 10m

Selectable activation switch:

ON: night light-100%
OFF
AUTO: 0-100%



2 installation way for end customer



MAX. 10m
(10 - 60sec)

700LM
1000LM
1400LM

LED



SOLAR



IP54



18h max



PATENT



SOLAR FLOODLIGHT

	800LM	2000mAh
MAX. 10m	1200LM	3000mAh
(10 - 60sec)	1500LM	4000mAh

LED



Material: ABS & PC

Easy to install;

Solar panel and light can be installed separated

Adjustable light heads, solar panel and sensor

IP54

1x3m extension cable

Rechargeable full time: 8-10h

Keep light runtime: 18hours(night light)

1.0 hour(Full brightness)

Selectable activation switch:

I: Auto

O: off

II: Auto-night light

design 1



design 2

- Solar sensor light
- Material:ABS, PC
- SMD
- IP54
- Mode 1: 100% Output for 18s when someone passes, turning off without person.
- Mode2: 100 Output for 18s when someone passes, 10% without person.
- Mode3: 10% output.
- Mode4: Sleep mode.

1000LM 2000mAh 1.5W solar 146x103x34mm
1600LM 4400mAh 2.2W solar 196x139x37mm







Bi-directional Solar LED Street Garden Light



		Lumen	4800LM
Power	40W	LED type	108pcs* SMD2835
Solar Panel	Mono-crystalline silicone 19W, 16V	LiFePO4 Battery Pack	32700, 6000mAh, 9.6V, 57.6Wh, replaceable
CCT	3000K/4000K/6000K (Each lamp can be customized with any two CCT)	IP Class	IP65 waterproof
Beam Angle	140°*70°	Lamp Size	612*201.5*128.3 mm
Charging Time by Solar	5hrs strong sunshine to fully charge	Lighting Time	60 Hours Max.
Lighting Area	230m ²	Lamp Fixture Color	Black
Detection Angle	90° + 90°	Detection Distance	2~6 Meters
Material	ABS+PC, anti-UV, fireproof	Installation Height	2.5~4 meter
Installation spacing	10~15 meter	Working Temp	-20°C- 50°C
Storage Temp	0°C-45°C	Applicable Pole Diameter	φ60 mm
Warranty	3 years	Packing	1*solar light, 1*remote control, 1*user manual



New Bi-directional Solar Street Light

- * 2 CCT select-able in 1 lamp
- * 2 lamp head for larger lighting area
- * 2 PIR sensors for wider detection
- * 2 work modes with AIM system
- * 350° rotatable lamp heads, more flexible lighting directions
- * Long lifespan >8 years



4800LM
= Traditional 400W



Patrick Bogaerts
Fondateur, CEO

Contact

Téléphone : +33 6 07 93 79 98

Email : Patrick@GPSMonacoGroup.com

Site Web : <https://GPSMonacoGroup.com>