

Iron & Steamer Catalog





Intelligent Ironing System

The all-in-one system consists of an exclusive active board, equipped with a blower and vacuum system to prevent unwanted creases, an integrated steam generator, a convenient steam unit and a powerful iron.

ACTIVE IRONING BOARD

The active board equipped with a blower and vacuum system for a perfect result, with unique board shape for shirt ironing.

POWERFUL IRON

Fast ironing is enabled by up to 5 bar steam pressure and up to 120g/min steam output.

PEDAL LIFTING SUPPORT

Set the ironing board to the appropriate height with the height adjustable pedal.

AUTOMATIC ANTI-CALC SYSTEM

Built-in automatic Anti-calc system for hassle-free ironing.

EASY SET UP & STORAGE

Iconic trolley design with foldable board for easy set up and storage. quick & easy assembly.




Main Features

- 3 in 1 combine with ironing board, steam unit and iron
- Digital Touch Screen with voice guide system
- Boiler automatic cleaning function
- Pedal lifting function for easy adjusting the height of ironing board
- Auto alarming function for water shortage
- Auto shut-off without water
- 5 modes for different fabric materials
- Suction and blow function
- Large capacity of water tank, max 2800ml
- Powerful pressure & ideal design steam ready in less than 3 minutes
- Large pressing area (1300 x 400mm), cut down on ironing time and effort.
- smooth roll casters for mobility and foldable board for easy storage .
- Highest quality stainless steel molded boiler system



Iron and Steam unit part information

1. Iron ready light
2. Shift button between blow and suction mode
3. Steam burst button of iron
4. Iron teflon shoes
5. Button for iron teflon shoes on/off
6. Steam releases button
7. Steam brush



The Hanger Assembly

1. Fit the hanger and steam unit holder on telescopic pipe;
2. Fit the telescopic pipe on main holder to clamp spring, fastening them with nut.
3. Undo the lock knob to Set the ironing board to the appropriate height then lock it to finish assembly.



How to store the appliance

After finish ironing, fold the left and right ironing board, moderately tilting the appliance and you can move it to the appropriate position by the two bottom wheels.




How to fill the water tank

Press the water tank release button and remove the water tank, fill the water tank with normal tap water and place the water tank back into the appliance

How to adjust the ironing board height

The pedal lifting support is to be used for adjusting the ironing board to the appropriate height



Voltage	220-240V	Capacity of water tank:	2.8L
Freq	60Hz	Generator pressure:	5.0 bar
N.W.	22.0kgs	G.W.:	28.0kgs
Generator power	1500W	Quantity of steam:	120g/min
Ironing power	700W	Heating time:	3-4minutes
Steamer power	600W	Folded size:	420x450x700mm
Ironing board size	1300x400mm	Package size:	540x570x800mm
Ironing board height	700-1000mm	Small ironing board size	300x100mm



Functions Intro.

Soft touch, dynamic display for control
Touch screen control , voice indicating, simple operation, the suction and blowing conversion trigger.

IRON

BLOW

SUCTION

VOICE

STEAM IRON

IRON

BLOW

SUCTION

VOICE

STEAM IRON

NYLON

SILK

WOOL

COTTON

LINEN

ON/OFF



Tech Digital Steam Press



Led Display
With voice guide



With cushion and spray bottle



Safe Caring



120g/min steam output



1000ml water tank

Main Features

- 1: Soleplate by aluminum with Teflon coating
- 2: IMD tech touchable Screen, with voice guide, Easy indicator lights
- 3: Large surface for ironing
- 4: 5 modes for different fabric materials
- 5: 120g/min steam output
- 6: Auto safety off within 15mins of non-use
- 7: Warning Alarm within 10s
- 8: Accessories: Spray bottle / Pressing cushion
- 9: With CE, CB,GS, ROHS, EMC, LVD, ERP Gmark, SASO



Micro Switch Digital Steam Press

New!

Main Features:

- 1: Handle with microswitch
- 2: LED touchable Screen, with voice guide, Easy indicator lights
- 3: Large surface for ironing
- 4: 5 modes for different fabric materials
- 5: Huge Non-stick Teflon Surface
- 6: Auto safety off within 15mins of non-use
- 7: Warning Alarm within 10s
- 8: Accessories: Spray bottle / Pressing cushion
- 9: 120g/min steam output
- 10: UV decoration
- 11: 850ml removable water tank with filter

Voltage:	110/240v	Size Type:	26"/32"
Power:	2200W	Auto warning system	Within 10s
Heating Type:	Heat plate	Auto safety off	within 15mins of non-use
Water Usable Capacity	850ml with filter	Temperature Range(°C):	80-220°C
Steam Duration	1min	Steam Rate :	110-140g
Steam Release by:	Steam burst button	Cabinet (Body) Material	Alumnium
Ironing Plate size:	26" = 666×256mm	Steam Ready Time (min.)	26" = 3mins
	32" = 792×256mm		32" = 4mins
	36" = 894×256mm		36" = 5mins
	40" = 1000×284mm		40" = 6mins
Accessorie	Spray bottle &	With or without the	Without stand
Size	1*40HQ		
	Without Stand	With ST07/09 stand	With ST10 stand
	26"	520pcs	460sets
	32"	420pcs	360sets
	36"		
40"			



Touchable LED screen
With Voice guide



Handle with Microswitch



850ml Removable
water tank with filter



120g/min steam output





Main Features

- Large touch screen
- Voice guide
- Steam Burst Button on each side of handle
- Huge Non-Stick Teflon Surface
- Removable water tank max 1000ml
- Heating- up time: 2 minutes
- 5 modes for different fabric materials
- Auto alarm system after 10 seconds of non-use when in close status
- Safety auto off
- Voltage: 120V
- Frequency: 60Hz
- Power: 1600W

Accessories: Spray bottle, Pressing cushion



Model No.	Size	N.W.	G.W.	Meas.(mm)	40HQ Units
	26"	10.5kg	12.5kg	702X280X580	596
	32"	11.5kg	14.5kg	844X280X580	496
	36"	12.3kg	15.8kg	950X280X580	440
	40"	14.3kg	18.0kg	1052X280X580	432



Main Features

- Steam Burst Button on each side of handle
- Huge Non-Stick Teflon Surface
- Removable water tank max 1000ml
- Heating- up time: 2 minutes
- 5 modes for different fabric materials
- Auto alarm system after 10 seconds of non-use when in close status
- Safety auto off
- Voltage: 120V
- Frequency: 60Hz
- Power: 1600W



Rotary switch for selecting fabrics



Steam Burst Button located on each side of handle grip for easy use



Removable water tank max 1000ml



Locking Knob keeps press secure when carrying



Spray bottle, Pressing cushion

Model No.	Size	N.W	G.W.	Meas.(mm)	40HQ Units
	26"	10.5kg	12.5kg	702X280X580	596
	32"	11.5kg	14.5kg	844X280X580	496
	36"	12.3kg	15.6kg	950X280X580	440
	40"	14.3kg	18.0kg	1052X280X580	432



Main Features

- Steam Burst Button on each side of handle
- Huge Non-Stick Teflon Surface
- Removable water tank max 1000ml
- Heating- up time: 2 minutes
- 5 modes for different fabric materials
- Auto alarm system after 10 seconds of non-use when in close status
- Safety auto off
- Voltage: 120V
- Frequency:60Hz
- Power: 1600W

Model No.	Size	N.W	G.W.	Meas.(mm)	40HQ Units
	26"	10.5kg	12.5kg	702X280X580	596
	32"	11.5kg	14.5kg	844X280X580	496
	36"	12.3kg	15.6kg	950X280X580	440
	40"	14.3kg	18.0kg	1052X280X580	432



Touch key for selecting fabrics



Steam Burst Button located on each side of handle grip for easy use



Removable water tank max 1000ml



Locking Knob keeps press secure when carrying



Spray bottle, Pressing cushion



Main Features

- Large touch screen
- Steam Burst Button on each side of handle
- Huge Non-Stick Teflon Surface
- Heating-up time 2 minutes
- 5 modes for different fabric materials
- Auto alarm system after 10 seconds of non-use when in close status
- Voltage: 120V
- Frequency: 60Hz
- Power: 1600W

Accessories: Spray bottle, Refilling container, Pressing cushion

Model No.	Size	N.W.	G.W.	Meas.(mm)	40HQ Units
	26"	10.0kg	12.5kg	700X250X580	683
	32"	11.0kg	14.5kg	850X250X580	566
	36"	12.0kg	15.8kg	950X250X580	506
	40"	14.0kg	17.5kg	1060X250X580	486



Touch Screen provides precision electronic temperature control

Steam Burst Button located on each side of handle grip for easy use

Convenient&removable Water Reservoir easy filling

Locking Knob keeps press secure when carrying


Spray bottle, Refilling container, Pressing cushion



Main Features

- Digital panel
- Steam Burst Button on each side of handle
- Huge Non-Stick Teflon Surface
- Heating-up time 2 minutes
- 5 modes for different fabric materials
- Auto alarm system after 10 seconds of non-use when in close status
- Voltage: 120V
- Frequency: 60Hz
- Power: 1600W

Accessories: Spray bottle, Refilling container, Pressing cushion



Model No.	Size	N.W.	G.W.	Meas.(mm)	40HQ Units
	26"	10.0kg	12.5kg	700X250X580	683
	32"	11.0kg	14.5kg	850X250X580	566
	36"	12.0kg	15.8kg	950X250X580	506
	40"	14.0kg	17.5kg	1060X250X580	486



Digital Panel provides precision electronic temperature control



Steam Burst Button located on each side of handle grip for easy use



Convenient & removable Water Reservoir easy filling



Locking Knob keeps press secure when carrying



Spray bottle, Refilling container, Pressing cushion



Main Features

- Easy indicator lights, red-power indicator, green-ready light, yellow-steam ready light
- Steam Burst Button on each side of handle
- Huge Non-Stick Teflon Surface
- Heating-up time 2 minutes
- 5 modes for different fabric materials
- Voltage: 120V
- Frequency: 60Hz
- Power: 1600W

Accessories: Spray bottle, Refilling container, Pressing cushion

Model No.	Size	N.W.	G.W.	Meas.(mm)	40HQ Units
	26"	10.0kg	12.5kg	700X245X580	683
	32"	11.0kg	14.0kg	845X245X580	566
	36"	12.0kg	15.0kg	945X245X580	506
	40"	14.0kg	17.5kg	1052X245X580	486



Easy Indicator Lights
red-power indicator
green-ready light
yellow-steam ready



Steam Burst Button
located on each side of
handle grip for easy use



Convenient&removable
Water Reservoir easy
filling



Locking Knob keeps press
secure when carrying



Spray bottle,
Refilling container,
Pressing cushion

Stand



1



2



3

Model No.	Stand Height	N.W.	G.W.	Meas (mm)
1	70cm-90cm	4.2kg	-	---
2	80cm-90cm	6.0kg	7.2kg	400X170X1000
3	60cm-70cm	5.3kg	6.3kg	400X170X820

*Suitable for all modes of steam press
Designed to pack with steam press together



Ironing
in wardrobe



Wall Mount



Main Features

Voltage: 220~240V, Power: 1500W

Garment Steamer + Flat Steam iron, 2 in 1

Heating up time: 30s

330ML movable water tank with POP-UP structure

2 levels: 1st level: 15-25g/min 110-130°C ;

2nd Level: 20-30g/min; 140-160°C

With 1 bar steam pressure, Dry and Continuous steam

Auto Safety off within 5mins after non-use

Suitable for all kinds of fiber

360°C all direction steam output

Can Hanging, Flating or Wall mount





Main Features

Voltage: 220~240V

Power: 1000W

Weight: 700g

Size: 27.6x5.6x8.85cm

Garment Steamer + Flat Steam iron, 2 in 1

Heating up time: 25-30s

70ml removable & pop-up water tank

15g/min steam output dry and continuous steam

Temperature of Soleplate ($\leq 140^{\circ}\text{C}$) is suitable for all kinds of the garments

100-110 $^{\circ}\text{C}$ constant temperature steam outputs continuously in 5-7min

Unique piston structure with invention patents

6PCS/CTN	CARTON SIZE	46x36x16.5CM	G. W. :7.5KGS	N. W. :5.5KGS
	FCL	20FT	40GP	40HQ
QUANTITY		6720pcs	13860pcs	15840pcs



Travel garment steamer Iron

18.5*6.5*12cm

New!

Main Features

- 1: As garment steamer, + iron 2 in 1
- 2: Fastly heating up: 30s
- 3: Touchable LED screen with 6 fabric setting
- 4: 90ml water tank
- 5: 6 levels of temperature setting: Nylon 8g, silk: 8g; Wool: 12g, Cotton: 12g; Linen: 16g, Blend: 16g/min
- 6: Auto safety off: within 5 mins
- 6: 360° all-direction steam output
- 7: Unique soleplate design, cover 100% area ironing including button position
- 8: Compact & Fashion size: 18.5 x 6.5 x 12cm



20.5*4.3*9cm