

Iron Catalog



NEW ARRIVAL 2024



Function: Dry/ spray/ steam/ variable steam control/vertical steam/ powerful burst of steam/ Self-cleaning/anti drip/ auto shut off / LED display
220-240V,50/60Hz, 2200W
Water tank capacity: 350ml
soleplates size :257x128MM
unit size : 318x135x156mm
GB size :312*135*160MM
CTN size :572*328*340MM, 8pcs/ctn
continuous Steam Output (g / min): 25 ± 5 g/mins
Burst of Steam (g /time): 0.6 ~ 1
with LED light
1.9M visible power cable with VDEplug
1x20ft /40ft/40HQ : 3200pcs/6624pcs/7768pcs

NEW ARRIVAL 2024



Function: Dry/ spray/ steam/ variable steam control/vertical steam/ powerful burst of steam/ Self-cleaning

220-240V,50/60Hz, 2200W

Water tank capacity: 220ml

soleplates size :229*117.5MM

GB size :305x122x152MM CTN size :550x275x282MM,

8pcs/ctn

continuous Steam Output (g /

min): 15 ~ 25

Burst of Steam (g /time): 0.3 ~ 1

with LED light

with 1.9M visible power cable , VDE plug

Master ctn size: 57.5x27x29.5cm.10pcs/ctn



beautiful Led light



big water tank capacity

steam button easy to make



big steampower



Ceramic soleplate

Function: Dry/ spray/ steam/ variable steam control/powerful burst of steam/ Self-cleaning
 220-240V,50-60Hz, 2200W, max 3000W
 steam rate: 25 ± 5 g/min
 burst steam : 0.7-0.9/time
 Water tank capacity: 450ml;
 LED light
 Soleplate size:242*130mm
 item size:317*130*160mm
 20'/40'/40h:3200pcs/6400pcs/7600pcs



Function: Dry/ spray/ steam/ variable steam control/vertical steam/ powerful burst of steam/ Self-cleaning
220-240V,50/60Hz, 2200W
Water tank capacity: 360ml
soleplate size:250.5x129.5mm
item size:304x140x142mm
steam rate : 15 ± 5 g/min
burst steam :0.6-0.8g/time

20'/40'/40h:3760pcs/7900pcs/8800pcs

Price: \$8.1/pcs (ceramic coating)

Upcost: with Anti cal: +\$0.15
with anti drip: +\$0.30
with Auto shut off: +\$1.5
2400-2600W: +\$0.5



steam stepless regulation with sound



Function: Dry/ spray/ steam/ variable steam control/vertical steam/ powerful burst of steam/ Self-cleaning

220-240V,50-60Hz, 2200W,max 2800W

steam rate: 25 ± 5 g/min

burst steam : 0.7-0.9/time

Water tank capacity: 380ml

LED light

Soleplate size:236*125mm

item size:302*123.5*148mm

20'/40'/40h:3780pcs/7600pcs/9360pcs

with beautiful LED light

New coming



- Vertical corded steam Iron
- 220-240V 50/60Hz 2200W
- Function: Dry/ spray/ steam/ variable steam control/vertical steam/ powerful burst of steam/ Self-cleaningadjustable thermostat control/ Variable steps of steam control
- over heat protection/ Temperature control by turning knob
- Individual push button for burst of steam / indicate light
- water tank capacity :350ml
- Steam rate : 25 ± 5 g/min
- Burst steam :0.6-0.8g/time
- soleplate size:24.1x13cm
- "item size:296x130x155mm
- Soleplate material :ceramic coating
- 1.9M visible power with VDE plug
- loading qty :20ft, 40ft,40HQ: 3384pcs/7144pcs /8400pcs



Function: Dry/ spray/ steam/ variable steam control/vertical steam/ powerful burst of steam/ Self-cleaning

220-240V,50-60Hz, 2200W

steam rate: 25 ± 5 g/mins

burst steam : 0.7-0.9/time

Water tank capacity: 450ml

soleplate size:242*130mm

item size:279.5*118*133.5mm

20'/40'/40h:3600pcs/7200pcs/8624pcs



Ceramic soleplate





Function: Dry/ spray/ steam/ variable steam control/vertical steam/ powerful burst of steam/ Self-cleaning

220-240V,50/60Hz, 2200-3000W

Water tank capacity: 350ml

Continuous Steam Output (g / min): 20 ~ 30

Burst of Steam (g /time): 0.6 ~ 0.8

LED light

SOLEPLATE MEAS:236x125MM

G/B MEAS:310x124x153mm

CTN MEAS:645x320x330mm 10pcs/ctn

Loading qty for 20ft /40ft/40HQ :3780PCS /7600PCS/8960PCS





Function: Dry/ / steam/ burst of steam
Covert voltage/110-127V/
220-240V,50/60Hz, 1000W
soleplate size:182*90mm
item size:196*93*88mm
20'/40'/40h:11200pcs/23900pcs/28000pcs





LED light

Function: Dry/ spray/ steam/ variable steam control/vertical steam/ powerful burst of steam/ Self-cleaning

220-240V,50-60Hz, 1400-2200W

Water tank capacity: 300ml

soleplate size:229*117.5mm

item size:288*117.5*138mm

steam rate: 20 ± 5 g/min

burst steam : 0.7/time

20'/40'/40h:3700pcs/7800pcs/9100pcs





Function: Dry/ spray/ steam/ variable steam control/vertical steam/ powerful burst of steam/ Self-cleaning

220-240V,50/60Hz, 2200-2400W

Water tank capacity: 260ml

Continuous Steam Output (g / min): 12 ~ 25

Burst of Steam (g /time): 0.35 ~ 1.00


Indicator light

steam rate: 20 ± 5 g/mins

burst steam : 0.7/time

20'/40'/40h:3900pcs/8100pcs/9400pcs





Function: Dry/ spray/ steam/ variable steam control/vertical steam/ powerful burst of steam/ Self-cleaning

220-240V,50-60Hz, 1400-2200W

Water tank capacity: 400ml

soleplate size:236*125mm


item size:297*125*146.5mm

steam rate: 20 ± 5 g/min

burst steam : 0.8g/time

1.9 M power cable with VDE plug

20'/40'/40h:3900pcs/8100pcs/9400pcs



Function: Dry/ spray/ steam/ variable steam control/vertical steam/ powerful burst of steam/ Self-cleaning

220-240V,50-60Hz, 1200-2200W

Water tank capacity: 220ml

soleplate size:204*108.5mm

item size:255.5*108.5*130mm

non-stick soleplate

steam rate: 20 ± 5 g/min

burst steam : 0.8g/time

20'/40'/40h:6400pcs/14000pcs/14900pcs



Function: Dry/ spray/ steam/ variable steam control/vertical
220-240V,50-60Hz, 1400-2200W

Water tank capacity: 360ml


soleplate size:227*122mm

item size:283*122*142mm

Steam rate : 15 ± 5 g/mins

Burst steam :0.5-0.7g/time

20'/40'/40h:4500pcs/9300pcs/10900pcs





Function: Dry/ spray/ steam/ variable steam control/vertical steam/ powerful burst of steam/ Self-cleaning

220-240V,50-60Hz, 1200-2200W

Water tank capacity: 200ml

soleplate size:204.5*108.5mm

item size:254*108.5*127mm

Steam rate : 15 ± 5 g/mins

Burst steam :0.5-0.7g/time

20'/40'/40h:6200pcs/12400pcs/14030pcs





Function: Dry/ spray/ steam/ variable steam control/vertical steam/ powerful burst of steam/ Self-cleaning

110-127V,50-60Hz, 1200-2200W

Water tank capacity: 280ml

soleplate size:229*117.5mm

item size:331*159*169mm

Steam rate : 20 ± 5 g/mins

Burst steam :0.5-0.7g/time

1.9 M power cable with USA plug

20'/40'/40h:6400pcs/12400pcs/14440pcs





Function: Dry/ spray/ steam/ variable steam control/vertical steam/ powerful burst of steam/ Self-cleaning
220-240V,50-60Hz, 2200-2600W

Water tank capacity: 280ml
soleplate size:229*117.5mm
item size:331*159*169mm
Steam rate : 20 ± 5 g/min
Burst steam : 0.5-0.7/time



20'/40'/40h:6400pcs/12400pcs/14440pcs





NEW MODEL

Function: Dry/ spray/ steam/ variable steam control/vertical steam/ powerful burst of steam/ Self-cleaning/double knob/ 220-240V,50-60Hz, 2200-3100w

Water tank capacity: 300ml

soleplate size:2420*1300mm

item size:300*130*150mm

steam rate: 25 ± 5 g/mins

burst steam : 0.7-0.9/time

20'/40'/40h:3600pcs/7200pcs/8624pcs



to adjust steam rate

To adjust temperature

with LED Display



Function: Dry/ spray/ steam/ variable steam control/vertical steam/ powerful burst of steam/ Self-cleaning/LED display
220-240V,50/60Hz, 2200W

Water tank capacity: 350ml

Continuous Steam Output (g / min): 20 ~ 30

Burst of Steam (g /time): 0.6 ~ 0.8

SOLEPLATE MEAS:241*130MM

G/B MEAS:310*129*160MM

CTN MEAS:660*325*340MM

LED light

with 1.9M power cable VDE plug

Master ctn size :44x33x36cm, 6pcs /ctn

20ft /40ft/40HQ :3700pcs/7300pcs/9000pcs





Function: Dry/ spray/ steam/ variable steam control/vertical steam/ powerful burst of steam/ Self-cleaning/double knob/
220-240V,50-60Hz, 2200W Water tank capacity: 350ml
soleplate size:230x125mm
item size:300x130x150mm
steam rate : 18 ± 5 g/min
burst steam : 0.6-0.8g/time
color box :305x122x152mm
master carton : 64x31.5x32cm /10pcs/ctn
with 1.9M power cable , VDE plug
20'/40'/40h:6400pcs/12800pcs/14400pcs



temp knob ,spray color



ceramic coating



- Vertical corded /Cordless Iron
- 220-240V 50/60Hz 2200W
- Steam ironing / steam burst / dry ironing / vertical steam / self cleaning /spray function
- Can be used with or without power cord
- Iron can be recharged by the base station
- adjustable thermostat control/ Variable steps of steam control
- over heat protection/ Temperature control by turning knob
- Individual push button for burst of steam / indicate light
- water tank capacity :275ml
- Steam rate :15-18g/min
- Burst steam :0.5-0.6g/time
- soleplate size:220X116.5mm
- "item size:275x116.5x138.5mm
- Master carton : 46.5x33.5x35cm/6pcs/6.6kgs
- **Soleplate material :ceramic coating**
- 1.9M visible power with VDE plug
- loading qty :20ft, 40ft,40HQ: 3024pcs/6048pcs /9840pcs



- Vertical corded /Cordless Iron
- 220-240V 50/60Hz 2200W
- Steam ironing / steam burst / dry ironing / vertical steam / self cleaning /spray function
- Can be used with or without power cord
- Iron can be recharged by the base station
- adjustable thermostat control/ Variable steps of steam control
- over heat protection/ Temperature control by turning knob
- Individual push button for burst of steam / indicate light
- water tank capacity :275ml
- Steam rate :15-18g/min
- Burst steam :0.5-0.6g/time
- soleplate size:220X116.5mm
- "item size:275x121x141mm
- Master carton : 46.5x33.5x35cm/6pcs/6.6kgs
- **Soleplate material :ceramic coating**
- 1.9M visible power with VDE plug
- loading qty :20ft, 40ft,40HQ: 3024pcs/6048pcs /9840pcs





by using with cord or cordless

Function: Dry/ spray/ steam/ variable steam control/vertical steam/ powerful burst of steam/ Self-cleaning
220-240V,50-60Hz, 1400-2200W
Optional function:Anti-calc/Anti-drip/Auto shut-off
Soleplate material:Non-stick/Ceramic
Water tank capacity: 280ml
soleplate size:229*117.5mm
item size:279.5*118*133.5mm
20'/40'/40h:2300pcs/3600pcs/4404pcs




new (mechanic version)



Removable water tank



Lock & unlock design



1. Adjustable temperature
2. Anti cal
3. Pump inside generate steam
4. one steam releasing setting

220-240V,50-60Hz, 2200W, double layers ceramic soleplate
Adjustable temperature
Detachable water tank and capacity: 1.5L, Anti cal.
There is a pump inside generate steam
one steam setting, steam rate $35 \pm 5g/min$

Packing Information:

soleplate size:233*122mm
item size:231*189*335mm
20GP: 932pcs
40GP: 1932pcs
40HQ: 2266pcs

High
version

●Function: detachable water tank/ LED display and Auto-shut off/
Adjustable steam rate/Self cleaning/ 360 rotational.

●220-240V,50/60Hz, 2200W

●Heating up time: 40-50S

●Water tank capacity: 1.5L

●Continuous Steam Output (g / min): 40-50g/mins

● Level I: 30g/min

● Level II: 65g/min

●LED light to adjust the temp

●2 layers of the soleplate , ceramic coating .

●Temperature :135-185°C

●Self clean: 200g/time

●Lock & unlock system

●The icon will be flash 30s after water empty

● finish one water tank : Level I: 50min

● Level II: 23min

●with anti skip basement

●with anti calc, anti drip function

●cord rewind system for cables

Power Cord Length (m):3x0.75 1.50M total cable



cheap
version

●Function: detachable water tank/ LED display and Auto-shut off/
Adjustable steam rate/Self cleaning/ 360 rotational.

●220-240V,50/60Hz, 2200W

●Heating up time: 30-40S

●Water tank capacity: 1.5L

●Continuous Steam Output (g / min): 40g/min

●Low temperature protection

●with temp knob to adjust the temp

●normal soleplate with single layer , ceramic coating .

●Temperature :

● : 70~100°C

●● : 100~160°C

●●● : 140~210°C

●no self clean function

●Lock & unlock system

●with anti calc, anti drip function

●Usage time for one tank: 37.5min

●cord rewind system for cables

Power Cord Length (m):3x0.75 1.50M total cable



NEW
GARMENT
STEAMER



NEW
GARMENT
STEAMER



nice soleplate shape

PART NAME



NEW
GARMENT
STEAMER

LED display spec.

Change different
steam by press +/-
button

Function: Power steam brush/ steam face/Auto
shut off/ 360 rotational.
220-240V,50/60Hz, 1200W(max 1400W)
Water tank capacity: 140ml
ceramic coating
Continuous Steam Output (g / min): 15~25
LED light



new tooling for garment steamer

S/S Sole plate with 7 steam holes



Water tank

Atmosphere LED light with 2 colors



Switch and Steam lock button

Water filling

360ml



product size:152*112*270mm

GB size:282*135*161mm

CTN size(6pcs):410*290*340mm

Loading qty:

20GP:4002pcs 40GP:8454pcs 40HQ:9942pcs

High version

5/S soleplate

2.Dry iron/steam shooting/auto shut off

3.Water tank capacity:360ml

4.Usage time: 18min for one tank

5.Steam rate: 20g/min

6.Accessories: brush and measuring cup

Cheap version

1. S/S soleplate

2.Dry iron/steam shooting

3.Water tank capacity:360ml

4.Usage time: 18min for one tank

5.Steam rate: 20g/min

6.Accessories: brush and measuring cup

2 in 1 portable steam iron , mechanic version

Function: Dry/ continue steam

100V 60Hz,900W

Can use vertically and horizontally,like a garment steamer
ceramic coating

Detachable water tank

Water tank capacity: 120ml

Steam Output (g / min): 15-20

LED light

Soleplate size :165.5X70MM


Iron basement :176X80.5X20MM

Product size : 165.5X70X131MM

Steam rate : 15 ± 5 g/min

1.9M visible power cable with PSE certificated plug

MOQ : 2000pcs , injection color



different angles of the steamer



- ▶ 220-240V 50/60Hz 1200W
 - ▶ Removable water tank with 120ml capacity
 - ▶ Boiler/Heat Exchanger Material: Aluminium Die Casting
 - ▶ 15 Mins Continues powerful steamer
 - ▶ heating up time: 15S
 - ▶ Steam Duration (min.): more than 10 mins
 - ▶ Steam Pressure (psi) :Steam spraying distance 1-1.2m(approx.)
 - ▶ Steam Rate (g/min): $15g \pm 5g/mins$
 - ▶ Folded size: 192*96*100mm
 - ▶ Power ON/OFF swtich with indicator light
 - ▶ 1.9M visible power cable with VDE plug
 - ▶ accessory : 1pcs water cup +1 brush
- MOQ 2000PCS, injection color



Different Angles Of Photo Shotting



detachable water tank



optional travel bag with upcost



Specification:



- ▶ 220-240V 50/60Hz 1300W
- ▶ Removable water tank with 270ml capacity
- ▶ Material: PC+ABS, PP
- ▶ 15 Mins Continuous powerful steamer
- ▶ Fast heating up time: 20 S
- ▶ Level/Vertical of Steam
- ▶ With pump inside/with anti drip function
- ▶ 7 functional steaming holes
- ▶ 900 grams light weight & portable
- ▶ Products Size:16x12x28cm
- ▶ Gift box Size:20x15x30cm
- ▶ CTN size:45x36x32.8cm ;6PCS/CTN
- ▶ G.W/N.W:6.6/6KGS
- ▶ 20FT/40HQ:3300PCS/6600PCS
- ▶ Steam rate:25 ± 5g/min
- ▶ 1.8M visible power cable with rewirable BS plug
- ▶ accessory : 1pcs water cup +1 brush



Different Angles Of Photo Shotting








Specification:

- ▶ 220-240V 50-60HZ 1200W (max1700W)
- ▶ Ceramic iron plate
- ▶ Removable water tank with 360ml capacity
- ▶ 10 Mins Continues powerful steamer
- ▶ Fast heating up time: 15-20S
- ▶ With pump inside
- ▶ Dry iron/steam shooting/auto shut off/LED display/Adjustable steam/Lack of water protection
- ▶ portable and foldable garment steamer
- ▶ Steam setting: 2 (big and small steam)
- ▶ Optional injection colour :Black /red ,or we can customized
- ▶ Gift box size:30.5*13.5*18cm
- ▶ Product N.W:0.9KGS
- ▶ 20PCS/CTN
- ▶ Steam rate:20±5g/min
- ▶ 1.9M visible power cable with 2 pins VDE plug
- ▶ accessory : 1pcs water cup +1 brush

Different angles




320ml



Switch on/off

- LED display :
- 1. Adjustable of steam
 - 2. Auto shut off
 - 3. Lack of water warning



Handle Garment Steamer

220-240V 50-60HZ 1500W

stainless steel iron plate

Removable water tank with 300ml capacity

10 Mins Continues powerful steamer

Fast heating up time: 15-20S

With pump inside, with auto shut off fucntion

Dry iron/steam shooting/auto shut off/LED display/Adjustable steam/Lack of water protection

Steam setting: 2 (big and small steam)

steam rate:25g/mins

Gift box size (cm) 15.6*11.8*29.8

Pcs per gift box: 1pc

Master box size (cm): 41.0*31.5*35.5

Pcs per master box: 6 pcs

Master box net weight: 7.20 kg

Master box gross weight: 7.50 kg

1*20'GP: 3828 pcs

1*40'GP: 7656 pcs

1*40'HC: 8202 pcs



