GPS MONACO Group
Hotel Equipment

Iron Catalog

NEW ARRIVAL 2024

Function: Dry/ spray/ steam/ variable steam control/vertical steam/ powerful burst of steam/ Self-cleaning/anti drip/ auto shut off / LED display
220-240V,50/60Hz, 2200W
Water tank capacity: 350ml
soleplates size :257x128MM
unit size : 318x135x156mm
GB size :312*135*160MM
CTN size :572*328*340MM, 8pcs/ctn
contiinuous Steam Output (g / min): 25±5g/mins
Burst of Steam (g /time): 0.6 ～ 1
with LED light
1.9M visible power cable with VDEplug
1x20ft /40ft/40HQ : 3200pcs/6624pcs/7768pcs

NEW ARRIVAL 2024

Function: Dry/ spray/ steam/ variable steam control/vertical steam/ powerful burst of steam/ Self-cleaning
220-240V,50/60Hz, 2200W
Water tank capacity: 220ml
soleplates size :229*117.5MM
GB size :305x122x152MM CTN size :550x275x282MM, 8pcs/ctn contiinuous Steam Output (g / min): 15 ～ 25
Burst of Steam (g /time): 0.3 ～ 1
with LED light
with 1.9M visible power cable , VDE plug
Master ctn size： 57.5x27x29.5cm.10pcs/ctn

beautiful Led light

big water tank capacity

steam button easy to make

Ceramic soleplate

big steampower

Function: Dry/ spray/ steam/ variable steam control/powerful burst of steam/ Self-cleaning
220-240V,50-60Hz, 2200W， max 3000W
steam rate： 25±5g/mins
burst steam : 0.7-0.9/time
Water tank capacity: 450ml；
LED light
Soleplate size:242*130mm
item size:317*130*160mm
20'/40'/40h:3200pcs/6400pcs/7600pcs

Function: Dry/ spray/ steam/ variable steam control/vertical steam/ powerful burst of steam/ Self-cleaning
220-240V,50/60Hz, 2200W
Water tank capacity: 360ml
soleplate size:250.5x129.5mm
item size:304x140x142mm
steam rate : 15±5g/mins
burst steam :0.6-0.8g/time

20'/40'/40h:3760pcs/7900pcs/8800pcs

Price: $8.1/pcs (ceramic coating)

Upcost: with Anti cal: +$0.15
with anti drip: +$0.30
with Auto shut off: +$1.5
2400-2600W: +$0.5

steam stepless regulation with sound



with beautiful LED light

Function: Dry/ spray/ steam/ variable steam control/vertical steam/ powerful burst of steam/ Self-cleaning
220-240V,50-60Hz, 2200W,max 2800W
steam rate： 25±5g/mins
burst steam : 0.7-0.9/time
Water tank capacity: 380ml
LED light
Soleplate size:236*125mm
item size:302*123.5*148mm
20'/40'/40h:3780pcs/7600pcs/9360pcs

New coming

- Vertical corded steam Iron
- 220-240V 50/60Hz 2200W
- Function: Dry/ spray/ steam/ variable steam control/vertical steam/ powerful burst of steam/ Self-cleaningadjustable thermostat control/ Variable steps of steam control
- over heat protection/ Temperature control by turning knob
- Individual push button for burst of steam / indicate light
- water tank capacity :350ml
- Steam rate :25±5g/min
- Burst steam :0.6-0.8g/time
- soleplate size:24.1x13cm
- "item size:296x130x155mm
- Soleplate material :ceramic coating
- 1.9M visible power with VDE plug
- loading qty :20ft, 40ft,40HQ: 3384pcs/7144pcs /8400pcs

Ceramic soleplate

Function: Dry/ spray/ steam/ variable steam control/vertical steam/ powerful burst of steam/ Self-cleaning
220-240V,50-60Hz, 2200W
steam rate： 25±5g/mins
burst steam : 0.7-0.9/time
Water tank capacity: 450ml
soleplate size:242*130mm
item size:279.5*118*133.5mm
20'/40'/40h:3600pcs/7200pcs/8624pcs

Function: Dry/ spray/ steam/ variable steam control/vertical steam/ powerful burst of steam/ Self-cleaning
220-240V,50/60Hz, 2200-3000W
Water tank capacity: 350ml
Continuous Steam Output (g / min): 20 ～ 30
Burst of Steam (g /time): 0.6 ～ 0.8
LED light
SOLEPLATE MEAS:236x125MM
G/B MEAS:310x124x153mm
CTN MEAS:645x320x330mm 10pcs/ctn
Loading qty for 20ft /40ft/40HQ :3780PCS /7600PCS/8960PCS

Function: Dry/ / steam/ burst of steam
Covert voltage/110-127V/
220-240V,50/60Hz, 1000W
soleplate size:182*90mm
item size:196*93*88mm
20'/40'/40h:11200pcs/23900pcs/28000pcs

LED light

Function: Dry/ spray/ steam/ variable steam control/vertical steam/ powerful burst of steam/ Self-cleaning
220-240V,50-60Hz, 1400-2200W
Water tank capacity: 300ml
soleplate size:229*117.5mm
item size:288*117.5*138mm
steam rate： 20±5g/mins
burst steam : 0.7/time

20'/40'/40h:3700pcs/7800pcs/9100pcs

Function: Dry/ spray/ steam/ variable steam control/vertical steam/ powerful burst of steam/ Self-cleaning
220-240V,50/60Hz, 2200-2400W
Water tank capacity: 260ml
Continuous Steam Output (g / min): 12 ～ 25
Burst of Steam (g /time): 0.35 ～ 1.00
Indicator light
steam rate： 20±5g/mins
burst steam : 0.7/time
20'/40'/40h:3900pcs/8100pcs/9400pcs



Function: Dry/ spray/ steam/ variable steam control/vertical steam/ powerful burst of steam/ Self-cleaning
220-240V,50-60Hz, 1400-2200W
Water tank capacity: 400ml
soleplate size:236*125mm
item size:297*125*146.5mm
steam rate：20±5 g/min
burst steam : 0.8g/time
1.9 M power cable with VDE plug

20'/40'/40h:3900pcs/8100pcs/9400pcs

Function: Dry/ spray/ steam/ variable steam control/vertical steam/ powerful burst of steam/ Self-cleaning
220-240V,50-60Hz, 1200-2200W
Water tank capacity: 220ml
soleplate size:204*108.5mm
item size:255.5*108.5*130mm
non-stick soleplate
steam rate：20±5 g/min
burst steam : 0.8g/time

20'/40'/40h:6400pcs/14000pcs/14900pcs

Function: Dry/ spray/ steam/ variable steam control/vertical
220-240V,50-60Hz, 1400-2200W
Water tank capacity: 360ml
soleplate size:227*122mm
item size:283*122*142mm
Steam rate :15±5g/mins
Burst steam :0.5-0.7g/time

20'/40'/40h:4500pcs/9300pcs/10900pcs

Function: Dry/ spray/ steam/ variable steam control/vertical steam/ powerful burst of steam/ Self-cleaning
220-240V,50-60Hz, 1200-2200W
Water tank capacity: 200ml
soleplate size:204.5*108.5mm
item size:254*108.5*127mm
Steam rate :15±5g/mins
Burst steam :0.5-0.7g/time

20'/40'/40h:6200pcs/12400pcs/14030pcs

Function: Dry/ spray/ steam/ variable steam control/vertical steam/ powerful burst of steam/ Self-cleaning
110-127V,50-60Hz, 1200-2200W
Water tank capacity: 280ml
soleplate size:229*117.5mm
item size:331*159*169mm
Steam rate :20±5g/mins
Burst steam :0.5-0.7g/time
1.9 M power cable with USA plug
20'/40'/40h:6400pcs/12400pcs/14440pcs

Function: Dry/ spray/ steam/ variable steam control/vertical steam/ powerful burst of steam/ Self-cleaning
220-240V,50-60Hz, 2200-2600W
Water tank capacity: 280ml
soleplate size:229*117.5mm
item size:331*159*169mm
Steam rate :20±5g/mins
Burst steam : 0.5-0.7/time

20'/40'/40h:6400pcs/12400pcs/14440pcs

NEW MODEL

Function: Dry/ spray/ steam/ variable steam control/vertical steam/ powerful burst of steam/ Self-cleaning/double knob/
220-240V,50-60Hz, 2200-3100w
Water tank capacity: 300ml
soleplate size:2420*1300mm
item size:300*130*150mm
steam rate： 25±5g/mins
burst steam : 0.7-0.9/time
20'/40'/40h:3600pcs/7200pcs/8624pcs

to adjust steam rate

To adjust temperature

with LED Display

Function: Dry/ spray/ steam/ variable steam control/vertical steam/ powerful burst of steam/ Self-cleaning/LED dispay
220-240V,50/60Hz, 2200W
Water tank capacity: 350ml
Continuous Steam Output (g / min): 20 ～ 30
Burst of Steam (g /time): 0.6 ～ 0.8
SOLEPLATE MEAS:241*130MM
G/B MEAS:310*129*160MM
CTN MEAS:660*325*340MM
LED light
with 1.9M power cable VDE plug
Master ctn size :44x33x36cm， 6pcs /ctn
20ft /40ft/40HQ :3700pcs/7300pcs/9000pcs

Function: Dry/ spray/ steam/ variable steam control/vertical steam/ powerful burst of steam/ Self-cleaning/double knob/
220-240V,50-60Hz, 2200W Water tank capacity: 350ml
soleplate size:230x125mm
item size:300x130x150mm
steam rate : 18±5g/mins
burst steam : 0.6-0.8g/time
color box :305x122x152mm
master carton : 64x31.5x32cm /10pcs/ctn
with 1.9M power cable , VDE plug
20'/40'/40h:6400pcs/12800pcs/14400pcs

temp knob ,spray color

ceramic coating

- Vertical corded /Cordless Iron
- 220-240V 50/60Hz 2200W
- Steam ironing / steam burst / dry ironing / vertical steam / self cleaning /spray function
- Can be used with or without power cord
- Iron can be recharged by the base station
- adjustable thermostat control/ Variable steps of steam control
- over heat protection/ Temperature control by turning knob
- Individual push button for burst of steam / indicate light
- water tank capacity :275ml
- Steam rate :15-18g/min
- Burst steam :0.5-0.6g/time
- soleplate size:220X116.5mm
- "item size:275x116.5x138.5mm
- Master carton : 46.5x33.5x35cm/6pcs/6.6kgs
- Soleplate material :ceramic coating
- 1.9M visible power with VDE plug
- loading qty :20ft, 40ft,40HQ: 3024pcs/6048pcs /9840pcs

- Vertical corded /Cordless Iron
- 220-240V 50/60Hz 2200W
- Steam ironing / steam burst / dry ironing / vertical steam / self cleaning /spray function
- Can be used with or without power cord
- Iron can be recharged by the base station
- adjustable thermostat control/ Variable steps of steam control
- over heat protection/ Temperature control by turning knob
- Individual push button for burst of steam / indicate light
- water tank capacity :275ml
- Steam rate :15-18g/min
- Burst steam :0.5-0.6g/time
- soleplate size:220X116.5mm
- "item size:275x121x141mm
- Master carton : 46.5x33.5x35cm/6pcs/6.6kgs
- Soleplate material :ceramic coating
- 1.9M visible power with VDE plug
- loading qty :20ft, 40ft,40HQ: 3024pcs/6048pcs /9840pcs

by using with cord or cordless

Function: Dry/ spray/ steam/ variable steam control/vertical steam/ powerful burst of steam/ Self-cleaning
220-240V,50-60Hz, 1400-2200W
Optional function:Anti-calc/Anti-drip/Auto shut-off
Soleplate material:Non-stick/Ceramic
Water tank capacity: 280ml
soleplate size:229*117.5mm
item size:279.5*118*133.5mm
20'/40'/40h:2300pcs/3600pcs/4404pcs

new (mechanic version)



1.Adjustable temperature
2. Anti cal
3. Pump inside generate steam
4. one steam releasing setting

Removable water tank

Lock & unlock design

220-240V,50-60Hz, 2200W, double layers ceramic soleplate
Adjustable temperature
Detachable water tank and capacity: 1.5L, Anti cal.
There is a pump inside generate steam
one steam setting, steam rate 35±5g/min

Packing Information:
soleplate size:233*122mm
item size:231*189*335mm
20GP: 932pcs
40GP: 1932pcs
40HQ: 2266pcs

Hign version

- Function: detachable water tank/ LED diplay and Auto-shut off/ Adjustable steam rate/Self cleaning/ 360 rotational.
- 220-240V,50/60Hz, 2200W
- Heating up time: 40-50S
- Water tank capacity: 1.5L
- Continuous Steam Output (g / min): 40-50g/mins
  - Level I: 30g/min
  - Level II: 65g/min
- LED light to adjust the temp
- 2 layers of the soleplate , ceramic coating .
- Temperature :135-185℃
- Self clean： 200g/time
- Lock & unlock system
- The icon will be flash 30s after water empty
  - finish one water tank : Level I: 50min
  - Level II: 23min
- with anti skip basement
- with anti calc, anti drip function
- cord rewind system for cables

Power Cord Length (m):3x0.75 1.50M total cable

cheap version

●Function: detachable water tank/ LED diplay and Auto-shut off/ Adjustable steam rate/Self cleaning/ 360 rotational.
●220-240V,50/60Hz, 2200W
●Heating up time: 30-40S
●Water tank capacity: 1.5L
●Continuous Steam Output (g / min): 40g/mins
●Low temperature protection
● with temp knob to adjust the temp
●normal soleplate with single layer , ceramic coating .
●Temperature :
● : 70~100ºC
●● : 100~160ºC
●●● : 140~210ºC

●no self clean function
●Lock & unlock system
●with anti calc, anti drip function
●Usage time for one tank: 37.5min
●cord rewind system for cables
Power Cord Length (m):3x0.75 1.50M total cable

NEW
GARMENT
STEAMER

NEW GARMENT STEAMER

nice soleplate shape

PART NAME

top handle

hook

lower handle

steam control button

steam button

LED display

water filling cover

lock button

220ml water tank

base

LED display spec.

Change different steam by press +/- button

Function: Power steam brush/ steam face/Auto shut off/ 360 rotational.
220-240V,50/60Hz, 1200W(max 1400W)
Water tank capacity: 140ml
ceramic coating
Continuous Steam Output (g / min): 15~25
LED light

new tooling for garment steamer

S/S Sole plate with 7 steam holes

Water tank

360ml

Atmosphere LED lgiht with 2 colors

Switch and Steam lock button

Water filling

product size:152*112*270mm

GB size:282*135*161mm

CTN size(6pcs):410*290*340mm

Loading qty:
20GP:4002pcs 40GP:8454pcs 40HQ:9942pcs

High version

S/S soleplate
2.Dry iron/steam shooting/auto shut off
3.Water tank capacity:360ml
4.Usage time: 18min for one tank
5.Steam rate: 20g/min
6.Accessories: brush and measuring cup

Cheap version

1. S/S soleplate
2.Dry iron/steam shooting
3.Water tank capacity:360ml
4.Usage time: 18min for one tank
5.Steam rate: 20g/min
6.Accessories: brush and measuring cup

2 in 1 portable steam iron , mechanic version
Function: Dry/ continue steam
100V 60Hz,900W
Can use vertically and horizontally,like a garment steamer
ceramic coating
Detachable water tank
Water tank capacity: 120ml
Steam Output (g / min): 15-20
LED light
Soleplate size :165.5X70MM
Iron basement :176X80.5X20MM
Product size : 165.5X70X131MM
Steam rate : 15±5g/mins
1.9M visible power cable with PSE certificated plug
MOQ： 2000pcs， injection color



different angles of the steamer

- 220-240V 50/60Hz 1200W
- Removable water tank with 120ml capacity
- Boiler/Heat Exchanger Material：Aluminium Die Casting
- 15 Mins Continues powerful steamer
- heating up time: 15S
- Steam Duration (min.): more than 10 mins
- Steam Pressure (psi) :Steam spraying disctance 1-1.2m(approx.)
- Steam Rate (g/min): 15g±5g/mins
- Folded size: 192*96*100mm
- Power ON/OFF swtich with indicator light
- 1.9M visible power cable with VDE plug
- accessory : 1pcs water cup +1 brush

MOQ 2000PCS，injection color

Different Angles Of Photo Shotting

detachable water tank

optional travel bag with upcost

Specification:

- 220-240V 50/60Hz 1300W
- Removable water tank with 270ml capacity
- Material: PC+ABS, PP
- 15 Mins Continues powerful steamer
- Fast heating up time: 20 S
- Level/Vertical of Steam
- With pump inside/with anti drip function
- 7 functional steaming holes
- 900 grams light weight & portable
- Products Size:16x12x28cm
- Gift box Size:20x15x30cm
- CTN size:45x36x32.8cm ;6PCS/CTN
- G.W/N.W:6.6/6KGS
- 20FT/40HQ:3300PCS/6600PCS
- Steam rate:25±5g/min
- 1.8M visible power cable with rewireable BS plug
- accessory : 1pcs water cup +1 brush

Different Angles Of Photo Shotting

Specification:

- 220-240V 50-60HZ 1200W （max1700W）
- Ceramic iron plate
- Removable water tank with 360ml capacity
- 10 Mins Continues powerful steamer
- Fast heating up time: 15-20S
- With pump inside
- Dry iron/steam shooting/auto shut off/LED display/Adjustable steam/Lack of water protection
- portable and foldable garment steamer
- Steam setting: 2 (big and small steam)
- Optional injection colour :Black /red ,or we can customized
- Gift box size:30.5*13.5*18cm
- Product N.W:0.9KGS
- 20PCS/CTN
- Steam rate:20±5g/min
- 1.9M visible power cable with 2 pins VDE plug
- accessory : 1pcs water cup +1 brush

Different angles

320ml



Switch on/off

LED diplay :
1.Adjustable of steam
2.Auto shut off
3.Lack of water warning

Handle Garment Steamer

220-240V 50-60HZ 1500W
 stainless steel iron plate
Removable water tank with 300ml capacity
10 Mins Continues powerful steamer
Fast heating up time: 15-20S
With pump inside, with auto shut off fucntion
Dry iron/steam shooting/auto shut off/LED display/Adjustable steam/Lack of water protection
 Steam setting: 2 (big and small steam)
steam rate:25g/mins
Gift box size (cm) 15.6*11.8*29.8
Pcs per gift box: 1pc
Master box size (cm): 41.0*31.5*35.5
Pcs per master box: 6 pcs
Master box net weight: 7.20 kg
Master box gross weight: 7.50 kg
1*20'GP: 3828 pcs
1*40'GP: 7656 pcs
1*40'HC: 8202 pcs

1.Brush
2.Top cover
3.Lower cover
4.Lock Button
5.Touch sensor screen
6.Water tank decoratior
7.Water tank
8.Power cord protector
9.Bottom