


Security Gates Catalog



High-end speed gate 高端速通门



LUBAN

鲁宝智能

产品尺寸 Product size: 1500*110*990mm



人脸识别
Face Recognition



IC/ID 卡识别
IC/ID Card




二维码识别
QR




指纹识别
Fingerprint Recognition

High-end speed gate 高端速通门




人脸识别
Face Recognition

产品尺寸 Product size: 1500*120*980mm



人脸识别
Face Recognition

产品尺寸 Product size: 1500*130*980mm




GATE 登机门



人脸识别
Face Recognition

产品尺寸 Product size: 2800*220*1400mm



人脸识别
Face Recognition

产品尺寸 Product size: 1700*210*1000mm



Short gate series
短款闸机系列




产品尺寸 Product size


600*290*980mm

1600*280*980mm

600*130*980mm




精品系列 Superior Product Series





产品尺寸 Product size



▶ 产品尺寸 Product Size
1500*120*980mm


▶ 通道宽 Pass width
600-900mm

▶ 红外 Sensor pairs
光幕红外24点+纽扣红外4对
Infrared sensor 28 pairs

▶ 材质 Material
6系铝合金 厚度2.0mm
6000 Aluminum alloy 2.0mm



产品尺寸 Product size



▶ 产品尺寸 Product Size
1500*130*980mm


▶ 通道宽 Pass width
600-900mm

▶ 红外 Sensor pairs
光幕红外24点+纽扣红外4对
Infrared sensor 28 pairs

▶ 材质 Material
大阳板雪花砂 厚度1.5mm
No.4 polish stainless steel
1.5mm



产品尺寸 Product size



▶ 产品尺寸 Product Size
600*290*980mm


▶ 通道宽 Pass width
550mm

▶ 红外 Sensor pairs
NA
NA

▶ 材质 Material
冷板烤漆 厚度1.5mm
Cold roller with power coated
1.5mm



产品尺寸 Product size



▶ 产品尺寸 Product Size
600*280*980mm


▶ 通道宽 Pass width
550mm

▶ 红外 Sensor pairs
纽扣红外5对
Button-shaped infrared 4 pairs

▶ 材质 Material
冷板烤漆 厚度1.5mm
Cold roller with power coated
1.5mm



产品尺寸 Product size



产品尺寸 Product Size
600*130*980 mm

通道宽 Pass width
600mm


红外 Sensor pairs
4对
4 pairs

材质 Material
冷板烤漆 厚度1.5mm
Cold roller with power coated
1.5mm





产品尺寸 Product size



▶ 通道宽 Pass width
600-900mm


▶ 产品尺寸 Product Size
1500*120*980mm

▶ 红外 Sensor pairs
5对
5 pairs

▶ 材质 Material
冷板烤漆 厚度2.0mm
Cold roller with power coated
2.0mm



产品尺寸 Product size



▶ 通道宽 Pass width
550m


▶ 产品尺寸 Product Size
1500*300*1700 mm

▶ 红外 Sensor pairs
7对
7 pairs

▶ 材质 Material
白色大理石+太阳板雪花砂
厚度12/2.0mm
White marble+No.4 polish
stainless steel 12/2.0mm



产品尺寸 Product size



▶ 通道宽 Pass width
600-900mm


▶ 产品尺寸 Product Size
1400*140*1000 mm

▶ 红外 Sensor pairs
8对
Infrared sensor 28 pairs

▶ 材质 Material
冷板烤漆 厚度2.0mm
Cold roller with power coated
2.0mm



产品尺寸 Product size



▶ 通道宽 Pass width
600mm


▶ 产品尺寸 Product Size
1500*140*1700 mm

▶ 红外 Sensor pairs
12对
Button-shaped infrared 4 pairs

▶ 材质 Material
白色大理石+雪花砂 厚度12/2.0mm
White marble+No.4 polish
stainless steel 12/2.0mm



产品尺寸 Product size



▶ 通道宽 Pass width
600-900mm

▶ 产品尺寸 Product Size
168*168*1000 mm


▶ 红外 Sensor pairs
NA
NA

▶ 材质 Material
SUS304 厚度2.0mm
SUS304 stainless steel 2.0mm





产品尺寸 Product size



▶ 通道宽 Pass width
600-900mm


▶ 产品尺寸 Product Size
1500*110*990mm

▶ 红外 Sensor pairs
8对
8 pairs

▶ 材质 Material
3.0mm铝合金
Aluminum alloy 3.0mm



产品尺寸 Product size



▶ 通道宽 Pass width
600-900mm

▶ 产品尺寸 Product Size
600*130*990mm


▶ 红外 Sensor pairs
4对
4 pairs

▶ 材质 Material
冷板烤漆 2.0+5.0铝合金
Cold roller with power coated
2.0mm+Aluminum alloy 5.0mm





产品尺寸 Product size



▶ 通道宽 Pass width
600-900mm


▶ 产品尺寸 Product Size
1500*100*980 mm

▶ 红外 Sensor pairs
8对
8 pairs

▶ 材质 Material
大阳板雪花砂,厚度 1.5mm
No.4 polish stainless steel
1.5mm



产品尺寸 Product size



▶ 通道宽 Pass width
600-900mm


▶ 产品尺寸 Product Size
1500*150*980 mm

▶ 红外 Sensor pairs
8对
8 pairs

▶ 材质 Material
大阳板雪花砂,厚度 1.5mm
No.4 polish stainless steel
1.5mm



产品尺寸 Product size



▶ 通道宽 Pass width
600-900mm


▶ 产品尺寸 Product Size
1500*120*980 mm

▶ 红外 Sensor pairs
8对
8 pairs

▶ 材质 Material
白色大理石+大阳板雪花砂
厚度 12mm/1.5mm
White marble+No.4 polish
stainless steel 12/1.5mm



产品尺寸 Product size



▶ 通道宽 Pass width
600-900mm

▶ 产品尺寸 Product Size
1400*150*980 mm


▶ 红外 Sensor pairs
8对
8 pairs

▶ 材质 Material
黑色大理石+大阳板雪花砂
厚度 12mm/2.0mm
Black marble+No.4 polish
stainless steel 12/1.5mm





产品尺寸 Product size



➤ 通道宽 Pass width
600-900mm


➤ 产品尺寸 Product Size
2800*220*1400mm

➤ 红外 Sensor pairs
23对
23 pairs

➤ 材质 Material
不锈钢烤漆 厚度2.0mm
Stainless steel with powder coated 2.0mm



产品尺寸 Product size



➤ 通道宽 Pass width
600-900mm


➤ 产品尺寸 Product Size
2400*185*960mm

➤ 红外 Sensor pairs
17对
17 pairs

➤ 材质 Material
冷板烤漆 1.5mm +SUS304 1.5mm
Cold roller with power coated 1.5mm+SUS304 1.5mm



产品尺寸 Product size



➤ 通道宽 Pass width
600-900mm

➤ 产品尺寸 Product Size
1700*210*1000 mm

➤ 红外 Sensor pairs
14对
14 pairs

➤ 材质 Material
不锈钢烤漆 厚度2.0mm
Stainless steel with powder coated 2.0mm





通品系列

General Product Series



2035



2033



2032



2031



2025



2023



2022



2021



2018



2017



2015



2012



2010



2002



2004



2024



2014



2005



2006



2007



2008



2020



2019




2016



2011



产品尺寸 Product size



▶ 产品尺寸 Product Size

1500*150*980 mm

▶ 通道宽 Pass width

600-900 mm

▶ 红外 Sensor pairs


6对
6 pairs

▶ 材质 Material

SUS304, 厚度 1.5/1.2mm
SUS304 1.5/1.2mm



产品尺寸 Product size



▶ 产品尺寸 Product Size

1400*300*1020 mm

▶ 通道宽 Pass width

550 mm

▶ 红外 Sensor pairs


5对
5 pairs

▶ 材质 Material

SUS304, 厚度 1.5/1.2mm
SUS304 1.5/1.2mm



产品尺寸 Product size



▶ 产品尺寸 Product Size

1400*185*1020 mm

▶ 通道宽 Pass width

600-1100 mm

▶ 红外 Sensor pairs


5对
5 pairs

▶ 材质 Material

SUS304, 厚度 1.5/1.2mm
SUS304 1.5/1.2mm



产品尺寸 Product size



▶ 产品尺寸 Product Size

1400*300*1020 mm

▶ 通道宽 Pass width

550 mm

▶ 红外 Sensor pairs


5对
5 pairs

▶ 材质 Material

SUS304, 厚度 1.5/1.2mm
SUS304 1.5/1.2mm



产品尺寸 Product size



▶ 通道宽 Pass width
550mm


▶ 产品尺寸 Product Size
1400*300*990 mm

▶ 红外 Sensor pairs
5对
5 pairs

▶ 材质 Material
厚度1.5/1.2mm SUS304
SUS304 1.5/1.2mm



产品尺寸 Product size



▶ 通道宽 Pass width
600-900mm


▶ 产品尺寸 Product Size
1500*120*980 mm

▶ 红外 Sensor pairs
6对
6 pairs

▶ 材质 Material
SUS304 厚度1.2mm
SUS304 stainless steel 1.2mm



产品尺寸 Product size



► 通道宽 Pass width
550mm

► 产品尺寸 Product Size
1400*300*990mm

► 红外 Sensor pairs
5对
5 pairs

► 材质 Material
SUS304 厚度2.0/1.2mm
SUS304 2.0/1.2mm



产品尺寸 Product size



► 通道宽 Pass width
550mm

► 产品尺寸 Product Size
1400*300*980 mm

► 红外 Sensor pairs
5对
5 pairs

► 材质 Material
黑色大理石+SUS304 厚度12/1.2mm
Black marble+SUS304 stainless
steel 12/1.2mm


CASE SHARING

慧通案例展示





产品尺寸 Product size



- ▶ 通道宽 Pass width
550mm


- ▶ 产品尺寸 Product Size
1600*240*980 mm

- ▶ 红外 Sensor pairs
NA
NA

- ▶ 材质 Material
SUS304, 厚度 1.5/1.2mm
SUS304 1.5/1.2mm



产品尺寸 Product size





- ▶ 通道宽 Pass width
550mm

- ▶ 产品尺寸 Product Size
1600*280*980 mm

- ▶ 红外 Sensor pairs
8对
8 pairs

- ▶ 材质 Material
SUS304, 厚度 1.5/1.2mm
SUS304 1.5/1.2mm






▶ 通道宽 Pass width
550mm

▶ 产品尺寸 Product Size
1400*280*980 mm

▶ 红外 Sensor pairs
NA
NA

▶ 材质 Material
SUS304 厚度1.2mm
SUS304 stainless steel 1.2mm

产品尺寸 Product size




▶ 通道宽 Pass width
600-1100mm

▶ 产品尺寸 Product Size
1500*200*980 mm

▶ 红外 Sensor pairs
14对
14 pairs

▶ 材质 Material
SUS304 厚度1.5/1.2mm
SUS304 stainless steel
1.5/1.2mm

产品尺寸 Product size




▶ 通道宽 Pass width
550mm

▶ 产品尺寸 Product Size
1400*280*980 mm

▶ 红外 Sensor pairs
4对
4 pairs

▶ 材质 Material
SUS304 厚度1.2mm
SUS304 stainless steel 1.2mm

产品尺寸 Product size




CASE SHARING
凯通案例展示





产品尺寸 Product size



► 通道宽 Pass width

550mm

► 产品尺寸 Product Size

480*280*980 mm

► 红外 Sensor pairs


NA
NA

► 材质 Material

SUS304, 厚度 1.2/1.0mm
SUS304 1.2/1.0mm



产品尺寸 Product size



► 通道宽 Pass width

550mm

► 产品尺寸 Product Size

1200*280*980 mm

► 红外 Sensor pairs


4对
4 pairs

► 材质 Material

SUS304, 厚度 1.2mm/1.0mm
SUS304 1.2/1.0mm



产品尺寸 Product size



► 通道宽 Pass width

550mm

► 产品尺寸 Product Size

1200*280*980 mm

► 红外 Sensor pairs


NA
NA

► 材质 Material

SUS304, 厚度 1.2mm/1.0mm
SUS304 1.2/1.0mm



产品尺寸 Product size



► 通道宽 Pass width

600-1100mm

► 产品尺寸 Product Size

1200*280*980mm

► 红外 Sensor pairs

5对
5 pairs

► 材质 Material

SUS304, 厚度 1.2mm/1.0mm
SUS304 1.2/1.0mm






▶ 通道宽 Pass width
550mm

▶ 产品尺寸 Product Size
480*280*960 mm

产品尺寸 Product size



▶ 红外 Sensor pairs

NA
NA


▶ 材质 Material
SUS304, 厚度 1.2mm/0.9mm
SUS304 1.2/0.9mm



▶ 通道宽 Pass width
550mm

▶ 产品尺寸 Product Size
1200*280*960 mm

产品尺寸 Product size



▶ 红外 Sensor pairs

4对
4 pairs


▶ 材质 Material
SUS304, 厚度 1.2mm/0.9mm
SUS304 1.2/0.9mm



▶ 通道宽 Pass width
550mm

▶ 产品尺寸 Product Size
1200*280*960 mm

产品尺寸 Product size



▶ 红外 Sensor pairs

NA
NA


▶ 材质 Material
SUS304, 厚度 1.2mm/0.9mm
SUS304 1.2/0.9mm



▶ 通道宽 Pass width
600-1100mm

▶ 产品尺寸 Product Size
1200*280*960 mm

产品尺寸 Product size



▶ 红外 Sensor pairs

5对
5 pairs

▶ 材质 Material
SUS304, 厚度 1.2mm/0.9mm
SUS304 1.2/0.9mm






► 通道宽 Pass width
650mm

► 产品尺寸 Product Size
1600*1500*2250 mm

产品尺寸 Product size



► 红外 Sensor pairs

NA
NA

► 材质 Material


SUS304 ,厚度 0.9mm/1.5mm
SUS304 0.9/1.5mm



► 通道宽 Pass width
650mm

► 产品尺寸 Product Size
1630*1550*2300 mm

产品尺寸 Product size



► 红外 Sensor pairs

NA
NA

► 材质 Material


SUS304 ,厚度 0.9mm/1.5mm
SUS304 0.9/1.5mm



► 通道宽 Pass width
550mm

► 产品尺寸 Product Size
1400*1200*2250 mm

产品尺寸 Product size



► 红外 Sensor pairs

NA
NA

► 材质 Material


SUS304,厚度 0.9mm/1.2mm
SUS304 0.9/1.2mm



► 通道宽 Pass width
600mm

► 产品尺寸 Product Size
1450*1350*2250 mm

产品尺寸 Product size



► 红外 Sensor pairs

NA
NA

► 材质 Material

SUS304 ,厚度 0.9mm/1.0mm
SUS304 0.9/1.0mm

