



Shutters Catalog



百叶窗帘系列

Blinds Series



- 可制尺寸:宽3FT-8FT, 高0.6FT-infinite
- 可选颜色:现有色卡或客户定制颜色
Available colors : Existing color swatch or customized.
- 叶片宽度 : 25mm/35mm/50mm
Slat width:25mm/35mm/50mm
- 叶片厚度 : 2.5mm/2.6mm/2.6mm
Slat thickness:2.5mm/2.6mm/2.6mm
- 工艺 : 最新环保UV涂装工艺
Technology: the latest environmental UV coating technology
- 控制系统 : 拉绳式系统、转棒式系统、一绳式系统、电动智能系统
Control system: pull cord system/wood wand system/mono system/motorized
- 款式 : 梯绳式、宽布带式
Type: ladder string and ladder tape
- SGS certificated







- 可制尺寸:宽3FT-10FT, 高0.6FT-infinite
- 可选颜色:现有色卡或客户定制颜色
Available colors : Existing color swatch or customized.
- 叶片宽度:25mm/35mm/50mm
Slat width: 25mm/35mm/50mm
- 叶片厚度:2.5mm/2.8mm/3.0mm
- 工艺:最新环保UV涂装工艺
Technology: the latest environmental UV coating technology
- 控制系统:拉绳式系统、转棒式系统、一绳式系统、电动智能系统
Control system: pull cord system/wood wand system/mono system/motorized system
- 款式:梯绳式、宽布带式
Type:ladder string and ladder tape
- SGS certificated



Features of our marupa blinds:

- 1.Lighter than other real wood blinds and fauxwood blinds
- 2.No warping as fauxwood blinds
- 3.UV coating making it say no to fading
- 4.SGS certificated




- 可制尺寸:宽3FT-8FT, 高0.6FT-infinite
- 可选颜色:现有色卡或客户定制颜色
Available colors : Existing color swatch or customized.
- 叶片宽度:25mm/35mm/50mm
Slat width:25mm/35mm/50mm
- 叶片厚度:1.8mm/2.0mm
Slat thickness:1.8mm/2.0mm
- 工艺:最新环保UV涂装工艺
Technology: the latest environmental UV coating technology
- 控制系统:拉绳式系统、转棒式系统、一绳式系统、电动智能系统
Control system: pull cord system/wood wand system/mono system/motorized system
- 款式:梯绳式、宽布带式
Type : ladder string and ladder tape
- SGS certificated






- 可制尺寸:宽3FT-8FT, 高0.6FT-infinite
- 可选颜色:现有色卡或客户定制颜色
Available colors : Existing color swatch or customized.
- 叶片宽度:35mm/50mm
Slat width:35mm/50mm
- 叶片厚度:2.5mm/2.6mm
Slat thickness:2.5mm/2.6mm
- 工艺:最新环保UV涂装工艺
Technology: the latest environmental UV coating technology
- 控制系统:拉绳式系统、转棒式系统、一绳式系统、电动智能系统
Control system: pull cord system/wood wand system/mono system/motorized system
- 款式:梯绳式、宽布带式
Type : ladder string and ladder tape
- SGS certificated





- 可制尺寸：宽2FT-10FT，高0.6FT-infinite
- 可选颜色：现有色卡或客户定制颜色
Available colors : Existing color swatch or customized.
- 叶片宽度：35mm/50mm
Slat width: 35mm/50mm
- 叶片厚度：2.8mm
Slat thickness:2.8mm
- 工艺：最新环保UV涂装工艺
Technology: the latest environmental UV coating technology
- 控制系统：拉绳式系统、转棒式系统、一绳式系统、
电动智能系统
Control system: pull cord system/wood wand system/mono system/motorized system
- 款式：梯绳式、宽布带式
Type : ladder string and ladder tape





- 可制尺寸：宽2FT-10FT，高0.6FT-infinite
- 可选颜色:现有色卡或客户定制颜色
Available colors : Existing color swatch or customized.
- 叶片宽度：35mm/50mm
Slat width: 35mm/50mm
- 叶片厚度：2.8mm
Slat thickness:2.8mm
- 工艺：最新环保UV涂装工艺
Technology: the latest environmental UV coating technology
- 控制系统：拉绳式系统、转棒式系统、一绳式系统、电动智能系统
Control system: pull cord system/wood wand system/mono system/motorized system
- 款式：梯绳式、宽布带式
Type : ladder string and ladder tape



百叶窗帘控制系统

Control system

A 省力装置

配置特有的省力装置，可以大幅减小拉扯叶片所需力度，让您轻松收展百叶。

Unique labor-saving system

It is more user friendly than the low profile system. You can pull up and down the blinds with less effort.



B 加粗转动轴

粗约6mm的方形轴承比市面上普通的百叶帘要粗很多，承重能力更强。

Strong metal tilting rod

It has better load capacity than the common one and is more durable with the diameter of 6mm.





C 上轨一体成型

上轨各部件契合位置恰到好处，组装配件与上轨一体成型，绝不松动滑落。

Perfect assembling of components


Every component is compactly assembled so as to never loose or fall apart.





在配色轨道上直接插上同色系木片，整体更融合。

Insert design headrail, with the same slat inserting into the track, it is more color matching and the total appearance is more harmonious.



配色5.0mm超粗拉绳，更省力、更有手感、更耐拉。

Extra-thick pull rope with Color matching , diameter 5.0mm, it is much more labor-saving, tensile, and good feeling.



与轨道配色的省力制头+省力卷绳器+5.6*5.6mm超粗六角铁转轴

Color matching & Labor-saving clutch, labor-saving rope winder, 5.6*5.6mm Extro-thick hexagonal iron tilting rod.



配色手柄，高端大气。



Color matching handle, high-end taste and elegant.






配色循环省力制头，更省力，更美观

Labor-saving clutch with circulated system and color matching, make it more labor-saving and very beautiful.




卷轴器，配5.6*5.6六角轴承，承重力很强

Fixed Rope winder equipped with 5.6*5.6 tilting rod, bearing capacity is very strong.



配色3.6mm粗拉绳，更结实耐拉

Bold pull rope with Color matching , Diameter 3.6mm, it is strong enough and tensile.




铁轨配色挡板+配色拉绳+配色手柄，浑然一体，简洁省力大气

Color matching valance + color matching rope + color matching handle, the blinds looks so harmonious, simple & labor-saving, and generous.



管状电机特点:

- 1.电机是管状隐藏于八角管内, 实现隐藏安装
- 2.电机最短可做680MM 墙洞
- 3.低噪音, 防风设计
- 4.安全装置, 上行即停
- 5.可实现点动功能
- 6.可承重20KG窗帘

**Tubular motor features:**


- 1.The motor is tubular and hidden in the octagonal tube to achieve hidden installation.
- 2.It can be installed within the wall hole, and the shortest length is 680mm.
- 3.Low noise, windproof design.
- 4.Safety device with top position stop system.
- 5.With jog up and down function.
- 6.The bearing capacity is up to 20KG or more.

**智能电机特点:**

- 1.电子行程, 接天猫、小米音响, 涂鸦, 米家, 小爱同学等智能系统
- 2.超短电机配置, 最小可做墙洞420MM
- 3.配合顶槽, 实现隐藏装置
- 4.安全装置, 上行即停
- 5.可承重15Kg 窗帘

锂电池电机特点:

- 1.无需接电源, 配置电池棒可使用6个月之久, 可随时充电
- 2.超短电机配置, 最小可做墙洞420MM
- 3.配合顶槽, 实现隐藏装置
- 4.安全装置, 上行即停
- 5.可承重15Kg 窗帘

**Lithium battery motor features:**

- 1.It is settled up with a battery wand outside the motor, and no need to connect with power supply. The battery life can be lasted for 6 months. Once it run out of power, it can be charged at any time.
- 2.Ultra short motor configuration, it can be installed in the wall hole within 420mm shortest.
- 3.Settled in the top track to achieve hidden installation.
- 4.Safety device with top position stop system.
- 5.The bearing capacity is up to 15KG or more.

Intelligent motor features:

- 1.Connected with serial port to WIFI module, it can worked with intelligent systems such as Tmall Genie, Xiaomi Sound, Tuya smart, Xiaomi Smart Home, Little Love etc.
- 2.Ultra short motor configuration, it can be installed in the wall hole within 420mm shortest.
- 3.Settled in the top track to achieve hidden installation.
- 4.Safety device with top position stop system.
- 5.The bearing capacity is up to 15KG or more.

智能电动控制系统

Smart Electric System

电动百叶特点:

- 1.超短电机配置, 最小可做墙洞420mm
- 2.配合顶槽, 方形或者圆形外观设计, 实现隐藏安装
- 3.低噪音, 防风设计(导向轨道)
- 4.安全装置, 上行即停, 室内外都可用
- 5.可实现点动功能



Features:

- 1.Short Dooya/Somfly smart motors control system.
- 2.Top track,square or round shaped appearance design, hidden installation
- 3.Low noise,anti-wind design
- 4.Safe setting,top position stop system,can be used both indoor&outdoor
- 5.With jog up and down function

电动百叶帘的最大优点是即可实现上下运行, 有可实现百叶电动功能, 只需同一控制器就能实现。(轻触遥控器上行驶或下行驶来控制百叶上下摇动, 控制光线深入房间的强度和角度)

Motorized blinds can tilt,open or close at the touch of a button, while motorized shades can completely raise or down. Ideal for hard-to-reach windows, child and pet safety, media rooms, and bedrooms. After making your product selection, choose your power source and select the remote that fits your home's setup.





卷帘系列

Roller blind ■



卷帘是家居最朴实作风的上品，操作简单，绿雅为您提供近200种面料的卷帘，最好的包括人造鹿皮和皮革的面料，以及时尚印花面料。色调广泛，有素色，白色及中性的色调。我们的产品还包括一种聚四氟乙烯涂层面料，这是适用于浴室和厨房的理想面料，实用的阻光面料也是卧室的最佳选择。

- 可制作尺寸:宽0.5m-2.4m,高0.5m-无限
- 可选颜色:详细见绿雅色卡

Roller shades are popular and highly customized window shades. Roller shades are available in a wide variety of colors and fabrics, with several light filter options for greater flexibility when it comes to light control. Roller shades are a favorable window treatment for many reasons: they come in a motorized option for light control easily and cordless making them safe for children.

- Available Size:width:0.5-2.4m,height:0.5-infinite
- Available Color:Lvya color sample








拉珠卷帘介绍：拉珠卷帘主要依靠上管的制头部分转动控制卷帘升降，操作卷帘机构时只需要拉动珠帘，带动珠轮旋转，此时制头里面的扭簧带动轴轮和面料沿卷轴旋转和支撑板一起旋转，从而使卷帘面料上下移动。

优点:

- 1.拉珠卷帘设计精良，工艺精湛、用料考究。
- 2.拉珠卷帘配件采用玻璃纤维、特丽龙及碳化钢等原料制造，拉动顺畅，噪音小。
- 3.拉珠卷帘使用寿命长，质量可靠。




Roller Blind Component Technical Data:

picture	item	description	
	38mm tube	aluminum material	1.Max load 5 kg 2.Life-testing more than 4000 times.
	System Head (clutch set)	adapter:P6AA+GF; chain stopper:PC; chain connector: stainless steel; Bracket:l.5mm band steel material	
	Pull Bead	POM material	
	Bottomrail	aluminum material	
	bottom rail end plug	PC material	

Clutch Set Details:



电动卷帘是采用管状电机为动力的一种电动化卷帘机构。其操作只需拨动电源开关，操作简便、工作安静平稳，是手动卷帘的升级换代产品。电机直接安装在铝合金管内，既减少了窗帘箱的体积和力的传动环节，又避免了外界对电机的影响，增加了机构的可靠性。卷管为优质铝合金材料，强度高，且不易变形；表面进行阳极氧化处理，防老化、耐腐蚀。安装支架采用高强度合金钢，抗弯、抗剪强度大，保证机构安装使用的安全可靠。



Electric system provides you an easier way to control your blinds and it is also a good option for large windows. Motorized roller blinds and shades or electric roller blinds have become a popular option for those who want convenience, style, and comfort all rolled into one. A motorized roller blind or shade is operated with a remote control or switch on the wall. You can control its operation with a simple touch which makes these extremely popular with people who need to be able to open and close their blinds at an instance.





柔纱帘


Zebra blind ■

柔纱帘特点

起源于韩国，现在在国内非常畅销，在国际上也们非常流行，采用双层面料调节光线，不占空间。它不仅集合了布和纱的优点为一身，而且集百叶帘，卷帘，罗马帘功能于一体，欧式风格，双层面料，可错位调节局部光线。它立体感强，广泛适用于家具、酒店、餐厅、别、高档写字楼等场所控制系统:手动拉珠、智能电动，产品分类:透光柔纱帘、仿麻柔纱帘、全遮光柔纱帘。

Zebra blinds

1. Filtering natural light while still providing you with the privacy you need
2. Its twin cell material offers excellent insulation and privacy,saving your energy costs while keeping your room cool and dry.
3. High quality polyester fabric that won't fray,treated to resist stains and have an anti-static finish to minimize dust build-up.
4. Flexible control system of Ball chain and motorized system.





香格里拉帘

Shangri-la blind

源于美国，是一种集合了窗纱、百叶帘、卷帘为一身的崭新设计。香格里拉帘是保持隐私及控制光线的最佳选择。广泛用于别墅、写字楼、咖啡厅、西餐厅、酒店等场所。控制系统:手动拉珠、智能电动。


Triple blinds, also called Shangri-la blind, provides you good privacy and light controlling with 3 layers. 100% polyester good fabric ensures our shades anti-static, anti-UV and easy to clean.






百叶窗配件


Venetian blind components



50mm Tilting Mechanism




35mm Tilting Mechanism



50mm Tilting Mechanism




25mm Tilting Mechanism




50mm Locker




50mm Copper Locker




35mm Locker




25mm Locker




Fixing Base




50mm Fixer



35mm Fixer




25mm Fixer



Headrail




Aluminum Headrail for Insert Design



Tilt Rod



Tilting Rod



Tilting Mechanism




Ropewinder & Support



Clutch for Insert Design




Clutch



Installation Ring



Swivel Installation Bracket



Installation Bracket



Center Supporter




Pull Cord



Ladder Tape



Ladder String



Cord



Cord Stopper




Tape Stopper




Clip




Wand Connector



Valance



Slat



Bottomrail



Wand



Square Motor with Smart System



Square Motor



Tubular Motor & Accessories



Tubular Motor with Smart System




Limiting Stopper



Rod Stopper



Ropewinder Supporter



Tubular Ropewinder



Handle



Side Cap



Bottom Button



Tassel