



 **GPS** Group  
MONACO  
**Mini Fridges Catalog**



01 - VEN000424

# Retro Thermoelectric Mini Bar



1

  
Heat-pipe

  
22dB

  
NON CFC

  
Auto defrost

  
LED

  
5°C/41°F

  
58W

  
E Energy class

Options

Blue

White

Red

Yellow



|                                             |                  |
|---------------------------------------------|------------------|
| Model                                       | 1                |
| Input power                                 | 100-240V/50-60Hz |
| Cooling capacity (ambient temperature 25°C) | 5°C/41°F         |
| Fridge net capacity (L)                     | 26               |
| Product sizes(W*D*Hmm)                      | 402x435x466      |
| Packing sizes(W*D*Hmm)                      | 460x495x520      |
| Net weight (kg)                             | 10.5             |
| Gross weight (kg)                           | 12.0             |
| Loading (20'/40'/40'HQ)                     | 220/480/595      |

02 - VEN000424



Retro Thermoelectric Mini Bar



2

Heat-pipe

24dB

NON CFC

Auto defrost

LED

5°C/41°F

58W

E Energy class

Options

Blue

White

Red

Yellow


|                                             |                  |
|---------------------------------------------|------------------|
| Model                                       | 2                |
| Input power                                 | 100-240V/50-60Hz |
| Cooling capacity (ambient temperature 25°C) | 5°C/41°F         |
| Fridge net capacity (L)                     | 31               |
| Product sizes(W*D*Hmm)                      | 402x435x537      |
| Packing sizes(W*D*Hmm)                      | 460x495x590      |
| Net weight (kg)                             | 11.5             |
| Gross weight (kg)                           | 13.0             |
| Loading (20'/40'/40'HQ)                     | 220/475/480      |

03 - VEN000424



04 - VEN000424

Retro Beverage Cooler



3

Compressor

42dB

NON CFC

Auto defrost

LED

0°C/32°F

85W

F Energy class

Options 

Blue

White

Red

Yellow

|                                             |                                      |
|---------------------------------------------|--------------------------------------|
| Model                                       | 3                                    |
| Input power                                 | 220-240V/50Hz,115V/60Hz,100V/50-60Hz |
| Cooling capacity (ambient temperature 25°C) | 0-10°C/32-50°F                       |
| Fridge net capacity (L)                     | 35                                   |
| Product sizes(W*D*Hmm)                      | 405x440x552                          |
| Packing sizes(W*D*Hmm)                      | 455x495x590                          |
| Net weight (kg)                             | 16.2                                 |
| Gross weight (kg)                           | 17.5                                 |
| Loading (20'/40'/40'HQ)                     | 220/480/480                          |

05 - VEN000424

4

39dB

NON CFC

Auto defrost

LED

0°C/32°F

85W

G Energy class

Options 

Blue

White

Red

Yellow

|                                             |                                      |
|---------------------------------------------|--------------------------------------|
| Model                                       | 4                                    |
| Input power                                 | 220-240V/50Hz,115V/60Hz,100V/50-60Hz |
| Cooling capacity (ambient temperature 25°C) | 2-18°C/35-64°F                       |
| Fridge net capacity (L)                     | 133                                  |
| Product sizes(W*D*Hmm)                      | 515x490x1112                         |
| Packing sizes(W*D*Hmm)                      | 610x590x1190                         |
| Net weight (kg)                             | 43.0                                 |
| Gross weight (kg)                           | 48.0                                 |
| Loading (20'/40'/40'HQ)                     | 60/120/120                           |


06 - VEN000424



# CLASSIC NO NOISE MINI BAR

## FEATURES:

- \* Heat-pipe technology
- \* CFC-free, environmental friendly
- \* Auto-defrost
- \* Adjustable thermostat for ideal temperature control
- \* Adjustable feet and door rack
- \* Soft interior LED light



1. Connecting DC electrical current, cooling chip will create one heat side and one cold side on two surfaces.
2. The heat surface connects the heating exchange heat pipe (charge R600a inside).
3. The cold surface connects pure aluminum. By the natural conduction, the cold is delivered into the inner of mini bars.
4. By the continuously delivering of heating and cooling which created by semiconductor chip, the cooling function is made, and the whole system reaches real no noise.



Classic Line-No Noise Hotel Mini Bar



5

5°C/41°F

58W

G  
Energy class

Options

Black

White

Wooden

6

LED

5°C/41°F

58W

G  
Energy class

Options

Black

White

Wooden

| Model                                       | 5                                 | 6                                 |
|---------------------------------------------|-----------------------------------|-----------------------------------|
| Input power                                 | 220-240V/50-60Hz or 110-120V/60Hz | 220-240V/50-60Hz or 110-120V/60Hz |
| Cooling capacity (ambient temperature 25°C) | 5°C/41°F                          | 5°C/41°F                          |
| Fridge net capacity (L)                     | 13                                | 19                                |
| Product sizes(W*D*Hmm)                      | 402x308x448                       | 402x351x448                       |
| Packing sizes(W*D*Hmm)                      | 457x362x488                       | 457x403x488                       |
| Net weight (kg)                             | 9.0                               | 9.8                               |
| Gross weight (kg)                           | 10.0                              | 11.1                              |
| Loading (20'/40'/40'HQ)                     | 320/660/825                       | 320/675/725                       |

7

LED

5°C/41°F

58W

F  
Energy class

Options

Black

White

Wooden

| Model                                       | 7                                 | 8                                 |
|---------------------------------------------|-----------------------------------|-----------------------------------|
| Input power                                 | 220-240V/50-60Hz or 110-120V/60Hz | 220-240V/50-60Hz or 110-120V/60Hz |
| Cooling capacity (ambient temperature 25°C) | 5°C~8°C/41~46°F                   | 5°C/41°F                          |
| Fridge net capacity (L)                     | 19                                | 23                                |
| Product sizes(W*D*Hmm)                      | 380x380x465                       | 380x380x475                       |
| Packing sizes(W*D*Hmm)                      | 430x460x520                       | 430x460x520                       |
| Net weight (kg)                             | 9.0                               | 9.0                               |
| Gross weight (kg)                           | 10.4                              | 11.0                              |
| Loading (20'/40'/40'HQ)                     | 260/540/675                       | 260/540/675                       |

8

LED

5°C/41°F

58W

G  
Energy class

Options

Black

White

Wooden

Classic Line-No Noise Hotel Mini Bar



9

Heat-pipe

23dB

NON CFC

Auto defrost

LED

5°C/ 41°F

58W

G Energy class

Options

Black

White

Wooden

Lock

| Model                                       | 9                                 | 10                                |
|---------------------------------------------|-----------------------------------|-----------------------------------|
| Input power                                 | 220-240V/50-60Hz or 110-120V/60Hz | 220-240V/50-60Hz or 110-120V/60Hz |
| Cooling capacity (ambient temperature 25°C) | 5°C~8°C/41°F~46°F                 | 5°C/41°F                          |
| Fridge net capacity (L)                     | 24                                | 30                                |
| Product sizes(W*D*Hmm)                      | 380x440x465                       | 380x445x475                       |
| Packing sizes(W*D*Hmm)                      | 430x515x520                       | 430x515x520                       |
| Net weight (kg)                             | 9.6                               | 11.0                              |
| Gross weight (kg)                           | 11.3                              | 12.5                              |
| Loading (20'/40'/40'HQ)                     | 236/492/615                       | 236/492/615                       |



10

Heat-pipe

25dB

NON CFC

Auto defrost

LED

5°C/ 41°F

58W

G Energy class

Options

Black

White

Wooden

Lock



11

Heat-pipe

25dB

NON CFC

Auto defrost

LED

5°C/ 41°F

58W

G Energy class

Options

Black

White

Wooden

Lock

| Model                                       | 11                                | 12                                |
|---------------------------------------------|-----------------------------------|-----------------------------------|
| Input power                                 | 220-240V/50-60Hz or 110-120V/60Hz | 220-240V/50-60Hz or 110-120V/60Hz |
| Cooling capacity (ambient temperature 25°C) | 5°C~8°C/41~46°F                   | 8°C/46°F                          |
| Fridge net capacity (L)                     | 33                                | 40                                |
| Product sizes(W*D*Hmm)                      | 405x434x545                       | 405x487x545                       |
| Packing sizes(W*D*Hmm)                      | 460x495x585                       | 460x540x585                       |
| Net weight (kg)                             | 11.0                              | 12.0                              |
| Gross weight (kg)                           | 12.5                              | 14.0                              |
| Loading (20'/40'/40'HQ)                     | 224/480/540                       | 220/439/440                       |



12

Heat-pipe

23dB

NON CFC

Auto defrost

LED

8°C/ 46°F

58W

G Energy class

Options

Black

White

Wooden

Lock

11 - VEN000424

12 - VEN000424



Classic Line-No Noise Hotel Mini Bar



13



22dB



NON CFC



Auto defrost



LED



10°C/50°F



58W



F  
Energy class

Options

Black

White

Wooden



| Model                                       | 13                                | 14                                |
|---------------------------------------------|-----------------------------------|-----------------------------------|
| Input power                                 | 220-240V/50-60Hz or 110-120V/60Hz | 220-240V/50-60Hz or 110-120V/60Hz |
| Cooling capacity (ambient temperature 25°C) | 10°C/50°F                         | 10°C/50°F                         |
| Fridge net capacity (L)                     | 14                                | 18                                |
| Product sizes(W*D*Hmm)                      | 402x308x448                       | 402x351x448                       |
| Packing sizes(W*D*Hmm)                      | 457x362x488                       | 457x403x488                       |
| Net weight (kg)                             | 9.0                               | 9.8                               |
| Gross weight (kg)                           | 10.0                              | 11.1                              |
| Loading (20'/40'/40'HQ)                     | 320/660/825                       | 320/675/725                       |

13 - VEN000424

14



Heat-pipe



23dB



NON CFC



Auto defrost



LED



10°C/50°F



58W



E  
Energy class

Options

Black

White

Wooden



15



Heat-pipe



23dB



NON CFC



Auto defrost



LED



12°C/54°F



58W



E  
Energy class

Options

Black

White

Wooden



| Model                                       | 15                                | 16                                |
|---------------------------------------------|-----------------------------------|-----------------------------------|
| Input power                                 | 220-240V/50-60Hz or 110-120V/60Hz | 220-240V/50-60Hz or 110-120V/60Hz |
| Cooling capacity (ambient temperature 25°C) | 12°C/54°F                         | 10°C/50°F                         |
| Fridge net capacity (L)                     | 23                                | 20                                |
| Product sizes(W*D*Hmm)                      | 380x380x475                       | 380x380x465                       |
| Packing sizes(W*D*Hmm)                      | 430x460x520                       | 430x460x520                       |
| Net weight (kg)                             | 10.0                              | 9.0                               |
| Gross weight (kg)                           | 11.5                              | 10.4                              |
| Loading (20'/40'/40'HQ)                     | 260/540/675                       | 260/540/675                       |

14 - VEN000424



Classic Line-No Noise Hotel Mini Bar



17

10°C/50°F

58W

E  
Energy class

Options

Black

White

Wooden



18

LED

12°C/54°F

58W

F  
Energy class

Options

Black

White

Wooden



19

LED

12°C/54°F

58W

G  
Energy class

Options

Black

White

Wooden



20

LED

12°C/54°F

58W

F  
Energy class

Options

Black

White

Wooden

| Model                                       | 17                                | 18                                |
|---------------------------------------------|-----------------------------------|-----------------------------------|
| Input power                                 | 220-240V/50-60Hz or 110-120V/60Hz | 220-240V/50-60Hz or 110-120V/60Hz |
| Cooling capacity (ambient temperature 25°C) | 10°C/50°F                         | 12°C/54°F                         |
| Fridge net capacity (L)                     | 26                                | 30                                |
| Product sizes(W*D*Hmm)                      | 380x440x465                       | 380x445x475                       |
| Packing sizes(W*D*Hmm)                      | 430x515x520                       | 430x515x520                       |
| Net weight (kg)                             | 9.6                               | 11.0                              |
| Gross weight (kg)                           | 11.3                              | 12.5                              |
| Loading (20'/40'/40'HQ)                     | 236/492/615                       | 236/492/615                       |

| Model                                       | 19                                | 20                                |
|---------------------------------------------|-----------------------------------|-----------------------------------|
| Input power                                 | 220-240V/50-60Hz or 110-120V/60Hz | 220-240V/50-60Hz or 110-120V/60Hz |
| Cooling capacity (ambient temperature 25°C) | 12°C/54°F                         | 12°C/54°F                         |
| Fridge net capacity (L)                     | 31                                | 42                                |
| Product sizes(W*D*Hmm)                      | 405x434x545                       | 405x487x545                       |
| Packing sizes(W*D*Hmm)                      | 460x495x585                       | 460x540x585                       |
| Net weight (kg)                             | 11.0                              | 12.0                              |
| Gross weight (kg)                           | 12.5                              | 14.0                              |
| Loading (20'/40'/40'HQ)                     | 224/480/540                       | 220/439/440                       |



17 - VEN000424



21

35dB

NON CFC

Auto defrost

LED

12°C/  
54°F

58W

Options

Black

White

Wooden



| Model                                       | 21               | 22               |
|---------------------------------------------|------------------|------------------|
| Input power                                 | 100-240V/50-60Hz | 100-240V/50-60Hz |
| Cooling capacity (ambient temperature 25°C) | 12°C/54°F        | 5°C/41°F         |
| Fridge net capacity (L)                     | 23               | 23               |
| Product sizes(W*D*Hmm)                      | 380x396x476      | 380x396x476      |
| Packing sizes(W*D*Hmm)                      | 430x460x520      | 430x460x520      |
| Net weight (kg)                             | 10.0             | 9.0              |
| Gross weight (kg)                           | 11.0             | 10.0             |
| Loading (20"/40"/40"HQ)                     | 260/540/675      | 260/540/675      |



22

35dB

NON CFC

Auto defrost

LED

5°C/  
41°F

58W

Options

Black

White

Wooden



18 - VEN000424



Dual-chips supercooling thermoelectric mini bar



23

35dB

NON CFC

Auto defrost

LED

3°C/37°F

65W

E Energy class

Options

Black

White

Wooden



|                                             |                  |                  |
|---------------------------------------------|------------------|------------------|
| Model                                       | 23               | 24               |
| Input power                                 | 100-240V/50-60Hz | 100-240V/50-60Hz |
| Cooling capacity (ambient temperature 32°C) | 3°C/37°F         | 3°C/37°F         |
| Fridge net capacity (L)                     | 28               | 44               |
| Product sizes(W*D*Hmm)                      | 380x460x445      | 430x510x513      |
| Packing sizes(W*D*Hmm)                      | 435x515x500      | 480x555x555      |
| Net weight (kg)                             | 10.0             | 13.0             |
| Gross weight (kg)                           | 12.0             | 15.0             |
| Loading (20'/40'/40'HQ)                     | 220/460/575      | 192/384/456      |

24

35dB

NON CFC

Auto defrost

LED

3°C/37°F

65W

E Energy class

Options

Black

White

Wooden



25

32dB

NON CFC

Auto defrost

LED

6°C/43°F

65W

E Energy class

Options

Black

White

Wooden



|                                            |                  |
|--------------------------------------------|------------------|
| Model                                      | 25               |
| Input power                                | 100-240V/50-60Hz |
| Cooling capacity (ambient temperature 32°Q | 6°C/43° F        |
| Fridge net capacity (L)                    | 68               |
| Product sizes(W*D*Hmm)                     | 430x510x738      |
| Packing sizes(W*D*Hmm)                     | 480x555x780      |
| Net weight (kg)                            | 16.0             |
| Gross weight (kg)                          | 18.0             |
| Loading (20'/40'/40'HQ)                    | 144/288/312      |



21 - VEN000424



26

Auto defrost

LED

10°C/50°F

65W

Options

Black

White

Wooden



27

Auto defrost

LED

10°C/50°F

65W

Options

Black

White

Wooden



28

Auto defrost

LED

13°C/55°F

65W

Options

Black

White

Wooden

| Model                                       | 26               | 27               | 28               |
|---------------------------------------------|------------------|------------------|------------------|
| Input power                                 | 100-240V/50-60Hz | 100-240V/50-60Hz | 100-240V/50-60Hz |
| Cooling capacity (ambient temperature 32°C) | 10°C/50°F        | 10°C/50°F        | 13°C/55°F        |
| Fridge net capacity (L)                     | 28               | 47               | 74               |
| Product sizes(W*D*Hmm)                      | 380x460x445      | 430x510x513      | 430x506x738      |
| Packing sizes(W*D*Hmm)                      | 435x515x500      | 480x555x555      | 480x555x780      |
| Net weight (kg)                             | 12.0             | 15.0             | 20.0             |
| Gross weight (kg)                           | 14.0             | 17.0             | 22.0             |
| Loading (20'/40'/40'HQ)                     | 220/460/575      | 192/384/456      | 144/288/312      |

22 - VEN000424



# Drawer Mini Bar



29 / 30

Heat-pipe

NON CFC

Auto defrost

LED

5°C/ 41°F

F/G Energy class

Built-in

58W

22/23dB

Options

Black

White

Wooden



| Model                                      | 29                                                                                                | 30                                |
|--------------------------------------------|---------------------------------------------------------------------------------------------------|-----------------------------------|
| Input power                                | 220-240V/50-60Hz or 110-120V/60Hz                                                                 | 220-240V/50-60Hz or 110-120V/60Hz |
| Cooling capacity ambient temperature 25°C) | 5°C~8°C / 41°F~46°F                                                                               | 5°C~8°C / 41°F~46°F               |
| Fridge net capacity (L)                    | 16                                                                                                | 28                                |
| Product sizes(W*D*Hmm)                     | 385 x 456 x 370                                                                                   | 495 x 455 x 420                   |
| Packing sizes(W*D*Hmm)                     | 420 x 480 x 420                                                                                   | 550 x 510 x 480                   |
| Net weight (kg)                            | 11.0                                                                                              | 12.5                              |
| Gross weight (kg)                          | 12.5                                                                                              | 13.5                              |
| Loading (20'/40'/40'HQ)                    | 340/705/846                                                                                       | 176/368/460                       |
| Optional                                   | * Rear fan for better performance<br>* Auto-door closure<br>* Small drawer inside the compartment |                                   |



# Wall Mounted Mini Bar



31

Heat-pipe

22dB

NON CFC

Auto defrost

LED

8°C/46°F

58W

E Energy class

Options

Black

White

Wooden



|                                             |                                                    |
|---------------------------------------------|----------------------------------------------------|
| Model                                       | 31                                                 |
| Input power                                 | 220-240V/50-60Hz or 110-120V/60Hz                  |
| Cooling capacity (ambient temperature 25°C) | 8°C / 46°F                                         |
| Fridge net capacity (L)                     | 10                                                 |
| Product sizes(W*D*Hmmm)                     | 402 x 222 x 522                                    |
| Packing sizes(W*D*Hmmm)                     | 465 x 295 x 605                                    |
| Net weight (kg)                             | 11.6                                               |
| Gross weight (kg)                           | 13.0                                               |
| Loading (20'/40'/40'HQ)                     | 350/730/830                                        |
| Optional                                    | * Glass door: cooling 12-18°C (under ambient 25°C) |

25 - VEN000424

26 - VEN000424



High Cost-Effective Mini Bar Series



32



12°C/  
54°F

58W

Options



33



5°C/  
41°F

58W

Options



34



5°C/  
41°F

58W

Options



35



5°C/  
41°F

58W

Options



| Model                                       | 32                                | 33                                |
|---------------------------------------------|-----------------------------------|-----------------------------------|
| Input power                                 | 220-240V/50-60Hz or 110-120V/60Hz | 220-240V/50-60Hz or 110-120V/60Hz |
| Cooling capacity (ambient temperature 25°C) | 12°C~18°C / 54°F~64°F             | 5°C~8°C / 41°F~46°F               |
| Fridge net capacity (L)                     | 9.8                               | 9                                 |
| Product sizes(W*D*Hmm)                      | 335 x 315 x 303                   | 335x315x303                       |
| Packing sizes(W*D*Hmm)                      | 379 x 375 x 345                   | 379x375x345                       |
| Net weight (kg)                             | 10.0                              | 7.0                               |
| Gross weight (kg)                           | 11.0                              | 8.0                               |
| Loading (20'/40'/40'HQ)                     | 540/1116/1302                     | 540/1116/1302                     |

27 - VEN000424

| Model                                       | 34                                | 35                                |
|---------------------------------------------|-----------------------------------|-----------------------------------|
| Input power                                 | 220-240V/50-60Hz or 110-120V/60Hz | 220-240V/50-60Hz or 110-120V/60Hz |
| Cooling capacity (ambient temperature 25°C) | 5°C~8°C / 41°F~46°F               | 5°C~8°C / 41°F~46°F               |
| Fridge net capacity (L)                     | 13                                | 18                                |
| Product sizes(W*D*Hmm)                      | 402x308x448                       | 380x380x465                       |
| Packing sizes(W*D*Hmm)                      | 457x362x488                       | 430x460x520                       |
| Net weight (kg)                             | 8.0                               | 8.0                               |
| Gross weight (kg)                           | 9.0                               | 9.3                               |
| Loading (20'/40'/40'HQ)                     | 320/660/825                       | 260/540/675                       |

28 - VEN000424

High Cost-Effective Mini Bar Series



36

NON CFC

Auto defrost

LED

5°C/41°F

65W

Options

Black

White

Wooden

| Model                                       | 36                                | 37                                |
|---------------------------------------------|-----------------------------------|-----------------------------------|
| Input power                                 | 220-240V/50-60Hz or 110-120V/60Hz | 220-240V/50-60Hz or 110-120V/60Hz |
| Cooling capacity (ambient temperature 25°C) | 5°C~18°C / 41°F~64°F              | 5°C~18°C / 41°F~64°F              |
| Fridge net capacity (L)                     | 23                                | 30                                |
| Product sizes(W*D*Hmm)                      | 380 x380 x 475                    | 380 x 445 x 475                   |
| Packing sizes(W*D*Hmm)                      | 430 x460 x 520                    | 430 x 515 x 520                   |
| Net weight (kg)                             | 9.0                               | 11.0                              |
| Gross weight (kg)                           | 11.0                              | 12.5                              |
| Loading (20'/40'/40'HQ)                     | 260/540/675                       | 236/492/615                       |



37

NON CFC

Auto defrost

LED

5°C/41°F

65W

Options

Black

White

Wooden



38

NON CFC

Auto defrost

LED

5°C/41°F

65W



39

NON CFC

Auto defrost

LED

5°C/41°F

65W

Options

Black

White

Wooden

| Model                                       | 38                                | 39                                | 40                                |
|---------------------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|
| Input power                                 | 220-240V/50-60Hz or 110-120V/60Hz | 220-240V/50-60Hz or 110-120V/60Hz | 220-240V/50-60Hz or 110-120V/60Hz |
| Cooling capacity (ambient temperature 25°C) | 5°C~18°C / 41°F~64°F              | 5°C~18°C / 41°F~64°F              | 5°C~18°C / 41°F~64°F              |
| Fridge net capacity (L)                     | 32                                | 40                                | 66                                |
| Product sizes(W*D*Hmm)                      | 405 x 434 x 545                   | 430 x 480 x 510                   | 430 x 520 x 740                   |
| Packing sizes(W*D*Hmm)                      | 460 x 495 x 585                   | 460 x 510 x 540                   | 475 x 565 x 775                   |
| Net weight (kg)                             | 11.0                              | 12.0                              | 18.0                              |
| Gross weight (kg)                           | 12.5                              | 13.2                              | 20.5                              |
| Loading (20'/40'/40'HQ)                     | 224/480/549                       | 220/460/548                       | 144/300/300                       |



40

NON CFC

Auto defrost

LED

5°C/41°F

65W



# Super Cooling Mini Bar Series

Super Cooling Heat-pipe Technology



41

Heat-pipe

NON  
CFC

Auto  
defrost

LED

3°C/  
37°F

65W

Options

Black

White

Wooden

| Model                                       | 41                                | 42                                |
|---------------------------------------------|-----------------------------------|-----------------------------------|
| Input power                                 | 220-240V/50-60Hz or 110-120V/60Hz | 220-240V/50-60Hz or 110-120V/60Hz |
| Cooling capacity (ambient temperature 25°C) | 3°C/37°F                          | 3°C/37°F                          |
| Fridge net capacity (L)                     | 19                                | 25                                |
| Product sizes(W*D*Hmm)                      | 380 x 380 x 465                   | 380 x 440 x 465                   |
| Packing sizes(W*D*Hmm)                      | 430 x 460 x 520                   | 430 x 515 x 520                   |
| Net weight (kg)                             | 9.0                               | 9.6                               |
| Gross weight (kg)                           | 10.4                              | 11.3                              |
| Loading (20'/40'/40'HQ)                     | 260/540/675                       | 236/492/615                       |

31 - VEN000424



42

Heat-pipe

NON  
CFC

Auto  
defrost

LED

3°C/  
37°F

65W

Options

Black

White

Wooden



43

Heat-pipe

NON  
CFC

Auto  
defrost

LED

0°C/  
32°F

65W

Options

Black

White

Wooden

| Model                                       | 43                                | 44                                |
|---------------------------------------------|-----------------------------------|-----------------------------------|
| Input power                                 | 220-240V/50-60Hz or 110-120V/60Hz | 220-240V/50-60Hz or 110-120V/60Hz |
| Cooling capacity (ambient temperature 25°C) | 0°C~8°C / 32°F~46°F               | 3°C~8°C / 37°F~46°F               |
| Fridge net capacity (L)                     | 32                                | 40                                |
| Product sizes(W*D*Hmm)                      | 405 x 434 x 545                   | 430 x 480 x 510                   |
| Packing sizes(W*D*Hmm)                      | 460 x 495 x 585                   | 460 x 510 x 540                   |
| Net weight (kg)                             | 11.0                              | 12.0                              |
| Gross weight (kg)                           | 12.5                              | 13.2                              |
| Loading (20'/40'/40'HQ)                     | 224/480/540                       | 220/460/548                       |

32 - VEN000424



44

Heat-pipe

NON  
CFC

Auto  
defrost

LED

3°C/  
37°F

65W

Options

Black

White

Wooden

# Super Cooling Mini Bar Series

Super Cooling Heat-pipe Technology



45



Heat-pipe



NON CFC



Auto defrost



LED



3°C/  
37°F



65W

### Options

Black

White

Wooden



| Model                                       | 45                                | 46                                |
|---------------------------------------------|-----------------------------------|-----------------------------------|
| Input power                                 | 220-240V/50-60Hz or 110-120V/60Hz | 220-240V/50-60Hz or 110-120V/60Hz |
| Cooling capacity (ambient temperature 25°C) | 3°C~8°C / 37°F~46°F               | 3°C~8°C / 37°F~46°F               |
| Fridge net capacity (L)                     | 60                                | 66                                |
| Product sizes(W*D*Hmm)                      | 474 x 450 x 650                   | 430 x 520 x 740                   |
| Packing sizes(W*D*Hmm)                      | 535 x 505 x 680                   | 475 x 565 x 775                   |
| Net weight (kg)                             | 15.5                              | 18.0                              |
| Gross weight (kg)                           | 17.5                              | 20.5                              |
| Loading (20'/40'/40'HQ)                     | 132/276/363                       | 144/300/300                       |

46



Heat-pipe



NON CFC



Auto defrost



LED



3°C/  
37°F



65W

### Options

Black

White

Wooden





# Compressor Mini fridge

- Mini Freezer
- Compressor Mini Bar Series
- Compressor Beverage Series



# Mini Freezer

Manual defrost, direct cooling



47

Compressor

Manual defrost

LED

-18°C/  
0°F

85W

Options

Black

White

Wooden

| Model                                       | 47                                                 | 48                                |
|---------------------------------------------|----------------------------------------------------|-----------------------------------|
| Input power                                 | 220-240V/50-60Hz or 110-120V/60Hz                  | 220-240V/50-60Hz or 110-120V/60Hz |
| Cooling capacity (ambient temperature 25°C) | -18°C / 0°F                                        | -15°C / 5°F                       |
| Fridge net capacity (L)                     | 32                                                 | 32                                |
| Product sizes(W*D*Hmm)                      | 440 x 470 x 530                                    | 440 x 470 x 530                   |
| Packing sizes(W*D*Hmm)                      | 465 x 510 x 560                                    | 465 x 510 x 560                   |
| Net weight (kg)                             | 18.0                                               | 18.0                              |
| Gross weight (kg)                           | 20.0                                               | 20.0                              |
| Loading (20'/40'/40'HQ)                     | 220/460/460                                        | 220/460/460                       |
| Option                                      | * Glass door with outside condenser<br>* LED light |                                   |

48

Compressor

Manual defrost

LED

-15°C/  
5°F

85W

Options

Black

White

Wooden

Compressor Beverage Series



49



Options



50



Options



| Model                                       | 49                                | 50                                | 51                                |
|---------------------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|
| Input power                                 | 220-240V/50-60Hz or 110-120V/60Hz | 220-240V/50-60Hz or 110-120V/60Hz | 220-240V/50-60Hz or 110-120V/60Hz |
| Cooling capacity (ambient temperature 25°C) | 0°C~10°C / 32°F~50°F              | 0°C~10°C / 32°F~50°F              | 0°C~10°C / 32°F~50°F              |
| Fridge net capacity (L)                     | 20                                | 42                                | 48                                |
| Freezer net capacity (L)                    | 0                                 | 5                                 | 0                                 |
| Product sizes(W*D*Hmm)                      | 380x373x465                       | 440 x 470 x 530                   | 475 x 430 x 515                   |
| Packing sizes(W*D*Hmm)                      | 435x417x505                       | 465 x 510 x 560                   | 510 x 470 x 540                   |
| Net weight (kg)                             | 12.50                             | 18.0                              | 17.8                              |
| Gross weight (kg)                           | 13.50                             | 20.0                              | 18.6                              |
| Loading (20'/40'/40'HQ)                     | 260/560/700                       | 220/460/460                       | 192/400/460                       |

37 - VEN000424




52



Options



53



Options



| Model                                       | 52                                | 53                                | 54                                |
|---------------------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|
| Input power                                 | 220-240V/50-60Hz or 110-120V/60Hz | 220-240V/50-60Hz or 110-120V/60Hz | 220-240V/50-60Hz or 110-120V/60Hz |
| Cooling capacity (ambient temperature 25°C) | 0°C~10°C / 32°F~50°F              | 0°C~10°C / 32°F~50°F              | -3°C~10°C / 27°F~50°F             |
| Fridge net capacity (L)                     | 35                                | 56                                | 72                                |
| Freezer net capacity (L)                    | 0                                 | 0                                 | 10                                |
| Product sizes(W*D*Hmm)                      | 405 x 440 x 552                   | 474 x 450 x 640                   | 474 x 440 x 840                   |
| Packing sizes(W*D*Hmm)                      | 455 x 495 x 590                   | 535 x 505 x 680                   | 510 x 470 x 880                   |
| Net weight (kg)                             | 15.6                              | 17.5                              | 23.0                              |
| Gross weight (kg)                           | 16.9                              | 19.6                              | 28.0                              |
| Loading (20'/40'/40'HQ)                     | 220/480/480                       | 132/276/276                       | 110/230/345                       |

38 - VEN000424



54



Options





Cooling solution for your own beverage



Compressor Beverage Series



55

Compressor

Manual defrost

LED

3°C/  
37°F

55W

Options

Black

White

Wooden



56

Compressor

Manual defrost

LED

3°C/  
37°F

85W

42dB

C  
Energy class

Options

Black

White

Wooden



57

Compressor

Manual defrost

LED

3°C/  
37°F

85W

42dB

E  
Energy class

Options

Black

White

Wooden

| Model                                       | 55                              | 56                              | 57                              |
|---------------------------------------------|---------------------------------|---------------------------------|---------------------------------|
| Input power                                 | 220-240V/50-60Hzor110-120V/60Hz | 220-240V/50-60Hzor110-120V/60Hz | 220-240V/50-60Hzor110-120V/60Hz |
| Cooling capacity (ambient temperature 25°C) | 3°C~10°C/37°F~50°F              | 3°C~10°C/37°F~50°F              | 3°C~10°C/37°F~50°F              |
| Fridge net capacity (L)                     | 20                              | 33                              | 46                              |
| Freezer net capacity (L)                    | 0                               | 0                               | 0                               |
| Product sizes(W*D*Hmm)                      | 380x373x465                     | 405x440x552                     | 440x470x530                     |
| Packing sizes(W*D*Hmm)                      | 435x417x505                     | 455x495x590                     | 465x510x560                     |
| Net weight (kg)                             | 12.5                            | 15.6                            | 18.0                            |
| Gross weight (kg)                           | 13.5                            | 16.9                            | 20.0                            |
| Loading (20'/40'/40'HQ)                     | 260/560/700                     | 220/480/480                     | 220/460/460                     |

Compressor Beverage Series



58

Compressor

Manual defrost

LED

3°C/  
37°F

85W

41dB

E

Energy class

Options

Black

White

Wooden

| Model                                       | 58                                | 59                                |
|---------------------------------------------|-----------------------------------|-----------------------------------|
| Input power                                 | 220-240V/50-60Hz or 110-120V/60Hz | 220-240V/50-60Hz or 110-120V/60Hz |
| Cooling capacity (ambient temperature 25°C) | 3°C~10°C/37°F~50°F                | 3°C~10°C/37°F~50°F                |
| Fridge net capacity (L)                     | 80                                | 91                                |
| Freezer net capacity (L)                    | 0                                 | 0                                 |
| Product sizes(W*D*Hmm)                      | 474x440x840                       | 470x465x845                       |
| Packing sizes(W*D*Hmm)                      | 510x470x880                       | 511x519x870                       |
| Net weight (kg)                             | 23.0                              | 24.0                              |
| Gross weight (kg)                           | 28.0                              | 26.0                              |
| Loading (20'/40'/40'HQ)                     | 110/230/345                       | 88/184/276                        |



59

Compressor

Manual defrost

LED

3°C/  
37°F

85W

43dB

E

Energy class

Options

Black

White

Wooden



60

Compressor

Manual defrost

LED

3°C/  
37°F

85W

40dB

E

Energy class

Options

Black

White

Wooden

| Model                                       | 60                                | 61                                |
|---------------------------------------------|-----------------------------------|-----------------------------------|
| Input power                                 | 220-240V/50-60Hz or 110-120V/60Hz | 220-240V/50-60Hz or 110-120V/60Hz |
| Cooling capacity (ambient temperature 25°C) | 3°C~10°C / 37°F~50°F              | 3°C~10°C / 37°F~50°F              |
| Fridge net capacity (L)                     | 86                                | 115                               |
| Freezer net capacity (L)                    | 0                                 | 0                                 |
| Product sizes(W*D*Hmm)                      | 430x450x950                       | 540 x 539 x 845                   |
| Packing sizes(W*D*Hmm)                      | 465x500x970                       | 598 x 583 x 885                   |
| Net weight (kg)                             | 26.0                              | 32.0                              |
| Gross weight (kg)                           | 28.0                              | 35.0                              |
| Loading (20'/40'/40'HQ)                     | 110/230/230                       | 72/160/236                        |



61

Compressor

Manual defrost

LED

3°C/  
37°F

85W

41dB

E

Energy class

Options

Black

White

Wooden



Compressor Beverage Series



62

Compressor

Manual defrost

LED

3°C/  
37°F

85W

45dB

F

Energy class

Options

Black

White

Wooden



63

Compressor

Manual defrost

LED

3°C/  
37°F

85W

42dB

D

Energy class

Options

Black

White

Wooden

|                                             |                                 |                                 |                                 |
|---------------------------------------------|---------------------------------|---------------------------------|---------------------------------|
| Model                                       | 62                              | 63                              | 64                              |
| Input power                                 | 220-240V/50-60Hzor110-120V/60Hz | 220-240V/50-60Hzor110-120V/60Hz | 220-240V/50-60Hzor110-120V/60Hz |
| Cooling capacity (ambient temperature 25°C) | 3°C~10°C/37°F~50°F              | 3°C~10°C/37°F~50°F              | 3°C~10°C/37°F~50°F              |
| Fridge net capacity (L)                     | 47                              | 42                              | 53                              |
| Freezer net capacity (L)                    | 0                               | 0                               | 0                               |
| Product sizes(W*D*Hmm)                      | 475x430x515                     | 430x450x560                     | 430x450x640                     |
| Packing sizes(W*D*Hmm)                      | 510x470x540                     | 465x500x585                     | 465x500x665                     |
| Net weight (kg)                             | 17.8                            | 17.0                            | 18.0                            |
| Gross weight (kg)                           | 18.6                            | 18.5                            | 19.5                            |
| Loading (20'/40'/40'HQ)                     | 192/400/460                     | 220/460/460                     | 165/345/460                     |



65

Compressor

Manual defrost

LED

3°C/  
37°F

85W

42dB

D

Energy class

Options

Black

White

Wooden



66

Compressor

Manual defrost

LED

3°C/  
37°F

85W

43dB

E

Energy class

Options

Black

White

Wooden

|                                             |                                   |                                   |                                   |
|---------------------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|
| Model                                       | 65                                | 66                                | 67                                |
| Input power                                 | 220-240V/50-60Hz or 110-120V/60Hz | 220-240V/50-60Hz or 110-120V/60Hz | 220-240V/50-60Hz or 110-120V/60Hz |
| Cooling capacity (ambient temperature 25°C) | 3°C~10°C / 37°F~50°F              | 3°C~10°C / 37°F~50°F              | 3°C~10°C / 37°F~50°F              |
| Fridge net capacity (L)                     | 60                                | 63                                | 77                                |
| Freezer net capacity (L)                    | 0                                 | 0                                 | 0                                 |
| Product sizes(W*D*Hmm)                      | 474 x 450 x 640                   | 430x450x740                       | 430x450x840                       |
| Packing sizes(W*D*Hmm)                      | 535 x 505 x 680                   | 465x500x765                       | 465x500x863                       |
| Net weight (kg)                             | 17.5                              | 21.0                              | 22.5                              |
| Gross weight (kg)                           | 19.6                              | 24.0                              | 25.5                              |
| Loading (20'/40'/40'HQ)                     | 132/276/276                       | 165/345/345                       | 110/230/345                       |



67

Compressor

Manual defrost

LED

3°C/  
37°F

85W

40dB

E

Energy class

Options

Black

White

Wooden







# BEER FRIDGES CHILLS DOWN TO -6°C

With Fast-freezing mode (SC) and Energy-saving mode (EC):  
When entering SC mode the compressor will continuously  
runnng for 2 hous while entering EC mode the product will  
operate at 2 degree celsius.



# BEVERAGE SERIES



68



Compressor



NON CFC



Auto defrost



LED



-6°C/  
21°F



85W



| Model                                       | 68                                 |
|---------------------------------------------|------------------------------------|
| Input power                                 | 220-240V/50-60Hzor110-120V/50-60Hz |
| Cooling capacity (ambient temperature 25°C) | -6-18°C/21-64°F                    |
| Fridge net capacity (L)                     | 92                                 |
| Product sizes(W*D*Hmm)                      | 495x430x848                        |
| Packing sizes(W*D*Hmm)                      | 535x465x880                        |
| Net weight (kg)                             | 27.0                               |
| Gross weight (kg)                           | 30.0                               |
| Loading (20'/40'/40'HQ)                     | 100/220/327                        |