

Mini Fridges Catalog



产品描述 Product description

- 吸收式静音制冷系统
- 圆弧形推门, 上扣手把
- 左右推门
- 透明搁物架
- 数字温控
- 自动化霜
- LED 内灯
- 红外灯开关
- Silent absorption cooling system
- Curved solid door, upper Grab handle
- Reversible door
- Clear door bin
- Clear plastic shelves
- Digital thermostat
- Auto defrost
- LED lamp
- Infrared LED switch



GPS-01



GPS-02



GPS-01

可选配置 Options available:

- 门铰
- 嵌入式安装滑动磁条
- 外观颜色: 黑色、白色
- 门壳材料: 不锈钢
- 内胆颜色: 灰色
- 电压: 220-240V/115V
- Door lock
- Sliding hinge for built-in installation
- Exterior color: Black/white
- Door panel: Stainless steel
- Interior color: Grey
- Voltage: 220-240V/115V

产品描述 Product description:

- 吸收式静音制冷系统
- 平装推门, 下扣手把
- 左右推门
- 透明搁物架
- 数字温控
- 自动化霜
- LED 内灯
- 红外灯开关
- Silent absorption cooling system
- Flat solid door, lower Grab handle
- Reversible door
- Clear door bin
- Clear plastic shelves
- Digital thermostat
- Auto defrost
- LED lamp
- Infrared LED switch



GPS-01-1



GPS-01-1



GPS-02-1

可选配置 Options available:

- 门铰
- 嵌入式安装滑动磁条
- 门壳材料: 不锈钢或彩色面板
- 内胆颜色: 灰色
- 电压: 220-240V/115V
- Door lock
- Sliding hinge for built-in installation
- Door Panel: Stainless steel or colored panel
- Interior color: Grey
- Voltage: 220-240V/115V

产品型号 Model	GPS-01	GPS-02	GPS-03
净容积 Net capacity (L)	28	36	44
输入功率 Input power (W)	65	65	65
冷藏温度 Temperature (°C)	0~10	0~10	0~10
耗电量 Power Consumption (kWh/24h)	0.58	0.63	0.66
搁物架数 Number of shelves	1	2	3
搁物架 Number of bins	2	2	3
产品尺寸 Unit dimension (W×D×H)	402×440×500	402×465×560	402×465×670
包装尺寸 Package dimension (W×D×H)	450×470×540	450×495×600	450×495×710
净重 Net weight (kg)	15	17.5	20
装箱量 Loading Quantity (20GP/40GP/40HQ)	240/500/620	225/463/496	171/360/438

产品型号 Model	GPS-01-1	GPS-02-1
净容积 Net capacity (L)	28	36
输入功率 Input power (W)	65	65
冷藏温度 Temperature (°C)	0~10	0~10
耗电量 Power Consumption (kWh/24h)	0.58	0.63
搁物架数 Number of shelves	1	2
搁物架 Number of bins	2	2
产品尺寸 Unit dimension (W×D×H)	402×426×500	402×451×560
包装尺寸 Package dimension (W×D×H)	450×470×540	450×495×600
净重 Net weight (kg)	16	17.5
装箱量 Loading Quantity (20GP/40GP/40HQ)	240/500/620	225/463/496

产品描述Product description:

- 吸收式静音制冷系统 ● Silent absorption cooling system
- 钢化玻璃门 ● Flat tempered glass door
- 左右换门 ● Reversible door
- 透明置物架 ● Clear plastic shelves
- 数字温控 ● Digital thermostat
- 自动化霜 ● Auto defrost
- LED 内灯 ● LED lamp
- 红外灯开关 ● Infrared LED switch

可选配置Options available:

- 门锁 ● Doorlock
- 外观颜色: 黑色、白色 ● Exterior color: Black, white
- 内胆颜色: 灰色 ● Interior color: Grey
- 门框: 铝 ● Doorframe: Aluminum
- 门体洋基架 ● Liquor rack on door
- 电压: 220~240V/115V ● Voltage: 220~240V/115V



GPS-04



GPS-05



GPS-04-1



GPS-05-1

产品型号Model	GPS-04	GPS-05	GPS-06
净容积Net capacity (L)	28	36	44
输入功率Input power (W)	65	65	90
冷藏温度Temperature (℃)	5~14	5~14	5~14
耗电量Power Consumption(KW/h/24h)	0.88	0.88	1.11
置物架数Number of shelves	1	2	3
挂盒数Number of bins	0	0	0
产品尺寸 Unit dimension(W×D×H)	402×428×500	402×453×560	402×453×670
包装尺寸 Package dimension(W×D×H)	450×470×540	450×495×600	450×495×710
净重Net weight(Kg)	18.5	20	23
装箱量>Loading Quantity(20GP/40GP/40HQ)	240/500/620	225/463/496	171/360/438

产品描述Product description:

- 吸收式静音制冷系统 ● Silent absorption cooling system
- 三层无准平钢化玻璃门 ● Triple pane, flat tempered glass door
- 左右换门 ● Reversible door
- 透明置物架 ● Clear plastic shelves
- 数字温控 ● Digital thermostat
- 自动化霜 ● Auto defrost
- LED 内灯 ● LED lamp
- 红外灯开关 ● Infrared LED switch

可选配置Options available:

- 门锁 ● Doorlock
- 内胆颜色: 灰色 ● Interior color: Grey
- 电压: 220~240V/115V ● Voltage: 220~240V/115V

产品型号Model	GPS-04-1	GPS-05-1	GPS-06-1
净容积Net capacity (L)	28	36	47
输入功率Input power (W)	65	65	90
冷藏温度Temperature (℃)	5~14	5~14	5~14
耗电量Power Consumption(KW/h/24h)	0.88	0.88	1.11
置物架数Number of shelves	1	2	2
挂盒数Number of bins	0	0	0
产品尺寸 Unit dimension(W×D×H)	402×425×500	402×450×560	460×485×605
包装尺寸 Package dimension(W×D×H)	450×470×540	450×495×600	500×520×640
净重Net weight(Kg)	20	22	26
装箱量>Loading Quantity(20GP/40GP/40HQ)	240/500/620	225/463/496	132/278/368

GPS-07 / GPS-08

产品描述Product description:

- 吸收式静音制冷系统
- 圆弧发指门, 上扣手把
- 左右换门
- 透明挂盒
- 钢丝搁物架
- 数字温控
- 自动化霜
- LED 内灯
- 红外灯开关
- Silent absorption cooling system
- Curved solid door, upper grab handle
- Reversible door
- Clear door bin
- Wire shelves
- Digital thermostat
- Auto defrost
- LED lamp
- Infrared LED switch

可选配置Options available:

- 门锁
- 嵌入式安装滑动铰链
- 外观颜色: 黑色、白色
- 门壳材料: 不锈钢
- 内胆颜色: 灰色
- 电压: 220-240V/115V
- Door lock
- Sliding hinge for built-in installation
- Exterior color: Black, white
- Door panel: Stainless steel
- Interior color: Grey
- Voltage: 220-240V/115V



GPS-08



GPS-08

产品型号Model	GPS-07	GPS-08
净容积Net capacity (L)	35.5	47
输入功率input power (W)	65	90
冷藏温度Temperature (℃)	0-10	0-10
耗电Power Consumption(KW/h24h)	0.63	0.66
搁物架数Number of shelves	1	2
挂盒数Number of bins	2	2
产品尺寸Unit dimension(W×D×H)	460×465×500	460×480×605
包装尺寸Package dimension(W×D×H)	500×505×640	500×520×640
净重Net weight(Kg)	17	20
装箱量Loading Quantity(20GP/40GP/40HQ)	176/384/480	132/276/368

GPS-07-1 / GPS-08-1

产品描述Product description:

- 吸收式静音制冷系统
- 钢化玻璃门
- 左右换门
- 钢丝搁物架
- 数字温控
- 自动化霜
- LED 内灯
- 红外灯开关
- Silent absorption cooling system
- Flat tempered glass door
- Reversible door
- Wire shelves
- Digital thermostat
- Autodefrost
- LED lamp
- Infrared LED switch

可选配置Options available:

- 门锁
- 外观颜色: 黑色、白色
- 内胆颜色: 灰色
- 门框: 铝
- 门体洋酒架
- 电压: 220-240V/115V
- Door lock
- Exterior color: Black, white
- Interior color: Grey
- Door frame: Aluminum
- Liquor rack on door
- Voltage: 220-240V/115V



GPS-08-1



GPS-07-1

产品型号Model	GPS-07-1	GPS-08-1
净容积Net capacity (L)	35.5	47
输入功率input power (W)	65	90
冷藏温度Temperature (℃)	5-14	5-14
耗电Power Consumption(KW/h24h)	0.88	1.11
搁物架数Number of shelves	1	2
挂盒数Number of bins	0	0
产品尺寸Unit dimension(W×D×H)	460×453×500	460×462×585
包装尺寸Package dimension(W×D×H)	500×505×640	500×520×640
净重Net weight(Kg)	20	23
装箱量Loading Quantity(20GP/40GP/40HQ)	176/384/480	132/276/368

产品描述Product description:

- 吸收式静音制冷系统
- XC-25 弧形玻璃门, XC-25T 玻璃门
- 左右开门
- 透明脚踏架
- 数字温控
- 自动化霜
- LED 内灯
- 红外灯开关
- Silent absorption cooling system
- XC-25 Curved solid door, XC-25T glass door
- Reversible door
- Clear plastic shelves
- Digital thermostat
- Auto defrost
- LED lamp
- Infrared LED switch

可选配置Options available:

- 门锁
- 外观颜色: 黑色、白色
- 内胆颜色: 灰色
- 电压: 220~240V/115V
- Door lock
- Exterior color: Black, white
- Interior color: Grey
- Voltage: 220~240V/115V



GPS-09



GPS-09-1



GPS-09

产品型号Model	GPS-09	GPS-09-1	GPS-10
净容积Net capacity (L)	20	20	21.2
输入功率Input power (W)	65	65	65
冷藏温度Temperature (°C)	0~10	5~14	5~14
耗电量Power Consumption(KW.h/24h)	0.62	0.85	0.84
搁物架数Number of shelves	1	1	1
挂盒数Number of bins	2	0	0
产品尺寸Unit dimension(W×D×H)	350×390×462	350×393×462	380×380×475
包装尺寸Package dimension(W×D×H)	390×430×500	390×430×500	420×420×540
净重Net weight(Kg)	13.4	15	16
装箱量Loading Quantity(20GP/40GP/40HQ)	312/648/810	312/648/810	260/560/672

产品描述Product description:

- 压缩机式静音制冷系统
- 左右开门
- 透明脚踏架
- 数字温控
- 自动化霜
- LED 内灯
- 红外灯开关
- 超能节能, 睡眠功能, 速冷功能, 温度显示
- Silent compression cooling system
- Reversible door
- Clearshelves
- Digital thermostat
- Auto defrost
- LED lamp
- Infrared LED switch
- Super energy saving, snooze, quick cool, temperature display

可选配置Options available:

- 门锁
- 外观颜色: 黑色、白色
- 内胆颜色: 灰色
- 电压: 220~240V/115V
- Door lock
- Exterior color: Black, white
- Interior color: Grey
- Voltage: 220~240V/115V



GPS-12



GPS-12-1



GPS-12

产品型号Model	GPS-11	GPS-12	GPS-11-1	GPS-12-1
净容积Net capacity (L)	27	36	27	38
输入功率Input power (W)	50	50	50	50
冷藏温度Temperature (°C)	3~12	3~12	3~12	3~12
耗电量Power Consumption(KW.h/24h)	0.134	0.135	0.138	0.215
搁物架数Number of shelves	1	2	1	2
挂盒数Number of bins	2	2	0	0
产品尺寸Unit dimension(W×D×H)	402×440×505	402×500×566	402×425×505	402×485×566
包装尺寸Package dimension(W×D×H)	450×475×660	450×535×620	450×475×650	450×535×620
净重Net weight(Kg)	18	20	22	24
装箱量Loading Quantity(20GP/40GP/40HQ)	240/500/500	150/330/440	240/500/500	150/330/440

GPS-13 / GPS-13-1



优化设计的大小抽屉，
可提供丰富的食品饮料



滑轨推拉顺畅，承重稳定不变形，
自带阻尼回弹保证了门体完全闭合



三档触控数码显示，
智能控温，自动除霜



人性化夜间睡眠模式，
内置蓄冷系统，包温静音

产品型号Model	GPS-13	GPS-13-1
净容积Net capacity (L)	49	49
输入功率Input power (W)	36	36
冷藏温度Temperature (℃)	0-12	0-12
耗电量Power Consumption(KW.h/24h)	0.21	0.21
产品尺寸Unit dimension(W×D×H)	550×480×420 (含拉手)	550×512×420
净重Net weight(Kg)	25	25
包装尺寸Package dimension(W×D×H)	590×520×470	590×520×470
装箱量Loading Quantity(20GP/40GP/40HQ)	210/430/430	210/430/430