


Oven Catalog



ELECTRIC OVEN

NEW CE/GS Series / Big capacity Series/Classic Series



NEW CE/GS Series



01A SERIES-New CE/GS


Basic Features:

- 21/23/30/35/45/55/60/80/100 liters capacity
- 110-240V~ 50/60Hz
- SS heating elements
- 60-120 min timer with bell ring
- 70-230°C adjustable temperature
- Plastic door frame with double glass
- Can be with 6-20 slices of bread
- 10-16 inch pizza



Optional:

- Rotisserie function
- Convection function
- Inner oven lamp
- Stainless steel housing or other paintings
- Mirror glass door
- Non-stick coating cavity or self-cleaning coating cavity
- Crumb tray



Parameter:

Model NO.	GPS-01	GPS-02	GPS-03	GPS-04	GPS-05	GPS-06	GPS-07	GPS-08
Capacity	21L	23L	30L	35L	45L	60L	80L	100L
Power	1200W	1500W	1500W	1600W	1700W	1900W	2400W	2800W
Packing Size	500*406*318MM	475*405*335MM	530*463*360MM	596*459*380MM	622*470*415MM	622*495*465MM	745*535*481MM	785*575*526MM
Loading Qty	1028/915/445pcs	1004/807/425pcs	817/718/353pcs	650/580/260pcs	589/519/255pcs	500/430/202pcs	375/315/155pcs	300/268/131pcs



GPS-02



GPS-04




GPS-04-1 (DIGITAL)

01 SERIES-Big capacity



- Basic Features:
- 65/70/80/100/120/150 liters capacity
 - 110-240V~ 50/60Hz
 - SS heating elements
 - 60-120 min timer with bell ring
 - 100-250°C adjustable temperature
 - 4 luxury control knobs
 - Can be with 15-24 slices of bread
 - 15-19 inch pizza

- Optional:
- Rotisserie function
 - Convection function
 - Inner oven lamp
 - Stainless steel housing or other paintings
 - Mirror glass door
 - Non-stick coating cavity or self-cleaning coating cavity
 - Crumb tray



Parameter:

Model No.	GPS-09	GPS-10	GPS-11	GPS-12	GPS-13	GPS-14
Capacity	65L	70L	80L	100L	120L	150L
Power	2200W	2400W	2400W	2800W	2800W	3200W
Packing Size	677*470*465MM	677*510*465MM	745*535*481MM	785*575*526MM	785*605*526MM	915*648*530MM
Loading Qty	471pcs/40HQ	425pcs/40HQ	375/315/155pcs	300/268/131pcs	288/258/125pcs	220/195/97pcs



GPS-13



GPS-14

01 SERIES-Classic



- Basic Features:
- 21/23/30/35/45/50/55/60 liters capacity
 - 110-240V~ 50/60Hz
 - SS heating elements
 - 60-120 min timer with bell ring
 - 70-250°C adjustable temperature
 - 3/4 luxury control knobs
 - Can be with 6 slices of bread
 - 10/12/13 inch pizza

- Optional:
- Rotisserie function
 - Convection function
 - Inner oven lamp
 - Stainless steel housing or other paintings
 - Mirror glass door
 - Non-stick coating cavity or self-cleaning coating cavity
 - Crumb tray



Parameter:

Model No.	GPS-15	GPS-16	GPS-17	GPS-18	GPS-19	GPS-20	GPS-21	GPS-22
Capacity	21L	23L	30L	35L	45L	50L	55L	60L
Power	1200W	1200W	1500W	1500W	1700W	1700W	1900W	1900W
Packing Size	500*406*318MM	500*436*318MM	530*463*360MM	530*493*360MM	622*442*415MM	622*470*415MM	622*470*465MM	622*470*465MM
Loading Qty	1110/982/476pcs	1028/915/445pcs	817/718/353pcs	769/662/323pcs	624/520/255pcs	589/519/255pcs	528/478/230pcs	528/478/230pcs



GPS-19




GPS-21

02 SERIES



- Basic Features:**
- 21/23/30/35/45/50/55/60/65/70 liters capacity
 - 110-240V~ 50/60Hz
 - SS heating elements
 - LED display
 - 60-120 min timer with bell ring
 - 100-250°C adjustable temperature
 - 3 luxury control knobs
 - Can be with 6 slices of bread 10/12/13 inch pizza

- Optional:**
- Rotisserie function
 - Convection function
 - Inner oven lamp
 - Stainless steel housing or other paintings
 - Mirror glass door
 - Non-stick coating cavity or self-cleaning coating cavity
 - Crumb tray



Parameter:

Model No.	GPS-23	GPS-24	GPS-25	GPS-26	GPS-27	GPS-28	GPS-29	GPS-30
Capacity	21L	23L	30L	35L	45L	50L	55L	60L
Power	1200W	1200W	1500W	1500W	1700W	1700W	1900W	1900W
Packing Size	500*406*318MM	500*436*318MM	530*463*360MM	530*493*360MM	622*442*415MM	622*470*415MM	622*470*465MM	622*470*465MM
Loading Qty	1110/982/476pcs	1028/915/445pcs	817/718/353pcs	769/662/323pcs	624/520/255pcs	589/519/255pcs	528/478/230pcs	528/478/230pcs
Model No.	HH-6502	HH-7002	HH-8002	HH-10002	HH-12002			
Capacity	65L	70L	80L	100L	120L			
Power	2200W	2400W	2400W	2800W	2800W			
Packing Size	677*470*465MM	677*510*465MM	745*535*481MM	785*575*526MM	785*605*526MM			
Loading Qty	471pcs/40HQ	425pcs/40HQ	375/315/155pcs	300/268/131pcs	288/258/125pcs			



GPS-29

05 SERIES



- Basic Features:**
- 30/35/45/50 liters capacity
 - 110-240V~ 50/60Hz
 - SS heating elements
 - 60-120 min timer with bell ring
 - 70-250°C adjustable temperature
 - 2 luxury control knobs
 - 4-6 push buttons
 - Can be with 6/9/12 slices of bread 10/12/13 inch pizza

- Optional:**
- Rotisserie function
 - Convection function
 - Inner oven lamp
 - Stainless steel housing or other paintings
 - Mirror glass door
 - Non-stick coating cavity or self-cleaning coating cavity
 - Crumb tray



Parameter:

Model No.	GPS-31	GPS-32	GPS-33	GPS-34
Capacity	30L	35L	45L	50L
Power	1500W	1500W	1700W	1700W
Packing Size	530*463*360MM	530*493*360MM	622*442*415MM	622*470*415MM
Loading Qty	817/718/353pcs	769/662/323pcs	624/520/255pcs	589/519/255pcs



GPS-31



GPS-33

ELECTRIC OVEN

NEW CE/GS Series / Big LCD display Series



Classic Series



06 SERIES


Basic Features:

- 45/50/55/60/65/70/80 liters capacity
- 110-240V~ 50/60Hz
- SS heating elements
- 60-120 min timer with bell ring
- 70-230°C adjustable temperature
- Big LCD display / touchable keys
- Can be with 6/9/12 slices of bread
10/12/13 inch pizza



Optional:

- Rotisserie function
- Convection function
- Inner oven lamp
- Stainless steel housing or other paintings
- Mirror glass door
- Non-stick coating cavity or self-cleaning coating cavity
- Crumb tray



Parameter:

Model No.	GPS-35	GPS-36	GPS-37	GPS-38	GPS-39	GPS-40	GPS-41
Capacity	45L	50L	55L	60L	65L	70L	80L
Power	1700W	1700W	1900W	1900W	2200W	2400W	2400W
Packing Size	622*442*415MM	622*470*415MM	622*470*465MM	622*470*465MM	677*470*465MM	677*510*465MM	745*535*481MM
Loading Qty	624/520/255pcs	589/519/255pcs	528/478/230pcs	528/478/230pcs	471pcs/40HQ	425pcs/40HQ	375/315/155Pcs



GPS-36



GPS-37

08 SERIES-Mechanical

Basic Features:

- 45/50 liters capacity
- 110-240V~ 50/60Hz
- SS heating elements
- 60-120 min timer with bell ring
- 70-230°C adjustable temperature
- 3 luxury control knobs
- Can be with 9/12 slices of bread 12/13 inch pizza



Optional:

- Rotisserie function
- Convection function
- Inner oven lamp
- Stainless steel housing or other paintings
- Mirror glass door
- Non-stick coating cavity or self-cleaning coating cavity
- Crumb tray



Parameter:

Model No.	GPS-42	GPS-43
Capacity	45L	50L
Power	1700W	1700W
Packing Size	622*470*415MM	622*495*415MM
Loading Qty	589/519/255pcs	552/482/230pcs



GPS-42



GPS-42

09 SERIES-Digital

Basic Features:

- 45/50 liters capacity
- 110-240V~ 50/60Hz
- Elegant&strong full door design
- double glass
- SS heating elements
- 60-120 min timer with bell ring
- 70-230°C adjustable temperature
- Big LCD display / touchable keys
- Can be with 9/12 slices of bread 12/13 inch pizza



Optional:

- Rotisserie function
- Convection function
- Inner oven lamp
- Stainless steel housing or other paintings
- Mirror glass door
- Non-stick coating cavity or self-cleaning coating cavity
- Crumb tray



Parameter:

Model No.	GPS-44	GPS-45
Capacity	45L	50L
Power	1700W	1700W
Packing Size	622*470*415MM	622*495*415MM
Loading Qty	589/519/255pcs	552/482/230pcs



GPS-44



GPS-44

10 SERIES-New

Basic Features:

- 38/45/50/55/60/65/70
80/100/120/150 liters capacity
- 110-240V~ 50/60Hz
- SS heating elements
- 60-120 min timer with bell ring
- 70-250°C adjustable temperature
- 3-4-5 luxury control knobs
- Can be with 6/9/12 slices of bread 10/12 inch pizza



Optional:

- Rotisserie function
- Convection function
- Inner oven lamp
- Stainless steel housing or other paintings
- Mirror glass door
- Non-stick coating cavity or self-cleaning coating cavity
- Crumb tray



Parameter:

Model NO.	GPS-46	GPS-47	GPS-48	GPS-49	GPS-50	GPS-51	GPS-52	GPS-53
Capacity	38L	45L	50L	55L	60L	65L	70L	80L
Power	1600W	1700W	1700W	1900W	1900W	2200W	2400W	2400W
Packing Size	580*415*380MM	622*442*415MM	622*470*415MM	622*470*465MM	622*470*465MM	677*470*465MM	677*470*465MM	745*535*481MM
Loading Qty	788/700/343pcs	624/520/255pcs	589/519/255pcs	528/478/230pcs	528/478/230pcs	471pcs/40HQ	425pcs/40HQ	375/315/155pcs
Model NO.	HH-10010	HH-12010	HH-15010					
Capacity	100L	120L	150L					
Power	2800W	2800W	2800W					
Packing Size	785*575*526MM	785*605*526MM	915*648*530MM					
Loading Qty	300/268/131pcs	288/258/125pcs	220/195/97pcs					



GPS-53

11 SERIES-New


Basic Features:

- 38/45/50/55/60/65/70
80/100/120/150 liters capacity
- 110-240V~ 50/60Hz
- SS heating elements
- 60-120 min timer with bell ring
- 70-250°C adjustable temperature
- 3-4-5 luxury control knobs
- Can be with 6/9/12 slices of bread 10/12 inch pizza



Optional:

- Rotisserie function
- Convection function
- Inner oven lamp
- Stainless steel housing or other paintings
- Mirror glass door
- Non-stick coating cavity or self-cleaning coating cavity
- Crumb tray



Parameter:

Model NO.	GPS-54	GPS-55	GPS-56	GPS-57	GPS-58	GPS-59	GPS-60	GPS-61
Capacity	38L	45L	50L	55L	60L	65L	70L	80L
Power	1600W	1700W	1700W	1900W	1900W	2200W	2400W	2400W
Packing Size	580*415*380MM	622*442*415MM	622*470*415MM	622*470*465MM	622*470*465MM	677*470*465MM	677*470*465MM	745*535*481MM
Loading Qty	788/700/343pcs	624/520/255pcs	589/519/255pcs	528/478/230pcs	528/478/230pcs	471pcs/40HQ	425pcs/40HQ	375/315/155pcs
Model NO.	HH-10011	HH-12011	HH-15011					
Capacity	100L	120L	150L					
Power	2800W	2800W	2800W					
Packing Size	785*575*526MM	785*605*526MM	915*648*530MM					
Loading Qty	300/268/131pcs	288/258/125pcs	220/195/97pcs					



GPS-54

AIR FRYER OVEN

Electronic air fryer oven/
Mechanical air fryer oven



Electronic air fryer oven



Electronic air fryer oven

Basic features:

- 25L capacity
- Digital mode of control
- 110V-240V 50/60HZ
- 60-240°C adjustable temperature
- 60 min timer with bell ring
- 6 pieces stainless steel heating elements
- Single/Double glass door



GPS-62



GPS-63




GPS-64


BASIC ACCESSORIES



OPTIONAL ACCESSORIES



OPTIONAL FEATURES



Model No.	Capacity	Power	Packing Size	Loading Qty
GPS-65	25L	1600W	485*445*430MM	750PCS(1*40HQ)

Mechanical air fryer oven

Basic features:


- 25L capacity
- 3 control knobs
- 110V-240V 50/60HZ
- 100-250°C adjustable temperature
- 60 min timer with bell ring
- 6 pieces stainless steel heating elements
- Single/Double glass door



BASIC ACCESSORIES

OPTIONAL ACCESSORIES

OPTIONAL FEATURES



Moder No.	Capacity	Power	Packing Size	Loading Qty
GPS-66	25L	1600W	485*445*430MM	750PCS(1*40HQ)

Mechanical air fryer oven

Basic features:

- 25L capacity
- 110V / 120V / 127V / 220V-240V
- 1600W
- Digital control
- 4pcs upper stainless steel heating element
- 2pcs bottom stainless steel heating element
- Double layer door glass
- Powder coating / S/S housing
- 60 minutes timer
- 230C / 405F max temperature



GPS-67



GPS-67-1




GPS-67-2

BASIC ACCESSORIES

OPTIONAL ACCESSORIES

OPTIONAL FEATURES



Moder No.	Capacity	Power	Packing Size	Loading Qty
GPS-68	25L	1600W	485*445*430MM	750PCS(1*40HQ)

MINIMUM LITRES OVEN

Minimum litres oven

Minimum litres oven



Minimum litres oven


Basic Features:

- 7/10 liters capacity
- 110-240V~ 50/60Hz
- 2 pieces stainless steel heating elements
- 60 min timer with bell ring
- 70-250°C adjustable temperature
- 2 luxury control knobs
- Single glass door




Parameter:


Model No.	GPS-69	GPS-70
Capacity	7L	10L
Power	450W	600W
Packing Size	365*245*228MM	375*290*233MM
Loading Qty	3126pcs/40HQ	2793psc/2539psc/1239psc




Optional Accessories




Grill rod



Tray handle




Wire rack



Grill basket



Bake tray



Rotisserie set



Gloves



Pizza pan



Crumb tray



Hot plates



Inner oven lamp

PRESSURE COOKER

Electronic pressure cooker/
Mechanical pressure cooker



Feature:

- Non-stick inner pot, with water-based oil coating, inside and outside
- 0.35mm thick outer pot
- Handle with wooden pattern;
- With #304 SS desugar device
- IMD Control panel;



GPS-71
1.5L 300W



GPS-72
2L 400W



GPS-73
2L 400W



GPS-74
2L 400W



GPS-75 / GPS-76 / GPS-77 / GPS-78
2L/3L/4L/5L 400W/500W/730W



GPS-79 / GPS-80 / GPS-81 / GPS-82
3L/4L/5L/6L 400W/500W/730W



GPS-83
1.6L 710W



GPS-84 / GPS-85
2L/2.5L 710W



GPS-86
2.5L 710W



GPS-87
3L 710W



GPS-88 / GPS-89 / GPS-90
3L/5L/6L 710W/900W/1000W



GPS-91 / GPS-92 / GPS-93 / GPS-94 / GPS-95 / GPS-96
4L/5L/6L/8L/10L/12L
800W/900W/1000W/1300W/1600W



GPS-97 / GPS-98 / GPS-99 / GPS-100 / GPS-101 / GPS-102
4L/5L/6L/8L/10L/12L
800W/900W/1000W/1300W/1600W



GPS-103 / GPS-104
5L/6L 900W/1000W



GPS-105 / GPS-106
5L/6L 900W/1000W

Electric pressure cooker



GPS-107 / GPS-108
5L/6L 900W/1000W



GPS-109 / GPS-110
5L/6L 900W/1000W



GPS-111 / GPS-112
5L/6L 900W/1000W



GPS-113 / GPS-114
5L/6L 900W/1000W



GPS-115 / GPS-116
5L/6L 900W/1000W



GPS-117 / GPS-118
5L/6L 900W/1000W



GPS-119 / GPS-120
5L/6L 900W/1000W



GPS-121 / GPS-122
5L/6L 900W/1000W



**GPS-123 / GPS-124 /
GPS-125 / GPS-126 / GPS-127**
5L/6L/8L/10L/12L
900W/1000W/1300W/1600W

Electric pressure cooker



**GPS-128 / GPS-129 / GPS-130 /
GPS-131 / GPS-132**
15L/17L/21L/25L/33L
2000W/3000W



GPS-133 / GPS-134
2L/2.5L 710W



GPS-135 / GPS-136
5L/6L 900W/1000W



GPS-137
3L 700W



**GPS-138 / GPS-139 / GPS-140 /
GPS-141 / GPS-142 / GPS-143**
4L/5L/6L/8L/10L/12L 800W/900W/1
000W 1300W/1600W



**GPS-144 / GPS-145 / GPS-146 /
GPS-147 / GPS-148 / GPS-149**
4L/5L/6L/8L/10L/12L
800W/900W/1000W 1300W/1600W

Parameter:

Voltage Power	Inner pot	Description	Gift Box Size (mm)	Carton Size (mm)	Option Capacity (L)	PCS/CTN	20'	40HQ
AC 220-240V 50/60Hz	1) Double Non-stick Coating 2) Aluminium inner pot	1) Computer type 2) 410 s/shousing 3) Button controller 4) Optional colors 5) Intelligent control technology, it can save 30%~50% energy than normal cooker 6) Multi-function options: bean, porridge, soup, rice, chicken, meat, tendon, mutton Nutrition can be kept because of it cooks at 110 °C 7) 24 hours preset timer	290*290*320	600*310*335	2	2	920	2184
			295*295*340	615*315*355	4	2	920	1862
			310*310*340	635*320*360	5	2	750	1810
			310*310*352	635*320*370	6	2	750	1810
			355*355*395	730*375*415	8	2	576	1152
			380*380*390		10	1	540	1116
			380*380*415		12	1	540	1116

Towel cabinet/High Temperature Disinfection Cabinet



GPS-150



GPS-151

Product parameters:

- Tempered glass door
- Upper:Far infrared, Ozone Disinfection
Lower:High temperature of 125°C disinfection
- With high-performance ozone sterilization technology, no dead angle for sterilization, energy saving and environmental protection.
- BASF foam with strong density and good heat preservation
- Suitable for

UPPER

- Feeding bottle
- Milliamine tableware
- Wooden cutlery
- Children's toys DOWN
- Glassware
- Metal tableware
- Ceramic tableware



GPS-152



GPS-153

Product parameters:

- Simple and elegant broadside aluminum alloy handle.
- Low temperature of 70°C disinfection
- With high-performance ozone sterilization technology, no dead angle for sterilization, energy saving and environmental protection.
- Tow glass /stainless steel door,and whole s/s body and inner cavity
- BASF foam with strong density and good heat preservation
- Suitable for hotel, government department, restaurant, school and any place needs disinfection.

capacity(L)	product dimension	carton box dimension(mm)	loading capacity 40HQ(pcs)	power(W)
78L	420*365*720	460*420*780	420	700W
108L	420*365*845	460*420*900	410	800W
138L	420*365*1020	460*420*1070	325	800W
168L	420*365*1195	460*420*1240	280	800W
198L	420*365*1285	460*420*1330	280	850W
238L	500*445*1235	550*480*1385	164	1100W
280L	500*445*1330	555*470*1410	164	1100W
338L	500*445*1480	555*545*1535	140	1100W
380L	570*480*1610	620*560*1670	104	1100W
690L	635*585*1875	705*650*1870	101	1200W
1380L	1285*585*1875	1335*650*1870	50	1800W

**THANK YOU
FOR YOUR SUPPORT**