

Cooking Plates Catalog





GPS-01 Touch type
Power/ Voltage: 2200W(220-240V/50Hz),1800W(110V-120V/50Hz)
Panel size: 280*350mm **Gears:** 9
 Flame retardant high temperature resistant plastic housing



MAKING DIFFERENT DELICIOUS FOR YOUR FAMILY



GPS-02 Touch type
Power/ Voltage: 2200W(220-240V/50Hz),1800W(110-120V/50Hz)
Panel size: 280*350mm **Gears:** 9
 Flame retardant high temperature resistant plastic housing



GPS-03 Touch type
Power/ Voltage: 2200W(220-240V/50Hz),1800W(110-120V/50Hz)
Panel size: 280*350mm **Gears:** 9
 Flame retardant high temperature resistant plastic housing



GPS-04 Touch type
Power/ Voltage: 2100W(220-240V/50Hz),1800W(110-120V/50Hz)
Panel size: 290*370mm **Gears:** 9
 Flame retardant high temperature resistant plastic housing



GPS-05 Touch type
Power/ Voltage: 2200W(220-240V/50Hz),1800W(110-120V/50Hz)
Panel size: 280*330mm **Gears:** 9
 Flame retardant high temperature resistant plastic housing





GPS-06 Touch type
Power/Voltage: 2200W(220-240V/50Hz),1800W(110-120V/50Hz)
Panel size: 320*385mm **Gears :** 9
 Flame retardant high temperature resistant plastic housing



GPS-07 Touch type
Power/Voltage: 2200W(220-240V/50Hz),1800W(110-120V/50Hz)
Panel size: 320*385mm **Gears :** 9
 Flame retardant high temperature resistant plastic housing



GPS-08 Touch type
Power/Voltage: 2200W(220-240V/50Hz),1800W(110-120V/50Hz)
Panel size: 280*350mm **Gears :** 9
 Flame retardant high temperature resistant plastic housing



GPS-09 Touch type
Power/Voltage: 2200W(220V/50Hz),1800W(110-120V/50Hz)
Panel size: 320*390mm
 Flame retardant high temperature resistant plastic housing




GPS-09-1 Touch type
Power/Voltage: 2200W(220V/50Hz),1800W(110-120V/50Hz)
Panel size: 320*390mm
 Flame retardant high temperature resistant plastic housing

MAKING DIFFERENT DELICIOUS FOR YOUR FAMILY




MAKING DIFFERENT DELICIOUS FOR YOUR FAMILY



GPS-10 Touch type
Power/Voltage: 2200W(220-240V/50Hz),1800W(110-120V/50Hz)
Panel size: 280*330mm **Gears :** 9
 Flame retardant high temperature resistant plastic housing



GPS-11 Touch type
Power/Voltage: 3000W(220-240V/50Hz),2000W(110-120V/50Hz)
Panel size: 450*290mm **Gears :** 9
 Iron spray anticorrosive bottom shell/or galvanized sheet



GPS-12 Touch type
Power/Voltage: 2200W(220-240V/50Hz),1800W(110-120V/50Hz)
Panel size: 340*405mm **Gears :** 9
 Flame retardant high temperature resistant plastic housing



GPS-13 Touch type
Power/Voltage: 1800W(110-120V/50Hz),3500W(220V/50Hz)
Product size: 415*325*100mm **Gears:** 10
 Stainless steel housing



GPS-14 Touch type & Knob
Power: 5000W **Voltage:** 204V-240V/50Hz
Panel size: 300*300mm
 Stainless steel housing



GPS-15 Touch type
Power/Voltage: 2200W(220V/50Hz),1800W(110-120V/50Hz)
Panel size: 280*360mm **Gears:** 9
 Flame retardant high temperature resistant plastic housing



GPS-16 Touch type
Power/Voltage: 3000W(220-240V/50Hz),2000W(110-120V/50Hz)
Panel size: 450*290mm **Gears:** 9
 Iron spray anticorrosive bottom shell/or galvanized sheet



GPS-17 Touch type
Power/Voltage: 2200W(220V/50Hz),1800W(110-120V/50Hz)
Panel size: 360*280mm **Gears:** 9
 Plastic bottom shell



GPS-18 Touch type & Knob
Power: 2200W **Voltage:** 220-240V/50Hz
Panel size: 280*360mm **Gears:** 10
 Stainless steel housing



GPS-19 Knob
Power: 2000W **Voltage:** 220V/50Hz
Panel size: 330*300*54mm **Gears:** 9
 Stainless steel housing

MAKING DIFFERENT DELICIOUS FOR YOUR FAMILY



MAKING DIFFERENT DELICIOUS FOR YOUR FAMILY



GPS-20 Touch type & Knob
Power: 2200W **Voltage:** 220-240V/50Hz
Panel size: 290*360mm Aluminum housing



GPS-21 Touch type
Power: 2200W **Voltage:** 220-240V/50Hz
Panel size: 290*360mm Aluminum housing



GPS-22 Touch type & Knob
Power: 2200W **Voltage:** 220-240V/50Hz
Panel size: 283*360mm Aluminum housing



GPS-23 Touch type & Knob
Power: 3000W **Voltage:** 220-240V/50Hz
Panel size: 280*360mm Stainless steel housing



GPS-24 Touch type & Knob
Power: 2200W **Voltage:** 220-240V/50Hz
Panel size: 280*360mm Stainless steel housing




GPS-25 Touch type
Power: 2200W **Voltage:** 220-240V/50Hz
Panel size: 280*360mm Stainless steel housing



GPS-26 Touch type
Power: 2000W **Voltage:** 220-240V/50Hz
Product size: D295*65mm
 Flame retardant high temperature resistant plastic housing



GPS-27 Touch type
Power: 2000W **Voltage:** 220-240V/50Hz
Product size: D295*65mm
 Flame retardant high temperature resistant plastic housing



GPS-28 Touch type
Power/ Voltage: 1200W+900W(110V/50Hz),
 1800W+1200W(220V/50Hz) **Panel size:** 288*510mm
 Iron spray anticorrosive bottom shell/or galvanized sheet

GPS-29 Touch type
Power/ Voltage: 1200W+900W(110V/50Hz),
 1800W+1200W(220V/50Hz) **Panel size:** 288*510mm
 Iron spray anticorrosive bottom shell/or galvanized sheet



MAKING DIFFERENT DELICIOUS FOR YOUR FAMILY

GPS-30 Knob
Power/ Voltage: 1200W+900W(110V/50Hz),
 1800W+1200W(220V/50Hz) **Panel size:** 288*510mm
 Iron spray anticorrosive bottom shell/or galvanized sheet

GPS-31 Touch type
Power/ Voltage: 1200W+900W(110-120V/50Hz),
 1800W+1200W(220V/50Hz) **Panel size:** 288*510mm
 Spray rust resistant iron bottom shell/or galvanized sheet

GPS-32 Touch type
Power/ Voltage: 1200W+1100W(110-120V/50Hz),
 1800W+1200W(220V/50Hz) **Panel size:** 288*510mm
 Spray rust resistant iron bottom shell/or galvanized sheet

GPS-33 Touch type
Power/ Voltage: 1200W+1000W(110-120V/50Hz),
 1800W+1200W(220V/50Hz) **Panel size:** 288*510mm
 Iron spray anticorrosive bottom shell/or galvanized sheet

GPS-34 Touch type
Power/ Voltage: 1200W+1100W(110-120V/50Hz),
 1800W+1200W(220V/50Hz) **Panel size:** 288*510mm
 Iron spray anticorrosive bottom shell/or galvanized sheet

GPS-35 Knob
Power/ Voltage: 1200W+1000W(110-120V/50Hz),
 1800W+1200W(220V/50Hz) **Panel size:** 288*510mm
 Iron spray anticorrosive bottom shell/or galvanized sheet

GPS-36 Touch type & Knob
Power: 2200W+2200W **Voltage:** 220V/50Hz
Panel size: 670*390mm **Heating Area:** 220mm
 Aluminum housing

GPS-36-1 Touch type & Knob
Power: 2200W+2200W **Voltage:** 220V/50Hz
Panel size: 670*390mm **Heating Area:** 220mm
 Aluminum housing



GPS-37 Touch type
Power/ Voltage: 1200W+1400W(110-120V/50Hz),
 2200W+2200W(220V/50Hz) **Panel size:** 680*380mm
 Iron spray anticorrosive bottom shell/or galvanized sheet



MAKING DIFFERENT DELICIOUS
 FOR YOUR FAMILY



GPS-38 Touch type
Power/ Voltage: 1200W+1200W(110-120V/50Hz),
 2200W+2200W(220V/50Hz) **Panel size:** 600*350mm
 Iron spray anticorrosive bottom shell/or galvanized sheet



GPS-39 Touch type
Power: 2200W+2200W **Voltage:** 220V/50Hz
Panel size: 680*380mm **Heating Area:** 220mm
 Iron spray anticorrosive bottom shell/or galvanized sheet




GPS-40 Touch type
Power: 2200W+2200W **Voltage:** 220V/50Hz
Panel size: 680*380mm **Heating Area:** 220mm
 Iron spray anticorrosive bottom shell/or galvanized sheet



GPS-41 Touch type
Power/ Voltage: 2000W+2000W(110-120V/50Hz),
 2200W+2200W(220V/50Hz) **Panel size:** 600*360mm
 Flame retardant high temperature resistant plastic housing



GPS-42 Touch type
Power/ Voltage: 2000W+2000W(110-120V/50Hz),
 2200W+2200W(220V/50Hz) **Panel size:** 600*360mm
 Flame retardant high temperature resistant plastic housing



GPS-43 Touch type
Power: 2400W+2400W **Voltage:** 220V/50Hz
Panel size: 735*415mm **Heating Area:** 220mm
 Iron spray anticorrosive bottom shell/or galvanized sheet



GPS-44 Touch type
Power: 2400W+2400W **Voltage:** 220V/50Hz
Panel size: 735*415mm **Heating Area:** 220mm
 Iron spray anticorrosive bottom shell/or galvanized sheet




GPS-45 Touch type
Power: 2400W+2400W **Voltage:** 220V/50Hz
Panel size: 735*415mm **Heating Area:** 220mm
 Iron spray anticorrosive bottom shell/or galvanized sheet



GPS-46 Touch type
Power: 2400W+2400W **Voltage:** 220V/50Hz
Panel size: 735*415mm **Heating Area:** 220mm
 Iron spray anticorrosive bottom shell/or galvanized sheet



GPS-47 Touch type
Power: 2200W+2200W **Voltage:** 220V/50Hz
Panel size: 680*380mm **Heating Area:** 220mm
 Iron spray anticorrosive bottom shell/or galvanized sheet




GPS-48 Touch type
Power: 2200W+2200W **Voltage:** 220V/50Hz
Panel size: 680*380mm **Heating Area:** 220mm
 Iron spray anticorrosive bottom shell/or galvanized sheet



GPS-49 Touch type
Power: 2200W+2200W **Voltage:** 220V/50Hz
Panel size: 680*380mm **Heating Area:** 220mm
 Iron spray anticorrosive bottom shell/or galvanized sheet




GPS-50 Touch type
Power: 2200W+2200W **Voltage:** 220V/50Hz
Panel size: 735*415mm **Heating Area:** 220mm
 Iron spray anticorrosive bottom shell/or galvanized sheet




GPS-51 Touch type
Power: 2200W+2200W **Voltage:** 220V/50Hz
Panel size: 735*415mm **Heating Area:** 220mm
 Iron spray anticorrosive bottom shell/or galvanized sheet



GPS-52 Touch type
Power: 2400W+2400W **Voltage:** 220V/50Hz
Panel size: 735*415mm **Heating Area:** 220mm
 Iron spray anticorrosive bottom shell/or galvanized sheet




GPS-53 Touch type
Power: 2400W+2400W **Voltage:** 220V/50Hz
Panel size: 735*415mm **Heating Area:** 220mm
 Iron spray anticorrosive bottom shell/or galvanized sheet




GPS-54 Touch type
Power: 2400W+2400W **Voltage:** 220V/50Hz
Panel size: 735*415mm **Heating Area:** 220mm
 Iron spray anticorrosive bottom shell/or galvanized sheet



GPS-56 Touch type
Power: 2200W+2200W **Voltage:** 220V/50Hz
Panel size: 680*380mm **Heating Area:** 220mm
 Iron spray anticorrosive bottom shell/or galvanized sheet



GPS-55 Touch type
Power: 2400W+2400W **Voltage:** 220V/50Hz
Panel size: 735*415mm **Heating Area:** 220mm
 Iron spray anticorrosive bottom shell/or galvanized sheet



GPS-57 Touch type
Power: 2400W+2400W **Voltage:** 220V/50Hz
Panel size: 735*415mm **Heating Area:** 220mm
 Iron spray anticorrosive bottom shell/or galvanized sheet



GPS-58 Touch type
Power/Voltage: 2000W+2000W(110-120V/50Hz),
 2200W+2200W(220V/50Hz) **Panel size:** 600*360mm
 Flame retardant high temperature resistant plastic housing



GPS-59 Touch type
Power: 2400W+2400W **Voltage:** 220V/50Hz
Panel size: 735*415mm **Heating Area:** 220mm
 Iron spray anticorrosive bottom shell/or galvanized sheet



GPS-60 Touch type
Power: 2400W+2400W **Voltage:** 220V/50Hz
Panel size: 735*415mm **Heating Area:** 220mm
 Iron spray anticorrosive bottom shell/or galvanized sheet



GPS-61 Touch type
Power: 2000W+2000W **Voltage:** 110V/50Hz
Panel size: 600*360mm **Gears:** 9
 Iron spray anticorrosive bottom shell/or galvanized sheet

MAKING DIFFERENT DELICIOUS FOR YOUR FAMILY

MAKING DIFFERENT DELICIOUS FOR YOUR FAMILY





GPS-62 Touch type
Power/Voltage: 1100W+1100W(110-120V/50Hz),
 1100W+1100W(220V/50Hz) **Panel size:** 483*253mm
 Spray rust resistant iron bottom shell/or galvanized sheet



GPS-63 knob
Power: 1800W **Voltage:** 120V/50-60HZ
Product size: 481*240*58mm **Gears:** 9



GPS-64 Touch type
Power/Voltage: 1200W+1200W(110-120V/50Hz),
 2200W+2200W(220V/50Hz) **Panel size:** 563*332mm
 Stainless steel housing



GPS-65 Knob
Heat load: 3.3KW/1.0KW **Product size:** 300*510mm
Table cutting size: 280*480*R20mm
 Stainless steel panel, black painted



GPS-66 Touch type & Knob
Power/Voltage: 1300W+1300W(110-120V/50Hz),
 2200W+2200W(220V/50Hz) **Panel size:** 565*355mm
 Flame retardant high temperature resistant plastic housing



GPS-67 Touch type
Power/Voltage: 1300W+1300W(110-120V/50Hz),
 2200W+2200W(220V/50Hz) **Panel size:** 565*355mm
 Flame retardant high temperature resistant plastic housing



GPS-68 Touch type & Knob
Power/Voltage: 1300W+1300W(110-120V/50Hz),
 2200W+2200W(220V/50Hz) **Panel size:** 565*355mm
 Flame retardant high temperature resistant plastic housing



GPS-69 Knob
Power: 2000W+2000W **Voltage:** 220V/50Hz
Panel size: 600*330*52mm **Gears:** 7
 Stainless steel housing

MAKING DIFFERENT DELICIOUS FOR YOUR FAMILY



GPS-70 Touch type
Power: 2200W+2200W+1000W+1000W
Panel size: 770*520mm **Voltage:** 220V/50Hz
 Iron spray anticorrosive bottom shell/or galvanized sheet



GPS-71 Touch type & Knob
Power: 2000W+2000W+1200W **Voltage:** 220V/50Hz
Panel size: 596*510mm **Gear:** 9
 Aluminum housing



GPS-72 Touch type & Knob
Power: 2000W+2000W+1200W **Voltage:** 220V/50Hz
Panel size: 596*510mm **Gear:** 9
 Aluminum housing



GPS-73 Touch type & Knob
Power: 2000W+2000W+1650W+1650W
Panel size: 596*510mm **Voltage:** 220V/50Hz
 Aluminum housing



GPS-74 Touch type & Knob
Power: 1800W+1200W+1800W+1200W
Panel size: 650*530mm **Voltage:** 220V/50Hz
 Aluminum housing




GPS-75 Touch type & Knob
Power: 1800W+1200W+1800W+1200W
Panel size: 650*530mm **Voltage:** 220V/50Hz
 Aluminum housing



GPS-76 Touch type
Power: 2000W+1200W+1800W **Voltage:** 220V/50Hz
Panel size: 735*415mm **Gear:** 9
 Iron spray anticorrosive bottom shell/or galvanized sheet



GPS-77 Touch type
Power: 1850W+1650W+1650W **Voltage:** 220V/50Hz
Panel size: 583*513mm **Gear:** 9
 Iron spray anticorrosive bottom shell/or galvanized sheet




GPS-78 Touch type
Power: 1800W+1800W+1200W **Voltage:** 220V/50Hz
Panel size: 596*510mm **Gear:** 9
 Iron spray anticorrosive bottom shell/or galvanized sheet


MAKING DIFFERENT DELICIOUS FOR YOUR FAMILY




MAKING DIFFERENT DELICIOUS FOR YOUR FAMILY



GPS-79 Touch type
Power: 2300W+1800W+1200W **Voltage:** 220V/50Hz
Panel size: 596*510mm **Gear:** 9
 Iron spray anticorrosive bottom shell/or galvanized sheet



GPS-80 Touch type
Power: 2200W+2200W+1000W+1000W
Panel size: 770*520mm **Voltage:** 220V/50Hz
 Iron spray anticorrosive bottom shell/or galvanized sheet



GPS-81 Touch type
Power: 1800W+1200W+1800W+1200W
Panel size: 596*510mm **Voltage:** 220V/50Hz
 Iron spray anticorrosive bottom shell/or galvanized sheet




GPS-82 Touch type
Power: 1800W+1200W+1800W+1200W
Panel size: 596*510mm **Voltage:** 220V/50Hz
 Iron spray anticorrosive bottom shell/or galvanized sheet




GPS-83 Touch type
Power: 2200W+2000W+1200W+1200W
Panel size: 770*520mm **Voltage:** 220V/50Hz
 Iron spray anticorrosive bottom shell/or galvanized sheet



GPS-84 Touch type
Power: 2000W+1200W+2000W+1200W
Panel size: 770*520mm **Voltage:** 220V/50Hz
 Iron spray anticorrosive bottom shell/or galvanized sheet



GPS-85 Touch type & Knob
Power: 1200W+1800W+1800W+1200W
Panel size: 770*520mm **Voltage:** 220V/50Hz
 Iron spray anticorrosive bottom shell/or galvanized sheet




GPS-86 Touch type & Knob
Power: 1600W+2000W+2000W+1600W
Panel size: 770*520mm **Voltage:** 220V/50Hz
 Iron spray anticorrosive bottom shell/or galvanized sheet




GPS-87 Touch type
Power: 2000W+1600W+1600W+1200W+1200W
Panel size: 770*520mm **Voltage:** 220V/50Hz
 Iron spray anticorrosive bottom shell/or galvanized sheet



MAKING DIFFERENT DELICIOUS FOR YOUR FAMILY



GPS-88 Touch type & Konb
Power: 2000W+1600W+2000W+1600W
Panel size: 770*520mm **Voltage:** 220V/50Hz
 Iron spray anticorrosive bottom shell/or galvanized sheet



GPS-90 Touch type
Power: 2000W+1500W+1500W+1200W+1200W
Panel size: 900*520mm **Voltage:** 220V/50Hz
 Iron spray anticorrosive bottom shell/or galvanized sheet




GPS-92 Touch type
Power: 2000W+2200W+2000W+1200W+1200W
Panel size: 900*520mm **Voltage:** 220V/50Hz
 Iron spray anticorrosive bottom shell/or galvanized sheet



GPS-94 Touch type
Power: 1800W+1800W+1800+1800W+1800W+1800W
Panel size: 780*510mm **Voltage:** 220V/50Hz
 Iron spray anticorrosive bottom shell/or galvanized sheet




GPS-89 Touch type
Power: 2000W+2000W+2000W+1500W+1500W
Panel size: 770*520mm **Voltage:** 220V/50Hz
 Iron spray anticorrosive bottom shell/or galvanized sheet



GPS-91 Touch type & Konb
Power: 1200W+1800W+2000W+1800W+1200W
Panel size: 900*520mm **Voltage:** 220V/50Hz
 Iron spray anticorrosive bottom shell/or galvanized sheet



GPS-93 Touch type & Konb
Power: 2000W+2200W+2000W+1200W+1200W
Panel size: 900*520mm **Voltage:** 220V/50Hz
 Iron spray anticorrosive bottom shell/or galvanized sheet



GPS-95 Touch type
Power: 1500W+1800W+2000W+1200W
Panel size: 770*520mm **Voltage:** 220V/50Hz
 Iron spray anticorrosive bottom shell/or galvanized sheet



GPS-96 Knob
Power/ Voltage: 900W(110-120V/50Hz),1600W(220V/50Hz)
Product size: 240*280*60mm **Panel size:** Φ199mm
 Stainless steel housing



MAKING DIFFERENT DELICIOUS FOR YOUR FAMILY



GPS-97 Touch type & Knob
Power/ Voltage: 2500W(220V/50Hz),1800W(110-120V/50Hz)
Panel size: 390*310mm
 Stainless steel housing



GPS-98 Touch type & Knob
Power/ Voltage: 2000W(220V/50Hz),1500W(110-120V/50Hz)
Panel size: 360*280mm
 Stainless steel housing



GPS-99 Touch type
Power/ Voltage: 2000W(220V/50Hz),1300W(110-120V/50Hz)
Panel size: 290*360mm
 Flame retardant high temperature resistant plastic housing



GPS-100 Touch type
Power/ Voltage: 2200W(220V/50Hz),1800W(110-120V/50Hz)
Panel size: 280*350mm
 Flame retardant high temperature resistant plastic housing



GPS-101 Touch type
Power/ Voltage: 2000W+2000W(110-120V/50Hz), 2200W+2200W(220V/50Hz) **Panel size:** 565*355mm
 Flame retardant high temperature resistant plastic housing



GPS-102 Touch type & Knob
Power/ Voltage: 1300W+1300W(110-120V/50Hz), 2200W+2200W(220V/50Hz) **Panel size:** 600*360mm
 Flame retardant high temperature resistant plastic housing



GPS-103 Touch type
Power: 3500W **Voltage:** 204V-240V/50Hz
Panel size: 300*300mm
 Stainless steel housing



GPS-104 Touch type & Knob
Power: 5000W **Voltage:** 204V-240V/50Hz
Panel size: 300*300mm
 Stainless steel housing