



Kitchen Catalog







Innovational Steam & Air Fry Combo Mode
创新蒸汽空炸组合模式



Advanced Steam Heating Technology To Quickly Lock Food Flavor And Nutrition
微压速蒸，聚能速蒸，食材鲜香营养



Newest Oven Technology Minimizes Cooking Times
最新的烤箱技术大大缩短烹饪时间



STEAM AIR FRYER OVEN


With multi-functional steam air fryer oven, you can steam, grill, bake, and do a lot more to make a variety of cuisines by only pressing a button!

Innovational Steam & Air Fry Combo Mode combines steaming and air frying in one cooking process with precise moisture control that ensures uniform heating and locks juices in your food and keep it tender, juicy and full of flavor.

蒸汽空炸烤箱

多功能蒸汽空气炸锅烤箱——只需轻松一键即可一步到位搞定蒸、煮、炖、煎、烤、炸等等。

创新的蒸汽空炸组合模式将蒸汽和空炸完美结合在整个烹饪过程中，并具有精确的水分控制，可确保均匀加热并锁定食物中的汁液，使其保持柔软、多汁和充满风味。



- Innovative Steam Technology
创新蒸汽技术
- Less oil/no oil cooking
少油/无油烹饪
- Fast Heating
加热速度快
- Nutrition Retention
保留营养
- Visible Window
可视功能
- 360°High-speed Hot Air Circulation
360°立体循环热风
- Adjustable Timer
烹饪时间可调
- Precise Temperature Control
精准温度控制
- Easy To Clean
易清洁
- Dishwasher Safe Accessories
配件可用洗碗机清洗
- Multi-function with one-touch
一键开启多功能操作
- User-Friendly Design
人性化设计



Specs

Capacity: 18L
 Rated input: 120/220-240V~, 50/60Hz
 Rated power: 1800W
 Temp. range: 30°C-220°C
 Giftbox size: 441×425×427mm
 Carton size: 454×437×443mm
 40HC: 780 pcs

规格

容量: 18L
 额定电压: 120/220-240V~, 50/60Hz
 额定功率: 1800W
 温度范围: 30°C-220°C
 彩盒尺寸: 441×425×427mm
 外箱尺寸: 454×437×443mm
 40尺高柜: 780台



Specs

Capacity: 12L
 Rated input: 120/220-240V~, 50/60Hz
 Rated power: 1200W
 Temp. range: 30°C-220°C
 Giftbox size: 374×363×415mm
 Carton size: 386×375×430mm
 40HC: 1116 pcs

规格

容量: 12L
 额定电压: 120/220-240V~, 50/60Hz
 额定功率: 1200W
 温度范围: 30°C-220°C
 彩盒尺寸: 374×363×415mm
 外箱尺寸: 386×375×430mm
 40尺高柜: 1116台



Specs

Capacity: 20L
 Rated input: 120/220-240V~ 50-60HZ
 Rated power: 1500W
 Temp. range: 35°C-220°C
 Giftbox size:
 Carton size: 476×426×402 mm
 40HC: 792 pcs

规格

容量:20L
 额定电压: 120/220-240V~ 50-60HZ
 额定功率:1500w
 温度范围:35°C-220°C
 彩盒尺寸:
 外箱尺寸:476×426×402 mm
 40尺高柜:792台



Specs

Capacity: 24L
 Rated input: 120/220-240V~, 50/60Hz
 Rated power: 1800W
 Temp. range: 50°C-230°C
 Giftbox size: 491×477×444mm
 Carton size: 507×490×460mm
 40HC: 575 pcs

规格

容量: 24L
 额定电压: 120/220-240V~, 50/60Hz
 额定功率: 1800W
 温度范围: 50°C-230°C
 彩盒尺寸: 491×477×444mm
 外箱尺寸: 507×490×460mm
 40尺高柜: 575台



Specs


Capacity: 32L
 Rated input: 120/220-240V~ 50-60HZ
 Rated power: 1800w
 Temp. range: 35°C-220°C
 Giftbox size:
 Carton size: 527×507×466mm
 40HC: 500 pcs

规格

容量: 32L
 额定电压: 120/220-240V~ 50-60HZ
 额定功率: 1800w
 温度范围: 35°C-220°C
 彩盒尺寸:
 外箱尺寸: 527×507×466mm
 40尺高柜: 500台



Steam Air Fryer Oven
蒸汽空炸烤箱



360°High-speed Hot Air Circulation.
Light oil and low fat
360°立体循环热风,轻油低脂入口酥脆




AIR FRYER OVEN

空炸烤箱

Convection heating similar to solar hot air is used to form rapid circulating heat flow in the closed pot to ensure uniform flow of hot air, so that the food can be cooked without rolling oil to achieve similar effect of frying.

采用类似于太阳能热风的对流加热,在密闭锅内形成快速循环热流,保证热风均匀流动,使食物无需滚油即可烹制,达到类似煎炸的效果。



French fries 薯条

Steak 牛排

Roast Fish 烤鱼

Shrimp 鲜虾

Pizza 披萨

Chicken Leg 鸡腿

Cake 蛋糕

Roast Chicken 烤鸡

Nut 干果

More 更多



Less oil/no oil cooking
少油/无油烹饪



Fast Heating
加热速度快



Convenient Rotary Control
便捷旋控



Visible Window
可视功能



360°High-speed Hot Air Circulation
360°立体循环热风



Multi-function with one-touch
一键开启多功能操作



Adjustable Timer
烹饪时间可调



Precise Temperature Control
精准温度控制



Easy To Clean
易清洁



Dishwasher Safe Accessories
配件可用洗碗机清洗



User-Friendly Design
人性化设计



Overheat Protection
过热保护



Specs

Capacity: 12L
 Rated input: 120/220-240V~, 50/60Hz
 Rated power: 1200W
 Temp. range: 60°C-230°C
 Carton size: 390×339×373mm
 40HC: 1428 pcs

规格

容量: 12L
 额定电压: 120/220-240V~, 50/60Hz
 额定功率: 1200W
 温度范围: 60°C-230°C
 外箱尺寸: 390×339×373mm
 40尺高柜: 1428台



Specs

Capacity: 12L
 Rated input: 120/220-240V~, 50/60Hz
 Rated power: 1200W
 Temp. range: 60°C-230°C
 Carton size: 390×339×373mm
 40HC: 1428 pcs

规格

容量: 12L
 额定电压: 120/220-240V~, 50/60Hz
 额定功率: 1200W
 温度范围: 60°C-230°C
 外箱尺寸: 390×339×373mm
 40尺高柜: 1428台



Specs

Capacity: 14L
 Rated input: 120/220-240V~, 50/60Hz
 Rated power: 1800W
 Temp. range: 35°C-220°C
 Giftbox size: 415×370×455mm
 Carton size: 430×383×475mm
 40HC: 840 pcs

规格

容量: 14L
 额定电压: 120/220-240V~, 50/60Hz
 额定功率: 1800W
 温度范围: 35°C-220°C
 彩盒尺寸: 415×370×455mm
 外箱尺寸: 430×383×475mm
 40尺高柜: 840台



Specs

Capacity: 16L
 Rated input: 120/220-240V~, 50/60Hz
 Rated power: 1800W
 Temp. range: 60°C-220°C
 Giftbox size: 425×435×444mm
 Carton size: 435×441×457mm
 40HC: 800 pcs

规格

容量: 16L
 额定电压: 120/220-240V~, 50/60Hz
 额定功率: 1800W
 温度范围: 60°C-220°C
 彩盒尺寸: 425×435×444mm
 外箱尺寸: 435×441×457mm
 40尺高柜: 800台





Specs

Capacity: 18L
 Rated input: 120/220-240V~ 50-60HZ
 Rated power: 1500w
 Temp. range:35°C-220°C
 Giftbox size:
 Carton size: 436×427×379mm
 40HC: 900 pcs

规格

容量:18L
 额定电压: 120/220-240V~ 50-60HZ
 额定功率:1500w
 温度范围:35°C-220°C
 彩盒尺寸:
 外箱尺寸:436×427×379mm
 40尺高柜:900台



Specs

Capacity: 26L
 Rated input: 120/220-240V~ 50-60HZ
 Rated power: 1800w
 Temp. range:35°C-220°C
 Giftbox size:
 Carton size: 505×445×414mm
 40HC: 716 pcs

规格

Capacity: 26L
 Rated input: 120/220-240V~ 50-60HZ
 Rated power: 1800w
 Temp. range:35°C-220°C
 Giftbox size:
 Carton size: 505×445×414mm



Specs

Capacity: 18L
 Rated input: 120/220-240V~ 50-60HZ
 Rated power: 1500w
 Temp. range:35°C-220°C
 Giftbox size:
 Carton size: 436×427×379mm
 40HC: 900 pcs

规格

容量:18L
 额定电压: 120/220-240V~ 50-60HZ
 额定功率:1500w
 温度范围:35°C-220°C
 彩盒尺寸:
 外箱尺寸:436×427×379mm
 40尺高柜:900台



Specs

Capacity: 26L
 Rated input: 120/220-240V~ 50-60HZ
 Rated power: 1800w
 Temp. range:35°C-220°C
 Giftbox size:
 Carton size: 505×445×414mm
 40HC: 716 pcs

规格

容量:26L
 额定电压: 120/220-240V~ 50-60HZ
 额定功率:1800w
 温度范围:35°C-220°C
 彩盒尺寸:
 外箱尺寸:505×445×414mm
 40尺高柜:716台





AIR FRYER

Efficient thermal insulation design, fast cooking speed,
high efficiency, environmental protection and energy saving

高温烤炉

高效保温隔热设计，烹饪速度快、效率高，环保节能。



Specs

Capacity: 20L

Rated input: 120/220-240V~ 50-60HZ

Rated power: 1800w

Temp. range:35°C-350°C

Giftbox size:

Carton size:

40HC

规格

容量:20L

额定电压: 120/220-240V~ 50-60HZ

额定功率:1800w

温度范围:35°C-350°C

彩盒尺寸:

外箱尺寸:

40尺高柜:



Specs

Capacity: 20L

Rated input: 120/220-240V~ 50-60HZ

Rated power: 1800w

Temp. range:35°C-350°C

Giftbox size:

Carton size:

40HC:

规格

容量:20L

额定电压: 120/220-240V~ 50-60HZ

额定功率:1800w

温度范围:35°C-350°C

彩盒尺寸:

外箱尺寸:

40尺高柜:



Specs

Capacity: 8.5L(Upper chamber)/9.5L(Lower chamber)
 Rated input: 120/220-240V~, 50/60Hz
 Rated power: 830W
 Temperature range from 30°C to 85°C

规格

容量: 上腔8.5L,下腔9.5L
 额定输入: 120/220-240V~, 50/60Hz
 额定功率: 830W
 温度范围从30°C到85°C



FOOD DEHYDRATOR

Preserve varieties of foods without additives, produces nutritious food with very simple preparation. No food will spoil and go to waste with this food preserver.

干果机

不需要任何添加剂，用最简单的操作保存多种营养丰富的食物，从此谢绝食物损失和浪费。



Fruits 水果



Nuts 坚果



Vegetables 蔬菜



Spices 香料



Flowers & Herbs 花茶



Meat Jerky 肉干

More 更多



Horizontal Air Circulation
水平空气循环



Overheat Protection
过热保护



Timer & Auto Shutoff
计时器和自动关闭



Rear-mounted Automatic Fans
后置式自动风扇



Precise Temperature Control
精准温度控制



Easy To Clean
易清洁



Electric Grill

Innovatively designed indoor grill delivers amazing BBQ taste & flavor year-round in any weather.

烤肉机

创新烤肉机让您全年不分天气，在家轻松实现烤肉自由，尽享烧烤风味！





Specs

Rated input: 120/220-240V~, 50/60Hz
 Rated power: 1450W
 Carton size: 483×372×353mm
 40HC: 1104 pcs

规格

额定电压: 120/220-240V~, 50/60Hz
 额定功率: 1450W
 外箱尺寸: 483×372×353mm
 40尺高柜: 1104台



With Precise Temperature Control control knob
 旋转温控器可调节温度



The removable griddle plates is easy to remove and dishwasher safe.
 易拆卸烤盘可放入洗碗机清洗



Experience grilled food taste cooked indoors: You no longer need to wait until the weather's nice to enjoy deliciously grilled food.
 不受任何天气的影响，在家实现烧烤自由，尽情享受烧烤的美味。



Heats quickly and maintains temperature: This grill heats up quickly and maintains a constant temperature. Control your heat level to cook your food to desired doneness.
 快速稳定加热并保持温度：调节热量并保持所需温度，将您的食物烹制至所需的熟度。

Specs

Rated input: 120/220-240V~, 50/60Hz
 Rated power: 1200W
 Carton size: 523×257×428mm
 40HC: 1146 pcs

规格

额定电压: 120/220-240V~, 50/60Hz
 额定功率: 1200W
 外箱尺寸: 523×257×428mm
 40尺高柜: 1146台



Distributes heat evenly for the best results due to the fully embedded grill plate heating element.
 完全嵌入式烤盘发热元件有助于热量均匀分布，以达到最佳的烹饪效果。



Improves cooking to keep food juicy with the lid; It can also keep already grilled food warm
 用盖子保持食物鲜嫩多汁，恒温加热提升烹饪效果



Make a meal for the whole family with the large grilling surface. Drip tray: Integrated and removable;
 超大煎烤盘面积承包全家人的餐用量需求；一体式滴水盘可拆卸。



Perfectly grilled food to your preference with the detachable, adjustable thermostat;
 可调节的恒温器，根据您的喜好完美烤制食物；



Easy to clean with nonstick grill plate and removable nonstick drip tray;
 不粘烤盘和可拆卸滴水盘清洁非常简单






AIR FRYER

Built with new heating system with rapid air circulation technology - which helps you to make healthier foods of your favorite fried foods with less oil.

空气炸锅

采用最新的加热系统和快速空气循环技术 - 助您以更少的油烹饪您最喜爱的健康油炸食品。



French fries 薯条

Roast Chicken 烤鸡

Shrimp 鲜虾

Steak 牛排

Cake 蛋糕

Chicken Leg 鸡腿

Bacon 培根

PIZZA 披萨

Barbecue 烤肉

More 更多



Less oil/no oil cooking
少油/无油烹饪



Large capacity
大容量设计



Compact design
体积小巧



Visible Window
可视功能



360°High-speed Hot Air Circulation
360°立体循环热风



Multi-function with one-touch
一键开启多功能操作



Adjustable Timer
烹饪时间可调



Precise Temperature Control
精准温度控制



Easy To Clean
易清洁



User-Friendly Design
人性化设计



Convenient Rotary Control
便捷旋控



Timer & Auto Shutoff
计时器和自动关闭



Specs

Capacity: 2.9L
 Rated input: 120/220-240V~, 50/60Hz
 Rated power: 1450W
 Giftbox size: 350×350×362mm
 Carton size: 725×360×385mm
 40HC: 1352pcs

规格

容量: 2.9L
 额定输入: 120/220-240V~, 50/60Hz
 额定功率: 1450W
 彩盒尺寸: 350×350×362mm
 外箱尺寸: 725×360×385mm
 40尺高柜: 1352台



Specs

Capacity: 3.2L
 Rated input: 120/220-240V~, 50/60Hz
 Rated power: 1450W
 Giftbox size: 350×350×345mm
 Carton size: 720×360×370mm
 40HC: 1418pcs

规格

容量: 3.2L
 额定输入: 120/220-240V~, 50/60Hz
 额定功率: 1450W
 彩盒尺寸: 350×350×345mm
 外箱尺寸: 720×360×370mm
 40尺高柜: 1418台



Specs

Capacity: 3.2L
 Rated input: 120/220-240V~, 50/60Hz
 Rated power: 1450W
 Giftbox size: 350×350×345mm
 Carton size: 720×360×370mm
 40HC: 1418pcs

规格

容量: 3.2L
 额定输入: 120/220-240V~, 50/60Hz
 额定功率: 1450W
 彩盒尺寸: 350×350×345mm
 外箱尺寸: 720×360×370mm
 40尺高柜: 1418台





Specs

Capacity: 3.2L
 Rated input: 120/220-240V~, 50/60Hz
 Rated power: 1450W
 Giftbox size: 365×365×380mm
 Carton size: 750×375×400mm
 40HC: 1208pcs

规格

容量: 3.2L
 额定输入: 120/220-240V~, 50/60Hz
 额定功率: 1450W
 彩盒尺寸: 365×365×380mm
 外箱尺寸: 750×375×400mm
 40尺高柜: 1208台



Specs

Capacity: 3.2L
 Rated input: 120/220-240V~, 50/60Hz
 Rated power: 1450W
 Giftbox size: 340×340×355mm
 Carton size: 700×350×375mm
 40HC: 1458pcs

规格

容量: 3.2L
 额定输入: 120/220-240V~, 50/60Hz
 额定功率: 1450W
 彩盒尺寸: 340×340×355mm
 外箱尺寸: 700×350×375mm
 40尺高柜: 1458台



Specs

Capacity: 3.2L
 Rated input: 120/220-240V~, 50/60Hz
 Rated power: 1450W
 Giftbox size: 365×365×380mm
 Carton size: 750×375×400mm
 40HC: 1208pcs

规格

容量: 3.2L
 额定输入: 120/220-240V~, 50/60Hz
 额定功率: 1450W
 彩盒尺寸: 365×365×380mm
 外箱尺寸: 750×375×400mm
 40尺高柜: 1208台



Specs

Capacity: 3.2L
 Rated input: 120/220-240V~, 50/60Hz
 Rated power: 1450W
 Giftbox size: 340×340×355mm
 Carton size: 700×350×375mm
 40HC: 1458pcs

规格

容量: 3.2L
 额定输入: 120/220-240V~, 50/60Hz
 额定功率: 1450W
 彩盒尺寸: 340×340×355mm
 外箱尺寸: 700×350×375mm
 40尺高柜: 1458台



Specs

Capacity: 4.5L
 Rated input: 120/220-240V~, 50/60Hz
 Rated power: 1450W
 Giftbox size: 441×349×412mm
 Carton size: 900×370×432mm
 40HC: 944pcs

规格

容量: 4.5L
 额定输入: 120/220-240V~, 50/60Hz
 额定功率: 1450W
 彩盒尺寸: 441×349×412mm
 外箱尺寸: 900×370×432mm
 40尺高柜: 944台



Specs

Capacity: 8L
 Rated input: 120/220-240V~, 50/60Hz
 Rated power: 1200W
 Giftbox size: 350×350×345mm
 Carton size: 720×360×370mm
 40HC: 1418 pcs

规格

容量: 8L
 额定电压: 120/220-240V~, 50/60Hz
 额定功率: 1200W
 彩盒尺寸: 350×350×345mm
 外箱尺寸: 720×360×370mm
 40尺高柜: 1418台



Specs

Capacity: 4.5L
 Rated input: 120/220-240V~, 50/60Hz
 Rated power: 1500W
 Giftbox size: 340×340×345mm
 Carton size: 350×350×360 mm
 40HC: 1426pcs

规格

容量: 4.5L
 额定输入: 120/220-240V~, 50/60Hz
 额定功率: 1500W
 彩盒尺寸: 340×340×345mm
 外箱尺寸: 350×350×360 mm
 40尺高柜: 1426台



Specs

Capacity: 10L
 Rated input: 120/220-240V~, 50/60Hz
 Rated power: 1500W
 Giftbox size: 450×380×353mm
 Carton size: 465×395×375mm
 40HC: 986pcs

规格

容量: 10L
 额定输入: 120/220-240V~, 50/60Hz
 额定功率: 1500W
 彩盒尺寸: 450×380×353mm
 外箱尺寸: 465×395×375mm
 40尺高柜: 986台





ELECTRIC PRESSURE COOKER

Designed with the objective of being Convenient, Dependable and Safe. Ouning multi-use Electric Pressure Cooker speeds up cooking by 2-6 times making it extremely energy-efficient, while, preserving nutrients and preparing healthy, tasty dishes.

电压力锅

欧宁精心设计的多功能电压力锅使用方便，性能可靠安全；烹饪速度提高了 2-6 倍，非常节能，同时保留了营养成分，烹制出健康美味的菜肴。



Rice 米饭



Congee 熬粥



Coarse grain rice 杂粮饭



Chicken soup 鸡汤



Stewed beef 炖牛肉



Braised pig feet 焖猪蹄



Braised mutton 焖羊肉



More 更多



Specs

Capacity: 2.0L
 Rated input: 120/220-240V~, 50/60Hz
 Rated power: 720W
 Giftbox size: 280×280×295mm
 Carton size: 580×295×625mm
 40HC: 2544pcs

规格

容量: 2.0L
 额定输入: 120/220-240V~, 50/60Hz
 额定功率: 720W
 彩盒尺寸: 280×280×295mm
 外箱尺寸: 580×295×625mm
 40尺高柜: 2544台



Specs

Capacity: 2.0L/3.0L
 Rated input: 120/220-240V~, 50/60Hz
 Rated power: 720W
 Giftbox size: 265×260×280mm(2L)
 Carton size: 550×285×585mm(2L)
 40HC: 2964pcs(2L)

规格

容量: 2.0L/3.0L
 额定输入: 120/220-240V~, 50/60Hz
 额定功率: 720W
 彩盒尺寸: 265×260×280mm(2L)
 外箱尺寸: 550×285×585mm(2L)
 40尺高柜: 2964台(2L)



Specs

Capacity: 2.0L/3.0L
 Rated input: 120/220-240V~, 50/60Hz
 Rated power: 720W
 Giftbox size: 265×260×280mm(2L)
 Carton size: 550×285×585mm(2L)
 40HC: 2964pcs(2L)

规格

容量: 2.0L/3.0L
 额定输入: 120/220-240V~, 50/60Hz
 额定功率: 720W
 彩盒尺寸: 265×260×280mm(2L)
 外箱尺寸: 550×285×585mm(2L)
 40尺高柜: 2964台(2L)





Specs

Capacity: 3.0L/4.0L/5.0L/6.0L
 Rated input: 120/220-240V~, 50/60Hz
 Rated Power: 750W
 Giftbox size: 300×300×310mm 3L
 Carton size: 612×316×650mm 3L
 40HC: 2160pcs(3L)

容量: 3.0L/4.0L/5.0L/6.0L
 额定电压: 120/220-240V~, 50/60Hz
 额定功率: 750W
 彩盒尺寸 300×300×310mm 3L
 外箱尺寸 612×316×650mm 3L
 40尺高柜: 2160台(3L)

Specs

Capacity: 3.0L/4.0L/5.0L/6.0L
 Rated input: 120/220-240V~, 50/60Hz
 Rated Power: 750W
 Giftbox size: 300×300×310mm 3L
 Carton size: 612×316×650mm 3L
 40HC: 2160pcs(3L)

规格
 容量: 3.0L/4.0L/5.0L/6.0L
 额定电压: 120/220-240V~, 50/60Hz
 额定功率: 750W
 彩盒尺寸 300×300×310mm 3L
 外箱尺寸 612×316×650mm 3L
 40尺高柜: 2160台(3L)

Specs

Capacity: 4.0L/5.0L/6.0L
 Rated input: 120/220-240V~, 50/60Hz
 Rated power: 800W
 Giftbox size: 280×280×350mm (4L)
 Carton size: 580×290×375mm (4L)
 40HC: 2344pcs(4L)

规格
 容量: 4.0L/5.0L/6.0L
 额定输入: 120/220-240V~, 50/60Hz
 额定功率: 800W
 彩盒尺寸: 280×280×350mm (4L)
 外箱尺寸: 580×290×375mm (4L)
 40尺高柜: 2344台(4L)

Specs

Capacity: 4.0L/5.0L/6.0L
 Rated input: 120/220-240V~, 50/60Hz
 Rated power: 800W
 Giftbox size: 280×280×350mm (4L)
 Carton size: 580×290×375mm (4L)
 40HC: 2344pcs(4L)

容量: 4.0L/5.0L/6.0L
 额定输入: 120/220-240V~, 50/60Hz
 额定功率: 800W
 彩盒尺寸: 280×280×350mm (4L)
 外箱尺寸: 580×290×375mm (4L)
 40尺高柜: 2344台(4L)





Specs

Capacity: 4.0L/5.0L/6.0L
Rated input: 120/220-240V~, 50/60Hz
Rated power: 800W
Giftbox size: 290×290×330mm(4L)
Carton size: 600×305×360mm(4L)
40HC: 2064pcs(4L)

规格

容量: 4.0L/5.0L/6.0L
额定输入: 120/220-240V~, 50/60Hz
额定功率: 800W
彩盒尺寸: 290×290×330mm(4L)
外箱尺寸: 600×305×360mm(4L)
40尺高柜: 2064台(4L)

Specs

Capacity: 4.0L/5.0L/6.0L
Rated input: 120/220-240V~, 50/60Hz
Rated power: 800W
Giftbox size: 290×290×330mm(4L)
Carton size: 600×305×360mm(4L)
40HC: 2064pcs(4L)

规格

容量: 4.0L/5.0L/6.0L
额定输入: 120/220-240V~, 50/60Hz
额定功率: 800W
彩盒尺寸: 290×290×330mm(4L)
外箱尺寸: 600×305×360mm(4L)
40尺高柜: 2064台(4L)

Specs

Capacity: 4.0L/5.0L/6.0L
Rated input: 120/220-240V~, 50/60Hz
Rated power: 800W
Giftbox size: 305×305×350mm (4L)
Carton size: 635×320×365mm (4L)
40HC: 1832pcs(4L)

规格

容量: 4.0L/5.0L/6.0L
额定输入: 120/220-240V~, 50/60Hz
额定功率: 800W
彩盒尺寸: 305×305×350mm (4L)
外箱尺寸: 635×320×365mm (4L)
40尺高柜: 1832台(4L)

Specs

Capacity: 4.0L/5.0L/6.0L
Rated input: 120/220-240V~, 50/60Hz
Rated power: 800W
Giftbox size: 305×305×350mm (4L)
Carton size: 635×320×365mm (4L)
40HC: 1832pcs(4L)

规格

容量: 4.0L/5.0L/6.0L
额定输入: 120/220-240V~, 50/60Hz
额定功率: 800W
彩盒尺寸: 305×305×350mm (4L)
外箱尺寸: 635×320×365mm (4L)
40尺高柜: 1832台(4L)





Specs

Capacity: 4.0L/5.0L/6.0L/8.0L
 Rated input: 120/220-240V~, 50/60Hz
 Rated power: 800W
 Giftbox size: 290×290×355mm(4L)
 Carton size: 595×306×380mm(4L)
 40HC: 1964pcs(4L)

规格

容量: 4.0L/5.0L/6.0L/8.0L
 额定输入: 120/220-240V~, 50/60Hz
 额定功率: 800W
 彩盒尺寸: 290×290×355mm(4L)
 外箱尺寸: 595×306×380mm(4L)
 40尺高柜: 1964台(4L)

Specs

Capacity: 4.0L/5.0L/6.0L/8.0L
 Rated input: 120/220-240V~, 50/60Hz
 Rated power: 800W
 Giftbox size: 290×290×355mm(4L)
 Carton size: 595×306×380mm(4L)
 40HC: 1964pcs(4L)

规格

容量: 4.0L/5.0L/6.0L/8.0L
 额定输入: 120/220-240V~, 50/60Hz
 额定功率: 800W
 彩盒尺寸: 290×290×355mm(4L)
 外箱尺寸: 595×306×380mm(4L)
 40尺高柜: 1964台(4L)

Specs

Capacity: 5.0L/6.0L
 Rated input: 120/220-240V~, 50/60Hz
 Rated Power: 900W
 Giftbox size: 335×335×335mm 5L
 Carton size: 700×350×360mm 5L
 40HC: 1540pcs(5L)

规格

容量: 5.0L/6.0L
 额定电压: 120/220-240V~, 50/60Hz
 额定功率: 900W
 彩盒尺寸 335×335×335mm 5L
 外箱尺寸 700×350×360mm 5L
 40尺高柜: 1540台(5L)

Specs

Capacity: 5.0L/6.0L
 Rated input: 120/220-240V~, 50/60Hz
 Rated power: 900W
 Giftbox size: 335×335×335mm(5L)
 Carton size: 700×350×360mm (5L)
 40HC: 1540pcs(5L)

规格

容量: 5.0L/6.0L
 额定输入: 120/220-240V~, 50/60Hz
 额定功率: 900W
 彩盒尺寸: 335×335×335mm(5L)
 外箱尺寸: 700×350×360mm (5L)
 40尺高柜: 1540台(5L)





Specs

Capacity: 5.0L/6.0L
Rated input: 120/220-240V~, 50/60Hz
Rated power: 900W
Giftbox size: 335×335×335mm(5L)
Carton size: 700×350×360mm(5L)
40HC: 1540pcs(5L)

规格

容量: 5.0L/6.0L
额定输入: 120/220-240V~, 50/60Hz
额定功率: 900W
彩盒尺寸: 335×335×335mm(5L)
外箱尺寸: 700×350×360mm(5L)
40尺高柜: 1540台(5L)

Specs

Capacity: 5.0L/6.0L
Rated input: 120/220-240V~, 50/60Hz
Rated power: 900W
Giftbox size: 335×335×335mm(5L)
Carton size: 700×350×360mm(5L)
40HC: 1540pcs(5L)

规格

容量: 5.0L/6.0L
额定输入: 120/220-240V~, 50/60Hz
额定功率: 900W
彩盒尺寸: 335×335×335mm(5L)
外箱尺寸: 700×350×360mm(5L)
40尺高柜: 1540台(5L)

Specs

Capacity: 5.0L/6.0L
Rated input: 120/220-240V~, 50/60Hz
Rated power: 900W
Giftbox size: 335×335×335mm(5L)
Carton size: 700×350×360mm(5L)
40HC: 1540pcs (5L)

规格

容量: 5.0L/6.0L
额定输入: 120/220-240V~, 50/60Hz
额定功率: 900W
彩盒尺寸: 335×335×335mm(5L)
外箱尺寸: 700×350×360mm(5L)
40尺高柜: 1540台 (5L)

Specs

Capacity: 5.0L/6.0L
Rated input: 120/220-240V~, 50/60Hz
Rated power: 900W
Giftbox size: 335×335×335mm(5L)
Carton size: 700×350×360mm(5L)
40HC: 1540pcs (5L)

规格

容量: 5.0L/6.0L
额定输入: 120/220-240V~, 50/60Hz
额定功率: 900W
彩盒尺寸: 335×335×335mm(5L)
外箱尺寸: 700×350×360mm(5L)
40尺高柜: 1540台 (5L)





Specs

Capacity: 6.0L
 Rated input: 120-240V 50/60Hz
 Rated power: 1000W
 Giftbox size: 335×335×403mm
 Carton size: 358×358×426mm
 40HC: 1245pcs

规格

容量: 6.0L
 额定输入: 120-240V 50/60Hz
 额定功率: 1000W
 彩盒尺寸: 335×335×403mm
 外箱尺寸: 358×358×426mm
 40尺高柜: 1245台



Specs

Capacity: 6.0L/8.0L
 Rated input: 120-240V 50/60Hz
 Rated power: 1000W
 Giftbox size: 304×304×370mm (6L)
 Carton size: 630×320×385mm (6L)
 40HC: 1752pcs(6L)

规格

容量: 6.0L/8.0L
 额定输入: 120-240V 50/60Hz
 额定功率: 1000W
 彩盒尺寸: 304×304×370mm (6L)
 外箱尺寸: 630×320×385mm (6L)
 40尺高柜: 1752台(6L)



Specs

Capacity: 5.0L
 Rated input: 120/220-240V~, 50/60Hz
 Rated power: 900W
 Giftbox size: 416×348×332mm
 Carton size: 714×432×360mm
 40HC: 1224pcs

规格

容量: 5.0L
 额定输入: 120/220-240V~, 50/60Hz
 额定功率: 900W
 彩盒尺寸: 416×348×332mm
 外箱尺寸: 714×432×360mm
 40尺高柜: 1224台

