

Vacuum Catalog



FLOOR CLEANING VACUUM CLEANER



35 min^(up to)
battery life



8 kPa^(up to)
vacuum



230 W
motor



Technical Parameter

	GPS-01	GPS-02
Model No	GPS-01	GPS-02
Input	100-240V,50-60Hz,0.5A MAX	100-240V,50-60Hz0.5A MAX
Output	27V 500mA	35V 500mA
Battery info	21.6V Li ion 2500mAh	28.8V Liion 2500mAh
motor power	180W	High:230W,Standard:120W
Charging time	4.5h	4.5h
Workong time	High: 15min, Low: 23min	High:22min,Standard:35min
Air inlet filter	HEPA+Stainless steel filter	HEPA
Clean water tank	430m±10%	430m±10%
Sewage tanks	500ml±10%	500ml±10%

CORDLESS VACUUM CLEANER



50 min^(up to)
battery life



29 kPa^(up to)
vacuum



500 W
motor



Technical Parameter

Model No.	GPS-03	GPS-03-1
Input	100-240V,50-60Hz,0.4A MAX	100-240V,50-60Hz,0.4A MAX
Output	27V 500mA	35V 500mA
Battery info	22.2V Li-ion 2000mAh	29.6V Li-ion 2200mAh
motor power	120W (DC)	500W (BLDC)
Charging time	5H	5H
Working time	High:18mins/Low:30mins	High/Standard/Low:15/23/50mins
Vacuum	High:10kPa/Low:7kPa	High/Standard/Low:29/19/9kPa
Air inlet filter	HEPA+stainless steel filter	HEPA+MULT Cyclone+steel filter
Dust tank Capacity	800ml	800ml

CORDLESS VACUUM CLEANER



80 min^(up to)
battery life



30 kPa^(up to)
vacuum




500 W
motor



Technical Parameter

Model No.	GPS-04	GPS-04-1
Input	100-240V,50-60Hz,0.4A MAX	100-240V,50-60Hz,0.4A MAX
Output	35V 500mA	30V 800mA
Battery info	29.6V Li-ion 2200mAh	25.9V Li-ion 4000mAh
motor power	400W (BLDC)	500W (BLDC)
Charging time	5H	5H
Working time	High/Standard/Low:12/25/55mins	High/Standard/Low:15/35/80mins
Vacuum	High/Standard/Low:29/18/8kPa	High/Standard/Low:30/18/8kPa
Air inlet filter	Multi Cyclone+Stainless steel filter	Multi Cyclone+Stainless steel filter
Dust tank Capacity	600ml	600ml

CORDLESS VACUUM CLEANER



50 min^(up to)
battery life



29 kPa^(up to)
vacuum




400 W
motor



Technical Parameter

Model No.	GPS-05
Input	100-240V,50-60Hz,0.4A MAX
Output	35V 500mA
Battery info	29.6V Li-ion 2200mAh
motor power	400W (BLDC)
Charging time	5H
Working time	High/Standard/Low:15/23/50mins
Vacuum	High/Standard/Low:29/19/9kPa
Air inlet filter	HEPA+MULT Cyclone+steel filter
Dust tank Capacity	600ml

CORDLESS VACUUM CLEANER



LED Intelligent Display



V-Shaped Roller Brush



Multi-Cyclone Filtration



Metal Telescoping Tube



50 min^(up to)
battery life



29 kPa^(up to)
vacuum




400 W
motor



Technical Parameter

Model No.	GPS-06	Charging time	GPS-07
Input	100-240V,50-60Hz,0.4A MAX	Working time	High/Standard/Low:15/23/50mins
Output	35V 500MA	Vacuum	High/Standard/Low:29/19/9kPa
Battery info	29.6V Li-ion 2200mAh	Air inlet filter	Multi Cyclone+steel filter
motor power	400W (BLDC)	Dust tank Capacity	600ml
N.W/G.W.	2.7KG/3.5KG	Giftbox size	685*125*275mm
Dimension of unit	300*105*205mm	4in1 carton size	700*515*290mm
LoadingQTY	20GP:1140PCS / 40GP:2220PCS / 40HQ:2700PCS		

CORDLESS VACUUM CLEANER



30 min^(up to)
battery life



20 kPa^(up to)
vacuum



200 W
motor



Technical Parameter

Model No.	GPS-08
Input	100-240V, 50-60Hz, 0.4A MAX
Output	27V 500mA
Battery info	22.2V Li-ion 2200mAh
motor power	200W (BLDC)
Charging time	5H
Working time	High:12mins, Low:30mins
Vacuum	High:20kPa, Low:10kPa
Air inlet filter	Multi Cyclone+steel filter
Dust tank Capacity	500ml

CORDLESS VACUUM CLEANER



Large Water Tank



Electric Roller Brush



LED Intelligent Display



30 min^(up to)
battery life



20 kPa^(up to)
vacuum



200 W
motor



Technical Parameter

Model No.	GPS-09	GPS-09-1
Input	100-240V,50-60Hz,0.4A MAX	100-240V,50-60Hz,0.4A MAX
Output	27V 500mA	27V 500mA
Battery info	22.2V Li-ion 2000mAh	22.2V Li-ion 2000mAh
motor power	120W (DC)	200W (BLDC)
Charging time	5H	5H
Working time	High:18mins, Low:30mins	High:12mins, Low:30mins
Vacuum	High:10kPa, Low:7kPa	High:20kPa, Low:8kPa
Air inlet filter	HEPA+stainless steel filter	HEPA+stainless steel filter
Dust tank Capacity	500ml	500ml

CORDLESS VACUUM CLEANER



45 min^(up to)
battery life



24 kPa^(up to)
vacuum



300 W
motor



Technical Parameter

Model No.	GPS-10	GPS-10-1
Input	100-240V,50-60Hz,0.4A MAX	100-240V,50-60Hz,0.4A MAX
Output	27V 500mA	30V 500mA
Battery info	22.2V Li-ion 2200mAh	25.9V Li-ion 2200mAh
motor power	120W (DC)	300W (BLDC)
Charging time	5H	5H
Working time	High:16mins, Low:45mins	High/Standard/Low:12/25/45mins
Vacuum	High:10kPa, Low:7kPa	High/Standard/Low:24/16/8kPa
Air inlet filter	Multi Cyclone+Stainless steel filter	Multi Cyclone+Stainless steel filter
Dust tank Capacity	500ml	500ml

CORDLESS VACUUM CLEANER



45 min^(up to)
battery life



24 kPa^(up to)
vacuum




300 W
motor



Technical Parameter

Model No.	GPS-11	GPS-11-1
Input	100-240V,50-60Hz,0.4A MAX	100-240V,50-60Hz,0.4A MAX
Output	27V 500mA	30V 500mA
Battery info	22.2V Li-ion 2200mAh	25.9V Li-ion 2200mAh
motor power	200W (BLDC)	300W (BLDC)
Charging time	5H	5H
Working time	High/Standard/Low:12/20/40mins	High/Standard/Low:12/25/45mins
Vacuum	High/Standard/Low:20/15/7kPa	High/Standard/Low:24/16/8kPa
Air inlet filter	Multi Cyclone+Stainless steel filter	Multi Cyclone+Stainless steel filter
Dust tank Capacity	500ml	500ml

PORTABLE VACUUM CLEANER



30 min^(up to)
battery life



19 kPa^(up to)
vacuum



200 W
motor



Technical Parameter

Model No.	GPS-12	GPS-12-1
Input	100-240V,50-60Hz,0.4A MAX	100-240V,50-60Hz,0.4A MAX
Output	18V 500mA	23V 500mA
Battery info	14.8V Li-ion 2200mAh	18.5V Li-ion 2200mAh
motor power	160W BLDC motor	200W BLDC motor
Charging time	4.5-5H	4.5-5H
Working time	High:12mins/Low:25mins	High:12mins/Low:30mins
Vacuum	High:16kPa/Low:8kPa	High:19kPa/Low:8kPa
Air inlet filter	Multi Cyclone+Stainless steel filter	Multi Cyclone+Stainless steel filter
Dust tank Capacity	200ml	200ml

CORDLESS VACUUM CLEANER



One-click To Dump Dust



Electric Roller Brush



LED Intelligent Display



30 min^(up to)
battery life



20 kPa^(up to)
vacuum



200 W
motor



Technical Parameter

Model No.	GPS-13	GPS-13-1
Input	100-240V,50-60Hz,0.4A MAX	100-240V,50-60Hz,0.4A MAX
Output	27V 500mA	27V 500mA
Battery info	22.2V Li-ion 2000mAh	22.2V Li-ion 2000mAh
motor power	120W (DC)	200W (BLDC)
Charging time	5H	5H
Working time	High:18mins, Low:30mins	High:12mins, Low:30mins
Vacuum	High:10kPa, Low:7kPa	High:20kPa, Low:10kPa
Air inlet filter	HEPA+stainless steel filter	HEPA+stainless steel filter
Dust tank Capacity	500ml	500ml

PORTABLE VACUUM CLEANER




25 min^(up to)
battery life



14 kPa^(up to)
vacuum



0.82 KGS
weight



Technical Parameter

Model No.	GPS-14	GPS-14-1
Input	100-240V,50-60Hz,0.4A MAX	100-240V,50-60Hz,0.4A MAX
Output	14V 500mA	18V 500mA
Battery info	11.1V Li-ion 2600mAh	14.8V Li-ion 2600mAh
motor power	90W(BLDC)	120W (BLDC)
Charging time	5H	5H
Working time	High:15mins, Low:23mins	High:15mins, Low:25mins
Vacuum	High:12kPa, Low:8kPa	High:14kPa, Low:8kPa
Air inlet filter	HEPA+stainless steel filter	HEPA+stainless steel filter
Dust tank Capacity	100ml	100ml

PORTABLE VACUUM CLEANER



BLDC Motor



Charging Base



Stainless Steel Filter




25 min^(up to) battery life



14 kPa^(up to) vacuum



0.82 KGS weight



Technical Parameter

Model No.	GPS-15	GPS-15-1
Input	100-240V,50-60Hz,0.4A MAX	100-240V,50-60Hz,0.4A MAX
Output	14V 500mA	18V 500mA
Battery info	11.1V Li-ion 2600mAh	14.8V Li-ion 2600mAh
motor power	90W (BLDC)	120W (BLDC)
Charging time	5H	5H
Working time	High:15mins, Low:23mins	High:15mins, Low:25mins
Vacuum	High:12kPa, Low:8kPa	High:14kPa, Low:8kPa
Air inlet filter	HEPA+stainless steel filter	HEPA+stainless steel filter
Dust tank Capacity	100ml	100ml

PORTABLE VACUUM CLEANER



15 min^(up to)
battery life



11 kPa^(up to)
vacuum



0.45 KGS
weight



Technical Parameter

Model No.	GPS-16	GPS-16-1
Input	100-240V,50-60Hz,0.4A MAX	100-240V,50-60Hz,0.4A MAX
Output	5V 2A Type C	5V 2A Type C
Battery info	7.4V Li-ion 2600mAh	7.4V Li-ion 2600mAh
motor power	65W (DC)	65W (BLDC)
Charging time	5H	5H
Working time	15mins	15mins
Vacuum	5kPa	11 kPa
Air inlet filter	HEPA+stainless steel filter	HEPA+stainless steel filter
Dust tank Capacity	90ml	90ml