



Display Screen Catalog

Stretched Shelf display



24.5 inch LCD bar screen (width 600mm)

Display area: 597.6mm(H)x168mm(V)

Dimensions: 628×198.4×42.38mm

Resolution: 1920X540

Brightness: 350cd/m²





36.5 inch LCD bar screen (width 900mm)

Display area: 878mm(H)x242.6mm(V)

Dimensions: 906.4×267.4×42mm

Resolution: 1920X540

Brightness: 500cd/m²




49.5 inch LCD bar screen (width 1200mm)

Display area: 1195.78mmx336.31mm

Dimensions: 1226.2mmx366.70mmx55mm

Resolution: 3840X1080

Brightness: 450cd/m²





Square screen overview



The product specifications include 1 : 1 pure square series and 5 : 4 square series. The product has the characteristics of 4 K high- definition high color gamut and brilliant colors. Breaking the traditional 1 6 : 9 display ratio, it is widely used in science and technology exhibition halls, museums, high- end brand chain stores, ships and other fields.



Square screen



35.7 inch square screen

Display area:587mmx679.4mm
Dimensions:621.4mmx713.8mmx35mm
Resolution:1866X2160
Brightness:400cd/m²



35.7 inch square screen

Display area:588mm(H)x588mm(V)
/68.4mm(H)x588mm(V)
Dimensions:638×730.4×30mm
Resolution:1866X1866/1866X217
Brightness:400cd/m²



29.5 inch art square display

Display area:527.8mmx527.8mm
Dimensions:590mmx590mmx60.5mm
Resolution:2160X2160
Brightness:400cd/m²



Window Display

High Brightness Double-Sided
LCD Window Display

Popular size 43"/55"/65"



FEATURES



Single/Double
Sided Optional



4000cd/m2&700cd/m2
Double-Sided



Ambient light sensor



Temperature
control system



Narrow Bezel

Support hanging
vertical installation



Cloud service
management



Android system



Size reference: 43inch/49inch/55inch

Ultra Slim 2K & 4K Display



Ultra Slim small bezel Display:
2cm thickness
Size: 32inch/43in/49inch/55inch/65inch
Resolution: 1920*1080,3840x2160



Ultra Narrow Bezel: 8mm
Brightness : 350nits, 500nits, 700nits

Round LCD Screen



Size: 23.6inch
Resolution: 1024*1024
Display area: 600.384mm(H)*600.384mm(V)
Brightness: 700nits, 1500nits



Touch functioni optional
AG Glass Optional