

# Display screen catalog



# Contents

1. Outdoor Advertising LED Display

2. Indoor Commercial LED Display

3. Staging & Rentals LED Display

4. All in one design LED Display

5. Interactive LED Dance Floor Tiles

6. Virtual Production LED Wall

7. Customized & Creative LED Display

8. Transparent LED Display

# 1 SERIES

Die Casting Aluminum Outdoor Front Service LED Display



Pixel Pitch: 6.67 / 8 / 10mm  
Panel Size: 960x960mm  
Weight: 25kg  
Brightness: 5500-8000nit  
Refresh Rate:  $\geq 3840\text{Hz}$



10000nits  
Brightness



Good Heat  
Dissipation



Cable Less  
Design



Curved  
Splicing



# 2 SERIES

10000nit High Brightness Common Cathode Outdoor LED Display



Pixel Pitch: 5.7 / 6.67 / 8 / 10mm  
Panel Size: 960x960x75mm  
Weight: 28.5kg  
Brightness: 6000-10000nit  
Refresh Rate: ≥3840Hz



10000nits  
Brightness



Energy  
Saving



Front & Rear  
Maintenance




5VB Fire  
Rating



# 3 SERIES

Outdoor Die Casting Aluminum Front Service LED Screen



Pixel Pitch: 4.4 / 5.7 / 6.6 / 8 / 10mm  
Panel Size: 960x960x92mm  
Weight: 24.5 kg  
Brightness: 6500-8000 nit  
Refresh Rate: 3840Hz



Light & Thin



Front & Rear  
Maintenance



Curved Splicing



IP66  
Waterproof



# 4 SERIES

Outdoor HD Curved Corner Fine Pitch LED Screen



Pixel Pitch: 2.9 / 3.91 / 4.81mm  
500x500x75mm  
Panel Size: 500x750x75mm  
Weight: 500x1000x75mm  
Brightness: 28kg/m2  
Refresh Rate: 4500-8000nit



Curved Splicing



5VB Fire Rating



Front & Rear Maintenance



Energy Saving



# 5 SERIES

High Brightness Outdoor LED Display For Seaside



Pixel Pitch: 5.7 / 6.67 / 8 / 10mm  
Panel Size: 960x960x75mm  
Weight: 28.5kg  
Brightness: 6000-10000nit  
Refresh Rate:  $\geq 3840\text{Hz}$



10000nits  
Brightness



Corrosion  
resistance



Front & Rear  
Maintenance



IP66  
Waterproof



# 6 SERIES

Energy Saving Outdoor LED Display



Pixel Pitch: 3 / 4 / 5mm  
Panel Size: 960x960x105mm  
Weight: 28kg  
Brightness: 5500nit  
Refresh Rate: ≥3840Hz



All In One



Energy Saving



Quick Installation



Light & Thin





# 7 SERIES

Auto-grade Waterproof Outdoor LED Display



Pixel Pitch : 2.5 / 3 / 4 / 5 / 6 / 8 / 10mm  
Panel Size: 960x960x120mm  
768x768x120mm  
Weight: 38 / 35kg  
Brightness: 5500-7500nit  
Refresh Rate: ≥3840Hz



Automotive Grade  
Waterproof Level



Custom  
Colors



Power & Signal  
Connector Design



# 8 SERIES

Front Open Outdoor LED Display Banners



Pixel Pitch : 2.5 / 3 / 4 / 6 / 10mm  
Panel Size: 1920x1280mm  
Customized size  
Weight: 60kg  
Brightness: 6000nit  
Refresh Rate:  $\geq 3840\text{Hz}$



IP65  
Waterproof



Front  
Service



Fast  
Assembly




High  
Brightness



# 9 SERIES

SMD COB 16:9 Cable-less Indoor LED Screen



Pixel Pitch : 0.9 / 1.25 / 1.56 / 1.875 / 2.5mm

Panel Size: 600x337.5x40mm

Weight: 4.1kg

Brightness: 400-900nit

Refresh Rate: ≥3840Hz



Cable-less Splicing



16:9 Golden Ratio




2K 4K Resolution



Totally Front maintenance

# 10 SERIES

COB/GOB/SMD Multiple Size Right-angle Cable-less LED Screen



- Pixel Pitch : 1.25 / 1.56 / 1.95 / 2.6 / 2.97mm
- Display Size: 500x500x50mm
- Weight: 6.5kg
- Brightness: 600-700nit
- Refresh Rate: 3840Hz



Complete Package Available



Flexible Splicing with Multiple Panel



Cable-less Connection



Right-angle Installations



# 11 SERIES

Cost Effective Front Service Indoor LED Video Wall



Pixel Pitch : 1.5 / 1.8 / 2.5 / 4mm  
Display Size: 640x480x74mm  
Weight: 6.8kg  
Brightness: 500-900nit  
Refresh Rate: ≥3840Hz



Front Access



Light & Thin



Easy installation



All In One



# 12 SERIES

3in1 Hub Super Slim HD Indoor LED Wall



Pixel Pitch : 1.25/1.53/1.86 mm  
Display Size: 640x320x39mm  
Weight: 3.4kg  
Brightness: 400-450nit  
Refresh Rate: ≥3840Hz



Light & Thin



3 in 1 hub



Energy Saving




Front Access



# 13 SERIES

3in1 Hub 16:9 Cable-less Indoor LED Screen



Pixel Pitch : 1.2 / 1.5 / 1.8 / 2.5 mm  
Display Size: 600x337.5mm  
Weight: 3.5kg  
Brightness: 450-500nit  
Refresh Rate: 3840Hz



Light & Thin



3 in 1 hub



16:9




Front Access



# 14 SERIES

Multiple Size Right-angle Fully Front & Rear Access  
Indoor LED Screen Panel



Pixel Pitch : 1.5 / 1.95 / 2.6 / 3.9mm

Panel Size: 500x250mm

500x500mm

500x1000mm

Weight: 3.2/5.6/11kg

Brightness: 800nit

Refresh Rate:  $\geq 3840$ Hz



Ultra Light  
& Super Slim



Mixed splicing  
effects example



Front Installation  
& Maintenance



Creative  
Splicing





# 15 SERIES

Outdoor LED Ribbon Board Display For Stadium



Pixel Pitch : 10mm  
 Panel Size: 960x960x75mm  
 Weight: 28kg  
 Brightness: 6000-10000nit  
 Refresh Rate: ≥3840Hz



Complete LED Package



Slim & lightweight Design



Top Serviceable



Curved & 360 ° Installations

# 16 SERIES

16:9 Stadium Perimeter LED Display



- Pixel Pitch : 6.67 / 8 / 10mm
- Panel Size: 1600x900x101mm
- Weight: 45kg
- Brightness: 6500-10000nit
- Refresh Rate: ≥3840Hz



Safe Design



16:9 ratio



Quick & easy installation



Emergency Access



# 17 SERIES

960\*960mm Stadium Perimeter LED Display



- Pixel Pitch : 6.67 / 10mm
- Panel Size: 960x960x133mm
- Weight: 28.5kg
- Brightness: 5500nit
- Refresh Rate: ≥3840Hz



Multi-angle Adjustment



IP65



Safety



High Brightness



# 18 SERIES

Fine Pixel Pitch Indoor Outdoor Stage Rental LED Display



Pixel Pitch : 1.9 / 2.6 / 2.9 / 3.91mm  
Panel Size: 500x500x75mm  
500x1000x75mm  
Weight: 6.5 / 13kg  
Brightness: 1000 / 4000nit  
Refresh Rate:  $\geq 3840\text{Hz}$



Module Demagnetized



Right Angle Splicing



Concave & Convex Curves



Semi-automatic Edge Protection



# 19 SERIES

Durable Cableless Connection Stage Rental LED Screen



Pixel Pitch : 1.9 / 2.6 / 2.9 / 3.91mm  
Panel Size: 500x500mm  
500x1000mm  
Weight: 7.36 / 11.85kg  
Brightness: 1000-5500nit  
Refresh Rate:  $\geq 3840\text{Hz}$



Easy to Assembly



Efficient Heat Dissipation



Cable Free Connection




High-Brightness



# 20 SERIES

Affordable Indoor Outdoor Rental LED Screens



Pixel Pitch: 2.6 / 2.9 / 3.9mm  
Panel Size: 500x500mm  
500x1000mm  
Weight: 7.0 / 13.5kg  
Brightness: 1000 / 4000nit  
Refresh Rate:  $\geq 3840\text{Hz}$



Edge Protection



Mixed Splicing



Curves  
Installations



Efficient Heat  
Dissipation



# 21 SERIES

Never Black Screen Indoor Outdoor Events LED Screens



Pixel Pitch : 2.6 / 2.9 / 3.91 / 4.81mm  
Panel Size: 500x500x87mm  
Weight: 7.5kg  
Brightness: 1000 / 4000nit  
Refresh Rate: ≥3840Hz



Cableless  
Connection



Never Black  
Screen



3840Hz Refresh  
Rate



Front & Rear  
Maintenance



# 22 SERIES

Small Pixel Pitch COB Outdoor Rental LED Screen



Pixel Pitch : 1.95mm  
Panel Size: 500x500x68mm  
Weight: 7.8 / 13kg  
Brightness: 1000 / 6500nit  
Refresh Rate:  $\geq$ 3840Hz



Installation Protection



Independent Power Box



Concave & Convex Curves



Efficient Heat Dissipation





# 23 SERIES


GOB Seamless Connection Portable LED Poster Display



Pixel Pitch : 1.53 / 1.86 / 2.5mm  
Display Size: 640x1920mm  
Brightness: 600-800nit  
Refresh Rate: ≥3840Hz



Plug & Play



Seamless Splicing



Cluster control



Easy front Maintain Access



# 24 SERIES

Intelligent Seamless Connection LED Poster Display



Pixel Pitch : 1.8 / 2.5mm  
Display Size: 600x2025mm  
Brightness: 500-800nit  
Refresh Rate: ≥2880Hz



Plug & Play



Light & Thin Design



Multipile Installation Ways



Intelligent Cluster Management & Control



# TV SERIES

SMD GOB Direct View All In One LED TV Display



Resolution: 1920x1080  
Weight: 225kg  
Refresh Rate: 3840Hz



Video Conference



Dual screen  
splicing



Wireless  
Projection



# TV-U SERIES

COB Touch 2K 4K All In One LED TV Display



Resolution: 1920x1080/3840x2160

Refresh Rate: 3840Hz



COB



Interactive  
Touch



Wireless  
Projection



Video  
Conference



# 27 SERIES

Virtual Production Solution, Deliver Unreal to Reality



Pixel Pitch : 1.9 / 2.6 mm  
Panel Size: 500x500x75mm  
Weight: 7.8kg  
Brightness: 1000nit  
Refresh Rate: 7680Hz  
Scanning: 1/16, 1/8



HDR



REC709 / DCI-P3  
Color Gamut



10bit RGB 4:4:4



Adaptive  
frame rate



# 28 SERIES

Totally Customized Soft LED Module, Shape Your Screen Freely



Pixel Pitch : 1.25 / 1.5 / 1.8 / 2.0 /  
2.5 / 3 / 4mm  
Panel Size: 240x120mm  
Weight: 320x160mm  
Brightness: 170g  
Refresh Rate: 1100nit  
Scanning:  $\geq 3840\text{Hz}$



Light & Thin



Strong Magnetic  
Design





Flexible Curved  
Shape



Front  
Maintenance





# 30 SERIES

Indoor Interactive LED Dance Floor



Pixel Pitch : 2.5 / 2.6 / 2.9 / 3.9mm  
Panel Size: 500x500mm  
500x1000mm  
Weight: 44kg/m2  
Brightness: 1500nit  
Refresh Rate: ≥3840Hz



Intelligent Interactive



Waterproof



Loading Capacity




Ramp Available





# 31 SERIES

Interactive LED Dance Floor



Pixel Pitch : 2.6 / 3.91 / 4.81mm  
Panel Size: 500x500x90mm  
Weight: 7.5kg  
Brightness: 1000 / 4000nit  
Refresh Rate:  $\geq 3840\text{Hz}$



Intelligent  
Interactive



Waterproof



Loading  
Capacity



High-transmittance  
Cover



# 32 SERIES

Indoor Transparent LED Display



Pixel Pitch: 3.91-7.81mm  
Panel Size: 500x1000mm  
Weight: 6.2kg  
Brightness: 1000-4200nit  
Refresh Rate:  $\geq 3840\text{Hz}$



Transparency



Reliable Connections



Easy to Assembly



Lightweight



# 33 SERIES

Outdoor Transparent LED Display



Pixel Pitch : 3.91-7.81 / 5.2-10.4 /  
10.4-10.4mm  
Panel Size: 1000x500x80mm  
Weight: 15kg  
Brightness: 5000nit  
Refresh Rate: ≥3840Hz



Transparency



Reliable  
Connections



High-Brightness



IP65 Waterproof

