

Electrical Appliance Catalog



Electric chopper



GPS-01

Specification

Multifunction food processor:
 220-240V 50-60Hz 400W MAX
 120V 60Hz 300W
 Glass cup, durable ,thickness 5mm
 One-button operation,
 Transparent cover to easy review
 High stronger motor power, 2200 RPM
 Detachable design, easy to clean.
 S shape solid 4 blades, quickly pulverize food.
 1.8L capacity, meets the needs of your whole family.
 Stop function, the blade stops immediately when you
 leave the button.
 Suitable for: meat, fruit, peanut, walnut, bean and so
 on. Can be used to:
 1)Whisk the eggs white until frothy for making cake;
 2)Peel the garlic;
 3)Knead the bread dough;

Packing details

Product size: 218* 178* 256mm
 Gift box size: 365*174*220mm
 Carton size: 380*365*460 mm
 QTY: 4pcs/ctn
 N.W./G.W.: 10.4kgs/11kgs

The quantity of container

20ft: 1780pcs
 40ft: 3660pcs
 40HQ: 4300pcs

Certificate

ETL/GS/CB/CE/EMC/LVD/LFGB/ROHS/PAHS

Optional parts:



Knead dough parts



Whisk egg white parts



Peel garlic parts



SUS304 Bowl



Non-slip silicone rubber pad

Electric chopper



GPS-02

Specification

Electric chopper

220-240V 50-60Hz 200W

120V 60Hz 200W

Glass cup, durable

One-button operation,

High stronger motor power

Detachable design, easy to clean.

Shape solid 2 blades, quickly pulverize food.

1.2L capacity, meets the needs of your whole family.

Stop function, the blade stops immediately when you leave the button. Suitable for: meat, fruit, peanut, walnut, bean and so on.

Packing details

Product size: 193* 160* 215mm

Gift box size: 306*201* 160mm

Carton size: 625* 326* 340mm

QTY: 6pcs/ctn

N.W./G.W.: 10.5kgs/11.5kgs

The quantity of container

20ft: 2466pcs

40ft: 5064pcs

40HQ: 5886pcs

Certificate

ETL/GS/CB/CE/EMC/LVD/LFGB/ROHS/PAHS





Electric buffet warmer



NEW



GPS-03

Specification:

Buffet warmer

Power: 330W(110W+110W+110W)

Voltage: 220V-240V 50-60Hz / 120V 60Hz

Tempered glass size: 198x398x4mm

Tempered glass heating surface temperature can reach 120 degrees

Advantages:

- Family size folding warming tray.
- Keep food warm all day.
- Multifunctional and easy to clean.
- Beautiful folding, smart storage folding size is only 1/3 of the traditional warming tray.

Packing details:

Product size: 670*400*25mm

Gift box: 443*127*297 mm

Carton size: 458*396*312 mm

Qty: 3pc/ctn

N.W.: 12kgs

G.W.: 13kgs

The quantity of container

20ft: 1485pcs

40ft: 3090pcs

40HQ: 3630pcs

Certificate

ETL/GS/CB/CE/EMC/LVD/ROHS/PAHS



Electric buffet warmer

NEW



GPS-04



GPS-05

GPS-04 / GPS-05

Specification

Buffet warmer

Power supply:

220-240V 50-60Hz 450W/300W

120V 60Hz 450W/300W

Deluxe Buffet Server and Warming Tray

Luxurious stainless steel housing and design;

Three removable stainless steel buffet dishes (3x2.5L capacity);
8L capacity stainless steel removable with silicone handles for
large warming pan (HD9005A);

With a thermostat, adjustable temperature control for the
different food;

Can keep food warm for a long period of time;

Stainless steel base can also be used as a warming tray;

You can place vessels of food directly on the surface of the
warming tray for warming;

With two indicator lights: red light is for power and blue light
is for heating;

Great for parties and other gatherings;

Packing details

Product size:655*358*165mm

Gift box size:700*140*400mm

Carton size:717*300*423mm

Qty:2pcs/ctn

N.W.:11.5kgs

G.W.:12kgs

Packing details

Product size:655*358*161mm

Gift box size:700*140*400mm

Carton size:717*300*423mm

Qty:2pcs/ctn

N.W.:9.4kgs

G.W.:10.1kgs

The quantity of container

20ft:620pcs

40ft:1280pcs

40HQ:1500pcs

Certificate

ETL/GS/CB/CE/EMC/LVD/LFGB/ROHS/PAHS/FDA



Electric buffet warmer



GPS-06



GPS-07

GPS-06 / GPS-07

Specification

Buffet warmer

Power supply:

220-240V 50-60Hz 300W

120V 60Hz 300W

Can keep food warm for a long period of time;

With a thermostat, adjustable temperature for the different food;

Frame to hold warming pans in place;

3*2.5L separate warming pans;

You can place vessels of food directly on the surface of the warming tray for warming;

With temperature control knob, cool touch handles and indicator light;

Packing details:

Product size: 640*364*140mm

Gift box size: 685*130*405mm

Carton size: 700*275*420mm

Qty: 2pcs/ctn

N.W.: 9kgs

G.W.: 9.4kgs

Certificate

ETL/GS/CB/CE/EMC/LVD/LFGB/ROHS/PAHS/FDA

The quantity of container

20ft:710pcs

40ft:1450pcs

40HQ:1690pcs



GPS-08

Specification

Buffet warmer

Power supply:

220-240V 50-60Hz 200W

120V 60Hz 200W

Can keep food warm for a long period of time;

With a thermostat, adjustable temperature for the different food;

Frame to hold warming pans in place;

3*1.5L separate warming pans;

You can place vessels of food directly on the surface of the warming tray for warming;

With temperature control knob, cool touch handles and indicator light;

Packing details:

Product size: 547*263*134mm

Gift box size: 585*130*295mm

Carton size: 600*405*310mm

Qty: 3pcs/ctn

N.W.: 8.4kgs

G.W.: 9.0kgs

Certificate

ETL/GS/CB/CE/EMC/LVD/LFGB/ROHS/PAHS/FDA

The quantity of container

20ft: 1125pcs

40ft: 2310pcs

40HQ: 2700pcs

Electric buffet warmer



GPS-09



GPS-10



GPS-09 / GPS-10

Specification

Buffet warmer

Power supply:

220-240V 50-60Hz 300W

120V60Hz 300W

Can keep food warm for a long period of time;

With a thermostat, adjustable temperature for the different food;

Frame to hold warming pans in place;

2*2.5L&2*1L separate warming pans;

You can place vessels of food directly on the surface of the warming tray for warming;

With temperature control knob, cool touch handles and indicator light;

Packing details:

Product size: 640*364*140mm

Gift box size: 685*130*405mm

Carton size: 700*275*420mm

Qty: 2pcs/ctn

N.W.: 9kgs

G.W.: 9.4kgs

Certificate

ETL/GS/CB/CE/EMC/LVD/LFGB/ROHS/PAHS/FDA

The quantity of container

20ft: 710pcs

40ft: 1450pcs

40HQ: 1690pcs

GPS-11

Specification

Buffet warmer

Power supply:

220-240V 50-60Hz 200W

120V 60Hz 200W

Can keep food warm for a long period of time;

With a thermostat, adjustable temperature for the different food;

Frame to hold warming pans in place;

2*2.5L separate warming pans;

You can place vessels of food directly on the surface of the warming tray for warming;

With temperature control knob, cool touch handles and indicator light;

Packing details

Product size: 475*380*154mm

Gift box size: 510*130*405mm

Carton size: 525*405*420mm

Qty: 3pcs/ctn

N.W.: 10.0kgs

G.W.: 10.6kgs

Certificate

ETL/GS/CB/CE/EMC/LVD/LFGB/ROHS/PAHS/FDA

The quantity of container

20ft: 960pcs

40ft: 1950pcs

40HQ: 2295pcs

Electric buffet warmer



GPS-12

Specification

Buffet warmer

Power supply:

220-240V 50-60Hz 150W

120V 60Hz 150W

Can keep food warm for a long period of time;

With a thermostat, adjustable temperature for the different food;

Frame to hold warming pans in place;

2*1.5L separate warming pans;

You can place vessels of food directly on the surface of the warming tray for warming;

With temperature control knob, cool touch handles and indicator light;

Packing details

Product size: 410*275*147mm

Gift box size: 445*130*295mm

Carton size: 535*460*310mm

Qty: 4pcs/ctn

N.W.: 8.7kgs

G.W.: 9.2kgs

Certificate

ETL/GS/CB/CE/EMC/LVD/LFGB/ROHS/PAHS/FDA

The quantity of container

20ft: 1480pcs

40ft: 3060pcs

40HQ: 3600pcs



GPS-13

Specification

Buffet warmer

Power supply:

220-240V 50-60Hz 200W

120V 60Hz 200W

Can keep food warm for a long period of time;

With a thermostat, adjustable temperature for the different food;

Frame to hold warming pans in place;

1*2.5L&2*1L separate warming pans;

You can place vessels of food directly on the surface of the warming tray for warming;

With temperature control knob, cool touch handles and indicator light;

Packing details

Product size: 475*380*154mm

Gift box size: 510*130*405mm

Carton size: 525*405*420mm

Qty: 3pcs/ctn

N.W.: 10.6kgs

G.W.: 11.2kgs

Certificate

ETL/GS/CB/CE/EMC/LVD/LFGB/ROHS/PAHS/FDA

The quantity of container

20ft: 960pcs

40ft: 1950pcs

40HQ: 2295pcs

Electric buffet warmer



GPS-14

Specification

Electric warming tray

Power supply:

220- 240V 50-60Hz 300W

120V 60Hz 300W

Can keep food warm for a long period of time;

Adjustable temperature knob for the different food;

Glass surface is anti-high temperature, size:56 X 36 cm;

You can place vessels for food directly on the surface;

Packing details

Product size: 630*380*63mm

Gift box size: 655*95* 425mm

Carton size: 670*300*440mm

Qty: 3pcs/ctn

N.W.: 13.6kgs

G.W.: 14.6kgs

The quantity of container

20ft: 954pcs

40ft: 1980pcs

40HQ: 2310pcs

Certificate

ETL/GS/CB/CE/EMC/LVD/ROHS/PAHS



ELECTRIC INFRARED CERAMIC COOKER



Electric infrared ceramic cooker

No selecting pot or pan/ No radiation
Environmental protection/ Energy saving



GPS-15

Specification

Electric infrared ceramic cooker

power supply

220-240V 50-60Hz 1500W

120V~60Hz 1500W

Glass diameter:240mm

on/off indicator light

With infrared heating element

Single and double heating element working principle

Over heat protection

No electromagnetic radiation

Energy saving

Any flat cookware can be used

Packing details:

Product size: 240*245*69mm

Gift box size: 335*95*305mm

Carton size: 495*350*325mm

Qty: 5pcs/ctn

N.W.: 7.4kgs

G.W.: 8.0kgs

The quantity of container

20ft: 2480pcs

40ft: 5150pcs

40HQ: 6030pcs

Certificate:

ETL/CB/CE/GS/EMC/LVD/ROHS



Electric infrared ceramic cooker

No selecting pot or pan/ No radiation
Environmental protection/ Energy saving



colour



GPS-16

Specification

Round multifunctional ceramic cooker

Power supply:

220-240V 50-60Hz 2000W

120V 60Hz 1500W

Grill size : 300mm

Ceramic glass : 220mm

Detachable grill plate with non-stick coating

On/off indicator light

Detachable grease collector for easy cleaning

With multi-function: griddle, frying , sauteing,
cooking, steaming and slow cooker;

PCB control with eight different settings

Non-slip feet

No electromagnetic radiation

Energy saving

Packing details

Product size: 340*360*100mm

Gift box size: 385*385*140mm

Carton size: 785*400*300mm

Qty: 4pcs/ctn

N.W.: 15.0kgs

G.W.: 16.0kgs

The quantity of container

20ft: 1180pcs

40ft: 2420pcs

40HQ: 2860pcs

Certificate

ETL/GS/SAA/CB/EMC/LVD/LFGB/GCC/ROHS/FDA



Electric infrared ceramic cooker

No selecting pot or pan/ No radiation
Environmental protection/ Energy saving



GPS-17

Specification

Electric infrared ceramic cooker

Power supply:

220-240V 50-60Hz 2200W

120V 60Hz 1200W

Hotplate diameter : 200mm

Single glass plate : 312mm*274mm

on/off indicator light

Touch sensor and digital control

The knob can be used to adjust the power or timer

Auto-thermostat

PP plastic housing

With infrared heating element

No electromagnetic radiation

Energy saving

With strong anti-pressure crystallite glass plate

Electronic overheating protection

Any flat cookware can be used

Packing details

Product size: 291*74*339mm

Gift box size: 333*111*407mm

Carton size: 343*454*427mm

Qty: 4pcs/ctn

N.W.: 8.4kgs

G.W.: 9.2kgs

The quantity of container

20ft: 1710pcs

40ft: 3510pcs

40HQ: 4080pcs

Certificate

ETL/GS/CB/CE/EMC/LVD/ROHS



Electric infrared ceramic cooker

No selecting pot or pan/ No radiation
Environmental protection/ Energy saving



colour



colour



GPS-18

Specification

Electric infrared ceramic cooker

Power supply:

220-240V 50-60Hz 1200W

120V 60Hz 1000W

Glass plate diameter : 177mm

On/off indicator light

Adjustable temperature control

Auto-thermostat

Housing with powder coating or stainless steel

No electromagnetic radiation

Energy saving

Packing details

Product size: 247*230*71mm

Gift box size: 250*88*285mm

Carton size: 300*280*515mm

Qty: 6pcs/ctn

N.W.: 8.5kgs

G.W.: 9.0kgs

The quantity of container

20ft: 3960pcs

40ft: 8100pcs

40HQ: 9510pcs

Certificate

ETL/GS/CB/CE/EMC/LVD/ROHS

GPS-19

Specification

Electric infrared ceramic cooker

Power supply:

220-240V 50-60Hz 1200W+800W

120V 60Hz 1000W+700W

Two glass hotplates : 187mm+164mm

Two operating on/off indicator lights

Adjustable temperature control

Auto-thermostat

Housing with powder coating or stainless steel

No electromagnetic radiation

Energy saving

Packing details

Product size: 468*274*71mm

Gift box size: 490*88*285mm

Carton size: 505*455*300mm

Qty: 5pcs/ctn

N.W.: 12.0kgs

G.W.: 13.0kgs

The quantity of container

20ft: 2035pcs

40ft: 4200pcs

40HQ: 4900pcs

Certificate

ETL/GS/CB/CE/EMC/LVD/ROHS

Electric infrared ceramic cooker

No selecting pot or pan/ No radiation
Environmental protection/ Energy saving



colour



colour



GPS-20

Specification

Electric infrared ceramic cooker
Power supply:
220-240V 50-60Hz 1200W
120V 60Hz 1000W
Glass plate diameter : 177mm
on/off indicator light
Adjustable temperature control
Auto-thermostat
Housing with powder coating or stainless steel
No electromagnetic radiation
Energy saving

Packing details

Product size: 247*230*82mm
Gift box size: 245*100*285mm
Carton size: 315*300*505mm
Qty: 6pcs/ctn
N.W.: 8.7kgs
G.W.: 9.1kgs

The quantity of container

20ft: 3540pcs
40ft: 7350pcs
40HQ: 8610pcs

Certificate

ETL/GS/CB/CE/EMC/LVD/ROHS

GPS-21

Specification

Electric infrared ceramic cooker
Power supply:
220-240V 50-60Hz 1200W+800W
120V 60Hz 1000W+700W
Glass plate diameter : 187mm+164mm
Two operating on/off indicator lights
Adjustable temperature control
Housing with powder coating or stainless steel
No electromagnetic radiation
Energy saving

Packing details

Product size: 475*247*82mm
Gift box size: 490*100*285mm
Carton size: 515*505*300mm
Qty: 5pcs/ctn
N.W.: 12.6kgs
G.W.: 13.6kgs

The quantity of container

20ft: 1850pcs
40ft: 3750pcs
40HQ: 4390pcs

Certificate

ETL/GS/CB/CE/EMC/LVD/ROHS

Electric infrared ceramic cooker

No selecting pot or pan/ No radiation
Environmental protection/ Energy saving



GPS-22

Specification

Electric infrared ceramic cooker
Power supply:
220-240V 50-60Hz 2000W
120V 60Hz 1500W
Glass plate diameter : 200mm
Single glass plate : 274mm*274mm
on/off indicator light
With cool touch handles
Adjustable temperature control
Adjustable timing control
Auto-thermostat
Stainless steel housing
No electromagnetic radiation
Energy saving
Any flat cookware can be used

Packing details

Product size: 351*306*68.5mm
Gift box size: 343*96*371mm
Carton size: 399*358*386mm
Qty: 4pcs/ctn
N.W.: 10.0kgs
G.W.: 11.0kgs

The quantity of container

20ft: 2040pcs
40ft: 4240pcs
40HQ: 4940pcs

Certificate

ETL/GS/CB/CE/EMC/LVD/ROHS



Electric infrared ceramic cooker

No selecting pot or pan/ No radiation
Environmental protection/ Energy saving

NEW



GPS-23

Specification

Electric infrared ceramic cooker

Power supply:

220-240V 50-60Hz 2000W

120V 60Hz 1200W

Single hotplate diameter : 200mm

Single glass plate : 360mm* 280mm

Touch sensor and digital control

The knob can be used to adjust the power and timer

Auto-thermostat

Housing with stainless steel

Child-lock function for protecting

With infrared heating element

No electromagnetic radiation

Energy saving

With cool touch handles

With strong anti-pressure crystallite glass plate

Electronic overheating protection

Any flat cookware can be used

Packing details

Product size: 430*290*63mm

Gift box size: 455*95*345mm

Carton size: 470*395*360mm

Qty: 4pcs/ctn

N.W.: 11.0kgs

G.W.: 12.0kgs

Certificate

ETL/GS/CB/CE/EMC/LVD/ROHS

The quantity of container

20ft: 1700pcs

40ft: 3490pcs

40HQ: 4050pcs

GPS-24

Specification

Electric infrared ceramic cooker

Power supply:

220-240V 50-60Hz 2000W

120V 60Hz 1500W

Hotplate diameter : 200mm

Single glass plate : 280mm*280mm

on/off indicator light

With cool touch handles

Adjustable temperature control

Auto-thermostat

Stainless steel housing

No electromagnetic radiation

Energy saving

Any flat cookware can be used

Packing details

Product size: 350*300*71mm

Gift box size: 375*95*345mm

Carton size: 395*390*360mm

Qty: 4pcs/ctn

N.W.: 9.2kgs

G.W.: 10.0kgs

Certificate

ETL/GS/CB/CE/EMC/LVD/ROHS

The quantity of container

20ft: 2020pcs

40ft: 4180pcs

40HQ: 4900pcs

Electric infrared ceramic cooker

No selecting pot or pan/ No radiation
Environmental protection/ Energy saving



GPS-25

Specification

Electric infrared ceramic cooker

Power supply:

220-240V 50-60Hz 1800W+1000W

120V 60Hz 1000W+700W

Two hotplate diameter : 200mm+165mm

Glass plate : 560mm* 360mm* 4mm

Adjustable temperature control

Touch sensor and digital control

Auto-thermostat

Stainless steel housing

Child-lock function for protecting

With infrared heating element

No electromagnetic radiation

Energy saving

Long saving life

With cool touch handles

Electronic overheating protection

With strong anti-pressure crystallite glass plate

Any flat cookware can be used

Certificate

ETL/GS/CB/CE/EMC/LVD/ROHS

Packing details

Product size: 630*360*63mm

Gift box size: 655*95*425mm

Carton size: 670*300*440mm

Qty: 3pcs/ctn

N.W.: 14.5kgs

G.W.: 15.5kgs

The quantity of container

20ft: 954pcs

40ft: 1980pcs

40HQ: 2310pcs

GPS-26

Specification

Electric infrared ceramic cooker

Power supply:

220-240V 50-60Hz 1800W+1000W

120V 60Hz 1000W+700W

Two hotplate diameter : 200mm+165mm

Glass plate : 560mm* 280mm* 4mm

on/off indicator light

Adjustable temperature control

Auto-thermostat

Stainless steel frame

With strong anti-pressure crystallite glass plate

No electromagnetic radiation

Energy saving

Any flat cookware can be used

Packing details

Product size: 635*296*68mm

Gift box size: 655*95*340mm

Carton size: 670*300*355mm

Qty: 3pcs/ctn

N.W.: 12.2kgs

G.W.: 13.0kgs

Certificate

ETL/GS/CB/CE/EMC/LVD/ROHS/GCC/PAHS

The quantity of container

20ft: 1200pcs

40ft: 2430pcs

40HQ: 2850pcs



Electric deep fryer



GPS-27/GPS-28

Specification

Deep fryer
Power supply:
220- 240V 50-60Hz 2000W
120V 60Hz 1700W
Capacity: 3L
Polished stainless steel housing
Stainless steel lid with viewing window (with optional
Anti grease filter.
Adjust temperature, between 150°C- 190°C
Power and heating indicator light
Power indicator light and with timer in 60 min (HD3301A)
Removable non-stick enameled pot
Immersed heating element
Frying basket with detachable cool touch handle
Non-slip feet

Packing details

Product size: 405*241*219mm
Gift box size: 425*250*225mm
Carton size: 515*440*470mm
Qty: 4pcs/ctn
N.W.: 13.6kgs
G.W.: 14.0kgs

The quantity of container

20ft: 1060pcs
40ft: 2200pcs
40HQ: 2600pcs

Certificate

ETL/GS/CB/CE/EMC/LVD/LFGB/ROHS/PAHS



GPS-29/GPS-30

Specification

Deep fryer
Power supply:
220- 240V 50-60Hz 2000W
120V 60Hz 1700W
Capacity: 4L
Polished stainless steel housing
Stainless steel lid with viewing window(with optional
Adjust temperature, choose between 150°C- 190°C
Power and heating indicator light
Power indicator light and with timer in 60 min (HD3401A)
Removable non-stick enameled pot
Frying basket with detachable cool touch handle
3 frying baskets-includes 1 large and 2 smaller
Immersed heating element
Non-slip feet

Packing details

Product size: 358*358*203mm
Gift box size: 385*370*245mm
Carton size: 400*385*510 mm
Qty: 2pcs/ctn
N.W.: 8.2kgs
G.W.: 8.7kgs

The quantity of container

20ft: 720pcs
40ft: 1480pcs
40HQ: 1750pcs

Certificate

ETL/GS/CB/CE/EMC/LVD/LFGB/ROHS/PAHS

Electric deep fryer



GPS-31



GPS-32

GPS-31/GPS-32

Specification

Deep fryer

Power supply:

220- 240V 50-60Hz 2000W

120V 60Hz 1700W

Capacity:5L

Polished stainless steel housing

Stainless steel lid with viewing window(with optional

Adjust temperature, choose between 150°C- 190°C

Power and heating indicator light

Power indicator light and with timer in 60 min (HD3501A

Removable non-stick enameled pot

Frying basket with detachable cool touch handle

3 frying baskets-includes 1 large and 2 smaller

Immersed heating element

Non-slip feet

Packing details

Product size: 358*358*215mm

Gift box size: 385*370*255mm

Carton size: 400*385*530mm

Qty: 2pcs/ctn

N.W.: 8.5kgs

G.W.: 9.0kgs

The quantity of container

20ft: 690pcs

40ft: 1420pcs

40HQ: 1730pcs

Certificate

ETL/GS/CB/CE/EMC/LVD/LFGB/ROHS/PAHS



Electric barbecue grill



GPS-33

Specification

Electric barbecue grill

Power supply:

220-240V 50-60Hz 2000W

120V 60Hz 1500W

On/off indicator light

Adjustable temperature control

Auto-thermostat

Adjustable cooking temperature with thermostat

With micro-switch, automatically shuts off if you remove the heating tube

Portable and smoke -free

Ideal for indoor and outdoor use

Fashionable design favored by different families

Easy-to-clean electric barbecue grill

Metal tray with powder coating

BBQ wire mesh with chromeplate finished

Packing details

Product size: 515*340*95mm

Gift box size: 520*75*340mm

Carton size: 535*390*355mm

Qty: 5pcs/ctn

N.W.: 9.8kgs

G.W.: 10.8kgs

Certificate

ETL/GS/CB/CE/EMC/LVD/LFGB/ROHS/DGCCRF

The quantity of container

20ft: 1950pcs

40ft: 3980pcs

40HQ: 4700pcs



GPS-34

Specification

Electric barbecue grill

Power supply:

220-240V 50-60Hz 2000W

120V 60Hz 1500W

On/off indicator light

Portable and smoke -free

Ideal for indoor and outdoor use

Fashionable design favored by different families

Easy-to-clean electric barbecue grill

Metal tray with powder coating

BBQ wire mesh with chromeplate finished

Packing details

Product size: 520*354*125mm

Gift box size: 360*130*525mm

Carton size: 540*535*375mm

Qty: 4pcs/ctn

N.W.: 10.8kgs

G.W.: 11.6kgs

Certificate

ETL/GS/CB/CE/EMC/LVD/LFGB/ROHS/DGCCRF

The quantity of container

20ft: 1040pcs

40ft: 2140pcs

40HQ: 2500pcs

Electric barbecue grill



GPS-35

Specification Electric barbecue grill Power

supply:
220-240V 50-60Hz 2000W
120V 60Hz 1500W

On/off indicator light

Adjustable temperature control

Auto-thermostat

Adjustable cooking temperature with thermostat

With micro-switch, automatically shuts off if you remove the heating tube

Portable and smoke-free

Ideal for indoor and outdoor use

Fashionable design favored by different families

Easy-to-clean electric barbecue grill

Metal tray with powder coating

BBQ wire mesh with chromeplate finished

Packing details

Product size: 569*438*873mm

Gift box size: 337*85*525mm

Carton size: 540*360*355mm

Qty: 4pcs/ctn

N.W.: 13.2kgs

G.W.: 14.2kgs

The quantity of container

20ft: 1620pcs

40ft: 3320pcs

40HQ: 3940pcs

Certificate

ETL/GS/CB/CE/EMC/LVD/LFGB/ROHS/DGCCRF

Electric grill



GPS-36

Specification

Electric grill

Power supply:

220-240V 50-60Hz 1500W

120V 60Hz 1500W

Cast - aluminum pot

Pot Size: 300mm

Adjustable temperature settings

Durable cooking pan ideal for Braising,

stewing and Pan-Frying , stew

Stay cool side handles

Packing details

Product size: 390*340*67mm

Gift box size: 425*405*90mm

Carton size: 440*420*200mm

Qty: 2pcs/ctn

N.W.: 4.3kgs

G.W.: 5.1kgs

The quantity of container

20ft: 1530pcs

40ft: 3100pcs

40HQ: 3700pcs

Certificate

ETL/GS/SAA/CB/EMC/LVD/LFGB/GCC/ROHS



GPS-37

Specification

Electric grill

Power supply:

220-240V 50-60Hz 1500W

120V 60Hz 1500W

Cast - aluminum pot

Pot size: 300mm

Adjustable temperature settings

Durable cooking pan ideal for braising,

Stewing and pan-frying , stew

Stay cool side handles

Packing details

Product size: 364*302*92.5mm

Gift box size: 345*345*115mm

Carton size: 360*360*240mm

Qty: 2pcs/ctn

N.W.: 4.0kgs

G.W.: 5.0kgs

The quantity of container

20ft: 1800pcs

40ft: 3700pcs

40HQ: 4400pcs

Certificate

ETL/GS/SAA/CB/EMC/LVD/LFGB/GCC/ROHS

ELECTRIC STOVE AND HOT PLATE



Electric stove and hot plate



GPS-38



GPS-39

colour



GPS-40



GPS-41

colour



GPS-38 / GPS-39

Specification

Electric hotplate
Power supply:
220-240V 50-60Hz 1000W/1500W
120V 60Hz 1000W
Single hotplate : 155mm/185mm
On/off indicator light
Adjustable temperature control
Auto-thermostat
Housing with powder coating

Packing details

Product size: 238*215*66mm
Gift box size: 230*75*265mm
Carton size: 280*240*475mm
Qty: 6pcs/ctn
N.W.: 9.6kgs / N.W.: 12.0kgs
G.W.: 10.2kgs / G.W.: 12.5kgs

The quantity of container

20ft: 5220pcs
40ft: 10800pcs
40HQ: 12630pcs

Certificate

ETL/GS/SAA/CB/CE/EMC/LVD/GCC/ROHS

GPS-40 / GPS-41

Specification

Electric hotplate
Power supply:
220-240V 50-60Hz 1500W
120V 60Hz 1000W
Single hotplate : 185mm
On/off indicator light
Adjustable temperature control
Auto-thermostat
Housing with powder coating or stainless steel
With cast-iron heating plate for HD1012B
With high quality aluminum alloy heating plate for HD1012BN

Packing details

Product size: 247*230*80mm/248*257*75mm
Gift box size: 250*88*285mm/270*95*290mm
Carton size: 300*280*515mm/555*295*310mm
Qty: 6pcs/ctn
N.W.: 13.2kgs/N.W.: 9.2kgs
G.W.: 13.8kgs/G.W.: 10.2kgs

The quantity of container

20ft: 3960pcs/3366pcs
40ft: 8100pcs/6912pcs
40HQ: 9510pcs/8034pcs

Certificate

ETL/GS/SAA/CB/CE/EMC/LVD/GCC/ROHS

Electric stove and hot plate



GPS-42



GPS-43



GPS-42/GPS-43

Specification

Electric hotplate

Power supply:

220-240V 50-60Hz 1500W

120V 60Hz 1000W

Single hotplate : 185mm

On/off indicator light

Adjustable temperature control

Auto-thermostat

Housing with powder coating or stainless steel

With cast-iron heating plate for HD1015B

With high quality aluminum alloy heating plate for HD1015BN

Packing details

Product size: 247*230*90mm/260*250*77mm

Gift box size: 245*100*285mm/265*90*290mm

Carton size: 315*300*505mm/555*280*310mm

Qty: 6pcs/ctn

N.W.: 12.6kgs/8.4kgs

G.W.: 13.2kgs /9.5kgs

The quantity of container

20ft: 3552pcs/3540pcs

40ft: 7320pcs/7284pcs

40HQ: 8580pcs/8466pcs

Certificate

ETL/GS/SAA/CB/CE/EMC/LVD/GCC/ROHS

GPS-44

Specification

Electric hotplate

Power supply:

220-240V 50-60Hz 1500W

120V 60Hz 1000W

Single hotplate : 185mm

With high quality aluminum alloy heating plate

On/off indicator light

Adjustable temperature control

Auto-thermostat

Housing with powder coating

Packing details

Product size: 282*239*79mm

Gift box size: 260*92*302mm

Carton size: 570*275*315mm

Qty: 6pcs/ctn

N.W.: 8.6kgs

G.W.: 9.6kgs

The quantity of container

20ft: 3396pcs

40ft: 6960pcs

40HQ: 8250pcs

Certificate

ETL/GS/SAA/CB/CE/EMC/LVD/GCC/ROHS

Electric stove and hot plate




GPS-45



GPS-46

colour



GPS-47



GPS-48

colour



GPS-45/GPS-46

Specification

Electric hotplate

Power supply:

220-240V 50-60Hz 1500W+1000W

120V 60Hz 1000W+700W

Two hotplates : 185mm+155mm

Two operating on/off indicator lights

Adjustable temperature control

Auto-thermostat

Housing with powder coating or stainless steel

With cast-iron heating plate for HD2011B

With high quality aluminum alloy heating plate for HD2011BN

Packing details

Product size: 468*247*80mm/477*255*77mm

Gift box size: 490*88*285mm/505*95*286mm

Carton size: 505*367*300mm/520*395*301mm

Qty: 4pcs/ctn

N.W.: 14.5kgs/N.W.:10kgs

G.W.: 15.2kgs/G.W.:11kgs

The quantity of container

20ft: 2032pcs/1840pcs

40ft: 4180pcs/3784pcs

40HQ: 4880pcs/4396pcs

Certificate

ETL/GS/SAA/CB/CE/EMC/LVD/GCC/ROHS

GPS-47/GPS-48

Specification

Electric hotplate

Power supply:

220-240V 50-60Hz 1500W+1000W

120V 60Hz 1000W+700W

Two hotplates : 185mm+155mm

Two operating on/off indicator lights

Adjustable temperature control

Auto-thermostat

Housing with powder coating

With cast-iron heating plate for HD2012B

With high quality aluminum alloy heating plate for HD2012BB

Packing details

Product size: 470*261*66mm/470*235*73mm

Gift box size: 490*75*285mm/490*75*285mm

Carton size: 505*315*300mm/505*315*300mm

Qty: 4pcs/ctn

N.W.: 14.4kgs/N.W.: 9.6kgs

G.W.: 15.0kgs/G.W.: 10.6kgs

The quantity of container

20ft: 2380pcs

40ft: 4900pcs

40HQ: 5740pcs

Certificate

ETL/GS/SAA/CB/CE/EMC/LVD/GCC/ROHS

Electric stove and hot plate



GPS-49



GPS-50

colour



GPS-51



GPS-52

colour



GPS-49/GPS-50

Specification

Electric hotplate

Power supply:

220-240V 50-60Hz 1500W+1000W

120V 60Hz 1000W+700W

Two hotplates : 185mm+155mm

Two operating on/off indicator lights

Adjustable temperature control

Auto-thermostat

Housing with powder coating or stainless steel

With cast-iron heating plate for HD2013B

With high quality aluminum alloy heating plate for HD2013BN

Packing details

Product size: 468*255*80mm/480*260*80mm

Gift box size: 490*88*285mm/500*90*290mm

Carton size: 505*367*300mm/515*380*310mm

Qty: 4pcs/ctn

N.W.: 14.8kgs/N.W.: 10.5kgs

G.W.: 15.5kgs/G.W.: 11.5kgs

The quantity of container

20ft: 2032pcs/1860pcs

40ft: 4180pcs/3860pcs

40HQ: 4880pcs/4500pcs

Certificate

ETL/GS/SAA/CB/CE/EMC/LVD/GCC/ROHS

GPS-51/GPS-52

Specification

Electric hotplate

Power supply:

220-240V 50-60Hz 1500W+1000W

120V 60Hz 1000W+700W

Hotplate diameter : 185mm+155mm

Two operating on/off indicator lights

Adjustable temperature control

Auto-thermostat

Housing with powder coating or stainless steel

With cast-iron heating plate for HD2015B

With high quality aluminum alloy heating plate for HD2015BN

Packing details

Product size: 475*247*90mm/477*246*85mm

Gift box size: 490*100*285mm/505*100*290mm

Carton size: 505*415*300mm/520*415*310mm

Qty: 4pcs/ctn

N.W.: 14.4kgs/N.W.: 11.0kgs

G.W.: 15.2kgs/G.W.: 12.3kgs

The quantity of container

20ft: 1800pcs/1680pcs

40ft: 3700pcs/3500pcs

40HQ: 4360pcs/4080pcs

Certificate

ETL/GS/SAA/CB/CE/EMC/LVD/GCC/ROHS

Electric stove and hot plate



colour



GPS-53

Specification

Electric hotplate

Power supply:

220-240V 50-60Hz 1500W+1000W

120V 60Hz 1000W+700W

Heating plate diameter: 185mm+155mm

Adjustable temperature control

Housing with powder coating

Packing details

Product size: 483*281*80mm

Gift box size: 510*91*310mm

Carton size: 525*475*330mm

Qty: 5pcs/ctn

N.W.: 12.0kgs

G.W.: 13.0kgs

The quantity of container

20ft: 1720pcs

40ft: 3500pcs

40HQ: 4150pcs

Certificate

ETL/GS/SAA/CB/CE/EMC/LVD/GCC/ROHS



colour



GPS-54

Specification

Electric hotplate and ceramic cooker

Power supply:

220-240V 50-60Hz 1500W+1000W

120V 60Hz 1000W+700W

Hotplate plate diameter: 185mm+187mm

Adjustable temperature control

Housing with powder coating

Packing details

Product size: 483*281*80mm

Gift box size: 510*91*310mm

Carton size: 525*475*330mm

Qty: 5pcs/ctn

N.W.: 14.0kgs

G.W.: 14.7kgs

The quantity of container

20ft: 1720pcs

40ft: 3500pcs

40HQ: 4150pcs

Certificate

ETL/GS/SAA/CB/CE/EMC/LVD/GCC/ROHS

Electric stove and hot plate



colour



GPS-55

Specification

Electric stove

Power supply:

220-240V 50-60Hz 1000W

120V 60Hz 1000W

Single spiral plate : 140mm

On/off indicator light

Adjustable temperature control

Auto-thermostat

Housing with powder coating

Packing details

Product size: 238*215*71mm

Gift box size: 220*75*250mm

Carton size: 390*265*455mm

Qty: 10pcs/ctn

N.W.: 8.5kgs

G.W.: 9.5kgs

The quantity of container

20ft: 6000pcs

40ft: 12400pcs

40HQ: 14500pcs

Certificate

ETL/GS/SAA/CB/CE/EMC/LVD/GCC/ROHS



colour



GPS-56

Specification

Electric stove

Power supply:

220-240V 50-60Hz 1500W

120V 60Hz 1000W

Single spiral plate : 145mm

On/off indicator light

Adjustable temperature control

Auto-thermostat

Housing with powder coating

Packing details

Product size: 238*215*71mm

Gift box size: 220*75*250mm

Carton size: 390*265*455mm

Qty: 10pcs/ctn

N.W.: 9.0kgs

G.W.: 10.0kgs

The quantity of container

20ft: 6000pcs

40ft: 12400pcs

40HQ: 14500pcs

Certificate

ETL/GS/SAA/CB/CE/EMC/LVD/GCC/ROHS

Electric stove and hot plate



colour



GPS-57

Specification

Electric stove

Power supply:

220-240V 50-60Hz 1000W+1000W

120V 60Hz 850W+850W

Two spiral plate : 140mm+140mm

On/off indicator light

Adjustable temperature control

Auto-thermostat

Housing with powder coating

Packing details

Product size: 470*261*71mm

Gift box size: 475*75*278mm

Carton size: 490*390*295mm

Qty: 5pcs/ctn

N.W.: 9.4kgs

G.W.: 10.0kgs

The quantity of container

20ft: 2500pcs

40ft: 5100pcs

40HQ: 6000pcs

Certificate

ETL/GS/SAA/CB/CE/EMC/LVD/GCC/ROHS



colour



GPS-58

Specification

Electric stove

Power supply:

220-240V 50-60Hz 1500W+1000W

120V 60Hz 1000W+700W

Two spiral plate : 145mm+140mm

On/off indicator light

Adjustable temperature control

Auto-thermostat

Housing with powder coating

Packing details

Product size: 470*261*71mm

Gift box size: 475*75*278mm

Carton size: 490*390*295mm

Qty: 5pcs/ctn

N.W.: 9.4kgs

G.W.: 10.0kgs

The quantity of container

20ft: 2500pcs

40ft: 5100pcs

40HQ: 6000pcs

Certificate

ETL/GS/SAA/CB/CE/EMC/LVD/GCC/ROHS