


Shoes, Helmets and Glasses Catalog





Best Recommended: ★★★★★



Best Recommended: ★★★★★



✓ Protection of Resistance to Fuel Oil		
EN ISO 20344:2011 (8.6.1), Test Liquid: 2,2,4-trimethylpentane, Immersion Period: (22±0.25)h		
Test Requirement		Result
Outsole Change in Volume	≤ +12% (*)	PASS
Outsole Change in Hardness	≤ 10 Shore A	PASS
Remark		
Expended Uncertainty: 0.16%, With k= 2.13 At 95% Confidence Level.		

✓ Protection with Anti-Static		
EN ISO 20344:2011 (5.10), Test Period: 1 Minute		
Test Requirement		Result
Electrical Discharge, Dry (30±5) Humidity & (20±2) °C	100KΩ-1000MΩ	PASS
Electrical Discharge, Wet (85±5) Humidity & (20±2) °C	100KΩ-1000MΩ	PASS
Remark		
Test Voltage: 100±2 V DC & Lab Storage Period: 7 Days		

Recommended to use:
Oil & Gas Exploitation, Petroleum Smelting, Petrochemical, Natural Gas Station, Liquefied Petroleum Gas etc.

✓ Protection Against Electric Hazard (EH 18KV)		
ASTM F2412-18a, Clause 9, Test Period 1 Minute		
Test Requirement		Result
Electric Leakage Current with Test Voltage 18KV	≤ 1.0mA	PASS
Remark		
Expended Uncertainty: 0.0045mA, With k= 2.17 at 95% Confidence Level.		

✓ Metal Free for Electric Hazard		
Test Requirement		Result
Metal Parts are tested in Whole Footwear	None	PASS
Remark		
The whole footwear must be made in 100% metal-free materials.		

Recommended to use:
Energy Power Plants, Electric Substations, Electric Transformers, Tel-communication Installation & Maintenance, Household Appliances Electricians, Factory Electricians etc.



Best Recommended: ★★★★★



✓ Protection Against Chemical Risk (Acid & Alkali)		
EN 13832-1:2018 (4.3.3.2) , EN ISO 20344:2011,8.2, EN ISO 868:2003		
Test Requirement		Result
Outsole Tear Resistance for Materials Density $> 0.9 \text{ g/cm}^3$	$\geq 6.4 \text{ kN/m}$	PASS
Outsole Tear Resistance for Materials Density $\leq 0.9 \text{ g/cm}^3$	$\geq 4.0 \text{ kN/m}$	PASS
Remark		
Minimum: 30 shore A, Maximum: Value before degradation ± 10 shore A		

Recommended to use:
Fertilizer Plants, Detergent Plants, Pigment Factory, Phosphate, Biological laboratory, Pharmaceutical Research , Pharmaceutical production etc



Best Recommended: ★★★★★



✓ Protection Against Heat Risk & Fire Sparkles 300°C		
EN ISO 20344:2011(8.7), HRO 300°C		
Test Requirement		Result
Insulation Against Heat, Temperature: 150°C Test Period: 30 minutes	Temperature Increase $\leq 22^\circ\text{C}$	PASS
Resistance to Hot Contact, Temperature: 300°C Test Period: 1 minute	No Melt & No Cracks	PASS
Remark		
Outsole shall not melt & shall not develop any cracks when bent around the mandrel.		

Recommended to use:
Metal Welding, Metal Cutting, Metal Polishing, Steel Structure Construction, Steel Smelting, Aluminum Smelting, Copper Smelting, Glasses Smelting & other Related Industry

Automobile & Parts




Best Recommended: ★★★★★



Standard		Protection Level
EN ISO 20344:2011,5.4 & 5.5	EN 12568: 2010	LV.1 AN1-15KN
Test Requirement		
Impact Energy	≥200 ± 4 Joules	
Mass of Striker	20±0.2 kg	
Compression Load	15000 ± 100 Newtons	
Speed	5±2 mm/min	
Internal Height Clearance	Min.13.5mm(37#) Min.14.0mm(42#) Min.14.5mm(47#)	
Remark		
The Toecap Shall Not Develop Any Cracks Which Go Through The Material		



Steel Toe Cap
AN1-EN12568



Steel Plate
AN1-EN12568

Standard	
EN ISO 20344:2011, 5.8.2	EN 12568: 2010
Test Requirement	
Anti-Penetration Insert	≥ 1100 Newtons
Flex Resistant	No Cracking After 1x 10 ⁶ Flexion Cycles
Corrosion Resistant	No Corrosion in 1% NaCl Solution, 48 Hours

Recommended to use:

Automobile Manufacturing, Automobile Parts, Steel Parts Assembly, Metal Parts Painting, Rubber Tire Manufacturing, Automobile Repair & Maintenance Shops, Glass Installation etc.

<450g
SUPER LIGHT



Logistics & Warehouse



Best Recommended: ★★★★★




✓ Protection with Energy Absorption of Seat Region		
EN ISO 20344:2011, 5.14		
Test Requirement		Result
Shock Energy Absorption (Left Side)	≥ 20 Joules	PASS
Shock Energy Absorption (Right Side)	≥ 20 Joules	PASS
Remark		
The whole footwear must be shock absorption during walking.		



Fiber Glasses Toe Cap
AN1-EN12568

✓ Protection with Flexing Resistance		
EN ISO 20344:2011, 8.4.2,		
Test Requirement		Result
Cut Growth A size 37#	≤ 4mm (*)	PASS
Cut Growth A size 42#	≤ 4mm (*)	PASS
Cut Growth A size 47#	≤ 4mm (*)	PASS
Remark		
Flex cycle must be more than 30,000 times		



Kevlar Plate
AN1-EN12568

Recommended to use:

Logistics, Cargo Transportation, Express & Delivery, Warehouse Workers, Carton Handling, Truck Drivers, Forklift Drivers etc



Best Recommended: ★★★★★



✓ Protection with Tear Strength (Upper)		
EN ISO 20344:2011, 6.3		
Test Requirement		Result
Leather Tear Strength	≥ 120 Newtons	PASS
Lining Tear Strength	≥ 30 Newtons	PASS
Remark		
The material should be fulfill the upper requirements.		

✓ Protection with Abrasion Resistance (Outsole)		
EN ISO 20344:2011, 8.3		
Test Requirement		Result
Relative Volume Loss (Density is	≤ 150 mm3	PASS
Remark		
If the outsole density is equal or less than 0.9 g/cm3, max 250mm3		

Recommended to use:
Construction, Building, Railway & Highway Maintenance, Cement Workers,
Painters, Carpenters, Bricklayers, House-Builders etc



Best Recommended: ★★★★★



✓ Protection with Slip Resistant		
EN ISO 20344:2011, 5.11		
Test Requirement		Result
SRA (Eurotile 2+Nal S) Forward Heel Slip	≥ 0.28	PASS
SRA (Eurotile 2+Nal S) Forward Flat Slip	≥ 0.32	PASS
SRB (Steel Floor+Glycerine) Forward Heel Slip	≥ 0.13	PASS
SRB (Steel Floor+Glycerine) Forward Flat Slip	≥ 0.18	PASS
Remark		
SRC means both SRA & SRB are fulfilled.		

✓ Protection with Water-Repellent Upper		
EN ISO 20344:2011, 6.6,6.7		
Test Requirement		Result
Water Vapour Permeability (WVP)	≥ 0.18 mg/(cm2*h)	PASS
Water Vapour Coefficient (WVC)	≥ 15 mg/cm2	PASS
Water Penetration	≤ 30.0%	PASS
Water Absorption	≤ 0.2g	PASS
Remark		
Test Period is 60 minutes.		

Recommended to use:
Food Industry, Beverage Industry, Meat Factory, Frozen Food, Fish-food Industry, Wine & Beer
Factory, Kitchen, Clean-room etc



EN ISO 20345:2022 SAFETY FOOTWEAR

Marking categories of safety footwear

Category		Additional requirement
Class I	Class II	
SB	SB	Basic requirement
S1	S4	SB+ Closed heel area Energy absorption of seat region Anti-static
S2	S5P S5L S5S	S1+ Water penetration& absorption
S3P S3L S3S		S2+ Perforation resistance according to the type cleated outsole
S6		S2+ Water resistance(WR)
S7P S7L S7S		S3+ Water resistance(WR)

Example of Marking:
EN ISO 20345:2022
S7L SR FO HRO

Protection Properties (Additonal)	Classification			Symbol
	Class I	Class II	Hybrid	
Perforation Resistance	X	X	X	P/PL/PS
Partially Conductive Footwear	X	X	X	C
Anti-static Footwear	X	X	X	A
Heat Insulation of Outsole Complex	X	X	X	HI
Cold Insulation of Outsole Complex	X	X	X	CI
Energy Absorption of Seat Region	X			E
Water Resistance	X			WR
Metatarsal Protection	X	X	X	M
Ankle Protection	X	X	X	AN
Cut Resistance	X	X	X	CR
Slip Resistance (Ceramic+Glycerine)	X	X	X	SR
Water Penetration& Absorption	X			WPA
Resistance to Hot Contact	X	X	X	HRO
Resistance to Fuel Oil	X	X	X	FO



Hot Best Selling

In Stock



S3 SRC

Upper : High Quality Water Resistant Cow Leather
Lining : Breathable Sandwich Air Mesh
Insoles: Soft Hi-Polyu Insoles
Outsole : PU/PU Dual Density
Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



Hot Best Selling

In Stock



S3 SRC

Upper : High Quality Water Resistant Cow Leather
Lining : Breathable Sandwich Air Mesh
Insoles: Soft Hi-Polyu Insoles
Outsole : PU/PU Dual Density
Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



S3 SRC

Upper : High Quality Water Resistant Cow Leather
Lining : Breathable Sandwich Air Mesh
Insole : Soft Hi-Polyu Insoles
Outsole : PU/PU Dual Density
Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



S3 SRC

Upper : High Quality Water Resistant Cow Leather
Lining : Breathable Sandwich Air Mesh
Insole : Soft Hi-Polyu Insoles
Outsole : PU/PU Dual Density
Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



S3 SRC

Upper : High Quality Water Resistant Cow Leather
Lining : Abrasion Resistant Nylon Fabric
Insole : Soft Hi-Polyu Insoles
Outsole : PU/PU Dual Density
Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



S3 SRC

Upper : High Quality Water Resistant Cow Leather
Lining : Abrasion Resistant Nylon Fabric
Insole : Soft Hi-Polyu Insoles
Outsole : PU/PU Dual Density
Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011





S3 SRC

Upper : High Quality Water Resistant Cow Leather
Lining : Breathable Sandwich Air Mesh
Insoles: Soft Hi-Polyu Insoles
Outsole : PU/PU Dual Density
>Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



S3 SRC

Upper : High Quality Water Resistant Cow Leather
Lining : Breathable Sandwich Air Mesh
Insoles: Soft Hi-Polyu Insoles
Outsole : PU/PU Dual Density
>Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



S3 SRC

Upper : High Quality Water Resistant Cow Leather
Lining : Breathable BK Air Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : PU/PU Dual Density
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



S3 SRC

Upper : High Quality Water Resistant Cow Leather
Lining : Breathable BK Air Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : PU/PU Dual Density
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



Grey

S3 SRC

Upper : High Quality Water Resistant Cow Leather
Lining : Breathable Sandwich Air Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : PU/PU Dual Density
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



S3 SRC

Upper : High Quality Water Resistant Cow Leather
Lining : Breathable Sandwich Air Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : PU/PU Dual Density
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



S3 SRC

Upper : High Quality Water Resistant Cow Leather
Lining : Breathable Sandwich Air Mesh
Insole : Soft Hi-Polyu Insoles
Outsole : PU/PU Dual Density
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



S3 SRC

Upper : High Quality Water Resistant Cow Leather
Lining : Breathable Sandwich Air Mesh
Insole : Soft Hi-Polyu Insoles
Outsole : PU/PU Dual Density
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011





S3 SRC

Upper : Palm Printed Cow Leather
Lining : Breathable BK Air Mesh
Insole : Soft Hi-Polyu Insoles
Outsole : PU/PU Dual Density
Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



S3 SRC

Upper : Palm Printed Cow Leather
Lining : Breathable BK Air Mesh
Insole : Soft Hi-Polyu Insoles
Outsole : PU/PU Dual Density
Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



S3 SRC

Upper : High Quality Water Resistant Cow Leather
Lining : Breathable Sandwich Air Mesh
Insoles: Soft Hi-Polyu Insoles
Outsole : PU/PU Dual Density
Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



S3 SRC

Upper : High Quality Water Resistant Cow Leather
Lining : Breathable Sandwich Air Mesh
Insoles: Soft Hi-Polyu Insoles
Outsole : PU/PU Dual Density
Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



Overcap design can protect toe leather from sharp object during standing & walking.



Overcap S3 SRC

Upper : High Quality Water Resistant Cow Leather
Lining : Breathable Sandwich Air Mesh
Insoles: Soft Hi-Polyu Insoles
Outsole : PU/Rubber Injection (HRO 300°C)
Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



Overcap S3 SRC

Upper : High Quality Water Resistant Cow Leather
Lining : Breathable Sandwich Air Mesh
Insoles: Soft Hi-Polyu Insoles
Outsole : PU/Rubber Injection (HRO 300°C)
Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



Overcap S3 SRC

Upper : High Quality Water Resistant Cow Leather
Lining : Breathable Sandwich Air Mesh
Insoles: Soft Hi-Polyu Insoles
Outsole : PU/Rubber Injection (HRO 300°C)
Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011





S3 SRC

Upper: High Quality Smooth Cow Leather
Lining : Breathable Sandwich Air Mesh
Insoles: Soft Hi-Polyu Insoles
Outsole : PU/PU Dual Density
Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



S3 SRC

Upper: High Quality Smooth Cow Leather
Lining : Breathable Sandwich Air Mesh
Insoles: Soft Hi-Polyu Insoles
Outsole : PU/PU Dual Density
Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



S3 SRC

Upper: High Quality Smooth Cow Leather
Lining : Breathable Sandwich Air Mesh
Insoles: Soft Hi-Polyu Insoles
Outsole : PU/PU Dual Density
Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



Hot Best Selling

S3 SRC

Upper: High Quality Smooth Cow Leather
Lining : Breathable Sandwich Air Mesh
Insoles: Soft Hi-Polyu Insoles
Outsole : PU/PU Dual Density
Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



S3 SRC

Upper: High Quality Smooth Cow Leather
Lining : Breathable Sandwich Air Mesh
Insoles: Soft Hi-Polyu Insoles
Outsole : PU/Rubber Injection (HRO 300°C)
Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



S3 SRC

Upper: High Quality Smooth Cow Leather
Lining : Breathable Sandwich Air Mesh
Insoles: Soft Hi-Polyu Insoles
Outsole : PU/Rubber Injection (HRO 300°C)
Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



S3 SR

Upper : High Quality Smooth Cow Leather
Lining : Breathable Sandwich Air Mesh
Insole : Soft Hi-Polyu Insoles
Outsole : PU/PU Dual Density
Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2022 S3 SR CI FO HRO



S3 SRC

Upper : Yellow Cow Nubuck Leather
Lining : Breathable Sandwich Air Mesh
Insole : Soft Hi-Polyu Insoles
Outsole : PU/PU Dual Density
Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011





Hot Best Selling

In Stock



S3 SRC

Upper : Brown Full Grain Cow Nubuck Leather
Lining : Breathable Sandwich Mesh
Insole : Super Memory Foam Insoles
Outsole : PU/Rubber Injection
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



In Stock

S3 SRC

Upper : Full Grain Cow Leather
Lining : Breathable Sandwich Mesh
Insole : Super Memory Foam Insoles
Outsole : PU/Rubber Injection
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



In Stock



S3 SR

Upper : Black Smooth Cow Leather
Lining : Breathable Sandwich Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : PU/PU Dual Density
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2022



In Stock



S3S SR

Upper: Full Grain Crazy Horse Cow Leather
Lining : Breathable Sandwich Mesh
Insole : Super Memory Foam Insoles
Outsole : PU/Rubber Injection
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2022 S3S SR CI HI FO HRO



S3 SRC

Upper: Full Grain Crazy Horse Cow Leather
Lining : Breathable Sandwich Mesh
Insole : Super Memory Foam Insoles
Outsole : PU/Rubber Injection
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



In Stock



LADY S3 SRC

Upper: Superior Micro Fiber Leather
Lining : Breathable Sandwich Mesh
Insole : Super Memory Foam Insoles
Outsole : PU/PU Dual Density
> Size : EU 37-42#, UK 3-8#
CE EN ISO 20345:2011



Classic & Original



S3 SRC

Upper: 100% Full Grain Cow Leather
Lining : Soft Pigskin Leather
Insole : Super Memory Foam Insoles
Outsole : PU/Rubber Injection
> Size : EU 38-47#, UK 4-13#
CE EN ISO 20345:2011



Classic & Original



Beige S3 SRC

Upper : 100% Full Grain Cow Nubuck Leather
Lining : Soft Pigskin Leather
Insole : Super Memory Foam Insoles
Outsole : PU/Rubber Injection
> Size : EU 38-47#, UK 4-13#
CE EN ISO 20345:2011



Classic & Original







Brown S3 SRC

Upper : 100% Full Grain Cow Nubuck Leather
Lining : Soft Pigskin Leather
Insole : Super Memory Foam Insoles
Outsole : PU/Rubber Injection
> Size : EU 38-47#, UK 4-13#
CE EN ISO 20345:2011



SIZE CONVERSION CHART



MEASUREMENT UNIT:MM

EURO SIZE	UK SIZE	US SIZE	ASIA SIZE	INNER LENGTH	INNER CIRCUMFERENCE
36	2	3	230	239.98	239.0
37	3	4	235	246.65	243.5
38	4	5	240	253.32	248.0
39	5	6	245	259.00	252.5
40	6	7	250	266.66	257.0
41	7	8	255	273.33	261.5
42	8	9	260	280.00	266.0
43	9	10	265	286.67	270.5
44	10	11	270	293.34	275.0
45	11	12	275	300.00	279.5
46	12	13	280	306.68	284.0
47	13	14	285	313.35	288.5

The table given above is to show our shoes length & circumference by millimeters (mm).
For example,EU size 42 # is equal to UK size 8#, and equal to Us size 9#, and Asia size 260#.The mould inner length is 280mm, and inner circumference is 266mm.The difference of two nearby sizes is 66.7mm.



Electric Hazard 18KV

Energy & Electric Industry



✓ Protection Against Electric Hazard (EH 18KV)		
ASTM F2412-18a, Clause 9, Test Period 1 Minute		
Test Requirement		Result
Electric Leakage Current with Test Voltage 18KV	≤ 1.0mA	PASS
Remark		
Expended Uncertainty: 0.0045mA, With k= 2.17 at 95% Confidence Level.		



SBP+I

Upper : Brown Embossed Cow Leather
Lining : Breathable Sandwich Air Mesh
Insole : Soft Hi-Polyu Insoles
Outsole : PU/PU Dual Density
Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011 ASTM F2413-11 M I/75 C/75 PR EH



SBP+I

Upper : Brown Embossed Cow Leather
Lining : Breathable Sandwich Air Mesh
Insole : Soft Hi-Polyu Insoles
Outsole : PU/PU Dual Density
Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011 ASTM F2413-11 M I/75 C/75 PR EH



In Stock



SBP+I

Upper : Full Grain Crazy Horse Cow Leather
Lining : Breathable Sandwich Air Mesh
Insole : Super Memory Foam Insoles
Outsole : PU/Rubber Injection
Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011 ASTM F2413-11 M I/75 C/75 PR EH



In Stock



SBP+I

Upper : Full Grain Cow Leather
Lining : Breathable Sandwich Air Mesh
Insole : Super Memory Foam Insoles
Outsole : PU/Rubber Injection
Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011 ASTM F2413-11 M I/75 C/75 PR EH



SBP+I

Upper : Full Grain Crazy Horse Cow Leather
Lining : Breathable Sandwich Air Mesh
Insole : Super Memory Foam Insoles
Outsole : PU/Rubber Injection
Size : EU 37-47#, UK 3-13#
CE EN 20345:2011 ASTM F2413-11 M I/75 C/75 PR



In Stock



SBP+I

Upper : Full Grain Cow Nubuck Leather
Lining : Breathable Sandwich Air Mesh
Insole : Super Memory Foam Insoles
Outsole : PU/Rubber Injection
Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011





Hot Best Selling

In Stock



S1P SRC

Upper : Breathable Cow Suede Leather
Lining : Breathable Sandwich Air Mesh
Insole : Super Memory Foam Insoles
Outsole : PU/PU Dual Density
Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



S1P SRC

Upper : Breathable Cow Suede Leather
Lining : Breathable Sandwich Air Mesh
Insole : Super Memory Foam Insoles
Outsole : PU/PU Dual Density
Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



Grey S1P SRC

Upper : Breathable Cow Suede Leather
Lining : Breathable Sandwich Air Mesh
Insole : Soft Hi-Polyu Insoles
Outsole : PU/PU Dual Density
Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



Grey S1P SRC

Upper : Breathable Cow Suede Leather
Lining : Breathable Sandwich Air Mesh
Insole : Soft Hi-Polyu Insoles
Outsole : PU/PU Dual Density
Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



S1P SRC

Upper : Breathable Cow Suede Leather
Lining : Breathable Sandwich Air Mesh
Insole : Soft Hi-Polyu Insoles
Outsole : PU/PU Dual Density
Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



Blue S1P SRC

Upper : Breathable Cow Suede Leather
Lining : Breathable Sandwich Air Mesh
Insole : Soft Hi-Polyu Insoles
Outsole : PU/PU Dual Density
Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011





Fiber Glass Toecap & Kevlar Plate



In Stock



Blue S1P SRC

Upper : Breathable Cow Suede Leather
Lining : Breathable Sandwich Air Mesh
Insole : Super Memory Foam Insoles
Outsole : PU/PU Dual Density
Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



In Stock



Grey S1P SRC

Upper : Breathable Cow Suede Leather
Lining : Breathable Sandwich Air Mesh
Insole : Super Memory Foam Insoles
Outsole : PU/PU Dual Density
Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



Grey S1P SRC

Upper : Breathable Cow Suede Leather
Lining : Breathable Sandwich Air Mesh
Insole : Super Memory Foam Insoles
Outsole : PU/PU Dual Density
Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



Engineer Design



Engineer S3 SRC

Upper : Full Grain Smooth Cow Leather
Lining : Breathable Sandwich Air Mesh
Insole : Super Memory Foam Insoles
Outsole : PU/PU Dual Density
Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011





Fiber Glass Toecap & Kevlar Plate

Hot Best Selling

In Stock



S1P SRC

Upper : Breathable Cow Suede Leather
Lining : Breathable Sandwich Air Mesh
Insole : Super Memory Foam Insoles
Outsole : PU/PU Dual Density
Size : EU 37-47# , UK 3-13#
CE EN ISO 20345:2011



S1P SRC

Upper : Breathable Cow Suede Leather
Lining : Breathable Sandwich Air Mesh
Insole : Super Memory Foam Insoles
Outsole : PU/PU Dual Density
Size : EU 37-47# , UK 3-13#
CE EN ISO 20345:2011



Black S1P SRC

Upper : Breathable Cow Suede Leather
Lining : Breathable Sandwich Air Mesh
Insole : Soft Hi-Polyu Insoles
Outsole : PU/PU Dual Density
Size : EU 37-47# , UK 3-13#
CE EN ISO 20345:2011



Black S1P SRC


Upper : Breathable Cow Suede Leather
Lining : Breathable Sandwich Air Mesh
Insole : Soft Hi-Polyu Insoles
Outsole : PU/PU Dual Density
Size : EU 37-47# , UK 3-13#
CE EN ISO 20345:2011



In Stock

S1P SRC

Upper : Breathable Cow Suede Leather
Lining : Breathable Sandwich Air Mesh
Insole : Super Memory Foam Insoles
Outsole : PU/PU Dual Density
Size : EU 37-47# , UK 3-13#
CE EN ISO 20345:2011



Engineer Design



Engineer S3 SRC

Upper : Full Grain Smooth Cow Leather
Lining : Breathable Sandwich Air Mesh
Insoles : Super Memory Foam Insoles
Outsole : PU/PU Dual Density
Size : EU 37-47# , UK 3-13#
CE EN ISO 20345:2011





S1P SRC

Upper : High Quality Cow Suede Leather
Lining : Breathable Sandwich Air Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : PU/PU Dual Density
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



S1P SRC

Upper : High Quality Cow Suede Leather
Lining : Breathable Sandwich Air Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : PU/PU Dual Density
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



S1P SRC

Upper : High Quality Cow Suede Leather
Lining : Breathable Sandwich Air Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : PU/PU Dual Density
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



S1P SRC

Upper: Grey Cow Suede Leather
Lining: Breathable Sandwich Air Mesh
Insoles: Soft Hi-Polyu Insoles
Outsole: PU/PU Dual Density
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



S1P SRC

Upper : High Quality Embossed Cow leather
Lining : Breathable Sandwich Air Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : PU/PU Dual Density
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



Suede S1P SRC

Upper : High Quality Cow Suede Leather
Lining : Breathable Sandwich Air Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : PU/PU Dual Density
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



In Stock



S1P SRC

Upper: Black Cow Nubuck Leather
Lining: Breathable Sandwich Air Mesh
Insoles: Super Memory Foam Insoles
Outsole: PU/PU Dual Density
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



Red S1P SRC

Upper: Black Cow Nubuck Leather
Lining: Breathable Sandwich Air Mesh
Insoles: Super Memory Foam Insoles
Outsole: PU/PU Dual Density
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



NEW

Design



Yellow



Green



Grapefruit



High Cut



Blue



Grey




Velcro Design

S1P SRC

Upper : Durable 3D Weaving Fabric
Lining : Breathable Sandwich Air Mesh
Insole : Soft Hi-Polyu Insoles
Outsole : PU/PU Injection, Dual Density
Size : EU 37-47#, UK 3-13#
CE ISO 20345:2011



Safetoe Technology-Water Repellent PU-Tek



High Tenacity Polyester Core

2024
New
Design

This Technology is a new concept of threads with super high abrasion resistance . It is directly woven to achieve textiles with ultimate mechanical performances, & with external PU coating.



S3 SRC

Upper: Water-Repellent PU-Tek Nylon
Lining: Breathable Sandwich Air Mesh
Insoles: Super Memory Foam Insoles
Outsole: PU/PU Dual Density
> Size : EU 37-47#, UK 3-13#
CE ISO 20345:2011



Hot Best Selling



Red S3 SRC

Upper: Water-Repellent PU-Tek Nylon
Lining: Breathable Sandwich Air Mesh
Insoles: Super Memory Foam Insoles
Outsole: PU/PU Dual Density
> Size : EU 37-47#, UK 3-13#
CE ISO 20345:2011



Blue S3 SRC

Upper: Water-Repellent PU-Tek Nylon
Lining: Breathable Sandwich Air Mesh
Insoles: Super Memory Foam Insoles
Outsole: PU/PU Dual Density
> Size : EU 37-47#, UK 3-13#
CE ISO 20345:2011



Orange S3 SRC

Upper: Water-Repellent PU-Tek Nylon
Lining: Breathable Sandwich Air Mesh
Insoles: Super Memory Foam Insoles
Outsole: PU/PU Dual Density
> Size : EU 37-47#, UK 3-13#
CE ISO 20345:2011




Green S3 SRC

Upper: Water-Repellent PU-Tek Nylon
Lining: Breathable Sandwich Air Mesh
Insoles: Super Memory Foam Insoles
Outsole: PU/PU Dual Density
> Size : EU 37-47#, UK 3-13#
CE ISO 20345:2011



Technology-3D Weaving Fabric



3D Weaving fabric is a new technolgy made in the form of a shuttle. The yarn is woven through the interweaving of warp and weft directions. 3D Weaving fabric mainly includes 3 kind of categories: plain, twill, and satin, as well as their variations. Compared with Fly-Knitting fabric, 3D Weaving fabric is much more durable, sturdy & straight because of the interweaving of warp and weft in the weaving method.



Hot Best Selling



Red S1P SRC

- Upper: Durable 3D Weaving Fabric
Lining: Breathable Sandwich Air Mesh
Insoles: Super Memory Foam Insoles
Outsole: PU/PU Dual Density
> Size : EU 37-47#, UK 3-13#
CE ISO 20345:2011
-



Blue S1P SRC

- Upper: Durable 3D Weaving Fabric
Lining: Breathable Sandwich Air Mesh
Insoles: Super Memory Foam Insoles
Outsole: PU/PU Dual Density
> Size : EU 37-47#, UK 3-13#
CE ISO 20345:2011
-



Orange S1P SRC

- Upper: Durable 3D Weaving Fabric
Lining: Breathable Sandwich Air Mesh
Insoles: Super Memory Foam Insoles
Outsole: PU/PU Dual Density
> Size : EU 37-47#, UK 3-13#
CE ISO 20345:2011
-



Green S1P SRC

- Upper: Durable 3D Weaving Fabric
Lining: Breathable Sandwich Air Mesh
Insoles: Super Memory Foam Insoles
Outsole: PU/PU Dual Density
> Size : EU 37-47#, UK 3-13#
CE ISO 20345:2011
-

2024
New Design

Water Repellent PU-Tek Nylon Material



S3 SRC

Upper: Water-Repellent PU-Tek Nylon
Lining: Breathable Sandwich Air Mesh
Insoles: Super Memory Foam Insoles
Outsole: PU/PU Dual Density
> Size : EU 37-47#, UK 3-13#
CE ISO 20345:2011



S3 SRC

Upper: Water-Repellent PU-Tek Nylon
Lining: Breathable Sandwich Air Mesh
Insoles: Super Memory Foam Insoles
Outsole: PU/PU Dual Density
> Size : EU 37-47#, UK 3-13#
CE ISO 20345:2011



S1P SRC

Upper: Durable 3D Weaving Fabric
Lining: Breathable Sandwich Air Mesh
Insoles: Super Memory Foam Insoles
Outsole: PU/PU Dual Density
> Size : EU 37-47#, UK 3-13#
CE ISO 20345:2011




S1P SRC

Upper: Durable 3D Weaving Fabric
Lining: Breathable Sandwich Air Mesh
Insoles: Super Memory Foam Insoles
Outsole: PU/PU Dual Density
> Size : EU 37-47#, UK 3-13#
CE ISO 20345:2011




SBP SRC

Upper : Sanvlar-Tech Fly Knitting With TPU
Lining : Breathable Sandwich Air Mesh
Insole : Soft Hi-Polyu Insoles
Outsole : EVA/Rubber Cement
> Size : EU 37-47#, UK 3-13#
ASTM F2413-11 M I/75 C/75 PR EH



SBP SRC

Upper : Sanvlar-Tech Fly Knitting With TPU
Lining : Breathable Sandwich Air Mesh
Insole : Soft Hi-Polyu Insoles
Outsole : EVA/Rubber Cement
> Size : EU 37-47#, UK 3-13#
ASTM F2413-11 M I/75 C/75 PR EH



(Lock System)

Innovative closure allows you to quickly tighten and loosen your safety footwear with one hand and under any conditions, even when you are wearing safety gloves. It ensures a fast, safe and easy precise fit that offers enhanced comfort and enables you to perform at your best.



TLS

SBP SRC

lock system

Upper: Sanvlar-Tech Fly Knitting with TPU
 Lining: Breathable Sandwich Mesh
 Insole: Comfortable Hi-Polyu Insoles
 Outsole: EVA/Rubber Cement
 > Size: EU 37-47#, UK 3-13#
 ASTM F2413-11 M I/75 C/75 PR EH

TLS

S1P SRC

lock system

Upper : Sanvlar-Tech Fly Knitting Nylon Fabric
 Lining : Breathable Sandwich Air Mesh
 Insole : Comfortable Mesh Coated EVA
 Outsole : PU/PU Injection, Dual Density
 > Size : EU 37-47#, UK 3-13#
 CE ISO 20345:2011

TLS

S1P SRC

lock system

Upper : Breathable Cow Suede Leather
 Lining : Breathable Sandwich Air Mesh
 Insole : Comfortable Mesh Coated EVA
 Outsole : PU/PU Dual Density
 > Size : EU 37-47#, UK 3-13#
 CE EN ISO 20345:2011

TLS

S1P SRC

lock system


Upper : Breathable Cow Suede Leather
 Lining : Breathable Sandwich Air Mesh
 Insole : Comfortable Mesh Coated EVA
 Outsole : PU/PU Dual Density
 > Size : EU 37-47#, UK 3-13#
 CE EN ISO 20345:2011

Technology-Super Light Weight Safety Shoes

To those logistics and warehouse workers, most of them need to stand for working more than 10 hours a day, and need to walk more than 15,000 steps. They need to spend at least 3000 kilo-calories energy. Furthermore, long-time standing & walking has caused significant strain on their feet, ankles, knees, and spine. It leads to many chronic diseases of their body.



As we know, one piece traditional safety shoe in size 42# is about 600±50 grams. we developed ultra-lightweight safety shoes with new high-tech materials, which can weigh less than 450±20 grams, about 30% less. It can reduce daily energy consumption of logistics and warehouse workers, and also greatly reduce the chronic damage to their body health.



<450g
SUPER LIGHT



Red



Blue



Green


S1P SRC

Upper: Durable 3D Weaving Fabric
Lining: Breathable Sandwich Air Mesh
Insoles: Super Memory Foam Insoles
Outsole: EVA/Rubber Cement
> Size : EU 38-46#, UK 4-12#
ASTM F2413-11 M I/75 C/75 PR EH



SBP SRC

Upper : Sanvlar-Tech Fly Knitting Nylon Fabric
Lining : Breathable Sandwich Air Mesh
Insole : Soft Hi-Polyu Insoles
Outsole : EVA/Rubber Cement
> Size : EU 38-46#, UK 4-12#
ASTM F2413-11 M I/75 C/75 PR EH



SBP SRC

Upper : Sanvlar-Tech Fly Knitting Nylon Fabric
Lining : Breathable Sandwich Air Mesh
Insole : Soft Hi-Polyu Insoles
Outsole : EVA/Rubber Cement
> Size : EU 38-46#, UK 4-12#
ASTM F2413-11 M I/75 C/75 PR EH



S1P SRC

Upper: Durable 3D Weaving Fabric
Lining: Breathable Sandwich Air Mesh
Insoles: Super Memory Foam Insoles
Outsole: EVA/Rubber Cement
> Size : EU 38-46#, UK 4-12#
ASTM F2413-11 M I/75 C/75 PR EH



S1P SRC

Upper: Durable 3D Weaving Fabric
Lining: Breathable Sandwich Air Mesh
Insoles: Super Memory Foam Insoles
Outsole: EVA/Rubber Cement
> Size : EU 38-46#, UK 4-12#
ASTM F2413-11 M I/75 C/75 PR EH



<450g
SUPER LIGHT



<450g
SUPER LIGHT



<450g
SUPER LIGHT



<450g
SUPER LIGHT



Red

Blue

Green



In Stock

S1P SRC

Upper: Grey Cow Suede Leather
Lining: Breathable Sandwich Air Mesh
Insoles: Super Memory Foam Insoles
Outsole: PU/PU Dual Density
> Size : EU 36-42#, UK 2-8#
ASTM F2413-11 M I/75 C/75 PR



In Stock

S1P SRC

Upper: Grey Cow Suede Leather
Lining: Breathable Sandwich Air Mesh
Insoles: Super Memory Foam Insoles
Outsole: PU/PU Dual Density
> Size : EU 36-42#, UK 2-8#
ASTM F2413-11 M I/75 C/75 PR



In Stock

S3 SRC

Upper: Cow Embossed Leather
Lining: Breathable Sandwich Air Mesh
Insoles: Super Memory Foam Insoles
Outsole: PU/PU Dual Density
> Size : EU 36-42#, UK 2-8#
ASTM F2413-11 M I/75 C/75 PR



In Stock

S3 SRC

Upper: Cow Embossed Leather
Lining: Breathable Sandwich Air Mesh
Insoles: Super Memory Foam Insoles
Outsole: PU/PU Dual Density
> Size : EU 36-42#, UK 2-8#
ASTM F2413-11 M I/75 C/75 PR



Smooth S3 SRC

Upper: High Quality Smooth Cow Leather
Lining: Breathable Sandwich Air Mesh
Insoles: Super Memory Foam Insoles
Outsole: PU/PU Dual Density
> Size : EU 36-42#, UK 2-8#
ASTM F2413-11 M I/75 C/75 PR



Smooth S3 SRC

Upper: High Quality Smooth Cow Leather
Lining: Breathable Sandwich Air Mesh
Insoles: Super Memory Foam Insoles
Outsole: PU/PU Dual Density
> Size : EU 36-42#, UK 2-8#
ASTM F2413-11 M I/75 C/75 PR



S3 SRC/WR

Upper: Full Grain Cow Nubuck Leather
Lining: Water Resistant Membrane
Insoles: Super Memory Foam Insoles
Outsole: PU/Rubber Injection
> Size : EU 36-42#, UK 2-8#
ASTM F2413-11 M I/75 C/75 PR



In Stock

S3 SRC/WR

Upper: Full Grain Cow Nubuck Leather
Lining: Water Resistant Membrane
Insoles: Super Memory Foam Insoles
Outsole: PU/Rubber Injection
> Size : EU 36-42#, UK 2-8#
ASTM F2413-11 M I/75 C/75 PR





**SLIP
RESISTANT**

Hot Best Selling

In Stock



S3 SRC

Upper : High Quality Smooth Cow Leather
Lining : Breathable Sandwich Air Mesh
Insole : Super Memory Foam Insoles
Outsole : PU/Rubber Injection
> Size : EU37-47#,UK 3-13#
CE EN ISO 20345:2011 ASTM F2413-11 M I/75 C/75 PR



brown S3 SRC

Upper : High Quality Smooth Cow Leather
Lining : Breathable Sandwich Air Mesh
Insole : Super Memory Foam Insoles
Outsole : PU/Rubber Injection
> Size : EU37-47#,UK 3-13#
CE EN ISO 20345:2011 ASTM F2413-11 M I/75 C/75 PR



S3 SRC

Upper : High Quality Smooth Cow Leather
Lining : Breathable Sandwich Air Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : PU/Rubber Injection
> Size : EU37-47#,UK 3-13#
CE EN ISO 20345:2011 ASTM F2413-11 M I/75 C/75 PR



Brown S3 SRC

Upper : Brown Crazy Horse Leather
Lining : Breathable Sandwich Air Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : PU/Rubber Injection
> Size : EU37-47#,UK 3-13#
CE EN ISO 20345:2011 ASTM F2413-11 M I/75 C/75 PR



TLS S3 SRC

Upper : High Quality Smooth Cow Leather
Lining : Breathable Sandwich Air Mesh
Insole : Super Memory Foam Insoles
Outsole : PU/Rubber Injection
> Size : EU37-47#,UK 3-13#
CE EN ISO 20345:2011 ASTM F2413-11 M I/75 C/75 PR



S3 SRC

Upper : High Quality Smooth Cow Leather
Lining : Breathable Sandwich Air Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : PU/Rubber Injection
> Size : EU37-47#,UK 3-13#
CE EN ISO 20345:2011 ASTM F2413-11 M I/75 C/75 PR





Black S3 SRC

Upper : Full Grain Cow Leather
Lining : Breathable Sandwich Air Mesh
Insole : Super Memory Foam Insoles
Outsole : PU/Rubber Injection
> Size : EU 37-47#, UK 3-13#
ASTM F2413-11 M I/75 C/75 PR



S3 SRC

Upper : High Quality Cow Nubuck Leather
Lining : Breathable Sandwich Air Mesh
Insole : Super Memory Foam Insoles
Outsole : PU/Rubber Injection
> Size : EU 37-47#, UK 3-13#
CE ISO 20345:2011



Black S3 SRC

Upper : High Quality Smooth Cow Leather
Lining : Breathable Sandwich Air Mesh
Insole : Super Memory Foam Insoles
Outsole : PU/Rubber Injection
> Size : EU 37-47#, UK 3-13#
CE ISO 20345:2011



S3 SRC

Upper : High Quality Cow Nubuck Leather
Lining : Breathable Sandwich Air Mesh
Insole : Super Memory Foam Insoles
Outsole : PU/Rubber Injection
> Size : EU 37-47#, UK 3-13#
CE ISO 20345:2011 ASTM F2413-11 M I/75



Black S3 SRC

Upper : High Quality Smooth Cow Leather
Lining : Breathable Sandwich Air Mesh
Insole : Super Memory Foam Insoles
Outsole : PU/Rubber Injection
> Size : EU 37-47#, UK 3-13#
CE ISO 20345:2011 ASTM F2413-11 M I/75



S3 SRC

Upper : High Quality Cow Nubuck Leather
Lining : Breathable Sandwich Air Mesh
Insole : Super Memory Foam Insoles
Outsole : PU/Rubber Injection
> Size : EU 37-47#, UK 3-13#
CE EN 20345:2011 ASTM F2413-11 M I/75 C/75 PR



S3 SRC

Upper : Full Grain Cow Nubuck Leather
Lining : Breathable Sandwich Mesh
Insole : Super Memory Foam Insoles
Outsole : PU/Rubber Injection
> Size : EU 37-47#, UK 3-13#
CE EN20345:2011



S3 SRC

Upper : High Quality Cow Nubuck Leather
Lining : Breathable Sandwich Air Mesh
Insole : Super Memory Foam Insoles
Outsole : PU/Rubber Injection
> Size : EU 37-47#, UK 3-13#
CE ISO 20345:2011



NEW

Design



RB Overcap S3 SRC/HRO

Upper: Full Grain Cow Nubuck Leather
Lining: Breathable Sandwich Mesh
Insole: Super Comfort Memory Foam Insoles
Outsole: PU/Rubber Injection
Size : EU 37-47#, UK 3-13#
CE EN20345:2011



Overcap S3 SRC/HRO

Upper: Full Grain Cow Nubuck Leather
Lining: Breathable Sandwich Mesh
Insole: Super Comfort Memory Foam Insoles
Outsole: PU/Rubber Injection
Size : EU 37-47#, UK 3-13#
CE EN20345:2011



Overcap S3 SRC/HRO

Upper: Full Grain Cow Nubuck Leather
Lining: Breathable Sandwich Mesh
Insole: Super Comfort Memory Foam Insoles
Outsole: PU/Rubber Injection
Size : EU 37-47#, UK 3-13#
CE EN20345:2011



Overcap S3 SRC/HRO

Upper: Full Grain Cow Nubuck Leather
Lining: Breathable Sandwich Mesh
Insole: Super Comfort Memory Foam Insoles
Outsole: PU/Rubber Injection
Size : EU 37-47#, UK 3-13#
CE EN20345:2011



Overcap S3 SRC/HRO

Upper: Full Grain Cow Nubuck Leather
Lining: Breathable Sandwich Mesh
Insole: Super Comfort Memory Foam Insoles
Outsole: PU/Rubber Injection
Size : EU 37-47#, UK 3-13#
CE EN20345:2011




Overcap S3 SRC/HRO

Upper: Full Grain Cow Nubuck Leather
Lining: Breathable Sandwich Mesh
Insole: Super Comfort Memory Foam Insoles
Outsole: PU/Rubber Injection
Size : EU 37-47#, UK 3-13#
CE EN20345:2011



Hot Best Selling

Technology-Water Resistant Membrane Lining



membrane is a high-tech fabric designed for footwear, gloves & clothes, etc. The unique air hole design can dissipate excess heat and sweat from the feet, ensuring both feet are always dry. Meanwhile, the waterproof membrane can completely prevent the entry of external water.

√ Protection with Water-Repellent		
EN ISO 20344:2011, 6.6,6.7		
Test Requirement		Result
Water Vapour Permeability (WVP)	≥ 0.18 mg/(cm2*h)	PASS
Water Vapour Coefficient (WVC)	≥ 15 mg/cm2	PASS
Water Penetration	≤ 30.0%	PASS
Water Absorption	≤ 0.2g	PASS
Remark		
Test Period is 60 minutes.		

Hot Best Selling

In Stock



S3S/S7S

Upper: Full Grain Cow Crazy Horse Leather
Lining: Water Resistant Membrane
Insoles: Super Memory Foam Insoles
Outsole: PU/Rubber Injection
Size: EU 37-47#, UK 3-13#
CE EN20345:2022 S7S SR CI HI FO HRO



Hot Best Selling

In Stock



S3S/S7S

Upper: Full Grain Cow Leather
Lining: Water Resistant Membrane
Insoles: Super Memory Foam Insoles
Outsole: PU/Rubber Injection
Size: EU 37-47#, UK 3-13#
CE EN20345:2022 S7S SR CI HI FO HRO



S3S/S7S

Upper: Full Grain Cow Nubuck Leather
Lining: Water Resistant Membrane
Insoles: Super Memory Foam Insoles
Outsole: PU/Rubber Injection
Size: EU 37-47#, UK 3-13#
CE EN20345:2022 S7S SR CI HI FO HRO



S3S/S7S

Upper: Full Grain Cow Nubuck Leather
Lining: Water Resistant Membrane
Insoles: Super Memory Foam Insoles
Outsole: PU/Rubber Injection
Size: EU 37-47#, UK 3-13#
CE EN20345:2022 S7S SR CI HI FO HRO



S3S/S7S

Upper: Full Grain Cow Nubuck Leather
Lining: Water Resistant Membrane
Insoles: Super Memory Foam Insoles
Outsole: PU/Rubber Injection
Size: EU 37-47#, UK 3-13#
CE EN20345:2022 S7S SR CI HI FO HRO



S3S/S7S

Upper: Full Grain Cow Nubuck Leather
Lining: Water Resistant Membrane
Insoles: Super Memory Foam Insoles
Outsole: PU/Rubber Injection
Size: EU 37-47#, UK 3-13#
CE EN20345:2022 S7S SR CI HI FO HRO






MEMORY FOAM AIR COOL INSOLE



BREATHABLE MESH

SUPERIOR SOFT FOAM

ANTI-ABRASION PU



Insock List



001 Size:36-48#
Thickness:2.5/3.5mm
Material:EVA



002 Size:36-48#
Thickness:3.5/4.5mm
Material:Enhanced EVA



003 Size:36-48#
Thickness:3.5/4.5mm
Material:EVA/EVA



005 Size:36-48#
Thickness:4.0/5.0mm
Material:Soft Hi-polyu



006 Size:36-48#
Thickness:4.0/5.0mm
Material:EVA/Foam/Gel



009 Size:36-48#
Thickness:4.5/6.0mm
Material:PU Injection



008 Size:36-48#
Thickness:4.5/5.5mm
Material:Memory Foam

In Stock



004 Size:36-48#
Thickness:4.5/6.0mm
Material:Memory Foam+PU

In Stock



016 Size:36-48#
Thickness:4.5/6.0mm
Material:Memory Foam

In Stock

Orthotic Insoles, Design for Planter Fasciitis & High-Arch Feet etc

Super Comfort Memory Foam

Shock Absorption Memory Foam Material
can Greatly Reduce Ankle & Knee Pressure
During Walk



3cm arch support
reduce stress on feet,ankles and knees



Deep stabilising heel cup,
help to evenly distribute your weight

5mm top cover
fits well in shoes with removeable insoles

Stay comfort longer-
top fabric reduces friction and keeps the feet cool



Heel pain



Planter fasciitis




High-Arch Feet



Over pronation

Shock Absorption Silica Gel

Two Silica Gels can Absorb Most of
Feet Pressue and Keep you All- Day -Comfort



Gel Pad Relieve stress
absorb shock on heel

Metatarsal Cushion
Offer additional cushion
to forefoot

Hard TPU Provide
reinforced arch support

High Durability PU
Reduce pain

Breathable
Fabric Soft, Breathable,
sweat-absorbent

In Stock

OEKO
TEX®

STANDARD
100

Natural Cotton Socks

1. SUPER SOFT COTTON-RICH FABRIC
2. SWEAT-WICKING AND BREATHABLE
3. DURABLE AND COMTABLE
4. CLOSE FITTING AND NON-SLIP
5. HEAVY DUTY QUALITY





Engineer Design

Hot Best Selling



S3 SRC

Upper: High Quality Water Resistant Cow Leather
Lining: Breathable Sandwich Air Mesh
Insoles: Soft Hi-Polyu Insoles
Outsole: PU/PU Dual Density
> Size : EU 36-47#, UK 2-13#
CE EN ISO 20345:2011



Super S3 SRC

Upper: Full Grain Cow Nubuck Leather
Lining: Breathable Sandwich Air Mesh
Insoles: Super Memory Foam Insoles
Outsole: PU/Rubber Injection
> Size : EU 36-47#, UK 2-13#
CE EN ISO 20345:2011



Summer S1P SRC

Upper: Grey Cow Suede Leather
Lining: Breathable Sandwich Air Mesh
Insoles: Soft Hi-Polyu Insoles
Outsole: PU/PU Dual Density
> Size : EU 36-47#, UK 2-13#
CE EN ISO 20345:2011



S2 SRC

Upper: Blue Micro Fiber Leather
Lining: Breathable Sandwich Air Mesh
Insoles: Soft Hi-Polyu Insoles
Outsole: PU/PU Dual Density
> Size : EU 36-47#, UK 2-13#
CE EN ISO 20345:2011



S3 SRC

Upper: Black Full Grain Cow Leather
Lining: Breathable Sandwich Air Mesh
Insoles: Super Memory Foam Insoles
Outsole: EVA/Rubber Cement
> Size : EU 36-47#, UK 2-13#
CE EN ISO 20345:2011



S3 SRC

Upper: Black Smooth Cow Leather
Lining: Breathable Sandwich Air Mesh
Insoles: Soft Hi-Polyu Insoles
Outsole: PU/PU Dual Density
> Size : EU 36-47#, UK 2-13#
CE EN ISO 20345:2011



S3 SRC

Upper: Black Smooth Cow Leather
Lining: Anti-Abrasion Pigskin Leather
Insoles: Soft Hi-Polyu Insoles
Outsole: PU Injection
> Size : EU 36-47#, UK 2-13#
CE EN ISO 20345:2011




S3 SRC

Upper: Black Smooth Cow Leather
Lining: Anti-Abrasion Pigskin Leather
Insoles: Soft Hi-Polyu Insoles
Outsole: PU Injection
> Size : EU 36-47#, UK 2-13#
CE EN ISO 20345:2011



Technology- 360° Thread Sewing Technology



360° Handmade sewing technology is a traditional shoe-making method, which is mainly designed for heavy-duty workplaces, such as Steel smelting, Mining, Chemical industry etc.

We developed these rubber soles with a special groove design. Use heavy-duty nylon thread to stitch the rubber sole with uppers for double protection, to avoid any bondness complaint. It is very popular right now.



S3 SR

Upper : High Quality Embossed Cow Leather
Lining : Breathable Sandwich Air Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : Hot-Resistant Rubber Cement
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2022 S3 SR FO HRO



S3 SR

Upper : High Quality Embossed Cow Leather
Lining : Breathable Sandwich Air Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : Hot-Resistant Rubber Cement
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2022 S3 SR FO HRO



S3 SR

Upper : High Quality Embossed Cow Leather
Lining : Breathable Sandwich Air Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : Hot-Resistant Rubber Cement
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2022 S3 SR FO HRO



S3 SR

Upper : High Quality Embossed Cow Leather
Lining : Breathable Sandwich Air Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : Hot-Resistant Rubber Cement
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2022 S3 SR FO HRO



S3 SR

Upper : High Quality Embossed Cow Leather
Lining : Breathable Sandwich Air Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : Hot-Resistant Rubber Cement
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2022 S3 SR FO HRO



S3 SR

Upper : High Quality Embossed Cow Leather
Lining : Breathable Sandwich Air Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : Hot-Resistant Rubber Cement
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2022 S3 SR FO HRO





2024
New Design

Hot Best Selling

In Stock



Overcap S3S SR Leather Cover

Upper: Palm-printed Cow Leather
Thread: Yellow Fire-resistant Kevlar Thread
Lining: Breathable Sandwich Air Mesh
Insoles: Super Memory Foam Insoles
Outsole: Hot Resistant PU/Rubber Injection
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2022 S3S SR CI HI FO HRO



S3 SRC/HRO Leather Cover

Upper : High Quality Embossed Cow Leather
Lining : Anti-Abrasion Sandwich Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : PU/Rubber Injection
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



S3 SRC/HRO

Leather +Hard PC Cover

Upper : High Quality Embossed Cow Leather
Lining : Anti-Abrasion Sandwich Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : PU/PU Injection
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



Overcap 2 S3 SRC/HRO

Leather +Hard PC Cover

Upper: Palm-printed Cow Leather
Thread: Yellow Fire-resistant Kevlar Thread
Lining: Breathable Sandwich Air Mesh
Insoles: Super Memory Foam Insoles
Outsole: Hot Resistant PU/Rubber Injection
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



Welding S3 SR

Upper: Palm-printed Cow Leather
Thread: Yellow Fire-resistant Kevlar Thread
Lining: Breathable Sandwich Air Mesh
Insoles: Super Memory Foam Insoles
Outsole: Hot Resistant PU/Rubber Injection
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2022 S3 SR CI FO HRO



Welding S3 SR

Upper: Palm-printed Cow Leather
Thread: Yellow Fire-resistant Kevlar Thread
Lining: Breathable Sandwich Air Mesh
Insoles: Super Memory Foam Insoles
Outsole: Hot Resistant PU/Rubber Injection
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2022 S3 SR CI FO HRO





**SLIP RESISTANT
SOLE DESIGN**



SBP SRC

Upper : High Quality Smooth Cow Leather
Lining : Breathable BK Air Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : Goodyear Welted Rubber
> Size : EU 37-47#, UK 3-13#
ASTM F2413-11 M I/75 C/75 EH PR



SBP SRC

Upper : High Quality Nubuck Leather
Lining : Breathable BK Air Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : Goodyear Welted Rubber
> Size : EU 37-47#, UK 3-13#
ASTM F2413-11 M I/75 C/75 PR EH



Super SBP SRC

Upper : High Quality Full Nubuck Leather
Lining : Breathable Air Hole Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : Goodyear Welted Rubber
> Size : EU 37-47#, UK 3-13#
ASTM F2413-11 M I/75 C/75 EH PR



SBP SRC

Upper : High Quality Cow Leather
Lining : Breathable BK Air Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : Goodyear Welted EVA/Rubber
> Size : EU 37-47#, UK 3-13#
ASTM F2413-11 M I/75 C/75 EH PR



Super SBP SRC

Upper : High Quality Crazy Horse Nubuck Leather
Lining : Breathable Air Hole Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : Goodyear Welted Rubber
> Size : EU 37-47#, UK 3-13#
ASTM F2413-11 M I/75 C/75 EH PR



(MOC TOE) OB SRC

Upper : Dark Brown Full Grain Cow Leather
Lining : Breathable Cambrelle Mesh
Insole : Memory Foam Super Insole
Outsole : Goodyear Welted EVA/Rubber
> Size : EU 39-45#, UK 5-11#, US 6-12#





Top Quality
Creative Design
Amazing Comfort

★★★★★

Keep Worker in Safe!



S3 SR

Upper: High Quality Embossed Cow Leather
Lining: Breathable Sandwich Air Mesh
Insoles: Soft Hi-Poly Insoles
Outsole: PU/PU Dual Density
Whole Height: 31CM or 12.3 inch
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2022 S3 SR CI FO HRO



In Stock



S3S/S7S

Upper: Full Grain Cow Crazy Horse Leather
Lining: Breathable Sandwich Air Mesh
Insoles: Super Memory Foam Insoles
Outsole: PU/Rubber Injection
Whole Height: 31CM or 12 inch
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2022 S3S SR CI HI FO HRO
S7S SR CI HI FO HRO



Brown S3 SR

Upper: High Quality Embossed Cow Leather
Lining: Breathable Sandwich Air Mesh
Insoles: Soft Hi-Poly Insoles
Outsole: PU/PU Dual Density
Whole Height: 31CM or 12.3 inch
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2022 S3 SR CI FO HRO



In Stock



S3S SR

Upper: Full Grain Cow Crazy Horse Leather
Lining: Breathable Sandwich Air Mesh
Insoles: Super Memory Foam Insoles
Outsole: PU/Rubber Injection
Whole Height: 24CM or 9.5 inch
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2022 S3S SR CI HI FO HRO



2024
New Design



Overcap design can protect toe leather from sharp object during standing & walking.

Hot Best Selling

In Stock



Brown S3S/S7S

Upper: Full Grain Cow Crazy Horse Leather
Lining: Water Resistant Membrane
Inner: Cold Resistant 3M Thinsulate
Insoles: Super Memory Foam Insoles
Outsole: PU/Rubber Injection
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2022 S3S SR CI HI FO HRO
S7S SR CI HI FO HRO



Hot Best Selling



Black S3S/S7S

Upper: Full Grain Cow Smooth Leather
Lining: Water Resistant Membrane
Inner: Cold Resistant 3M Thinsulate
Insoles: Super Memory Foam Insoles
Outsole: PU/Rubber Injection
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2022 S3S SR CI HI FO HRO
S7S SR CI HI FO HRO



S3 SRC

Upper: Full Grain Cow Nubuck Leather
Lining: Breathable Sandwich Air Mesh
Insoles: Super Memory Foam Insoles
Outsole: PU/Rubber Injection
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



Black S3 SRC

Upper: Full Grain Smooth Cow Leather
Lining: Breathable Sandwich Air Mesh
Insoles: Super Memory Foam Insoles
Outsole: PU/Rubber Injection
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011





Slip Resistant PU/Rubber Sole

Heavy Duty Nitrile Rubber Soles are Designed with Slip Resistant & Cold Resistant



Winter Warm Wool Fur

<30°C Cold Resistant Genuine Fur Keep You Warm in Winter Season, even in Snow Season



Winter S3 SRC

Upper: High Quality Embossed Cow Leather
Lining: Warm Lamb Fur
Insoles: Soft Hi-Polyu Insoles
Outsole: PU/Rubber Injection
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



Winter S3 SRC

Upper : Full Grain Cow Leather
Lining : Warm Lamb Fur
Insole : Super Memory Foam Insoles
Outsole : PU/Rubber Injection
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



Blue Color



Yellow Color



Green Color



Hot Best Selling



Winter S3 SRC

Upper: High Quality Embossed Cow Leather
Lining: Warm Lamb Fur
Insoles: Soft Hi-Polyu Insoles
Outsole: PU/PU Dual Density
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



Winter S3 SRC

Upper: High Quality Embossed Cow Leather
Lining: Warm Lamb Fur
Insoles: Soft Hi-Polyu Insoles
Outsole: PU/Rubber Injection
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



Winter S3 SRC

Upper: High Quality Embossed Cow Leather
Lining: Warm Lamb Fur
Insoles: Soft Hi-Polyu Insoles
Outsole: PU/Rubber Injection
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



Winter S3 SRC

Upper: High Quality Embossed Cow Leather
Lining: Warm Lamb Fur
Insoles: Soft Hi-Polyu Insoles
Outsole: PU/Rubber Injection
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011





Winter S3 SRC

Upper: High Quality Embossed Cow Leather
Lining: Warm Lamb Fur
Insoles: EVA+ Lamb Fur
Outsole: PU/Rubber Injection
Whole Height: 31CM or 12.2 inch
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



Short Winter S3 SRC

Upper: High Quality Embossed Cow Leather
Lining: Warm Lamb Fur
Insoles: EVA+ Lamb Fur
Outsole: PU/Rubber Injection
Whole Height: 26CM or 10.4 inch
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



Short Winter S3 SRC

Upper: High Quality Embossed Cow Leather
Topline: Oxford Fabric with Adjustable Cord
Lining: Warm Lamb Fur
Insoles: EVA+ Lamb Fur
Outsole: PU/Rubber Injection
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



Class 1 Chainsaw Protection

EN ISO 17249 Approved Chainsaw Protection Quality Boots for Wood Workers



Slip Resistant PU/Rubber Sole

Heavy Duty Nitrile Rubber Soles are Designed with SRC Slip Resistant & Abrasion Resistant

In Stock



S3 SRC

Upper : Full Grain Cow Nubuck Leather
Lining : Breathable Sandwich Mesh
Insole : Super Memory Foam Insoles
Outsole : PU/Rubber Injection
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011 CE EN ISO 17249:2013



Yellow



Red



Blue



Green



**Top Quality
Creative Design
Amazing Comfort**

SRC Slip Resistant Outsole

Slip Resistant in Accordance
ASTM:D1894 ASTM:E1677

Coefficient of Friction on Unglazed Tile

Dry Surface>1.0

Wet>0.7

Oil>0.4

Oil & Slip Resistant Work Boots Design

SRC Approved Technology & Design for
Water and Oil Workplace

Black

S3 SR

Upper : Full Grain Cow Leather
Lining : Breathable Sandwich Mesh
Insole : Super Memory Foam Insoles
Outsole : PU/Rubber Injection
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2022 S3 SR CI FO HRO
Design for Combat, Police, Military, Guards etc



Hot Best Selling

In Stock



S3 SR/OB SR

Upper : High Quality Smooth Cow Leather
Lining : Breathable Sandwich Air Mesh
Insole : Super Memory Foam Insoles
Outsole : PU/Rubber Injection
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2022 S3 SR CI FO HRO
CE EN ISO 20347:2021 OB SR HI AN FO HRO
Design for Combat, Police, Military, Guards etc



Beige

S1P SRC

Upper : Breathable Beige Cow Suede Leather
Lining : Breathable Sandwich Air Mesh
Insole : Soft EVA Coated Mesh
Outsole : PU/Rubber Injection
> Size : EU 37-47#, UK 3-13#
Design for Combat, Police, Military, Guards etc



Beige

S1P SRC

Upper : Breathable Beige Cow Suede Leather
Lining : Breathable Sandwich Air Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : PU/Rubber Injection
> Size : EU 37-47#, UK 3-13#
Design for Combat, Police, Military, Guards etc



S3 SRC

Upper: Full Grain Cow Nubuck Leather
+ Camouflage Oxford Fabric
Lining: Breathable Sandwich Air Mesh
Insoles: Super Memory Foam Insoles
Outsole: PU/Rubber Injection
> Size : EU37-47#,UK 3-13#
Design for Combat, Police, Military, Guards Hunting etc



OB SRC

Upper: Full Grain Cow Smooth Leather
+ Black Oxford Fabric
Lining: Breathable Sandwich Air Mesh
Insoles: Super Memory Foam Insoles
Outsole: PU/Rubber Injection
> Size : EU37-47#,UK 3-13# EN ISO 20347:2012
Design for Combat, Police, Military, Guards etc





Top Quality
Creative Design
Amazing Comfort



Keep Working Safely



Design for food Industry



BLACK SB SRC

Upper : High Quality Water-Resistant Micro Fiber
Lining : Breathable Sandwich Air Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : PU Injection
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



SB SRC

Upper : High Quality Water-Resistant Micro Fiber
Lining : Breathable Sandwich Air Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : PU Injection
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



BLACK S2 SRC

Upper : High Quality Water-Resistant Micro Fiber
Lining : Breathable Sandwich Air Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : PU Injection
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



Hot Best Selling



S2 SRC

Upper : High Quality Water-Resistant Micro Fiber
Lining : Breathable Sandwich Air Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : PU Injection
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



S2 SRC

Upper : High Quality Water-Resistant Micro Fiber
Lining : Breathable Sandwich Air Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : PU Injection
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011



S2 SRC

Upper : High Quality Water-Resistant Micro Fiber
Lining : Breathable Sandwich Air Mesh
Insole : Comfortable Mesh Coated EVA
Outsole : PU Injection
> Size : EU 37-47#, UK 3-13#
CE EN ISO 20345:2011





04 FO SRC

Upper : High Quality PVC Material
Lining : Soft Fabric Mesh
Outsole : High Quality PVC Material
Size : EU 37-47#, UK 3-13#
Height : 28CM/37CM
CE EN ISO 20347:2012





S5 SR

Upper : High Quality PVC Material
 Lining : Soft Fabric Mesh
 Outsole : High Quality PVC Material
 > Size : EU 37-47#, UK 3-13#
 Height : 28CM/37CM
 CE EN ISO 20345:2022



Hot Best Selling

S5 SR

Upper : High Quality PVC Material
 Lining : Soft Fabric Mesh
 Outsole : High Quality PVC Material
 > Size : EU 37-47#, UK 3-13#
 Height : 38.5CM
 CE EN ISO 20345:2022





S5 SRC

Upper : High Quality PVC Material
Lining : Soft Fabric Mesh
Outsole : High Quality PVC Material
> Size : EU 37-47#, UK 3-13#
Height : 17CM
CE EN ISO 20345:2011



S5 SR

Upper : High Quality PVC Material
Lining : Soft Fabric Mesh
Outsole : High Quality PVC Material
> Size : EU 37-47#, UK 3-13#
Height : 38.5CM
CE EN ISO 20345:2022



Stylish Design
Comfort Coverage

Polycarbonate Lenses

- Absorb 99.9% UVA & UVB rays
- Meet the requirements of ANSI Z87.1-2020 Standard as an Impact Rated Spectacle

Robust Anti-Fog Coating

- Anti-Fog Coating provides fog and abrasion resistance.
- Resists fogging longer than traditional Anti-Fog coating, washings with water.
- Helps provide durable scratch resistance in tough work environments.



Pressure Diffusion

Safety Glasses Temple Technology

- Helps diffuse pressure over the ear for a secure, comfortable fit

Contoured Brow Guard

- Rests comfortably against forehead
- Helps provide additional coverage from flying particles

The Facts and Function:

- 1.) Washing Anti-Fog Coating lasts longer than traditional Anti-Fog coatings, helping to increase eyewear performance in wet and steamy environments.
- 2.) Workers may enjoy reliable, clearer sight longer, because the coating, with its active ingredient, is bonded to the lens.
- 3.) Polycarbonate lenses absorb 99.9% of UV rays.
- 4.) The coating retains its effectiveness for at least 25 washings with water, allowing workers to wear their eyewear longer.
- 5.) The coating can be disinfected with diluted bleach soaking or alcohol wipes without losing its Anti-Fog performance. Washing with soap and water is considered a best practice and can enhance coating durability.
- 6.) Workers can feel confident wearing Anti-Fog coated eyewear

because it meets the requirements of ANSI Z87.1 and EN166. May be used for chemical splash.


7.) Ratings: Z87+ Dust - D4



Approximate Weight	
Eyewear	60g(2.1 oz)
Approximate Physical Dimension	
Lens(Top)	145mm
Lens(Height)	50mm
Material Composition	
Lens	Polycarbonate (Clear)
Shroud	PVC
Frame	Polycarbonate
Strap(Clips)	Nylon
Strap(Cloth)	Polyester
Strap (neoprene)	Neoprene/Isoprene
Strap (buckle)	Polymethoxylene

Regulatory/Standards (Markings)

- ANSI Z87.1-2020(U6 D3 D4) - Indirectly Vented Version
- Representative Transmittance Spectrum (200 - 2000 nm)



ANSI Z87.1 Transmittance Requirement Classification	
Visible Light Filter (380 - 780 nm)	Clear
Ultraviolet Filter (200 - 380 nm)	U6
Infrared Filter (780 - 2000 nm)	Not rated
Welding Filter	Not rated

Other Noted Ratings

- Impact: ANSI Z87.1-2020
 - Dust: D4
- Storage




Eyewear should be stored between temperatures of 50 °F (10 °C) and 86 °F (30 °C), in dry conditions with no chemical exposure, out of any direct exposure to radiation (sunlight, IR, UV, etc.), and in non-abrasive environments.



In Stock **Hot Best Selling**

Frame : Polycarbonate (PC)
 Lens : Super Clear PC Lens
 Nose Tip : TPR Soft Nose Tip
 Standard : Anti-Fog, Anti-UV, Anti-Scratch
 CE EN166: 2001 ANSI Z87.1





Left



Back



Right



Orange Color **In Stock**



Blue Color



Pink Color **In Stock**




Grey Color



In Stock

Frame : Polycarbonate (PC)
 Lens : Super Clear PC Lens
 Legs : Wide PC Legs
 Standard : Anti-Fog, Anti-UV, Anti-Scratch
 CE EN166: 2001 ANSI Z87.1



- UV 400 UV Protection
- Anti-Fog
- Anti-Impact
- Light
- HD High Visual
- Dust Resistant
- Ant-Splash



Yellow Color



Tawny Color



Light Grey Color



Dark Grey Color



Hot Best Selling

In Stock

Frame : Polycarbonate (PC)
 Lens : Super Clear PC Lens
 Legs : Adjustable PC Legs
 Standard : Anti-Fog, Anti-UV, Anti-Scratch
 CE EN166: 2001



- UV 400 UV Protection
- Anti-Fog
- Anti-Impact
- Light
- HD High Visual
- Dust Resistant
- Ant-Splash



Yellow Color



Green Color



Grey+Blue Color



Dark Grey Color



 In Stock

Frame : Polycarbonate (PC)
Lens : Super Clear PC Lens
Legs : Polycarbonate(PC)
Standard : Anti-Fog, Anti-UV, Anti-Scratch
CE EN166:2001 ANSI Z87.1



- 
UV Protection
- 
Anti-Fog
- 
Anti-Impact
- 
Light
- 
High Visual
- 
Dust Resistant
- 
Ant-Splash



Orange Color



Yellow Color



Light Grey Color



Dark Grey Color




Frame : Polycarbonate (PC)
 Lens : Super Clear PC Lens
 Legs : Polycarbonate(PC)
 Standard : Anti-Fog, Anti-UV, Anti-Scratch
 CE EN166:2001 ANSI Z87.1



In Stock

OVERGLASSES DESIGN

Frame : High Density PP
 Lens : PC with Side Protection
 Legs : Adjustable PC+Nylon Legs
 Band : Elastic & Adjustable Rope
 Standard : Anti-Fog, Anti-UV, Anti-Scratch
 ANSI Z87.1





 **In Stock**



Frame : Polycarbonate (PC)
 Lens: Black PC Lens
 Nose Tip : TPR Soft Nose Tip
 Standard : Anti-Fog, Anti-UV, Anti-Scratch
 CE EN166:2001 ANSI Z87.1



Left



Back



Right



UV
400
Protection



Anti-Fog



Anti-Impact



Light



High Visual



Dust
Resistant



Ant-Splash

LED Lights



SG002 with LED Light



SG002 Grey


+2.0

Single Lens

VS

0.0
+2.0

Double Lens



Smooth Luminosity
Distribution,
Smaller Aberration

Bi-focal Safety Glasses

Clear and Natural



BEFORE

USED



Bifocal

Frame : Polycarbonate (PC)
 Lens: Black PC Lens
 Nose Tip : TPR Soft Nose Tip
 Standard : Anti-Fog, Anti-UV, Anti-Scratch
 CE EN166:2001 ANSI Z87.1





In Stock

Frame : Polycarbonate (PC)
Lens : Super Clear PC Lens
Band : Elastic & Adjustable Band
Standard : Anti-Fog, Anti-UV, Anti-Scratch
CE EN166:2001 ANSI Z87.1



Front



Back



Right



UV Protection



Anti-Fog



Anti-Impact



Light



High Visual



Dust Resistant



Ant-Splash



Blue Color

In Stock



Light Green

In Stock



In Stock

Frame : Soft PVC+Direct Vent
Lens : Super Clear PC Lens
Band : Adjustable Extra Wide Elastic Band
Standard : Anti-Fog, Anti-UV, Anti-Scratch
CE EN166:2001 ANSI Z87.1



Frame : Polycarbonate (PC)
Lens : Super Clear PC Lens
Band : Adjustable & Elastic Band
Standard : Anti-Fog, Anti-UV, Anti-Scratch
ANSI Z87.1



In Stock

Frame : Polycarbonate (PC)
Lens : Super Clear PC Lens
Band : Adjustable Extra Wide Elastic Band
Standard : Anti-Fog, Anti-UV, Anti-Scratch
CE EN166:2001 ANSI Z87.1




In Stock

Frame : High Density PP
Lens : Super Clear PC Lens
Legs : Polycarbonate (PC)
Band : Elastic & Adjustable Rope
Standard : Anti-Fog, Anti-UV, Anti-Scratch
ANSI Z87.1



Head Protection







REFLECTIVE TYPE SAFETY HELMET

Shell : High Density HDPE or ABS
 Head Hoop : Soft Fiber Tape with 6-Points Attachment
 Knob : Adjustable Rotary Knob
 Sweatband : Removable & Washable Fabric
 Chin Strip : Adjustable & Removable Nylon


CE EN397:2012+A1:2012

ANSI/ISEA Z89.1-2014 Type I Class C


Package:
 1 PC/Polybag, 30 PCS/Carton,
 68*55*30.5CM, 12 KGS/Carton




ORANGE



BLUE



RED



WHITE



III TYPE SAFETY HELMET

Shell : High Density HDPE or ABS
 Head Hoop : Soft PP Material with 4-Points Attachment
 Knob : Adjustable Rotary Knob
 Sweatband : Removable & Washable Fabric
 Chin Strip : Adjustable & Removable Nylon
 CE EN397:2012+A1:2012
 ANSI/ISEA Z89.1-2014 Type I Class C

Package:
 1 PC/Polybag, 30 PCS/Carton,
 64*68*28.5CM, 14 KGS/Carton



V TYPE SAFETY HELMET

Shell : High Density HDPE or ABS
 Head Hoop : Soft Fiber Tape with 4-Points Attachment
 Knob : Adjustable Rotary Knob
 Sweatband : Breathable & Removable Fabric
 Chin Strip : Adjustable & Removable Nylon
 GB2811-2007

Package:
 1 PC/Polybag, 30 PCS/Carton,
 68*63*30.5CM, 16 KGS/Carton



ORANGE




RED




YELLOW




WHITE



RED



BLUE



YELLOW



WHITE



I TYPE SAFETY HELMET

Shell : High Density HDPE or ABS
 Head Hoop : Soft Fiber Tape with 4-Points Attachment
 Knob : Adjustable Rotary Knob
 Sweatband : Breathable & Removable Fabric
 Chin Strip : Adjustable & Removable Nylon
 CE EN397:2012+A1:2012

Package:
 1 PC/Polybag, 30 PCS/Carton,
 64.5*63*30CM, 13 KGS/Carton

Hot Best Selling




In Stock


AMERICAN TYPE SAFETY HELMET

Shell : High Density HDPE or ABS
 Head Hoop : Soft Fiber Tape with 8-Points Attachment
 Knob : Adjustable Rotary Knob
 Sweatband : Removable & Washable Fabric
 Chin Strip : Adjustable & Removable Nylon
 CE EN397:2012+A1:2012


Package:
 1 PC/Polybag, 30 PCS/Carton,
 64*60*30CM, 14 KGS/Carton




ORANGE




RED




YELLOW



WHITE




ORANGE




BLUE

In Stock



YELLOW

In Stock



GREEN