

Container House Catalog





PHOTOVOLTAIC OFF-GRID / 光伏离网 POWER GENERATION SYSTEM / 发电系统

Accessory / 配件		Specifications / 规格	Number / 数量
	Hybrid solar inverter 混合式太阳能逆变器	5000W	1
	photovoltaic module 光伏组件	380Wp 1755*1038*35mm	6
	photovoltaic module bracket 光伏模块支架		1
	lithium battery 锂电池	48V 5KWH	1

	Lithium battery cable 锂电池电缆	16mm2 2m	2
	photovoltaic cable 光伏电缆	PV1-F1*4mm2	50
	photovoltaic connector 光伏连接器	PV-SC01	1
	Container mobile home 集装箱活动房屋	customized 定制	1





EXPANDABLE / 可扩展

10FT CONTAINER HOUSE / 10英尺集装箱房屋

With shower and toilet, dry and wet separation wooden floor with dampproof, more comfortable 带淋浴和卫生间，干湿分离木地板防潮，更舒适



Big space
大空间



Easy installation
安装简便



High comfort
高舒适度



Come with
accessories
附带配件



Durable
耐用


STRUCTURE / 结构

One bedroom+One living room+One bathroom, 10-FT Latout
一间卧室+一间客厅+一间浴室，10英尺布局



property/属性

PRODUCT MODEL 产品型号	10 FOOT DOUBLE WING EXPANSION ROOM 10英尺双翼扩展房
EXPANDED SIZE 拓展尺寸	L2950*W6300*H2480MM
INTERNAL DIMENSIONS 内部尺寸	L2510*W6140*H2240MM
FOLDED SIZE 折叠尺寸	L2950*W2200*H2480MM
AREA 占地面积	18.5M ²
APARTMENT TYPE 户型	HALL 1 1厅
NUMBER OF GUESTS 入住人数	2-4 PEOPLE 2-4人
POWER CONSUMPTION 用电功率	12KW
TOTAL NET WEIGHT 总净重量	1.65 TONS 1.65吨



10 feet floor plan
10尺平面图



EXPANDABLE /可扩展 20FT 700 TWIN WINGS /20英尺700双翼

With shower and toilet, dry and wet separation wooden floor with dampproof, more comfortable 带淋浴和卫生间, 干湿分离木地板防潮, 更舒适



Big space
大空间



Easy installation
安装简便



High comfort
高舒适度



Come with
accessories
附带配件



Durable
耐用


STRUCTURE / 结构

20 feet can be arranged at will / 20英尺可以随意布局



property / 属性

PRODUCT MODEL 产品型号	20 FEET 700 SMALL BIPLANE 20尺700小双翼
EXPANDED SIZE 扩展尺寸	L5900*W4800*H2480MM
INTERNAL DIMENSIONS 内部尺寸	L5460*W4640*H2240MM
FOLDED SIZE 折叠尺寸	L5900*W700*H2480MM
AREA 占地面积	27.5M ²
APARTMENT TYPE 户型	HALL 1 1厅
NUMBER OF GUESTS 入住人数	2-4 PEOPLE 2-4人
POWER CONSUMPTION 用电功率	12KW
TOTAL NET WEIGHT 总净重量	2.1 TONS 2.1吨



20ft 700 double wing floor plan
20英尺700双翼平面图



EXPANDABLE /可扩展 CONTAINER HOUSE /集装箱房

With shower and toilet, dry and wet separation wooden floor with dampproof, more comfortable 带淋浴和卫生间，干湿分离木地板防潮，更舒适



Big space
空间大



Easy installation
安装简单



High comfort
舒适度高



Come with
accessories
附带配件



Durable
耐用

CATEGORY 1 /类别1

20ft expandable folding house/20英尺可扩展折叠房



CATEGORY 2 /类别2

30FT EXPANDABLE FOLDING HOUSE/30英尺可扩展折叠房



CATEGORY 3 /类别3


40ft expandable folding house/40英尺可扩展折叠房



20FT LAYOUT/20英尺布局



可扩展折叠房屋内部效果
Expandable folding house interior effect



平面图
Floor Plan




20英尺一间卧室一间客厅一间浴室
20 feet one bedroom oneiving room one bathroom



20尺两房一厅一卫
20 feet two bedrooms one living room one bathroom



30FT LAYOUT/30英尺布局



平面图
Floor Plan



30英尺两间卧室
30 feet two bedrooms




30英尺三间卧室
30 feet three bedrooms



INSTALLATION / 安装



Wall Panel Style / 墙板风格



BATHROOM / 浴室



FLOOR STYLE / 地板风格



TRANSPORTATION /运输



RAW MATERIAL /原材料



EXPANDABLE /可扩展 CONTAINER HOUSE /集装箱房

20英尺可扩展集装箱房的规格

THE SPECIFICATIONS OF THE 20FT EXPANDABLE CONTAINER HOUSE

Name /名字	Specification /规格	Size /尺寸
Basic Features 基本功能	External dimensions(mm)/外部尺寸	W6300*L5900*H2480
	Internal dimensions(mm)/内部尺寸	W6140*L5640*H2260
	Folding state(mm)/折叠状态	W2200*L5900*H2480
	Total weight (kg)/总重量	2500
Frame Structure 框架结构	Roof beam/横梁	T2.5mmQ235B
	Insole beam/脚垫梁	T2.5mmQ235B
	End side beam/侧端梁	T2.5mmQ235B
	Center column/中心柱	T2.5mmQ235B
	Side wall frame/侧墙框架	T2.0mmQ235B
	Secondary frame/次级框架	T2.0mmQ235B
	Hanging head/挂头	T4mmQ235B
	Folding hinge/折叠铰链	13mm galvanized hinge /13mm镀锌铰链
	Overall frame protective coating 整体框架保护涂层	Electrostatic spray/straight white plastic powder 静电喷涂/直白塑料粉
	Top and bottom of middle cabinet 中间柜顶部和底部	80*100*2.5mm square tube 80*100*2.5毫米方管
Top of Box 盒子顶部	Side cabinet top and bottom 侧柜顶部和底部	40*60*2.0 mm square tube 40*60*2.0毫米方管
	External top plate 外部顶板	T0.5mm galvanized sheet 10.5mm镀锌板
	Internal ceiling 内部天花板	T0.35mm 831 type internal ceiling T0.35mm 831型内部天花板
Wallboard 墙板	Middle roof insulation 中间屋顶保温	T65mm high strength EPS, steel plate or T65mm glass wool T65mm高强度EPS, 钢板或T65mm玻璃棉
	Side wall, front and rear wall panels 侧壁、前壁和后壁板	T65mm high strength EPS, steel plate or T65mm glass wool T65mm高强度EPS, 钢板或T65mm玻璃棉
	Internal partition 内部分区	T65mm high strength EPS, steel plate or T65mm glass wool T65mm高强度EPS, 钢板或T65mm玻璃棉
	Internal toilet 内部卫生间	1700*1500(can adjusted size) 1700*1500(可调整尺寸)

EXPANDABLE /可扩展 CONTAINER HOUSE /集装箱房

Name /名字	Specification /规格	Size /尺寸
Floor 地板	Central part /中心部分	Fireproof glass magnesium floor (15mm) 防火玻璃镁地板(15mm)
Electrical System 电气系统	Electrical wiring, installation in strict accordance with moisture-proof specifications, all electrical products must meet CE certification. Connection circuit according to circuit engineering specifications. Indoor: 2 LED lights, 2 ceiling lights, 5 single socket 3, single socket 1, 10 socket 3, air conditioning socket 1. 20A leakage protector Voltage: 220V 50HZ. can do American standard, European standard, Italian standard, Australian standard and other national standard sockets and voltages.	
Security Doors 防盗门	1SET (can adjustable door size and quantity and position) 1套(可调节门的尺寸和数量及位置)	
Windows 窗户	8pieces (920*920mm) 8件 (920*920mm)	
Service Life 使用寿命	50 years 50年	
Fire rating 防火等级	Rate A 等级A	
Seismic grade 抗震等级	Grade B 8级	
Wind resistance level 防风等级	Level 10 10级	

电气布线, 严格按照国家规范安装, 所有电气产品必须符合CE认证。
连接电路根据电路工程规范, 室内: 2个LED灯, 2个吸顶灯, 5个单相插座, 1个单相插座, 10个插座, 空调插座, 20A漏电保护器电压: 220V, 50HZ.

可做美国标准, 欧洲标准, 意大利标准, 澳大利亚标准等国家标准的插座和电压。

EXPANDABLE /可扩展 CONTAINER HOUSE /集装箱房

30英尺可扩展集装箱房的规格

THE SPECIFICATIONS OF THE 30FT EXPANDABLE CONTAINER HOUSE

Name/名字	Specification/规格	Size/尺寸
Basic Features 基本功能	External dimensions(mm)/外部尺寸	L9000*W6220*H2480
	Internal dimensions(mm)/内部尺寸	L8540*W6060*H2200
	Folded dimensions(mm)/折叠尺寸	L9000*W2200*H2480
	Total weight(kg)/总重量	6000
Frame Structure 框架结构	Top side beams/顶部梁	80*140*3,75mm galvanized square tube , galvanized square tube
	Top beam /顶梁	Bent parts galvanized 3.0 mm
	top transverse secondary beams 顶部横向次梁	30*50*1.8mm galvanized square tube
	Bottom side beams /底部梁	80*140*3,0mm galvanized square tube , galvanized square tube
	Bottom end beams /底部梁	Bent parts galvanized 3.0 mm
	bottom longitudinal secondary beams 底部纵向次梁	80*80*2,0mm galvanized square tube
	bottom transverse secondary beams 底部横向次梁	40*80*2,0mm galvanized square tube
	6mm zinc plated hanging head 6毫米镀锌挂挂	Galvanized hanging head L210*W150*H160mm
	steel columns/钢柱	Bent parts galvanized 3.0 mm
	Top frame/顶部框架	40*80*1.8mm P-tube, galvanized
	Bottom frame/底框	Mouth 60*80*2.5mm galvanized square tube
	Side frames(fully galvanized) 侧边框(全镀锌)	L8540*W6060*H2200mm
Box top 盒子顶部	main exterior top plate/主外部顶板	Type 950-50mm thick double-sided 0.3mm EPS color steel composite board + corrugated veneer 10.45mm 类型950-50mm厚双面0.3mm, EPS彩色钢复合板+波纹饰面板10.45mm
	main interior ceiling panels/主室内天花板	Type 950-50mm thick double-sided 0.3mm, EPS color steel composite panel 类型950-50mm厚双面0.3mm, EPS彩色钢复合板
	External top plates of both wings /两翼的外部顶板	Type 950-65mm thick double-sided 0.3mm, EPS color steel composite board + corrugated veneer 10.45mm 类型950-65mm厚双面0.3mm, EPS彩色钢复合板+波纹饰面板10.45mm
Wallboard 墙板	side walls, front and rear walls /侧壁, 前后壁	Type 950-50mm thick double-sided 0.3mm EPS color steel composite board + corrugated veneer 10.45mm 类型950-50mm厚双面0.3mm, EPS彩色钢复合板+波纹饰面板10.45mm
	interior partition wall panel/ 室内隔墙板	Type 950-50mm thick double-sided 0.3mm, EPS color steel composite panel 类型950-50mm厚双面0.3mm, EPS彩色钢复合板

EXPANDABLE /可扩展 CONTAINER HOUSE /集装箱房

Name/名字	Specification/规格	Size/尺寸
panels for wall 墙壁面板	side walls, front and rear walls 侧壁、前后和后壁	Type 950-65mm thick double-sided 0.3mm, EPS color steel composite panel 类型 950-65mm厚双面0.3mm, EPS彩色钢复合板
	interior partition wall panels 室内隔墙面板	Type 950-50mm thick double-sided 0.3mm, EPS color steel composite panel 类型950-50mm厚双面0.3mm, EPS彩色钢复合板
Ground 接地	The main frame/主框架	Bamboo glue board 18mm thick 竹胶板18毫米厚
	Both flanks /两侧	Bamboo glue board 18mm thick 竹胶板18毫米厚
Windows and doors 窗户和门	Plastic double-glazed sliding windows 塑料双层玻璃滑动窗	920*920mm*6 pieces
	High-quality steel fire doors 高品质钢质防火门	840*2035mm*1 piece
Windows and doors 窗户和门	circuit systems	Voltage 220V, 50HZ
	Lighting	300*600 flat panel light, large ceiling light
	Socket	Standard with international three-hole, five-hole socket (can be configured according to customer requirements socket standard) 标准配有国际三孔、五孔插座(可根据客户要求配置插座标准)
	Light switches/灯开关	Double open, single key switch (switch standard can be configured according to customer requirements) 双开、单键开关(开关标准可根据客户要求配置)
Accessories 辅板	wiring	Incoming wires 6", air conditioning outlets 4", general outlets 2.5", lighting 1.5", (Standard national standard wires, customized 进线6寸, 空调出线4寸, 普通出线2.5寸, 照明线1.5寸。(标准国家线标准, 定制)
	Includes top corners, skirting, corner wraps, waterproof tape, sliding, structural adhesive, glue gun, and more 包边顶角, 踢边, 角包, 防水胶带, 吊带, 结构胶, 胶枪等。	

EXPANDABLE /可扩展 CONTAINER HOUSE /集装箱房

40英尺可扩展集装箱房的规格

THE SPECIFICATIONS OF THE 40FT EXPANDABLE CONTAINER HOUSE

Name /名字	Specification /规格	Size /尺寸
Basic Features 基本功能	External dimensions(mm)/外部尺寸	W6300*L11800*H2480
	Internal dimensions(mm)/内部尺寸	W6140*L11460*H2260
	Folding state(mm)/折叠状态	W2200*L11800*H2480
	Total weight (kg)/总重量	5000
Frame Structure 框架结构	Roof beam/横梁	T2.5mmQ235B
	Insole beam/脚垫梁	T2.5mmQ235B
	End side beam/侧端梁	T2.5mmQ235B
	Center column/中心柱	T2.5mmQ235B
	Side wall frame/侧墙框架	T2.0mmQ235B
	Secondary frame/次级框架	T2.0mmQ235B
	Hanging head/挂头	T4mmQ235B
	Folding hinge/折叠铰链	13mm galvanized hinge /13mm镀锌铰链
	Overall frame protective coating 整体框架保护涂层	Electrostatic spray/straight white plastic powder 静电喷涂/直白塑料粉
	Top and bottom of middle cabinet 中间柜的顶部和底部	80*100*2.5mm square tube 80*100*2.5毫米方管
Top of Box 盒子顶部	Side cabinet top and bottom 侧柜顶部和底部	40*60*2.0 mm square tube 40*60*2.0毫米方管
	External top plate 外部顶板	T0.5mm galvanized sheet T0.5mm镀锌钢板
	Internal ceiling 内部天花板	T0.35mm 831 type internal ceiling T0.35mm 831型内部天花板
Wallboard 墙板	Middle roof insulation 中间屋顶隔热层	T65mm high strength EPS, steel plate or T65mm glass wool T65mm高强度EPS, 钢板或T65mm玻璃棉
	Side wall, front and rear wall panels 侧壁、前壁和后壁板	T65mm high strength EPS, steel plate or T65mm glass wool T65mm高强度EPS, 钢板或T65mm玻璃棉
	Internal partition 内部分区	T65mm high strength EPS, steel plate or T65mm glass wool T65mm高强度EPS, 钢板或T65mm玻璃棉
	Internal toilet 内部卫生间	1700*1500(can adjusted size) 1700*1500(可调整尺寸)

EXPANDABLE /可扩展 CONTAINER HOUSE /集装箱房

Name /名字	Specification /规格	Size /尺寸
Floor 地板	Central part /中心部分	Fireproof glass magnesium floor (15mm) 防火玻璃镁地板(15mm)
Electrical System 电气系统	Electrical wiring, installation in strict accordance with moisture-proof specifications, all electrical products must meet CE certification. Connection circuit according to circuit engineering specifications. Indoor: 2 LED lights, 2 ceiling lights, 5 single socket 3, single socket 1, 10 socket 3, air conditioning socket 1, 20A leakage protector Voltage: 220V, 50HZ. can do American standard, European standard, Italian standard, Australian standard and other national standard sockets and voltages.	
Security Doors 防盗门	1SET (can adjustable door size and quantity and position) 1套(可调节门的尺寸和数量及位置)	
Windows 窗户	10pieces (920*920mm) 10件 (920*920mm)	
Service Life 使用寿命	50 years 50年	
Fire rating 防火等级	Rate A 等级A	
Seismic grade 抗震等级	Grade 8 8级	
Wind resistance level 抗风等级	Level 10 10级	

电气布线, 严格按照规范安装, 所有电气产品必须符合CE认证。
连接电路根据电路工程规范, 室内: 2个LED灯, 2个吸顶灯, 5个单相插座3, 1个单相插座1, 10个插座3, 空调插座1, 20A漏电保护器电压: 220V, 50HZ.

可做美国标准, 欧洲标准, 意大利标准, 澳大利亚标准等国家标准的插座和电压。



EXPANDABLE / 可扩展 FLAT ROOF CONTAINER HOUSE / 平顶集装箱房

With shower and toilet, dry and wet separation wooden floor with dampproof, more comfortable 带淋浴和卫生间, 干湿分离木地板防潮, 更舒适



Big space
大空间



Easy installation
安装简便



High comfort
高舒适度



Come with accessories
附带配件



Durable
耐用


STRUCTURE / 结构




PRODUCT MODEL 产品型号	
EXPANDED SIZE 拓展尺寸	L5900*W6420*H2450MM
INTERNAL DIMENSIONS 内部尺寸	L5740*W6260*H2250MM
FOLDED SIZE 折叠尺寸	L5900*W2250*H2450MM
AREA / 占地面积	38m ²
APARTMENT TYPE 户型	Hall 1 / 一厅
NUMBER OF GUESTS 入住人数	2-4 people / 2-4人
POWER CONSUMPTION 用电功率	12KW
TOTAL NET WEIGHT 总净重量	3.9 tons / 3.9吨



20 feet floor plan
20尺平面图



30 feet floor plan
30尺平面图



40 feet floor plan
40尺平面图



绝热

HEAT INSULATION



防水

WATER PROOF



保暖

KEEP WARM

FOLDING /可折叠 CONTAINER HOUSE /集装箱房

We can also customize the container house for clients as their requirement, such as the frame, color etc, to DIY one unique house
我们还可以根据客户的要求定制集装箱屋，如框架、颜色等，以打造一个独一无二的屋



Minimizing
transport cost
运输成本最小化



Sound
insulation
隔音



Cold
resistance
抵抗寒冷



Beautiful
漂亮



Durable
耐用



Fire proof
防火



Wind proof
防风



Anti-knock
防撞



Cloudburst
proof
暴雨防护



Waterproof
防水

1



2



3



4



4 STEPS = 4 MINUTES = 1 HOUSE

4步=4分钟=1房子



INTERNAL LAYOUT// 内部布局



20FT container house
can be used as a
beautiful office
20英尺集装箱房可以
用作漂亮的办公室



20FT container house
with 2 bedrooms
and 1 bathroom
20英尺集装箱房屋
2间卧室和浴室



20FT container house
can be used as a
comfortable lounge
20英尺集装箱房
可作为舒适的休息室



DOOR & WINDOW// 门与窗



Entry door
入户门



Aluminum Window
铝合金窗



PVC Window
PVC窗

FLOOR// 地面



Sample Picture
示例图片



PVC Floor
PVC地板

WALL AND ROOF PANEL// 墙板和屋顶板



EPS



Glass Wool
玻璃棉



Rock Wool
岩棉

ELECTRIC AND PLUMBING SYSTEM// 电气和照明系统




BATHROOM// 浴室



APPEARANCE /外观



CONSTRUCTION /建造



FOLDING /可折叠

CONTAINER HOUSE /集装箱房

Name /名字	Specification /规格	Size /尺寸	Quantity /数量	Unit /单位
Form 1 表格1	Standard container 标准集装箱	外部尺寸/External size: 5800mm*2500mm*2450mm 内部尺寸/Internal size: 5650mm*2350mm*2230mm 折叠尺寸/Folding size: 5800mm*2500mm*360mm 重量/Weight: 1.3-11T	1	Set 套
Frame 框架	Top girder 顶梁	Special shaped steel galvanized 凹凸管/concave convex pipe 63mm*80mm*1.5mm (both sides)双方	3	Piece 块
	Bottom girder 底梁	Special shaped steel galvanized 凹凸管/concave convex pipe 63mm*160mm*2.0mm (both sides)双方	3	Piece 块
	Top beam 顶梁	镀锌方管/Galvanized square pipe 50mm*50mm*1.8mm	6	Piece 块
	Front and rear end girder 前、后端大梁	Special shaped steel galvanized 凹凸管/concave convex pipe 63mm*80mm*1.5 (both sides)双方	4	Piece 块
	Sidewall frame 侧壁框架	Special shaped steel galvanized 凹凸管/concave convex pipe 63mm*80mm*1.5 (both sides)双方	8	Piece 块
	Bottom crossbeam 底部横梁	镀锌方钢管 40mm*80mm*2.0mm	4.5	Piece 块
	Cast steel butt joint Corner Fitting 铸钢对接角配件	钢板/Steel plate (200mm*100mm*15mm)	8	Piece 块
	Folding hinge 折叠铰链	镀锌铰链 85mm*115mm*3mm (Shaft column 304 stainless steel) 轴柱304不锈钢	36	Piece 块
	Integral frame protective coating 整体框架保护涂层	Cabaret high gloss enamel 歌舞表演高光亚玛	1	Set 套
	External roof 外屋顶	104 color steel tile (0.5mm) 104彩钢瓦	6	Set 套
Top of container 集装箱顶部	Internal ceiling 内部上盖	831 ceiling tile (0.326mm) 831天花板砖	7	Piece 块
	Insulation rock wool 绝缘岩棉	Bulk density 60kg/m³*14.5square 体积密度60公斤/平方米3*14.5平方	14.5	m² 平方米

FOLDING /可折叠

CONTAINER HOUSE /集装箱房

Name /名字	规格/Specification	Size /尺寸	Quantity /数量	Unit /单位
Floor 地面	Grade A fireproof glass magnesium plate 甲级防火玻璃镁板	15mm	5	Piece 块
Wallboard 墙板	Heat insulation rock wool color steel composite sandwich panel (side wall) 保温岩棉彩钢板复合夹芯板(侧墙)	0.326mm color steel plate / 50mm / 65kg / m³ rock wool 0.326mm彩色钢板/50毫米 65公斤/立方米岩棉	8	Piece 块
	Heat insulation rock wool color steel composite sandwich panel (Front and rear walls) 保温岩棉彩钢板复合夹芯板(前后墙)	0.326mm color steel plate / 50mm / 65kg / m³ rock wool 0.326mm彩色钢板/50毫米 65公斤/立方米岩棉	6	Piece 块
Window 窗户	Aluminum alloy anti-theft integrated window (push-pull Series) 铝合金防盗一体窗(推拉系列)	950mm*1200mm (With screen window) 950毫米*1200毫米 (带屏窗窗口)	2	Piece 块
Door 门	Special anti-theft door for folding container 折叠集装箱专用防盗门	860mm*1980mm	1	Piece 块
Electrical system 电气系统	电路保护器/Circuit protector		1	Set /套
	工业插头和插座/Industrial plug and socket		2	Set /套
	单管LED灯/Single tube LED light		1	Set /套
	空调专用插座/Special socket for air conditioner		1	Set /套
	灯开关/Light switch		1	Set /套
屋顶荷载/Roof load		≥50kg/m²		
地板承重/Floor load bearing		≥150kg/m²		
通道承载能力/Aisle bearing capacity		≥200kg/m²		
墙侧压力/Wall side pressure		≥80kg/m²		
防火等级/Fire rating		A级防火/Class A fire protection		
Wall deformation coefficient 墙体变形系数		≤300kg/m³		
抗震能力/Earthquake resistance		10 抗震/10 earthquake resistance		
抗风能力/Wind resistance		10级抗风性能/level 10 wind resistance		

FLAT PACK / 平面包装

CONTAINER HOUSE / 集装箱房

规格 / Specification		尺寸 / Size	数量 / Quantity
MAIN FRAME 2.5mm 主梁/框架 2.5mm	Galvanized corner fittings 镀锌电镀锌角配件	3.5mm bottom corner piece, galvanized content 80g/m ² 210*150*160mm 3.5mm底角件, 镀锌含量80g/m ² , 210*150*160mm	4 pcs 件
	Single tile roofing 单瓦屋面	0.45mm color steel single tile, 360° joint, special waterproof method 0.45mm彩钢单瓦, 360°接头, 特殊防水方法	1 set 套
	Top insulation 顶部绝热	75mm glass wool insulation layer 14kg/m ³ 75mm玻璃棉保温层 14kg/m ³	1 set 套
	颜色 / Color	Baking paint (electrostatic spraying) / 电泳漆 (静电喷涂)	1 set 套
	螺栓 / Screw bolt	Inner hexagon (galvanized) / 内六角螺栓 (镀锌)	48 pcs 件
	落水管 / Downspouts	c50mm downspout / c50mm下水管	4 pcs 件
	天花板装饰 / Ceiling tiles	0.35mm, 831 color steel integrated ceiling board, coated 0.35mm, 831彩钢一体化吊顶板, 涂层	1 set 套
	天花板装饰条 / Ceiling moldings	Ceiling angle iron, fixed ceiling tile 吊钩角铁, 固定吊顶瓦	3 pcs 件
	Calcium silicate board 硅酸钙板	18mm thick, 1177*2820mm 18mm厚, 1177*2820mm	5 pcs 件
	塑料地板	1.6mm Plastic flooring / 1.6mm塑料地板	1 set 套
Floor 地板	转角线 / Corner line	Color steel corner line, white gray / 彩色角线, 白色灰色	4 pcs 件
	配件 / Accessories	Screws, internal box connectors, 1 roll of waterproof stickers 螺丝, 内盒连接器, 1卷防水贴	1 set 套
	Electrical accessories 电器配件	2 LED lights 36w 100v corresponding to broadband 2盏LED灯, 36瓦100伏, 与宽带相对应	1 set 套
	钢门 / Steel door	840*2030 high-grade fireproof lock/s40*2030高防火锁	1 set 套
	Plastic steel anti-theft window 塑料钢防盗窗	1130*1100mm double glass with frame 1130*1100mm双层玻璃带框	2 sets 套
	Wall board 墙板	50mm foam board, double-sided iron sheet 0.28/0.28mm, bulk density 12kg/m ³ , one orange peel pattern, one flat double film 50mm泡沫板, 双面铁板0.28/0.28mm, 体积密度12kg/m ³ , 一个桔皮图案, 一个平双膜	1 set 套
	绝热 / Insulation	$\lambda=0.036W/m\cdot K$ 风阻 / Wind resistance	0.50kN/m ² / 0.50千牛/平方米
	隔音 / Sound insulation	Sound insulation $\geq 25dB$ 隔音 $>25dB$	Fireproof performance 防火性能
	Waterproof performance 防水性能	Organized internal drainage pipes 有组织的内部排水管道	Seismic performance 抗震性能
	Floor bearing capacity 地板承载力	2.0kN/m ² 2.0千牛/平方米	Live load on the roof 屋顶上的活荷载
production cycle / 生产周期		20 days / 20天	
Sound insulation performance / 隔音性能		Sound insulation $\geq 25dB$ / 隔音 $>25dB$	
Waterproof performance / 防水性能		Organized internal drainage pipes / 有组织的内部排水管道	





DETACHABLE /可拆卸 CONTAINER HOUSE /集装箱房

Saving transportation space and ocean freight.
Easy to carry, mobile and stackable.

节省运输空间和海运费用，便于携带，可移动，可堆叠



Fire proof
防火



Wind proof
防风



Sound insulation
隔音



Cold resistance
抗寒




Waterproof
防水

40HQ CAN LOAD 13-18 UNITS

40HQ 可装载 13-18件

ACCESSORIES /配件



TRANSPORTATION /运输



DETACHABLE /可拆卸 CONTAINER HOUSE /集装箱房

Name / 名字	Specification / 规格	Size / 尺寸
Standard house 标准房	外部尺寸/External size (L*W*H)	5950*3000*2800mm
	内部尺寸/Inner size(L*W*H)	5750*2800*2500mm
Technical data 技术数据	隔热/Heat insulation	$\lambda=0.048W/m \cdot K$
	隔音/Sound insulation	$\geq 30dB$
	防水等级/Waterproof grade	II
	地面荷载/Ground load	2.0kN/m ²
	防风等级/Windproof grade	0.60kN/m ²
	防火等级/Fireproof grade	A
	抗震等级/Seismic grade	8
Structure 结构	屋顶荷载/Roof load	1.0kN/m ²
	框架/Frame	Galvanized steel, thickness 2.3mm /镀锌钢板, 厚度2.3mm
	角连接器/Corner Connector	Thickness 4.0mm /厚度4.0mm
	顶檩条/Top Purlin	Galvanized steel, thickness 1.5mm /镀锌钢, 厚度1.5mm
	顶部钢管/Top steel tubes	Galvanized steel, thickness 1.2mm /镀锌钢, 厚度1.2mm
	底部钢管/Bottom steel tubes	Galvanized steel, thickness 1.1mm /镀锌钢, 厚度1.1mm
	墙/Wall	double sided 0.30mm steel sheet with 50mm rock wool panels 双面0.30毫米钢板, 夹50毫米岩棉板
	屋顶/Roof	0.45mm steel cover, filled with 40mm glass wool 0.45毫米钢盖, 填充40毫米玻璃棉
	天花板/Ceiling	0.23mm steel sheet /0.23mm钢板
	地面/Floor	18mm thickness cement sanding board 18mm厚水泥砂板
	门(1件)/Door (1pc)	Size: W925mm*H2035mm, Steel security door 尺寸: W925毫米*H2035毫米, 钢制安全门
	窗户(2件)/Window (2pcs)	Size: W920mm*H1200mm, sliding window 尺寸: W920毫米*H1200毫米, 滑动窗
	绘画/Painting	静电喷涂/ Electrostatic spraying





MOBILE TOILET / 移动厕所

HOTELS, PARKS, SCHOOLS, SCENIC SPOTS, ETC. ARE SUITABLE FOR PLACES WHERE PEOPLE GATHER AND THERE ARE FEW TOILETS.

酒店、公园、学校、景区等人流聚集、厕所较少的场所适用。



Big space
大空间



Easy installation
安装简便



High comfort
高舒适度



Come with
accessories
附带配件



Durable
耐用

ATTRIBUTES / 属性

AFTER-SALE SERVICE 售后服务	ONLINE TECHNICAL SUPPORT 在线技术支持
PROJECT SOLUTION CAPABILITY 项目解决方案能力	3D MODEL DESIGN 3D模型设计
APPLICATION 应用	APARTMENT 公寓
PLACE OF ORIGIN 原产地	
WARRANTY 保修	2 YEARS 2年
BRAND NAME 品牌名称	
USE 使用	TOILET 厕所
PRODUCT TYPE 产品类型	PORTABLE TOILET 便携式厕所
DESIGN STYLE 设计风格	CONTEMPORARY 现代
PRODUCT NAME 产品名称	PORTABLE MOBILE OUTDOOR PUBLIC STEEL MOBILE TOILET WITH SHOWER ROOM 便携式户外公共钢制移动厕所，带淋浴间
TYPE 类型	SITTING/ SQUAT 坐姿/蹲姿
SIZE 尺寸	COULD BE CUSTOMIZED 可定制
COLOR 颜色	CUSTOMIZED 可定制
WEIGHT 重量	AROUND 90 KGS~100 KGS 大约90公斤~100公斤

STRUCTURE / 结构

Fully Customizable According To Your Needs/可以根据需求完全定制





MOVABLE SWIMMING POOL 可移动泳池

SMALL FOOTPRINT, EASY TO USE, ALLOWING YOU TO ENJOY UNLIMITED SWIMMING FUN, AND CAN BE CUSTOMIZED
占地小，使用方便，让您享受无限欢乐游泳，而且可以定制



Big space
大空间



Easy installation
安装简便



High comfort
高舒适度



Durable
耐用

ATTRIBUTES/属性

AFTER-SALE SERVICE 售后服务	ONLINE TECHNICAL SUPPORT 在线技术支持
PROJECT SOLUTION CAPABILITY 项目解决方案能力	3D MODEL DESIGN 3D模型设计
APPLICATION 应用	APARTMENT 公寓
PLACE OF ORIGIN 原产地	
WARRANTY 保修	2 YEARS 2年
BRAND NAME 品牌名称	
USE 使用	POOL 泳池
PRODUCT TYPE 产品类型	PORTABLE SWIMMING POOL 便携式泳池
DESIGN STYLE 设计风格	CONTEMPORARY 现代
PRODUCT NAME 产品名称	MOBILE CONTAINER SWIMMING POOL 移动集装箱游泳池
TYPE 类型	POOL 水池
SIZE 尺寸	COULD BE CUSTOMIZED 可定制
COLOR 颜色	CUSTOMIZED 可定制
WEIGHT 重量	1100KGS 1100公斤



CAPSULE HOUSE / 胶囊屋



Model / 模型		
Size / 尺寸	L11500mm*W3300mm*H3000mm	
Area / 面积	38m²	
Room type / 房型	2 people / 2人	
Power / 房型	12KW	
Weight / 重量	7tons / 7吨	
Main Structure / 主要结构		
1	Frame / 框架	Q235 steel / Q235钢
2	Exterior panel / 外板	aluminium / 铝
3	Heat insulation / 隔热保温	100mm PUR panel / 100毫米聚氨酯面板
4	Exterior glass / 外墙玻璃	6+18A+6mm LOW-E / 6+18A+6mm 低-E Insulating glass or 6+6mm Coating and laminating / 绝缘玻璃或6+6mm涂层和层压
5	Surface / 表面	Fluorine carbon paint of the metal / 金属的氟碳涂料
6	balcony / 阳台	Panoramic View (10mm tempered glass) / 全景(10毫米钢化玻璃)
7	circumjacent light strip / 周边灯带	circumjacent light strip / 周边灯带

8	Entry door / 入户门	intelligent access control system / 智能门禁系统
Inner refined decoration / 内部精装修		
9	top ceiling / 顶部天花板	qualifiable wholeness panel / 四边形整体面板
10	wall panel / 墙板	qualifiable wholeness panel / 四边形整体面板
11	floor / 地面	Composite wood floor / 复合木地板
12	skylight / 天窗	none / 没有
13	Interior lighting effect / 室内照明效果	3000K warm yellow light / 3000K 暖黄色灯光
14	outside lighting effect / 外部照明效果	4000K warm white light / 4000K 暖白色灯光
15	Curtain / 窗帘	electric curtain / 电动窗帘
16	指挥控制系统 / Command and control system	integrated intelligent control system / 集成智能控制系统
17	socket panel / 插座面板	Branded switch panel / 品牌开关插座
18	循环通风系统 / Circulation ventilation system	none / 没有
19	security alarm / 安全警报	apolegamic smoke sensor / 光学烟雾传感器
Bathroom hardware / 浴室五金		
20	bathroom door / 浴室门	Frosted tempered glass / 磨砂钢化玻璃
21	closetool / 马桶	intelligent closetool / 智能马桶
22	shower head / 淋浴头	50L Bucket water heater / 50升桶式热水器
23	Basin / 洗手盆	countertop / 台面
24	Hanger towel rack / 悬挂式毛巾架	Hanger towel rack / 悬挂式毛巾架
25	water faucet / 水龙头	Tall faucet / 高水龙头
Equipment / 设备		
26	air conditioner / 空调	GREE 3P / 绿色3P
27	bath heater / 浴室加热器	Wind-warm integrated bath bully / 风暖一体机
Intelligent automatic control system / 智能自动控制系统		
28	plug-in card to turn on	/ 插卡即可开机
29	Multi-scenario mode function panel / 多场景模式功能面板	
30	Intelligent lighting control	/ 智能照明控制
31	Curtain intelligent control	/ 窗帘智能控制
Product accessories / 产品配件		
32	underfloor heating / 地暖	apolegamic / 选配
33	管道保温防冻系统 / Pipe insulation antifreeze	electric heat tracing (apolegamic) / 电热追踪(自动)
34	音频和视频设备 / audio and video equipment	Projector (apolegamic) / 投影机 (选配)
35	运输紧固件/连接件 / Transport fasteners/connectors	Transport fasteners/connectors / 运输紧固件/连接件
36	Insulation protection system for the whole house water supply and drainage system / 全屋给排水系统的保温保护系统	
37	Stairs / 楼梯	Entrance staircase / 入口楼梯

