


Personal Protective Equipment Catalog









CONTENT

Head Protection 001-012

Respiratory Protection 033-050



Eye&Face Protection — 013-032





Hearing Protection — 051-064



Hand Protection



Reflec



n	- 065-092
ction Protection	- 093-134
ection —	- 135-166

Hard Hats

CE



- · ABS shell for great impact resistance and durability
- · 6-point ratchet suspension for excellent impact absorption
- · 4-point chin strap
- · Coverable vents design at back
- · Resistant to extreme temperatures -30°C to +50°C
- · Color can choose Blue, yellow, red, orange, green or customized





· ABS shell for great impact resistance and durability


- · 6-point ratchet suspension for excellent impact absorption
- · 4-point chin strap
- · Coverable vents design at back
- · Resistant to extreme temperatures -30°C to +50°C
- · Color can choose Blue, yellow, red, orange, green or customized



- · Go with different brands ear muffs and safety masks,
- · Color can choose blue, yellow, red, orange, green or customized.

- · HDPE or ABS shell,
- · Fiber tape head hoop for better comfort,
- · Ratchet adjustment knob, tight and reliable,
- · 6-point attachment provides impact protection,
- · Color can choose blue, yellow, red, orange, green or customized.







((

Hard Hats





· HDPE shell.

· HDPE shell.

- · Soft new PP material for the head hoop
- · Ratchet adjustment knob, tight and reliable,
- · Electrical insulation
- · Go with different brands ear muffs and safety masks,
- · 4-point attachment provides impact protection,
- · Color can choose blue, yellow, red, orange, green or customized





· Soft new PP material for the head hoop

· Vents to dissipate heat rapidly,

· Ratchet adjustment knob, tight and reliable,

· 4-point attachment provides impact protection,

· Go with different brands ear muffs and safety masks,







REFLECTIVE HELMET





- · Soft new PP material for the head hoop,
- · Ratchet adjustment knob, tight and reliable,
- · Vents to dissipate heat rapidly,
- · Go with different brands ear muffs and safety masks,
- · 6-point attachment provides impact protection,
- · Color can choose blue, yellow, red, orange, green or customized.



- · HDPE or ABS shell, III shape design,
- · Soft new PP material for the head hoop,
- · Ratchet adjustment knob, tight and reliable,
- · 4-point attachment provides impact protection,
- · Color can choose blue, yellow, red, orange, green or customized.



- · HDPE shell.
- · Electrical insulation
- · High intensity fiber tape for the head hoop,
- · Knob and buckle available for ratchet adjustment,
- · 4-point attachment provides impact protection,
- · Color can choose blue, yellow, red, orange, green or customized.

- CE
 - · HDPE shell.
 - · Full brim for improved protection,
 - · Fiber tape head hoop for better comfort,
 - · Ratchet adjustment knob, tight and reliable,
 - · 4-point attachment provides impact protection,
 - · Color can choose blue, yellow, red, orange, green or customized.



- · HDPE or ABS shell,
- · Soft new PP material for the head hoop,
- · Ratchet adjustment knob, tight and reliable,
- · 4-point attachment provides impact protection,
- · Color can choose blue, yellow, red, orange, green or customized.








- · Polycarbonate shell,
- · Protect against high temperature metal melting,
- · Soft new PP material for the head hoop,
- · Ratchet adjustment knob, tight and reliable,
- · 8-point attachment provides impact protection,
- · Color can choose blue, yellow, red, orange, green or customized.

CE

- · HDPE or ABS shell.
- · Soft new PP material for the head hoop,
- · Ratchet adjustment buckle, tight and reliable,
- · 6-point attachment provides impact protection,
- · Color can choose blue, yellow, red, orange,
- green or customized.

Hard Hats





CE

CE

- · Soft new PP matrial for the head hoop,
- · Button styple adjustment for easy size adjustment,
- · 4-point suspension provides impact protection,
- · Color can choose Blue, yellow, red, orange, green, white or customized.



- · HDPE or ABS shell, III shape design,
- · Soft new PP material for the head hoop,
- · Ratchet adjustment knob, tight and reliable,
- · 4-point attachment provides impact protection,
- · Color can choose blue, yellow, red, orange, green or customized.

Safety helmet



· HDPE shell

- · 4-point webbing suspension harness
- · Buckle headband adjustment
- · Replaceable sweatband
- · Comply with CE EN397

Safety helmet



- · ABS or HDPE shell
- · 4-point plastic suspension harness or webbing
- suspension harness
- · Strip-ratchet or Wheel-ratchet adjustment
- · Replaceable sweatband

Safety helmet

CE





- · ABS shell
- · 6-point webbing suspension harness
- · Strip-ratchet headband adjustment
- · Replaceable sweatband
- · Comply with CE EN397



- · Side vents dissipate heat rapidly,
- · Soft new PP material for the head hoop,
- · Knob and buckle available for ratchet adjustment,
- · 6-point attachment provides impact protection,
- · Color can choose blue, yellow, red, orange, green or customized.





- ((
 - · HDPE shell, I-shape design,
 - · Soft new PP material for the head hoop,
 - · Ratchet adjustment knob, tight and reliable,
 - · 6-point attachment provides impact protection,
 - · Color can choose blue, yellow, red, orange, green or customized.







- · ABS or HDPE shell
- · 4-point plastic suspension harness or webbing suspension harness
- · Strip-ratchet or Wheel-ratchet adjustment
- · Replaceable sweatband





- · HDPE shell
- · 4-point plastic or webbing suspension harness
- · Trip-ratchet or Wheel-ratchet headband adjustment
- · Replaceable sweatband



Hard Hats



- · Strip-ratchet headband adjustment
- · Replaceable sweatband
- · Comply with CE EN397



- · Headband adjustment
- · Replaceable sweatband
- · Accessories adaptor slot
- · 4 point chin strap
- · Achieved CE EN397 & UKCA certificates



- · Headband adjustment
- · Replaceable sweatband
- · Accessories adaptor slot
- 4 point chin strap
- · Achieved CE EN397

IEG&FOOT PROTECTION



Bump Cap

Bump cap



Accessories



- · Sport style fashion baseball cap design.
- · Velcro closure at the back of the cap, it can be adjusted according to user's head. • The ergonomically shaped hard shell with integrated shock-absorbing elements ensures safety and optimal comfort.
- · Adjustable fastening and soft foam insert cushions to help protect the head. Ventilation holes in the side for user comfort.
- · Removable inner shell made of ABS+EVA material, comfortable wearing and secure protection. · Available in Black, Red, Navy, Blue and Grey. Yellow Etc.

OUTER SHELL


















0



IEG&FOOT PROTECTION

Fluoresent Hats

Bump cap



- · ABS shell with double EVA cushion
- 100% cotton fabric
- · Various colors are available
- · 4 copper vents
- · Headband adjustment
- · Multi color available
- · Achieved CE EN 812 & UKCA certificates

Bump cap

CE



- · ABS shell with double EVA cushion
- · 100% cotton with gridding cloth
- · Headband adjustment
- · Multi color available

Bump cap

CE

· Achieved CE EN 812 & UKCA









- · ABS shell with soft sponge cushion
- · 100% cotton fabric with 8 copper vents
- · Larger size for users
- · Headband adjustment
- Multi color available
- · Comply with CE EN 812 standard

Fluoresent Hats




- · ABS shell with double EVA cushion
- · Multi color available
- · Dacron with gridding cloth
- · Reflective strip
- · Headband adjustment
- · Multi color available
- · Achieved CE EN 812 & UKCA

Fluoresent Hats



- · ABS shell with double EVA cushion
- · Dacron with reflective strip
- · Headband adjustment
- · Multi color available
- · Achieved CE EN 812 & UKCA



- · New design inner shell
- · Headband adjustment
- · Multi color available
- · Comply with CE EN 812 standard



Fluoresent Hats



· ABS shell with double EVA cushion

- · Dacron with reflective strip
- · Headband adjustment
- Multi color available
- · Achieved CE EN 812 & UKCA









· ABS shell with double EVA cushion

• 100% cotton with gridding cloth(Multi color available)

- · Reflective strip both sides
- · Headband adjustment
- · Achieved CE EN 812 & UKCA

IEG&FOOT PROTECTION



Spectacles



()

CE

- PA material frame,soft and flexible,
 High transparency PC lens,color can be customized,
 Adjustable temple buckles can add cords for easier taking,
- Coating available for anti-scratch,anti-fog function,
 Can do treatment to absorb 99% harmful UV.





- Lightweight frameless desgin offers extra coziness
 With soft foam around inner for wear comfortable
- Lens made of new PC material.
- Color can be customized.
 Coating available for anti-scratch, Anti-fog function .
 Can do treatment to absorb 99% harmful UV.



- One-piece design with perfect view,
 PC lens color can be customized,
 Coating available for anti-scratch,Anti-fog function ,
- · Can do treatment to absorb 99% harmful UV.

Lightweight frameless desgin offers extra coziness .
 Lens made of new PC material.

Coating available for anti-scratch, Anti-fog function .

· Can do treatment to absorb 99% harmful UV.

· Color can be customized.





- Unique cushioned bridge and temples for improved comfort,
 Lens made of new PC material.
 Coating available for anti-scratch, Anti-fog function .

- · Can do treatment to absorb 99% harmful UV.







- · Lightweight frameless desgin offers extra coziness .
- · Lens made of new PC material.
- · Color can be customized.
- Coating available for anti-scratch,Anti-fog function .
 Can do treatment to absorb 99% harmful UV.



- · Lens made of new PC material.
- · Color can be customized.
- · Coating available for anti-scratch, Anti-fog function.
- · Can do treatment to absorb 99% harmful UV.

IEG&FOOT PROTECTION

Spectacles

()



- Lens made of new PC material,
 Coating available for anti-scratch,anti-fog function,
 Can do treatment to absorb 99% harmful UV.





- · Color can be customized .
- Coating available for anti-scratch, Anti-fog function .
 Can do treatment to absorb 99% harmful UV.



Spectacles



Achieved CE EN166 & ANSI Z87.1 & GB14866 certificates · Single-piece lens fit perfectly on different face contours

- · Wider lens which can be used with prescription glasses
- · Wrap-around frameless design
- · Ergonomically design temple with indirect ventilation
- Exceptional comfort, protection and fit
 PC LENS :2mm PC Temples

((

Function:Anti-UV,Anti-scratch,Anti-impact,Anti-fog,Anti-Splash



Achieved CE EN166 & ANSI Z87.1 & GB14866 certificates · Extremely lightweight

- Modern style with outstanding field of vision
- Rubber nose pads provide comfort and protects against slipping
- · Dual-injected temples integrated soft rubber to resist extreme temperature
- · PC LENS :2mm PC+Rubber Temples

Function: Anti-UV ,Anti-scratch,Anti-impact,Anti-fog,Anti-Splash



Achieved CE EN166 & ANSI Z87.1 & GB14866 certificates Single-piece lens with integrated side shields
 Exceptional comfort, protection and fit

- · Adjustable temple for different face shape
- · Hassle-free lens replacement
- PC LENS :2mm Nylon Temples

Function: Anti-UV, Anti-scratch, Anti-impact, Anti-fog, Anti-Splash



Function: Anti-UV, Anti-scratch, Anti-impact, Anti-fog, Anti-Splash

Achieved CE EN166 & ANSI Z87.1 & GB14866 certificates Single-piece lens fit perfectly on different face contours
 Dual-injected temple with rubber, more stable

· Rubber nose pad added, comfortable and anti-slip

· Plate available in EN171 Shade 3.0 & 5.0

· PC LENS :2mm Temples: PC and Rubber

· Extended side shields for excellent lateral protection

Achieved CE EN166 & ANSI Z87.1 & GB14866 certificates

- · Wrap-around design, fashionable and functional
- Adjustable temple for different face shape
- · Lightweight, frameless design for all day comfort
- Soft and comfortable nosepads
- · Extended side shields for excellent lateral protection
- · PC LENS: 2mm Nylon Temples
- Function: Anti-UV, Anti-scratch, Anti-impact, Anti-fog, Anti-Splash



Achieved CE EN166 & ANSI Z87.1 & GB14866 certificates · PC LENS: 2mm Nylon Temples

- · Extended frame provides excellent coverage
- · Dual-injected temple with high-visibility rubber
- · Indirect ventilation on the frame to avoid fogging
- · Soft and comfortable nose pads

Function: Anti-UV, Anti-scratch, Anti-impact, Anti-fog, Anti-Splash



Achieved CE EN166 & ANSI Z87.1 & GB14866 certificates · PC LENS: 2mm Nylon Temples

- · Extended sideshield for excellent lateral protection
- · High-visibility rubber colour
- · Soft temple with high-visibility rubber for different face shape · Soft and comfortable nosepads, anti-slip
- Function: Anti-UV, Anti-scratch, Anti-impact, Anti-fog, Anti-Splash



Comply with CE EN166 & ANSI Z87.1 & GB14866

- · Extremely lightweight and modern design with outstanding visual field and exceptional protection
- Integrated nose bridge providing comfort and precision to any nose shape
- · Single-piece lens fiting most face shape
- · PC LENS :2mm PC Temples

Function: Anti-UV, Anti-scratch, Anti-impact, Anti-fog, Anti-Splash



Comply with CE EN166 & ANSI Z87.1 & GB14866

- · Single-piece lens fit perfectly on different face shapes
- Wrap-around frameless design
- · Unique slim temples bring excellent comfort
- · PC LENS :2mm PC Temples
- Function: Anti-UV, Anti-scratch, Anti-impact, Anti-fog, Anti-Splash

CE



Achieved CE EN166 & ANSI Z87.1 & GB14866 certificates • Extremely lightweight and modern design with outstanding visual field and exceptional protection

- Integrated nose bridge providing comfort and precision to any nose shape
- Single-piece lens fiting most face shape
 PC LENS :2mm PC Temples

Function: Anti-UV ,Anti-scratch,Anti-impact,Anti-fog,Anti-Splash



Comply with CE EN166 & ANSI Z87.1 & GB14866

- · Single-piece lens fit perfectly on different face shapes
- · Wider lens which can be used with prescription lenses
- · Wrap-around frameless design for excellent comfort and protection
- · Full coverage spectacle
- · PC LENS :2mm PC Temples

Function: Anti-UV, Anti-scratch, Anti-impact, Anti-fog, Anti-Splash

((

Comply with CE EN166 & ANSI Z87.1 & GB14866

- · Wrap-around frameless design
- · Full coverage spectacle
- · Exceptional comfort, protection and fit
- PC LENS: 2mm PC Temples

Function: Anti-UV ,Anti-scratch,Anti-impact,Anti-fog,Anti-Splash

IEG&FOOT PROTECTION

Spectacles



Comply with CE EN166 & ANSI Z87.1 & GB14866 · Non-slip rubber temple

- · Rubber nose pads, comfort and protect, anti-slip
- Extended side shields for excellent lateral protection
- · PC LENS: 2mm PC with Rubber Temples
- Function: Anti-UV, Anti-scratch, Anti-impact, Anti-fog, Anti-Splash



Comply with CE EN166 & ANSI Z87.1 & GB14866 · Dual-injected rubber temple, anti-slip

- · Rubber nose pads, comfort and protect, anti-slip
- Extremely lightweight with outstanding visual field and exceptional protection
- · PC LENS :2mm PC with Rubber Temples

Function: Anti-UV ,Anti-scratch,Anti-impact,Anti-fog,Anti-Splash

((

- Comply with CE EN166 & ANSI Z87.1 & GB14866
- · Wrap-around protective eyewear combining fashion and function · Adjustable temple length- enables wearers to fit the
- evewear to their facial profile Pantoscopic adjustment- allow lens angle modification
- · Wrap around rubber ensure the glasses fit securely on
- the nose and keep out dust, droplets
- · Two-way changeable temple and elastic band, depends on wearer's need
- · Non-slip rubber temple
- · PC LENS :2mm PC+rubber Temples
- Function: Anti-UV, Anti-scratch, Anti-impact, Anti-fog, Anti-Splash







- Comply with CE EN166 & ANSI Z87.1 & GB14866
- · Dual-injected rubber will not peel off easily
- Rubber nose pads, comfort and protect, against slippage
- Extended side shields for excellent lateral protection
- · PC LENS :2mm PC+ Rubber Temples
- Function: Anti-UV, Anti-scratch, Anti-impact, Anti-fog, Anti-Splash



- Comply with CE EN166 & ANSI Z87.1 & GB14866 · Rubber shield on browguard
- · Rubber nose pads, comfort and protect, anti-slip
- · PC LENS: 2mm PC Temples
- Function: Anti-UV, Anti-scratch, Anti-impact, Anti-fog, Anti-Splash



- Comply with CE EN166 & ANSI Z87.1 & GB14866
- Single-piece lens fit perfectly on different face shapes
- · Dual-injected temples with rubber will not peel off easily
- Rubber nose pads, comfort and protect, anti-slip
- · Extended side shields for excellent lateral protection
- · PC LENS: 2mm Nylon Temples
- Function: Anti-UV, Anti-scratch, Anti-impact, Anti-fog, Anti-Splash



Comply with CE EN166 & ANSI Z87.1 & GB14866

- · Wrap-around protective eyewear combining fashion and function
- · Adjustable temples on length and angles
- One piece PC lens with integrated side shields
 Features with soft rubber nose bridge for comfort
- · Non-slip rubber temple
- · PC LENS :2mm Nylon Temples

Function: Anti-UV, Anti-scratch, Anti-impact, Anti-fog, Anti-Splash



Comply with CE EN166 & ANSI Z87.1 & GB14866

- · PC LENS :2mm PC+rubber Temples
- · Wrap-around protective eyewear combining fashion and function
- · Offers excellent coverage
- · Soft temple rubber for extra comfort

· Pliable nose pad for extra comfort and avoid slippage Function: Anti-UV, Anti-scratch, Anti-impact, Anti-fog, Anti-Splash

CE



Comply with CE EN166 & ANSI Z87.1 & GB14866

- · Wrap-around protective eyewear combining fashion and function · Adjustable temples on length and angles
- One piece PC lens with integrated side shields
- · Features with soft rubber nose bridge for comfort
- · Non-slip rubber temple
- · PC LENS :2mm Nylon Temples

Function: Anti-UV, Anti-scratch, Anti-impact, Anti-fog, Anti-Splash



Comply with CE EN166 &ANSI Z87.1 & GB14866 · PC LENS:2mm PC+rubber Temples

- · Modern safety glasses with exceptional protection
- · Dual-injected temple integrated soft rubber to resist extreme temperature
- Features with soft nose bridge for comfort
 Extended side shields for excellent lateral protection
- Function: Anti-UV, Anti-scratch, Anti-impact, Anti-fog, Anti-Splash

CE	

Comply with CE EN166 & ANSI Z87.1 & GB14866

- · PC LENS :2mm Nylon Temples
- Wrap-around protective eyewear combining fashion and function
- · High tech modern design with molded side shields.
- Molded-in nose bridge provides perfect comfort and fit
- · Single-piece lens that will fit most faces
- Function: Anti-UV, Anti-scratch, Anti-impact, Anti-fog, Anti-Splash

IEG&FOOT PROTECTION

Goggles



Comply with CE EN166 & ANSI Z87.1 & GB14866 · PC LENS :2mm Nylon Temples

- · Extended side shields for excellent lateral protection
- Co-injected comfort pad will not peel off even in hot climate
- Pliable nose pad for extra comfort and avoid slippage
- Function: Anti-UV, Anti-scratch, Anti-impact, Anti-fog, Anti-Splash



Comply with CE EN166 & ANSI Z87.1 & GB14866

- · PC LENS :2mm Nylon Temples
- · Extended side shields for excellent lateral protection
- High visibility rubber colour
- · Soft temple to fit different head profile

Pliable nose pad for extra comfort and avoid slippage Function: Anti-UV,Anti-scratch,Anti-impact,Anti-fog,Anti-Splash



· Stable,transparent,flexible pvc frame seals tightly to the face.

- · Direct or indirect ventilating design prevents fog in the goggle.
- · Lens can choose PVC/PC.resists particles and liquid splashing.
- · Anti scratch, Anti fog.



Comply with CE EN166 &ANSI Z87.1 & GB14866 · PC LENS :2mm Nylon Temples · Rubber buckle on the temples makes it more comfortable

- · One-piece lens can efficiently protect users eyes
- Light-weight design, especially for long time work
 Function: Anti-UV,Anti-scratch,Anti-impact,Anti-fog,Anti-Splash



Comply with CE EN166 & ANSI Z87.1 & GB14866

- Single-piece lens with integrated side shields
 Exceptional comfort, protection and fit
- · Adjustable temple to fit distinct face profile
- · Hassle-free lens replacement
- · Dual-injected rubber will not peel off easily
- · PC LENS :2mm Nylon Temples

Function: Anti-UV, Anti-scratch, Anti-impact, Anti-fog, Anti-Splash



· Stable, transparent, flexible pvc frame seals tightly to the face.

- Direct or indirect ventilating design prevents fog in the goggle.
 Lens can choose PVC/PC.resists particles and liquid splashing. · Anti scratch, Anti fog.



Comply with CE EN166 & ANSI Z87.1 & GB14866

- Wrap-around protective eyewear combining fashion and function
 One piece polycarbonate lens with integrated side shields
- Features with soft nose bridge for comfort
 Non-slip rubber temple
- · PC LENS: 2 mm Nvion Temples

Function: Anti-UV, Anti-scratch, Anti-impact, Anti-fog, Anti-Splash





- · Stable,transparent,flexible PVC frame seals tightly to the face,
- PC lens resists particles and liquid splashing.
 Coating available for anti-scratch, anti-fog function,
- · Can do treatment to absorb 99% harmful UV.

CE



- · Stable,transparent,flexible pvc frame seals tightly to the face.
- · Direct or indirect ventilating design prevents fog in the goggle.
- · Lens can choose PVC/PC.resists particles and liquid splashing.
- · Anti scratch, Anti fog.



- · Stable,transparent,flexible pvc frame seals tightly to the face.
- Direct or indirect ventilating design prevents fog in the goggle.
 Lens can choose PVC/PC.resists particles and liquid splashing.
- · Anti scratch, Anti fog.



- · Stable,transparent,flexible PVC frame seals tithtly to the face,
- · PC lens, resists particles and liquid splashing,
- · Anti scratch,anti fog.

IEG&FOOT PROTECTION

Goggles

€

023



- · Stable,transparent,flexible PVC frame seals tightly to the face,
- · PC lens resists particles and liquid splashing.
- · Coating available for anti-scratch, anti-fog function,

· One-piece design with perfect view.

· Can do treatment to absorb 99% harmful UV.





- Flip-up front design for convenience.
 Flexible PVC.indirect ventilating,
- · Clear and black PVC lenes for different tasks.
- · Protecting eyes under gas welding,





Achieved CE EN166 & ANSI Z87.1 & GB14866 certificates • PC LENS: 2mm PVC frame

- Economical goggle with indirect ventilation
 Features with quad vents to minimize lens fogging
- · Fits over most prescription glasses
- · Made of elastic strap

Function: Anti-UV, Anti-scratch, Anti-impact, Anti-fog, Anti-Splash



· Black mesh steel lens applied for agricultural operations work.

- · Stable,transparent,flexible PVC frame seals tightly to the face,





Single lens structure,Comfortable to wear.
 Supple PVC frame, PVC lens.



Comply with CE EN166 & ANSI Z87.1 & GB14866

- Economical goggle
 Direct ventilation provides maximum airflow
- Function: Anti-UV, Anti-scratch, Anti-impact, Anti-fog, Anti-Splash



- · One-piece design with perfect view.
- · Head-mounted elastic webbing can be adjust.
- Black mesh steel lens applied for agricultural operations work.

()



- Flip-up front design for convenience.
 Flexible PVC.indirect ventilating,
 Clear and black PVC lenes for different tasks.
 Protecting eyes under gas welding,
- brazing and torch cutting work.

without vents

Comply with CE EN166 & ANSI Z87.1 & GB14866 · Economical and comfortable goggle

- Fits over most prescription glasses
 Non-vented frame protects against dust and flying debris
- · Made of non-irritant elastic strap
- · PC LENS: 2mm PVC frame

Function: Anti-UV, Anti-scratch, Anti-impact, Anti-fog, Anti-Splash



Visor



Achieved CE EN166 & ANSI Z87.1 & GB14866 certificates

- · Economical and comfortable goggle
- Fits over most prescription glasses
- · Non-vented frame protects against dust and flying debris
- · Made of non-irritant elastic strap
- · PC LENS: 2mm PVC frame

Function: Anti-UV, Anti-scratch, Anti-impact, Anti-fog, Anti-Splash



Achieved CE EN166 & ANSI Z87.1 & GB14866 certificates · PC LENS :2mm PVC frame

- Economical goggle with indirect ventilation
 Features with quad vents to minimize lens fogging
- · Fits over most prescription glasses
- · Made of elastic strap

Function: Anti-UV, Anti-scratch, Anti-impact, Anti-fog, Anti-Splash



Achieved CE EN166 & ANSI Z87.1 & GB14866 certificates

- PC LENS: 2mm PVC frame
- Wide vision goggle provides high levels of comfort and maximum protection
- · Designed to give optimum fit to all facial contours
- · Comfortably fits over most spectacles
- · Fitted with indirect ventilation
- · Wrap-around modern style provides excellent panoramic vision
- Optional embroidered headband Function: Anti-UV,Anti-scratch,Anti-impact,Anti-fog,Anti-Splash

- Comply with CE EN166 &ANSI Z87.1 & GB14866 PC LENS: 2mm PVC frame Wide vision goggle provides high levels of comfort andmaximum protection Designed to give optimum fit to all facial contours
- · Comfortably fits over most spectacles
- · Fitted with indirect ventilation
- · Wrap-around modern style provides excellent panoramic vision
- Optional embroidered headband Function: Anti-UV,Anti-scratch,Anti-impact,Anti-fog,Anti-Splash



CE



- · Headgear with safety goggle, excellent protection for head, face and hearing.
- · Applied for outdoor working like garden working, logging work, Forestry work.



CE

Comply with CE EN166 &ANSI Z87.1 & GB14866 • PC LENS :2mm PVC+Rubber frame

- Wide vision goggle provides high levels of comfort and maximum protection
 Designed to give optimum fit to all facial contours
 Comfortably fits over most spectacles

- · Fitted with indirect ventilation
- Ergonomically design with co-injected frame
- · Wrap-around modern style provides excellent panoramic vision
- · Optional embroidered headband
- Function: Anti-UV, Anti-scratch, Anti-impact, Anti-fog, Anti-Splash





· Safety helmet match with face shield and ear muff, excellent protection for head, face and hearing. · Applied for outdoor working like logging work, forestry work.









IEG&FOOT PROTECTION





Visor

CE



· Safety helmet match with face shield and ear muff, excellent protection for head, face and hearing.

· Headgear with face shield and ear muff, excellent protection for head, face and hearing.

• Applied for outdoor working like garden working, logging work, Forestry work.

· Applied for outdoor working like logging work, forestry work.











• Safety helmet match with face shield and ear muff, excellent protection for head,face and hearing.

· Applied for outdoor working like logging work, forestry work.



· HDPE headgear, face shield can choose PC or PVC.

• Ratchet adjustment suspension with sweatband for improve comfort.

· Filp up for different viewing angles.





- · HDPE headgear, face shield can choose steel mesh.
- · Ratchet adjustment suspension with sweatband for improve comfort.
- · Filp up for different viewing angles.

IEG&FOOT PROTECTION



Visor

()





· Pet material · ANTI FOG · 0.2mm thickness · Protecting against fluid splashing

()





VISOR BRACKET



Material	Standard	Color
Impact Resistance ABS material	CE.ANSI	Black
Inner : Impact Resistance ABS material Outer : Aluminum	CE.ANSI	Black
Aluminum	CE.ANSI	Black
Aluminum	CE.ANSI	Black
Aluminum	CE.ANSI	Anodic Coating
Aluminum	CE.ANSI	Black
Aluminum	CE.ANSI	Anodic Coating



Visor Bracket

Visor

· Kickstand adopts ABS.Aluminum material.

- Face shield can choose PC, PVC or Steel mesh.
- · Buckle and collapsible band design fits perfectly to various helmets.
- Flip up to adjust 4 viewing angles. Ideal for steel works.
- Aluminum work, furance, logging etc.



REFLECTION PROTECTION

IEG&FOOT PROTECTION

Visor



Size: 20x39.5cm(8"X15.5") Thickness: 1.0mm Material: PVC Visible light transmittance : 87% Color : Transparent



Size: 20x39.5cm(8"X15.5") Thickness: 1.0mm Material : PVC Visible light transmittance : Can filter more than 99% of ultraviolet light Color : Black

Size : 20x39.5cm(8"X15.5") Thickness: 1.0mm Material : PVC Visible light transmittance : 90% Color : Transparent



Impact Resistance Wtrength:

B Grade.Can resist a diameter 6mm steel ball by 120m/s high-speed launch and impact the safety mask. And the safety mask not penetrate, not ruptureand not fall off for keeping safe the users. And the same shock strength in an environment which high templeture 55°C or low temperature -5°C.



Size : 20x39.5cm(8"X15.5") Thickness : 1.5mm Material : PVC Visible light transmittance : 89% Color : Transparent

Impact Resistance Wtrength:

B Grade.Can resist a diameter 6mm steel ball by 190m/s high-speed launch and impact the safety mask. And the safety mask not penetrate, not ruptureand not fall off for keeping safe the users. And the same shock strength in an environment which high templeture 55°C or low temperature -5°C.



CE

CE

Size: 20x39.5cm(8"X15.5") Thickness: 1.0mm Material : PETG Fitting: 11-hole Visible light transmittance : 90% Color : Transparent

Impact Resistance Wtrength:

B Grade.Can resist a diameter 6mm steel ball by 120m/s high-speed launch and impact the safety mask.And the safety mask not penetrate, not ruptureand not fall off for keeping safe the users. And the same shock strength in an environment which high templeture 55°C or low temperature -5°C.

Size : 20x39.5cm(8"X15.5") Thickness: 1.0mm Material : PETG Fitting: 9-hole Visible light transmittance : 90% Color : Transparent


Impact Resistance Wtrength:


B Grade.Can resist a diameter 6mm steel ball by 120m/s high-speed launch and impact the safety mask.And the safety mask not penetrate, not ruptureand not fall off for keeping safe the users. And the same shock strength in an environment which high templeture 55°C or low temperature -5°C.

CE Size: 20x38.5cm(8"X15.5") Material : Non-glare black mesh steel SPEC : wire diameter 0.35mm. mesh count 24 mesh/inch Aluminum side reinforcement : No(Plastic side reinforcement)

Impact Resistance Wtrength:

Can resist a diameter 22mm steel ball (Weight : 43g) by 5.1m/s speed launch and impact the safety mask. And the safety mask not penetrate, not rupture and not fall off for keeping safe the users.







Dust Masks

EN149:2001+A1:2009 Module B / Module D

(€2797

Regulation (EU) 2016/425 By BSI Group The Netherlands B.V.

K 0086

Regulation (EU) 2016/425 as brought into UK law and amended By BSI Assurance UK Ltd

Classification	FFP1 NR	FFP2 NR	FFP3 NR
Filtration efficiency	≥ 80%	≥ 94%	≥ 99%


[PRODUCT FEATURES]

These masks are intended to be used for protection against solid and liquid aerosols in mining, casting, agriculture, wood, metal burnishing, polishing and cutting, cement, hardware factory, textile, construction and painting, etc.

FFP1 NR/ FFP1 NR D* Filters at least 80% of airborne particles.

FFP1 NR/ FFP2 NR D* Filters at least 94% of airborne particles. FFP1 NR/ FFP3 NR D* Filters at least 99% of airborne particles.

D* Mask resistant to clogging in time improving comfort of use.



W Series FFP2 NR FFP2 1 FFP3 NR FFP3 N Pack FFP1 NR / Cup model 20p FFP2 NR / Cup model 20bo FFP3 NR / Cup model FFP1 NR / Cup model, valved 10p FFP2 NR / Cup model, valved 20bc FFP3 NR / Cup model, valved FFP1 NR / Cup model, carboned 20pc FFP2 NR / Cup model, carboned 20bc FFP3 NR / Cup model, carboned FFP1 NR / Cup model, valved, carboned 10pcs/box; FEP2 NR / Cup model valved carboned 20boxes/ctn FFP3 NR / Cup model, valved, carboned **M** Series



FFP2 NR D / Cup model

FFP1 NR D / Cup model, valved

FFP2 NR D / Cup model, valved

NR		• FFP2 NR	
aging	Meas (cm)	20'GP FCL	40'HQ FCL
ocs/box;	62×29×34	458 CTNs	1,110 CTNs
oxes/ctn		183,200 pcs	444,000 pcs
ocs/box;	62×29×32	480 CTNs	1,170 CTNs
oxes/ctn		96,000 pcs	234,000 pcs
ocs/box;	62×29×34	458 CTNs	1,170 CTNs
oxes/ctn		183,200 pcs	444,000 pcs
ocs/box;	62x29x32	480 CTNs	1,110 CTNs

96,000 pcs

234,000 pcs

P2 NR	6	• FFP2 NF	2
P2 NR Packaging	Meas (cm)	FFP2 NF 20'GP FCL	40'HQ FCL
20pcs/box;	62×29×34	458 CTNs	1,110 CTNs
20boxes/ctn		183,200 pcs	444,000 pcs
10pcs/box;	62×29×32	480 CTNs	1,170 CTNs
20boxes/ctn		96,000 pcs	234,000 pcs
20pcs/box;	62×29×34	458 CTNs	1,110 CTNs
20boxes/ctn		183,200 pcs	444,000 pcs
10pcs/box;	62×29×32	480 CTNs	1,170 CTNs
20boxes/ctn		96,000 pcs	234,000 pcs
20pcs/box;	62×29×34	458 CTNs	1,110 CTNs
20boxes/ctn		183,200 pcs	444,000 pcs
10pcs/box;	62×29×32	480 CTNs	1,170 CTNs
20boxes/ctn		96,000 pcs	234,000 pcs

REFLECTION PROTECTION

IEG&FOOT PROTECTION

Dust Masks

FFP2 NR



FFP1 NR





DTC3M-1F FFP3 NR

FFP1 NR / Cup model

FFP2 NR / Cup model

FFP3 NR / Cup model

FFP1 NR / Cup model, valved

FFP2 NR / Cup model, valved

FFP3 NR / Cup model, valved

FFP1 NR / Cup model, carboned

FFP2 NR / Cup model, carboned

FFP3 NR / Cup model, carboned

FFP1 NR / Cup model, valved, carboned

FFP2 NR / Cup model, valved, carboned

FFP3 NR / Cup model, valved, carboned



FFP2 NR

20pcs/box;

20boxes/ctn

10pcs/box;

20boxes/ctn

20pcs/box;

20boxes/ctn

10pcs/box;

20boxes/ctn

FFP2 NR



380 CTNs

152,000 pcs

405 CTNs

81,000 pcs

380 CTNs

152,000 pcs

405 CTNs

81,000 pcs

69.5×31×34

69.5×31×32

69.5×31×34

69.5×31×32

930 CTNs

372,000 pcs

985 CTNs

197,000 pcs

930 CTNs

372,000 pcs

985 CTNs

197,000 pcs

FFP3 NR FFP3 NR Description FFP1 NR / Cup model FFP2 NR / Cup model FFP3 NR / Cup model FFP1 NR / Cup model, valved FFP2 NR / Cup model, valved FFP3 NR / Cup model, valved

Packaging 930 CTNs 380 CTNs 20pcs/box; 69.5×31×34 152,000 pcs 372,000 pcs 20boxes/ctn 430 CTNs 1045 CTNs 10pcs/box; 69.5×31×30 209,000 pcs 20boxes/ctn 86,000 pcs FFP1 NR / Cup model, two-valved, adjustable head strap 350 CTNs 850 CTNs 10pcs/box; FFP2 NR / Cup model, two-valved, adjustable head strap 69.5×30×38 170,000 pcs 70,000 pcs 20boxes/ctn FFP3 NR / Cup model, two-valved, adjustable head strap



FFP1 NR















114

TT.

FFP2 NR

Description	Packaging	Meas (cm)	20'GP FCL	40'HQ FCL	
FFP1 NR D / Folded model					
FFP2 NR D / Folded model	20pcs/box; 20boxes/ctn	62×29×34	458 CTNs 183,200 pcs	1,110 CTNs 444,000 pcs	
FFP3 NR / Folded model	2000/03/011		100,200 p03	444,000 pc3	
FFP1 NR D / Folded model, valved					
FFP2 NR D / Folded model, valved	10pcs/box; 20boxes/ctn	62×29×32	480 CTNs 96,000 pcs	1,170 CTNs 234,000 pcs	
FFP3 NR / Folded model, valved	2000/00/001		00,000 p00	201,000 p00	
FFP1 NR D / Folded model, carboned					
FFP2 NR D / Folded model, carboned	20pcs/box; 20boxes/ctn	62×29×34	458 CTNs 183,200 pcs	1,170 CTNs 444,000 pcs	
FFP3 NR / Folded model, carboned	2000/00/001		100,200 p00	111,000 poo	
FFP1 NR D / Folded model, valved, carboned					
FFP2 NR D / Folded model, valved, carboned	10pcs/box; 20boxes/ctn	62×29×32	480 CTNs 96,000 pcs	1,110 CTNs 234,000 pcs	
FFP3 NR / Folded model, valved, carboned	2000/00/001		50,000 pc3	201,000 poc	
FFP1 NR D / Folded model		62×29×34	458 CTNs 183,200 pcs		
FFP2 NR D / Folded model	20pcs/box; 20boxes/ctn			1,110 CTNs 444,000 pcs	
FFP3 NR / Folded model	2000/00/001		100,200 p03	444,000 pc3	
FFP1 NR D / Folded model, valved					
FFP2 NR D / Folded model, valved	10pcs/box; 20boxes/ctn	62×29×32	480 CTNs 96,000 pcs	1,170 CTNs 234,000 pcs	
FFP3 NR / Folded model, valved	2000/00/00		00,000 p00	201,000 p00	
FFP1 NR D / Folded model, carboned					
FFP2 NR D / Folded model, carboned	20pcs/box; 20boxes/ctn	62×29×34	458 CTNs 183,200 pcs	1,110 CTNs 444,000 pcs	
FFP3 NR / Folded model, carboned	2020/00/00		,200 poo	,500 poo	
FFP1 NR D / Folded model, valved, carboned	10				
FFP2 NR D / Folded model, valved, carboned	10pcs/box; 20boxes/ctn	62×29×32	480 CTNs 96,000 pcs	1,170 CTNs 234,000 pcs	
FFP3 NR / Folded model, valved, carboned	2020/00/00		00,000 poo	20 .,000 poo	

FFP2 NR	FFP3 NR	FFP2 NR		FFP2 NR	
	Description	Packaging	Meas (cm)	20'GP FCL	40'HQ FCL
	FFP1 NR D / Cup model FFP2 NR / FFP2 NR D / Cup model FFP3 NR / FFP3 NR D / Cup model	20pcs/box; 20boxes/ctn	69.5x31x34	380 CTNs 152,000 pcs	930 CTNs 372,000 pcs
	FFP1 NR / FFP1 NR D / Cup model, valved FFP2 NR / FFP2 NR D / Cup model, valved FFP3 NR / FFP3 NR D / Cup model, valved	10pcs/box; 20boxes/ctn	69.5x31x32	405 CTNs 81,000 pcs	985 CTNs 197,000 pcs
	FFP1 NR / FFP1 NR D / Cup model, carboned FFP2 NR / FFP2 NR D / Cup model, carboned FFP3 NR / FFP3 NR D / Cup model, carboned	20pcs/box; 20boxes/ctn	69.5x31x34	380 CTNs 152,000 pcs	930 CTNs 372,000 pcs
FFF	11 NR / FFP1 NR D / Cup model, valved, carboned 12 NR / FFP2 NR D / Cup model, valved, carboned 13 NR / FFP3 NR D / Cup model, valved, carboned	10pcs/box; 20boxes/ctn	69.5x31x32	405 CTNs 81,000 pcs	985 CTNs 197,000 pcs

035 HEAD PROTECTION EYE&FACE PROTECTION

RESPIRATORY PROTECTION HEARING PROTECTION

HAND PROTECTION



FFP3 NR

REFLECTION PROTECTION

IEG&FOOT PROTECTION

Dust Masks





FFP1 NR

Description	Packaging	Meas (cm)	20'GP FCL	40'HQ FCL
FFP1 NR / Light Folded model	20pcs/box; 20boxes/ctn	62×29×28	555 CTNs 222,000 pcs	1350 CTNs 540,000 pcs
FFP1 NR / Light Folded model, valved	10pcs/box; 20boxes/ctn	62×29×26	595 CTNs 119,000 pcs	1450 CTNs 290,000 pcs
FFP1 NR / Light Folded model, carboned	20pcs/box; 20boxes/ctn	62×29×28	555 CTNs 222,000 pcs	1350 CTNs 540,000 pcs
FFP1 NR / Light Folded model, valved, carboned	10pcs/box; 20boxes/ctn	62×29×26	595 CTNs 119,000 pcs	1450 CTNs 290,000 pcs



Description	Packaging	Meas (cm)	20'GP FCL	40'HQ FCL
FFP1 NR D / Tri-folded model	00 /			
FFP2 NR D / Tri-folded model	20pcs/box; 20boxes/ctn	49.5×46×26	470 CTNs 188,000 pcs	1145 CTNs 458,000 pcs
FFP3 NR D / Tri-folded model	2000/03/011		100,000 pcs	400,000 pc3
FFP1 NR D / Tri-folded model, valved	10 1			
FFP2 NR D / Tri-folded model, valved	10pcs/box; 20boxes/ctn	49.5×46×28	437 CTNs 87,400 pcs	1064CTNs 212,800 pcs
FFP3 NR D / Tri-folded model, valved			07,400 pcs	212,000 pcs
FFP1 NR D / Tri-folded model, carboned	20pcs/box; 20boxes/ctn			
FFP2 NR D / Tri-folded model, carboned		49.5×46×26	470 CTNs 188,000 pcs	1145 CTNs 458,000 pcs
FFP3 NR D / Tri-folded model, carboned	2000/03/011		100,000 pc3	400,000 pc3
FFP1 NR D / Tri-folded model, valved, carboned	10.1			
FFP2 NR D / Tri-folded model, valved, carboned	10pcs/box; 20boxes/ctn	49.5×46×28	437 CTNs 87,400 pcs	1064 CTNs 212,800 pcs
FFP3 NR D / Tri-folded model, valved, carboned	2000765/011		07,400 pcs	212,000 pcs



FFP1 NR



FFP2 NR



FFP3 NR









	Description	Packaging	Meas (cm)	20'GP FCL	40'HQ FCL
	FFP1 NR / Cup model	00		458 CTNs	1.110 CTNs
	FFP2 NR / Cup model	20pcs/box; 20boxes/ctn	62×29×34	183,200 pcs	444,000 pcs
	FFP3 NR / Cup model	2000/03/011		100,200 pc3	444,000 pc3
FFP2 NR / Cup	FFP1 NR / Cup model, valved	10pcs/box; 20boxes/ctn		480 CTNs 96,000 pcs	
	FFP2 NR / Cup model, valved		62×29×32		1,170 CTNs 234,000 pcs
	FFP3 NR / Cup model, valved				234,000 pcs
	FFP1 NR / Cup model, carboned			458 CTNs	4.440 OTN-
	FFP2 NR / Cup model, carboned	20pcs/box; 20boxes/ctn	62×29×34	458 CTNS 183,200 pcs	1,110 CTNs 444,000 pcs
	FFP3 NR / Cup model, carboned	2000/03/011		105,200 pc3	444,000 pc3
	FFP1 NR / Cup model, valved, carboned	40			
-	FFP2 NR / Cup model, valved, carboned	10pcs/box; 20boxes/ctn	62×29×32	480 CTNs 96,000 pcs	1,170 CTNs 234,000 pcs
	FFP3 NR / Cup model, valved, carboned	2000763/011		30,000 pcs	20 4 ,000 pcs

	Description	Packaging	Meas (cm)	20'GP FCL	40'HQ FCL	
	FFP1 NR D / Folded model		(00.071)	070 0711		
	FFP2 NR D / Folded model	20pcs/box; 20boxes/ctn	20pcs/box;	52×42×32	400 CTNs 160,000 pcs	970 CTNs 388,000 pcs
	FFP3 NR D / Folded model			100,000 pcs	300,000 pcs	
	FFP1 NR D / Folded model, valved		400 OTH	40000TN		
	FFP2 NR D / Folded model, valved	10pcs/box; 20boxes/ctn	52×42×30	420 CTNs 84,000 pcs	1030CTNs 206,000 pcs	
	FFP3 NR D / Folded model, valved	2000xe5/cli1				
	FFP1 NR D / Folded model, carboned			100.071	070 0711	
	FFP2 NR D / Folded model, carboned	20pcs/box; 20boxes/ctn	52×42×32	400 CTNs 160,000 pcs	970 CTNs 388,000 pcs	
	FFP3 NR D / Folded model, carboned	- ZUDOXES/CIN		100,000 pc3	500,000 pcs	
FFP1 NR D / Folded model, valved, carboned	40 4		400 OTH			
	FFP2 NR D / Folded model, valved, carboned	FFP2 NR D / Folded model, valved, carboned 10pcs/box; 20boxes/ctn FFP3 NR D / Folded model, valved, carboned 20boxes/ctn	52×42×30	420 CTNs 84,000 pcs	1030 CTNs 206,000 pcs	
	FFP3 NR D / Folded model, valved, carboned			04,000 pcs	200,000 pc3	





FFP2 NR D

FFP3 NR D



FFP3 NR



IEG&FOOT PROTECTION

Dust Masks

AS/NZS 1716: 2012

Classification

Filtration efficiency

Lic No. SMKH20631 By SAI GLOBAL



FFP3 NR

Description	Packaging	Meas (cm)	20'GP FCL	40'HQ FCL
FFP2 NR / Cup model, adjustable head strap	10pcs/box;	69.5×40×46	215 CTNs	530 CTNs
FFP3 NR / Cup model, adjustable head strap	20boxes/ctn	03.3X40X40	43,000 pcs	106,000 pcs
FFP2 NR / Cup model, valved, adjustable head strap	10pcs/box; 20boxes/ctn	69.5×40×46	215 CTNs 43,000 pcs	530 CTNs
FFP3 NR / Cup model, valved, adjustable head strap		05.5x40x40		106,000 pcs

A1	Series









FFP3 NF	R + FFP2 NR	 FFP2 NR 		DFFP2 NR	
	Description	Packaging	Meas (cm)	20'GP FCL	40'HQ FCL
	FFP2 NR D / Ex-cup model, seal ring FFP3 NR D / Ex-cup model, seal ring	10pcs/box; 20boxes/ctn	77×41×39	225 CTNs 45,000 pcs	550 CTNs 110,000 pcs
	FFP2 NR D / Ex-cup model, seal ring, valved FFP3 NR D / Ex-cup model, seal ring, valved	10pcs/box; 20boxes/ctn	79.5×44×38	208 CTNs 41,600 pcs	510 CTNs 102,000 pcs
	FFP2 NR D / Ex-cup model, seal ring, carboned FFP3 NR D / Ex-cup model, seal ring, carboned	10pcs/box; 20boxes/ctn	77×41×39	225 CTNs 45,000 pcs	550 CTNs 110,000 pcs
	FFP2 NR D / Ex-cup model, seal ring, valved, carboned FFP3 NR D / Ex-cup model, seal ring, valved, carboned	10pcs/box; 20boxes/ctn	79.5×44×38	208 CTNs 41,600 pcs	510 CTNs 102,000 pcs





• P2

Description	Packaging	Meas (cm)	20'GP FCL	40'HQ FCL
P2 / Cup model	10pcs/box, 20boxes/ctn	69.5×31×34	379CTNS 183,200 pcs	921 CTNs 444,000 pcs
P2 / Cup model, valved	10pcs/box, 20boxes/ctn	69.5×31×36	358CTNS 71,600 pcs	871 CTNS 174,200 pcs
P2 / Cup model, valved, carboned	10pcs/box, 20boxes/ctn	69.5×31×36	358CTNS 71,600 pcs	871CTNS 174,200 pcs



FFP3 NR



FFP3 NR

Description	Packaging	Meas (cm)	20'GP FCL	40'HQ FCL
FFP2 NR D / Mesh model, seal ring	10pcs/box;	77 44 00	225 CTNs	550 CTNs
FFP3 NR D / Mesh model, seal ring	20boxes/ctn	77×41×39	45,000 pcs	110,000 pcs
FFP2 NR D / Mesh model, seal ring, valved			208 CTNs	510 CTNs
FFP3 NR D / Mesh model, seal ring, valved	20boxes/ctn	79.5×44×38	41,600 pcs	102,000 pcs
FFP2 NR D / Mesh model, seal ring, carboned	10pcs/box;		225 CTNs	550 CTNs
FFP3 NR D / Mesh model, seal ring, carboned	20boxes/ctn	77×41×39	45,000 pcs	110,000 pcs
FFP2 NR D / Mesh model, seal ring, valved, carboned	10pcs/box;		208 CTNs	510 CTNs
FFP3 NR D / Mesh model, seal ring, valved, carboned	20boxes/ctn	79.5×44×38	41,600 pcs	102,000 pcs



Description	Packaging	Meas (cm)	20'GP FCL	40'HQ FCL
P2 / Cup model	20pcs/box, 20boxes/ctn	62×29×34	458 CTNs 183,200 pcs	1,110 CTNs 444,000 pcs
P2 / Cup model, valved	10pcs/box, 20boxes/ctn	62×29×32	480 CTNs 96,000 pcs	1,170 CTNs 234,000 pcs
P1 / Cup model, carboned	20pcs/box,	62×29×34	458 CTNs	1,110 CTNs
P2 / Cup model, carboned	20boxes/ctn	02×29×34	183,200 pcs	444,000 pcs
P1 / Cup model, valved, carboned	10pcs/box,	62x29x32	480 CTNs	1,170 CTNs
P2 / Cup model, valved, carboned	20boxes/ctn	02x29x32	96,000 pcs	234,000 pcs

039

HEAD PROTECTION EYE&FACE PROTECTION RESPIRATORY PROTECTION

HEARING PROTECTION

HAND PROTECTION





P1		P2	
≥ 80%		≥ 94	%
O P 2		• P2	0
Packaging	Meas (cm)	20'GP FCL	40'HQ FCL



• P2

IEG&FOOT PROTECTION

Dust Masks



• P2

• P1



	Description	Packaging	Meas (cm)	20'GP FCL	40'HQ FCL
	P1 / Cup model	20pcs/box,	62x29x34	458 CTNs	1,110 CTNs
_	P2 / Cup model	20boxes/ctn	02x29x34	183,200 pcs	444,000 pcs
	P1 / Cup model, valved 10pcs/box,	62x29x32	480 CTNs	1,170 CTNs	
-	P2 / Cup model, valved	20boxes/ctn	02×29×32	96,000 pcs	234,000 pcs
	P1 / Cup model, carboned20pcs/box,P2 / Cup model, carboned20boxes/ctn	62×29×34	458 CTNs 183,200 pcs	1,110 CTNs 444,000 pcs	
_					
	P1 / Cup model, valved, carboned	10pcs/box,	62×29×32	480 CTNs	1,170 CTNs
	P2 / Cup model, valved, carboned	20boxes/ctn		96,000 pcs	234,000 pcs
	P1 / Cup model, carboned	20pcs/box,	62×29×34	458 CTNs	1,110 CTNs
_	P2 / Cup model, carboned	o model, carboned 20boxes/ctn	02×29×34	183,200 pcs	444,000 pcs
	P1 / Cup model, valved, carboned 10pcs/box,	62×29×32	480 CTNs	1,170 CTNs	
	P2 / Cup model, valved, carboned	20boxes/ctn	02x29X32	96,000 pcs	234,000 pcs

		1
		1



Description	Packaging	Meas (cm)	20'GP FCL	40'HQ FCL
P1 / Folded model P2 / Folded model	20pcs/box, 20boxes/ctn	52×42×32	400 CTNs 160,000 pcs	970 CTNs 388,000 pcs
P1 / Folded model, valved P2 / Folded model, valved	10pcs/box, 20boxes/ctn	52×42×30	420 CTNs 84,000 pcs	1030 CTNs 206,000 pcs
P1 / Folded model, carboned P2 / Folded model, carboned	20pcs/box, 20boxes/ctn	52×42×32	400 CTNs 160,000 pcs	970 CTNs 388,000 pcs
P1 / Folded model, valved, carboned P2 / Folded model, valved, carboned	10pcs/box, 20boxes/ctn	52×42×30	420 CTNs 84,000 pcs	1030 CTNs 206,000 pcs



	•	 DTC3Z-F P2 		 DTC3Z P2 		
	Description	Packaging	Meas (cm)	20'GP FCL	40'HQ FCL	
	P1 / Tri-folded model 20pcs/box, P2 / Tri-folded model 20boxes/ctn * Level 3 Barrier 20boxes/ctn					
		49.5×46×26	470 CTNs 188,000 pcs	1145 CTNs 458,000 pcs		
			100,000 p03	400,000 pc3		
	P1 / Tri-folded model, valved	10pcs/box,	49.5×46×28	437 CTNs	1064 CTNs	
	P2 / Tri-folded model, valved	20boxes/ctn	43.3X40X20	87,400 pcs	212,800 pcs	
	P1 / Tri-folded model, carboned	20pcs/box,	49.5×46×26	470 CTNs	1145 CTNs	
	P2 / Tri-folded model, carboned	20boxes/ctn	49.3x40x20	188,000 pcs	458,000 pcs	
	P1 / Tri-folded model, valved, carboned	10pcs/box, 20boxes/ctn	49.5×46×28	437 CTNs	1064 CTNs	
	P2 / Tri-folded model, valved, carboned			87,400 pcs	212,800 pcs	



Description	Packaging	(cm)	20'GP FCL	40'HQ FCL
P1 / Folded model				
P2 / Folded model	20pcs/box, 20boxes/ctn	62×29×28	555 CTNs 222,000 pcs	1350 CTNs 540,000 pcs
* Level 3 Barrier	2000/00/00/		222,000 p00	010,000 p00
P1 / Folded model, valved	10pcs/box,	62×29×26	595 CTNs 119,000 pcs	1450 CTNs 290,000 pcs
P2 / Folded model, valved	20boxes/ctn	02x29x20		
P1 / Folded model with two valves 10pcs	10pcs/box,	62×29×30	517 CTNs	1258 CTNs
P2 / Folded model with two valves	20boxes/ctn		103,400 pcs	251,600 pcs
P1 / Folded model, carboned	20pcs/box,	62×29×28	555 CTNs	1350 CTNs
P2 / Folded model, carboned	20boxes/ctn		222,000 pcs	540,000 pcs
P1 / Folded model, valved, carboned	10pcs/box,	62×29×26	595 CTNs	1450 CTNs
P2 / Folded model, valved, carboned		02×29×20	119,000 pcs	290,000 pcs
P1 / Folded model with two valves, carboned	10pcs/box,	62-20-20	517 CTNs	1258 CTNs
P2 / Folded model with two valves, carboned	20boxes/ctn	62×29×30	103,400 pcs	251,600 pcs



Packaging Meas (cm) 20'GP FCL 40'HQ FCL P1 / Cup model 10pcs/box, 225 CTNs 550 CTNs 77×41×39 110,000 pcs 20boxes/ctn 45,000 pcs P2 / Cup model P1 / Cup model, valved 10pcs/box, 208 CTNs 510 CTNs 79.5×44×38 P2 / Cup model, valved 20boxes/ctn 41,600 pcs 102,000 pcs P1 / Cup model, carboned 10pcs/box, 225 CTNs 550 CTNs 77×41×39 20boxes/ctn 45,000 pcs 110,000 pcs P2 / Cup model, carboned P1 / Cup model, valved, carboned 10pcs/box, 208 CTNs 510 CTNs 79.5×44×38 41,600 pcs 102,000 pcs P2 / Cup model, valved, carboned 20boxes/ctn

• P2



Description	Packaging	Meas (cm)	20'GP FCL	40'HQ FCL
P1 / Cup model with full foam seal and mesh	10pcs/box,	77×41×39	225 CTNs	550 CTNs
P2 / Cup model with full foam seal and mesh	20boxes/ctn	//x41x39	45,000 pcs	110,000 pcs
P1 / Cup model with full foam seal and mesh, valved	10pcs/box, 20boxes/ctn	79.5×44×38	208 CTNs	510 CTNs
P2 / Cup model with full foam seal and mesh, valved 20boxes/ctn	20boxes/ctn		41,600 pcs	102,000 pcs
P1 / Cup model with full foam seal and mesh, carboned	10pcs/box, 20boxes/ctn	77×41×39	225 CTNs	550 CTNs
P2 / Cup model with full foam seal and mesh, carboned	20boxes/ctn	//x41x39	45,000 pcs	110,000 pcs
P1 / Cup model with full foam seal and mesh, valved, carboned	10pcs/box,	10pcs/box, 20boxes/ctn 79.5×44×38	208 CTNs	510 CTNs
P2 / Cup model with full foam seal and mesh, valved, carboned	20boxes/ctn	19.0844830	41,600 pcs	102,000 pcs

EYE&FACE PROTECTION

RESPIRATORY PROTECTION

HEARING PROTECTION







REFLECTION PROTECTION

IEG&FOOT PROTECTION

Dust Masks

GB2626-2019 KN95

KN95 particulate respirators are designed to help provide protection against non-oil-based particles, which are from grinding, sawing, or other dusty operations. It can also help reduce inhalation exposures to certain airborne biological particles.





KN95



KN95

Medical Mask

	EN14683 Type IIR	FDA 510k Level II
BFE (Bacterial Filtration Efficiency)	≥ 98%	≥ 95%
Splash Resistance / Synthetic Blood Resistance	16.0 kPa (120mmHg)	120 mmHg

Made of 3 layers of non-woven material and round elastic ear loop. Unique form fitting design nose clip, adjustable to fit as per the shape of the nose for proper seal and comfort. Ultra-sonic welding, extremely safe and hygienic style. Applicable in hospitals, dental, hotels, industries, laboratories, food industries and other environment. Two Sizes: for adult: 17.5x9.5cm; for kids: 14.5x9.5cm.





Description	Packaging	Meas (cm)	20'GP FCL	40'HQ FCL
3-ply / Folded model	50pcs/box, 20boxes/ctn	52×40×22	608 CTNs 608,000 pcs	1484 CTNs 1,484,000 pcs



KN95





KN95(Headband)

Description	Packaging	Meas (cm)	20'GP FCL	40'HQ FCL
KN95 / Folded model	25pcs/box, 40boxes/ctn	52×52×34	300 CTNs 300,000 pcs	740 CTNs 740,000 pcs
KN95 / Cup model	20pcs/box, 20boxes/ctn	62×29×34	458 CTNs 183,200 pcs	1,110 CTNs 444,000 pcs
KN95 / Cup model	10pcs/box, 20boxes/ctn	62×29×32	480 CTNs 96,000 pcs	1,170 CTNs 234,000 pcs
KN95 / Tri-Folded model	20pcs/box, 20boxes/ctn	48×47×22	560 CTNs 224,000 pcs	1,370 CTNs 548,000 pcs
KN95 / Folded model	20pcs/box, 20boxes/ctn	62×29×28	555 CTNs 222,000 pcs	1,350 CTNs 540,000 pcs





Respirator

Dust Mask / Civil Mask / Nuisance Mask















Description	Packaging	Meas (cm)	20'GP FCL	40'HQ FCL
Dust proof, Reusable, Headband design	5pcs/box, 20boxes/ctn	69×33×57	213 ctns 21,300 pcs	520 ctns 52,000 pcs
Dust proof, One headband	50pcs/box, 20boxes/ctn	59.5×25×32	585 ctns 585,000 pcs	1425 ctns 1,425,000 pcs
Dust proof, One headband	50pcs/box, 20boxes/ctn	59.5×25×32	585 ctns 585,000 pcs	1425 ctns 1,425,000 pcs
Dust proof, Earloop	50pcs/box, 20boxes/ctn	59.5×25×32	585 ctns 585,000 pcs	1425 ctns 1,425,000 pcs
3D style, Earloop made of stretch fabrics	50pcs/box, 20boxes/ctn	48×32×30	610 ctns 610,000 pcs	1475 ctns 1,475,000 pcs
3D style, small size, Earloop made of stretch fabrics	50pcs/box, 40boxes/ctn	52×30×37	485 ctns 970,000 pcs	1180 ctns 2,360,000 pcs
KN95 / Folded model	6pcs/bag, 100bags/ctn	62×32×40	364 ctns 218,400 pcs	885 ctns 531,000 pcs
3D style, small size, customized patterns	5pcs/bag, 100bags/ctn	42×36×22	832 ctns 415,000 pcs	1720 ctns 860,000 pcs



Single Cartridge, more economical

- The frame is made of TPR, provides you better leakproofness
- With different filter, can be used in different working environment

Activated carbon filter



ABS shell

- · 3# or 7# activated carbon: 40g
- · Melt-blown nonwoven and filter cotton on both sides
- Instruction and warning sticker outside

Dust mask



Triangle gauze filter mask

- · Lightweight, easy for use
- · PE and PVC frame, meet ROHS standard
- · Active carbon filter and melt -blown nonwoveninside,dust proof and low-to:

· Active carbon filter is replaceable.



(€



Double Cartridge, better protection for users

- The frame is made of TPR, provides you better leakproofness
- With different filter, can be used in different working environment

Filter Type	For Use Against	Colour Code
3	organic gas	Yellow
4	NH3 sulfnreted hudrogen	Gray
6	HG steam	Black
7	acid gas	Brown

Respirator

CE

- · Single Cartridges
- · TPR or silicone frame, provides you better leakproofness
- · Durable elastic band
- · Adjustable headband, more comfortable for users
- · Excellent sealing and easy exhaling
- · With different filter, can be used in different working environment



CE

- · Double Cartridges, provides longer service time
- TPR frame, provides you better leakproofness
- Durable elastic band
- · Adjustable headband, more comfortable for users
- · Excellent sealing and easy exhaling
- · With different filter, can be used in different working environment



- · Double Cartridges, provides longer service time
- TPR or silicone frame, provides you better leakproofness
- · Durable elastic band
- · Adjustable headband, more comfortable for users
- · Excellent sealing and easy exhaling
- · With different filter, can be used in different working environment



€

- · Double Cartridges, provides longer service time
- Natural silicone frame, provides you better leakproofness
- · Durable elastic band
- · Adjustable headband,more comfortable for users
- · Excellent sealing and easy exhaling
- · With different filter, can be used in different working environment

Activated carbon filter

- CE ABS shell
 - · 3#, 6# or 7# activated carbon: 40g
 - · Melt blown nonwoven and filter cotton on both sides
 - · Instruction and warning sticker outside

Filter Type	For Use Against	Colour Code
3	organic gas	Yellow
4	NH3 sulfnreted hudrogen	Gray
6	HG steam	Black
7	acid gas	Brown



Activated carbon filter



· ABS shell

€

- · 3#, 6# or 7# activated carbon: 60g
- · Instruction and warning sticker outside
- · Must be used with FD-3 or FD-4 mask

047






IEG&FOOT PROTECTION

Respirator

Activated carbon filter







· ABS shell

CE

- · 3#, 6# or 7# activated carbon: 75g
- \cdot Melt blown nonwoven and filter cotton on both sides
- Instruction and warning sticker outside
- Must be used with FD-3 or FD-4 mask

Dust cotton filter



CE



- · Unique shell design, provides protection against liquid splash
- · Light weight, more comfortable for using
- Special air duct design, 360°air intake
- · With efficient electrostatic filter cotton inside, filter most kinds of particulate matter
- · Must be used with FD-3 or FD-4 respirator

Classical dust filter CE

- · Large area contact with air, easy to breathe
- · Light weight, more comfortable for using
- · Professional dust proof design, efficiently filter dust and haze
- · With efficient electrostatic filter cotton inside, filter most kinds of particulate matter
- · Must be used with FD-3 or FD-4 respirator











IEG&FOOT PROTECTION

Earmuffs



- · New ABS material for shell and head hoop
- · Easy slide cup adjustment
- High quality sponges in the shell
 NRR 20DB SNR 22DB











- · Easy slide cup adjustment
- High quality sponges in the shell
 NRR 22DB SNR 24.4DB





€

- · New ABS materialfor shell and head hoop
- · Easy slide cup adjustment
- · High quality spone in the shell
- · NRR 28DB SNR 33DB







- · New ABS material for shell and head hoop
- · Easy slide cup adjustment
- High quality sponges in the shell
 NRR 25DB SNR 27DB







① Place the ear muff on the outside of the ear 2 Adjust the headband length up and down
3 Ear pads should be close to the head





Earmuffs





- · New ABS material for shell and head hoop
- · Easy slide cup adjustment
- High quality sponges in the shell
 NRR 28DB SNR 33DB



① Place the ear muff on the outside of the ear ② Adjust the headband length up and down ③ Ear pads should be close to the head



























HEAD PROTECTION EYE&FACE PROTECTION RESPIRATORY PROTECTION **HEARING PROTECTION** HAND PROTECTION 053

- · New ABS material for shell
- · Easy slide cup adjustment
- · High quality sponges in the shell
- · It can be used for safety helmet
- NRR 25DB SNR 27DB







① Place the ear muff on the outside of the ear ② Adjust the headband length up and down ③ Ear pads should be close to the head











Earmuffs



- · New ABS material for shell and head hoop
- · Easy slide cup adjustment
- High quality sponges in the shell
 NRR 23DB SNR 25DB



① Place the ear muff on the outside of the ear ② Adjust the headband length up and down ③ Ear pads should be close to the head







- · New ABS material for shell
- · Easy slide cup adjustment
- · High quality sponges in the shell
- · It can be used for safety helmet
- NRR 23DB SNR 26DB







① Place the ear muff on the outside of the ear ② Adjust the headband length up and down ③ Ear pads should be close to the head





()





IEG&FOOT PROTECTION

Earmuffs



- · Reinforced POM headband and ABS cups
- · Soft padded head cushion
- · Soft foam earcup cushions
- · Internal acoustic foam pad
- · Universal size for most users
- · SNR: 27dB
- · Achieved CE EN352-1 & UKCA certificates



- · Reinforced ABS headband
- · Soft foam earcup cushions
- · Internal acoustic foam pad
- · Self-aligning PP earcups
- · Universal size for most users
- · SNR: 23dB
- · Achieved CE EN352-1 & UKCA certificates



- · Durable steel headband
- · Comfortable padded headband
- · Soft foam earcup cushions
- · Internal acoustic foam pad
- · Self-aligning ABS earcups
- · Universal size for most users
- · SNR: 29dB
- Achieved CE EN352-1 & UKCA certificates



- · Reinforced POM headband and ABS cups
- · Soft padded head cushion
- · Soft foam earcup cushions
- · Internal acoustic foam pad
- · Universal size for most users
- · SNR: 27dB
- · Achieved CE EN352-1 certificate



- · Reinforced POM headband and ABS cups
- · Soft padded head cushion
- · Soft foam earcup cushions
- · Internal acoustic foam pad
- · Universal size for most users
- · SNR: 27dB
- · Reach CE EN352-1 standard



- · Durable steel headband
- · Soft foam earcup cushions
- · Internal acoustic foam pad
- · Self-aligning ABS earcups
- · Universal size for most users
- · Can be used with helmets
- · SNR: 27dB
- · Reach CE EN352-1 standard

CE



- · Durable steel headband
- · An unique combination with helmet
- · Soft foam earcup cushions
- · Internal acoustic foam pad
- · Self-aligning ABS earcups
- · Universal size for most users
- · SNR: 23dB
- · Achieved CE EN352-1 & UKCA certificates



- · Durable ABS and steel headband
- · Foldable design, more convenient for users
- · Internal acoustic foam pad
- · Self-aligning ABS earcups
- · Universal size for most users
- SNR: 29dB
- · Achieved CE EN352-1 & UKCA certificates

IEG&FOOT PROTECTION

Earmuffs

CE

· Durable steel headband

- · An unique combination with helmet and face shield
- Soft foam earcup cushions
- · Internal acoustic foam pad
- · Self-aligning ABS earcups
- · Universal size for most users
- · SNR: 25dB
- Achieved CE EN352-3 & UKCA certificates



CE

CE

((

· Durable steel and PVC headband

- · Comfortable padded headband
- · Soft foam earcup cushions
- · Internal acoustic foam pad
- · Self-aligning ABS earcups
- · Universal size for most users
- · SNR: 29dB
- · Achieved CE EN352-1 & UKCA

()

- · Durable POM headband
- · Comfortable EVA padded headband
- Soft foam earcup cushions
- Internal acoustic foam pad
- Self-aligning ABS earcups
- · Universal size for most users
- · SNR: 29dB
- · Comply with CE EN352-1 standard



· Durable steel headband

- · Comfortable padded headband
- · Soft foam earcup cushions
- · Internal acoustic foam pad
- · Self-aligning ABS earcups
- · Universal size for most users
- · SNR: 29dB
- · Achieved CE EN352-1 & UKCA

((

- · Durable POM headband
- · An unique combination with helmet and face shield
- · Soft foam earcup cushions
- · Internal acoustic foam pad
- · Self-aligning ABS earcups
- · Universal size for most users
- · SNR: 23dB
- · Comply with CE EN352-3 standard



- · Durable ABS and steel headband
- · Foldable design, more convenient for users
- · Internal acoustic foam pad
- · Self-aligning ABS earcups
- · Universal size for most users
- · SNR: 29dB
- · Achieved CE EN352-1 & UKCA







REFLECTION PROTECTION

IEG&FOOT PROTECTION

Earplugs

- ① Rub Fine the earplug with clean and dry hand.
- ② Another hand raised the upper part of the ear, then put the rub fine earplug into the ear canal.
- ③ Hand-held earplugs hold for 30-40 seconds. Until the entire earplugs fully rebound
- (Remove earplugs: For comfortable pluck earplugs, please rotate. Pulling out the earplugs)

Notice: Do not plug the ear plug directly into the ear canal, that is no sound insulation effect


Bullet type earplug

()

- · Polyurethane foam material
- · Bullet shape
- · Polyurethane foam material
- Bullet shape with string
- SNR 33DB



Ear plug



- · Bullet shape
- · Polyurethane foam material
- · Bell shape with string
- SNR 33DB

P



- ① Fingers hold the stem part of the earplugs.Another hand raised the upper part of the ear, then put the earplug into the ear canal.
- ② Round head part of the ear plugs into the ear, stem part on the outside of the ear.
- ③ Earplugs correct wear position.
- (Remove earplugs: For comfortable pluck earplugs, please rotate. Pulling out the earplugs)

Notice: Do not plug the ear plug directly into the ear canal, that is no sound insulation effect

Mushroom type earplug



- · Silicon material
- · Mushroom shape
- · Silicon material
- Mushroom shape with string
- · SNR 29DB

T

Christma stree type earplug

- CE
 - · Silicon material
 - · Christmas tree shape
 - · Silicon material
 - · Christmas tree shape with string
 - · SNR 29DB
















Earplugs



- · Unique triple flange design
- · Material: Natural silicone or TPR • With or without cord
- · SNR: 27dB
- · Achieved CE EN352-2 & UKCA certificates



- · Unique triple flange design
- · Material: Natural silicone or TPR
- · With or without cord
- SNR: 27dB
- · Achieved CE EN352-2 & UKCA



- · Unique four-layer design
- · Material: Natural silicone or TPR
- · With or without cord
- · SNR: 27dB
- · Reach CE EN352-2 standard























- · Unique four-layer design
- · Material: Natural silicone or TPR
- · With or without cord
- · SNR: 27dB
- · Reach CE EN352-2 standard



- · The very soft polyurethane foam



- · The very soft polyurethane foam
- · Size: 13×18mm
- · Rebound time: 30second
- · With or without cord · SNR: 32 dB
- · Reach CE EN352-2 standard

- ((
 - · ABS head band
 - · Natural silicone earplugs
 - · SNR: 27dB
 - · Achieved CE EN352-2 & UKCA



- · ABS head band · PU foam earplugs · SNR: 23dB
- · Achieved CE EN352-2 & UKCA



· HDPE head band · PU foam earplugs · SNR: 20dB








Q



HEAD PROTECTION EYE&FACE PROTECTION **RESPIRATORY PROTECTION HEARING PROTECTION** HAND PROTECTION 063



- · SNR: 36 dB
- · Achieved CE EN352-2 & UKCA











D











IEG&FOOT PROTECTION

Mechanical Gloves



- · PU palm is washable and durable, retaining perfect tactility & softness
- Stretch-spandex back offers exceptionally dexterity
 Dual shirred elastic wrist for great fit
- Elastic band cuff and Velcro adjustment ensure firm fitting
- · Size:S-XXI
- Best Uses: Assembly, Electrician, Equip & operation Gardening, Handtools, Machinists, DIY, Plumbing



- PU palm is washable and durable, retaining perfect tactility & softness
 3D Mesh fabric wicks sweat while allowing maximum airflow
 Elastic band cuff and Velcro adjustment ensure firm fitting
- Size:S-XXL

 Best Uses: Assembly, Electrician, Equip & operation Gardening, Handtools, Machinists, DIY, Plumbing



- · Synthetic leather palm with high abrasion resistance level combines with
- breathable,durable&washable performance. Double sewing lines make it stronger. Water repelling Neoprene back tough but flexible and durable with excellent water performance levels
- Elastic band cuff and Velcro adjustment ensure firm fitting
- · Size:S-XXL
- Best Uses: Cold weather, Sailing, Fishing



Synthetic leather palm with high abrasion resistance level combines with breathable,durable&washable performance.
Stretch-spandex back offers exceptionally dexterity
Shirred elastic back for snug fit

Size: S-XXL

tools, Camping, DIY

Best Uses:Assembly, Electrician, Hand tools, Impact tools, Machinists, Vibrating tools, Camping , DIY



- Synthetic leather palm with high abrasion resistance level combines with breathable,durable&washable performance.
- 3D Mesh fabric wicks sweat while allowing maximum airflow
- · Flexible Neoprene knuckle design makes you comfortable
- Shirred elastic wrist is comfortable and form fitting
- · Size: S-XXL

065

Best Uses:Assembly, Electrician, Hand tools, Impact tools, Machinists, Vibrating tools, Camping , DIY



Synthetic leather palm with high abrasion resistance level combines with breathable, durable&washable performance.
Stretch-spandex back offers exceptionally dexterity
Shirred elastic back for snug fit
Elastic band cuff and Velcro adjustment ensure firm fitting
Size:S-XXL
Best Uses:Assembly, Electrician, Hand tools, Impact tools, Machinists, Vibrating



- Synthetic leather palm with high abrasion resistance level combines with breathable,durable&washable performance.
- · 3D Mesh fabric wicks sweat while allowing maximum airflow
- · PU patch on palm & fingers strengthen it's slip resistance
- Elastic band cuff and Velcro adjustment ensure firm fitting, pair connecting clip
 Size:S-XXI
- Best Uses: Assembly, Electrician, Hand tools, Impact tools, Machinists, Vibrating tools, Camping, DIY



- Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance.
- Pre-curve fingers for great fit and grip

 Breathable Foam padding palm softens the use if tools with good performance of anti-vibration

- Flexible Neoprene knuckle and cuff design makes you comfortable
 Velcro adjustment for great fit
- Size:S-XXL
- Best Uses: Assembly , Carpentry, Driver/Delivery, Forestry, Rigging, Extrication/Search & Rescue, DIY



- Synthetic leather palm with high abrasion resistance level combines with
- breathable, durable & washable performance.
- PVC patch strengthens durab [hity as well as slip resistance performance
 TPU on knuckle and fingers is perfect for heavy duty tasks with superior performance of collision
- errormance of collis
 resistance
- Fashion designed adjustment offers extra protection against tough environment • Size:S-XXL

· Best Uses: Assembly, Demolition, Impact tools, Sheet metal, Glass industry.

((



- Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance.
- Neoprene padding on palm softens use of tools with excellent vibration resistance
 Pre-curve fingers for great fit and grip
- · Foam padding knuckle abates abrasion and slight shock in task
- · Two layers stretch-spandex back offers exceptionally dexterity
- Fashion designed PVC adjustment offers extra protection against tough environment
 Size:S-XXL
- · Best Uses: Hand tools, Power tools, Vibrating tools



- Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance.
- · Silicone on full palm for exceptionally grip and slip resistance
- Pre-curve fingers for great fit and grip
- · Flexible Neoprene knuckle design makes you comfortable
- · Velcro adjustment for great fit
- · Size:S-XXL
- Best Uses: Assembly , Carpentry, Driver/Delivery, Forestry, Rigging, Extrication/Search & Rescue, DIY



- Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance.
- \cdot Foam padding knuckle abates abrasion and slight shock in task
- Flexible Neoprene knuckle designed for impact protection
- \cdot Two layers stretch-spandex back offers exceptionally dexterity
- · Velcro adjustment for great fit
- Size:S-XXL
- · Best Uses: Forestry, Hand tools, Masonry, DIY



IEG&FOOT PROTECTION

Mechanical Gloves



- · EVA padding anti-vibration Synthetic leather glove
- · Pre-curve fingers for great fit and grip
- · Textured PVC patch strengthens durability as well as slip resistance performance
- Velcro adjustment for great fit
- Size:S-XXL
- · Best Uses: Assembly, Demolition, Impact tools, Sheet metal, Glass industry.



· Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance.

- Flexible Neoprene knuckle designed for impact protection · Two layers stretch-spandex back offers exceptionally dexterity
- · Velcro adjustment for great fit
- Size:S-XXI

CE

· Best Uses: Forestry, Hand tools, Masonry, DIY



- · Synthetic leather palm with high abrasion resistance level combines with
- breathable,durable&washable performance. Double sewing lines make it stronger · Water repelling Neoprene back tough but flexible and durable with excellent water performance levels
- Elastic band cuff and Velcro adjustment ensure firm fitting
- Size S-XXI





· Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance. · Camouflage Two layers stretch-spandex back offers exceptionally dexterity

· Velcro adjustment for great fit

Size:S-XXI

· Best Uses: Forestry, Hunting, Fishing, Lumbering, DIY



- · PU palm is washable and durable ,retaining perfect tactility & softness Stretch-spandex back offers exceptionally dexterity
- · Shirred elastic back for snug fit
- · Size:S-XXL
- · Best Uses: Assembly, Electrician, Equip & operation Gardening, Handtools, Machinists, DIY, Plumbing



Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance. Two layers stretch-spandex back offers exceptionally dexterity · Conductive fiber on fingers tips is perfect for operate touch screen, mobile phone, ipad · Velcro adjustment for great fit Size: S-XXL

· Best Uses: Electronic equipment control, DIY



- · Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance.
- · Two layers stretch-spandex back offers exceptionally dexterity
- Textured PVC patch strengthens durability as well as slip resistance performance · Reflectible fabric back ensure safety in dark environment
- · Velcro adjustment for great fit
- Size: S-XXL
- · Best Uses: Mowing, Branch cleaning, Picking, Scarification, Planting, Pruning, Gardening, Logging



- · Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance.
- · Two layers stretch-spandex back offers exceptionally dexterity
- · Extended cuff for more protection
- · Size: S-XXI
- · Best Uses: Hand tools , Power tools , Vibrating tools



- Synthetic leather palm with high abrasion resistance level combines with
- breathable, durable & washable performance.
- Two layers stretch-spandex back offers exceptionally dexterity
- · Silicone on palm for exceptionally grip and slip resistance
- · Flexible Neoprene knuckle designed for impact protection
- · Velcro adjustment for great fit
- Size: S-XXI
- · Best Uses: Hand tools , Power tools, Vibrating tools

CE



- · Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance.
- · Two layers stretch-spandex back offers exceptionally dexterity
- Reflectible fabric on back ensure safety in dark environment
- · Velcro adjustment for great fit
- Size: S-XXL

Best Uses: Mowing, Branch cleaning, Picking, Scarification, Planting, Pruning, Gardening, Logging



- Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance.
- Two layers stretch-spandex back offers exceptionally dexterity
- · Flexible Neoprene knuckle designed for impact protection
- · Extended cuff for more protection
- · Size: S-XXI

CE

Best Uses: Hand tools, Power tools, Vibrating tools



- Cow leather palm provides hands maximum comfort for great excellent grip
- Textured PVC patch strengthens durability as well as slip resistance performance
- · Two layers stretch-spandex back offers exceptionally dexterity · Elastic band cuff and Velcro adjustment for great fit
- · Size:S-XXL
- Best Uses: Assembly, Equip & operation, Forestry, Hand tools, Machinists, DIY, Plumbing



IEG&FOOT PROTECTION

Mechanical Gloves



- Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance. Double sewing lines make it stronger.
- · Two layers stretch-spandex back offers exceptionally dexterity
- TPU on knuckle is perfect for heavy duty task with superior performance of collision resistance
- · Velcro adjustment for great fit
- Size:S-XXL

 \cdot Best Uses: Assembly , Demolition , Impact tools , Sheet metal , Glass industry



Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance.

- Two layers stretch-spandex back offers exceptionally dexterity
- Velcro adjustment for great fit
 Size:S-XXL
- · Best Uses: Forestry, Hand tools, Masonry, DIY



Goat leather palm provides hands maximum comfort for great excellent grip
 Two layers stretch-spandex back offers exceptionally dexterity

- · Elastic band cuff and Velcro adjustment for great fit
- Size:S-XXL

- Best Uses: Assembly, Equip & operation, Forestry, Hand tools, Machinists, DIY, Plumbing



- Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance.
- Two layers stretch-spandex back offers exceptionally dexterity
- I wo layers stretch-spandex back offers exceptionally dexti
 Velcro adjustment for great fit
- Size:S-XXI
- Best Uses: Forestry, Hand tools, Masonry, DIY



Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance.
Two layers stretch-spandex back offers exceptionally dexterity
Shirred elastic back for snug fit

Size: S-XXL

Best Uses: Mowing, Branch cleaning, Picking, Scarification, Planting, Pruning, Gardening, Logging



- Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance.
- Two layers stretch-spandex back offers exceptionally dexterity
- Flexible Neoprene knuckle designed for impact protection
- · Velcro adjustment for great fit
- · Size: S-XXL
- \cdot Best Uses: Assembly, Demolition, Impact tools, Sheet metal, Glass industry.



 Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance.

- Two layers stretch-spandex back offers exceptionally dexterity
- Textured PVC patch strengthens durability as well as slip resistance performance
 TPU on knuckle and fingers is perfect for heavy duty task with superior performance of collision resistance

Shirred elastic back for snug fit

· Size:S-XXL

· Best Uses: Assembly, Equip & operation, Forestry, Hand tools, Machinists, DIY, Plumbing



 Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance.

- Two layers stretch-spandex back offers exceptionally dexterity
- · Velcro adjustment for great fit
- Size: S-XXL

Best Uses: Mowing, Branch cleaning, Picking, Scarification, Planting, Pruning, Gardening, Logging



- Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance.
- Two layers stretch-spandex back offers exceptionally dexterity
- Flexible Neoprene knuckle designed for impact protection
- Velcro adjustment for great fit
- Size:S-XXL
- Best Uses: Assembly, Equip & operation, Forestry, Hand tools, Machinists, DIY, Plumbing



- Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance.
- · Two layers stretch-spandex back offers exceptionally dexterity
- · Silicone on finger tips for exceptionally grip and slip resistance
- Flexible Neoprene knuckle designed for impact protection
- · Velcro adjustment for great fit
- Size: S-XXL
- · Best Uses: Hand tools , Power tools , Vibrating tools



- Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance.
- 3D Mesh fabric wicks sweat while allowing maximum airflow
- · Velcro adjustment for great fit
- Size:S-XXL
- · Best Uses: Forestry, Hand tools, Masonry, DIY



- Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance.
- · Two layers stretch-spandex back offers exceptionally dexterity
- · Silicone on palm for exceptionally grip and slip resistance
- Flexible Neoprene knuckle designed for impact protection
- · Size: S-XXL
- Best Uses: Mowing, Branch cleaning, Picking, Scarification, Planting, Pruning, Gardening, Logging

IEG&FOOT PROTECTION

Mechanical Gloves



- · Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance.
- 3D Mesh fabric wicks sweat while allowing maximum airflow
- Velcro adjustment for great fit
- Size:S-XXL
- · Best Uses: Forestry, Hand tools, Masonry, DIY



- · Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance.
- · Two layers stretch-spandex back offers exceptionally dexterity
- · Velcro adjustment for great fit
- · Size:S-XXL

CE

Gardening, Logging

· Best Uses: Mowing, Branch cleaning, Picking, Scarification, Planting, Pruning, Gardening, Logging



- · Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance.
- · Two layers stretch-spandex back offers exceptionally dexterity
- · Velcro adjustment for great fit
- Size:S-XXI
- · Best Uses: Mowing, Branch cleaning, Picking, Scarification, Planting, Pruning, Gardening, Logging



· Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance. · Two layers stretch-spandex back offersexceptionally dexterity · Velcro adjustment for great fit · Size S-XXI · Best Uses: Mowing, Branch cleaning, Picking, Scarification, Planting, Pruning, Gardening, Logging



- · Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance.
- · Two layers stretch-spandex back offersexceptionally dexterity
- · Velcro adjustment for great fit
- · Size:S-XXL
- · Best Uses: Mowing, Branch cleaning, Picking, · Scarification, Planting, Pruning, Gardening, Logging



Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance. · Two layers stretch-spandex back offers exceptionally dexterity · Silicone on palm for exceptionally grip and slip resistance · Velcro adjustment for great fit · Size: S-XXL · Best Uses: Mowing, Branch cleaning, Picking, Scarification, Planting, Pruning,



- · Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance.
- · Two layers stretch-spandex back offers exceptionally dexterity
- · Silicone on palm for exceptionally grip and slip resistance
- Shirred elastic back for snug fit
- · Size: S-XXL
- · Best Uses: Mowing, Branch cleaning, Picking, Scarification, Planting, Pruning, Gardening, Logging



- · Synthetic leather palm with high abrasion resistance level combines with
- breathable, durable & washable performance.
- · Two layers stretch-spandex back offers exceptionally dexterity · Velcro adjustment for great fit
- · Reflectible fabric back ensure safety in dark environment
- · Size: S-XXL
- · Best Uses: Mowing, Branch cleaning, Picking, Scarification, Planting, Pruning, Gardening, Logging



- · Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance.
- Two layers stretch-spandex back offers exceptionally dexterity
- TPU on fingers is perfect for heavy duty task with superior performance of collision resistance
- · Velcro adjustment for great fit
- Size: S-XXL
- · Best Uses: Assembly , Demolition , Impact tools , Sheet metal , Glass industry

CE



- Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance.
- · Textured PVC patch strengthens durability as well as slip resistance performance Flexible Neoprene back design makes you comfortable
- · Two layers stretch-spandex cuff offers exceptionally dexterity
- · Wide cuff allows easy on/off and increased range of motion
- · Size:S-XXL
- Best Uses: Assembly, Electrician, Hand tools, Impact tools, Machinists, Vibrating tools, Camping , DIY





- Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance.
- Two layers stretch-spandex back offers exceptionally dexterity
- · TPU on knuckle is perfect for heavy duty task with superior performance of
- collision resistance
- Velcro adjustment for great fit
- Size: S-XXL
- · Best Uses: Assembly , Demolition , Impact tools , Sheet metal , Glass industry



- Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance. Double sewing lines make it stronger.
- · Two layers stretch-spandex back offers exceptionally dexterity
- · Velcro adjustment for great fit
- · Size:S-XXL
- · Best Uses: Forestry, Hand tools, Masonry, DIY

IEG&FOOT PROTECTION

Mechanical Gloves



- · Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance.
- · Two layers stretch-spandex back offers exceptionally dexterity
- · Reflectible fabric on back ensure safety in dark environment, Flexible Neoprene knuckle designed for impact protection
- · Shirred elastic back for snug fit
- · Size: S-XXL
- · Best Uses: Mowing, Branch cleaning, Picking, Scarification, Planting, Pruning, Gardening, Logging



· Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance.

· Two layers stretch-spandex back offers exceptionally dexterity

· Flexible Neoprene knuckle designed for impact protection · Textured PVC patch strengthens durab lity as well as slip resistance performance

· Velcro adjustment for great fit · Size: S-XXL

CE

Best Uses: Assembly, Demolition, Impact tools, Sheet metal, Glass industry.



- · Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance.
- · Two layers stretch-spandex back offers exceptionally dexterity
- Velcro adjustment for great fit
- · Size: S-XXI
- · Best Uses: Assembly, Demolition, Impact tools, Sheet metal, Glass industry.



- Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance.
- Two layers stretch-spandex back offers exceptionally dexterity Textured PVC patch strengthens durability as well as slip resistance performance
- · Flexible Neoprene knuckle designed for impact protection
- · Velcro adjustment for great fit
- · Size:S-XXL
- · Best Uses: Assembly, Equip & operation, Forestry, Hand tools, Machinists, DIY, Plumbina



- Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance.
- · Two layers stretch-spandex back offers exceptionally dexterity
- · Textured PVC patch strengthens durab (hity as well as slip resistance performance · Flexible Neoprene knuckle designed for impact protection · Velcro adjustment for great fit
- Size:S-XXL

· Best Uses: Assembly, Equip & operation, Forestry, Hand tools, Machinists, DIY, Plumbing



- · Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance.
- · Two layers stretch-spandex back offers exceptionally dexterity
- Textured PVC patch strengthens durability as well as slip resistance performance
- · Flexible Neoprene knuckle designed for impact protection
- · Velcro adjustment for great fit
- Size:S-XXI · Best Uses: Assembly, Equip & operation, Forestry, Hand tools, Machinists, DIY, Plumbing



- Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance.
- · Two layers stretch-spandex back offers exceptionally dexterity
- · Textured PVC patch strengthens durability as well as slip resistance performance
- · Flexible Neoprene knuckle designed for impact protection
- · Velcro adjustment for great fit
- Size:S-XXL
- Best Uses: Assembly, Equip & operation, Forestry, Hand tools, Machinists, DIY, Plumbing



- Synthetic leather palm with high abrasion resistance level combines with
- breathable, durable & washable performance.
- · Two layers stretch-spandex back offers exceptionally dexterity
- · Flexible Neoprene knuckle designed for impact protection
- Velcro adjustment for great fit Size:S-XXL
- · Best Uses: Assembly, Equip & operation, Forestry, Hand tools, Machinists, DIY, Plumbing



- · Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance.
- · Two layers stretch-spandex back offers exceptionally dexterity
- Textured PVC patch strengthens durability as well as slip resistance performance Velcro adjustment for great fit
- · Size:S-XXL
- · Best Uses: Assembly, Equip & operation, Forestry, Hand tools, Machinists, DIY, Plumbing

CE



- · Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance.
- Two layers stretch-spandex back offers exceptionally dexterity
- · Flexible Neoprene knuckle designed for impact protection
- · Velcro adjustment for great fit
- Size:S-XXL
- Best Uses: Assembly, Equip & operation, Forestry, Hand tools, Machinists, DIY, Plumbing



- Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance.
- · Two layers stretch-spandex back offers exceptionally dexterity
- Velcro adjustment for great fit
- Size: S-XXI
- Best Uses: Mowing, Branch cleaning, Picking, Scarification, Planting, Pruning, Gardening, Logging



- · Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance.
- Two layers stretch-spandex back offers exceptionally dexterity
- Silicone on palm for exceptionally grip and slip resistance
- Size: S-XXL
- · Best Uses: Mowing, Branch cleaning, Picking, Scarification, Planting, Pruning, Gardening, Logging



IEG&FOOT PROTECTION

Mechanical Gloves



- · Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance.
- · Textured PVC patch strengthens durability as well as slip resistance performance
- · Fingerless design frees the thumb, index and middle finger for control
- · Two layers stretch-spandex back offers exceptionally dexterity
- · Injection molded TPR protection against abrasion and impact
- Size:S-XXL

CE

Best Uses:Assembly, Electrician, Hand tools, Impact tools, Machinists, Vibrating tools, Camping , DIY



· Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance.

- · Textured PVC patch strengthens durability as well as slip resistance performance · Fingerless design frees the thumb, index and middle finger for control
- · Two layers stretch-spandex back offers exceptionally dexterity
- · Injection molded TPR protection against abrasion and impact
- · Size:S-XXL

CE

CE

CE

· Best Uses:Assembly, Electrician, Hand tools, Impact tools, Machinists, Vibrating tools, Camping , DIY



- · Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance.
- Double sewing lines make it stronger.
- Fingerless design frees for control
- · 3D Mesh fabric wicks sweat while allowing maximum airflow
- · Elastic band cuff and Velcro adjustment ensure firm fitting
- · Size:S-XXL

CE

Best Uses: Bicycle racing



- · Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance.
- Textured PVC patch strengthens durability as well as slip resistance performance
- · Fingerless design frees the thumb, index and middle finger for control
- Two layers stretch-spandex back offers exceptionally dexterity
- · Injection molded TPR protection against abrasion and impact
- · Size:S-XXL
- · Best Uses:Assembly, Electrician, Hand tools, Impact tools, Machinists, Vibrating tools, Camping , DIY



· Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance.

Synthetic leather palm with high abrasion resistance level combines with

breathable, durable & washable performance.

Flexible Neoprene knuckle designed for impact protection

· Elastic band cuff and Velcro adjustment ensure firm fitting

Double sewing lines make it stronger.

· Fingerless design frees for control

· Best Uses: Bicycle racing

Size:S-XXI

· Textured PVC patch strengthens durability as well as slip resistance performance · Fingerless design frees the thumb, index and middle finger for control · Two layers stretch-spandex back offers exceptionally dexterity · Injection molded TPR protection against abrasion and impact

Size:S-XXL

Best Uses:Assembly, Electrician, Hand tools, Impact tools, Machinists, Vibrating tools, Camping ,DIY



- · Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance. Double sewing lines make it stronger. · Fingerless design frees for control
- · Elastic band cuff and Velcro adjustment ensure firm fitting
- · Size:S-XXL
- Best Uses: Bicvcle racing

075





· 3D Mesh fabric wicks sweat while allowing maximum airflow · Elastic band cuff and Velcro adjustment ensure firm fitting Size:S-XXL

breathable, durable & washable performance.

Double sewing lines make it stronger.


· Fingerless design frees for control

· Best Uses: Bicycle racing



Synthetic leather palm with high abrasion resistance level combines with

- Synthetic leather palm with high abrasion resistance level combines with
- breathable, durable & washable performance.
- · Two layers stretch-spandex back offers exceptionally dexterity
- · Extra cuff for further protection



· Best Uses: Mowing, Branch cleaning, Picking, Scarification, Planting, Pruning,





CE



- Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance.
- Double sewing lines make it stronger.
- Fingerless design frees for control
- · 3D Mesh fabric wicks sweat while allowing maximum airflow
- · Elastic band cuff and Velcro adjustment ensure firm fitting
- Size:S-XXL
- Best Uses: Bicycle racing



- Synthetic palm with textured pvc patched for extra slip resistance
- Two layers stretch-spandex back offers exceptionally dexterity
- · Long cuff gives arms better protection
- Size:27,30,35,40cm
- · Best Uses: Mowing, Branch cleaning, Picking, Planting, Gardening, Pruning



· Synthetic leather palm with high abrasion resistance level combines with breathable, durable & washable performance.

- Two layers stretch-spandex back offers exceptionally dexterity
- Textured PVC patch strengthens durability as well as slip resistance performance · Extra cuff for further protection
- Size:S-XXL
- · Best Uses: Mowing, Branch cleaning, Picking, Scarification, Planting, Pruning, Gardening, Logging



IEG&FOOT PROTECTION

Leather Gloves



- · Deerskin leather palm provides hands maximum comfort for great excellent grip
- · Pre-curve fingers Stretch-spandex back offers exceptionally dexterity
- · Two layers stretch-spandex back offers exceptionally dexterity
- Flexible Neoprene knuckle design makes you comfortable
- · Elastic band cuff and Velcro adjustment for great fit
- · Size:S-XXL

· Best Uses: Assembly, Equip & operation, Forestry, Hand tools, · Machinists, DIY, Plumbing



- · Goat leather provides excellent grip with extra performance of softness
- · Two layers stretch-spandex back offers exceptionally dexterity
- · Shirred elastic back for snug fit
- · Size: S-XXL
- · Best Uses: Mowing, Branch cleaning, Picking, Scarification, Gardening, Baggage handler, Meadow operation



· Breathable and stretchy Deerskin leather provides hands maximum comfort and excellent grip

- · 3D Mesh fabric wicks sweat while allowing maximum airflow
- Elastic band cuff and velcro adjustment for great fit
- · Flexible Neoprene knuckle designed for impact protection
- Size: S-XXL
- · Best Uses: Mowing, Branch cleaning, Picking, Scarification, Planting, Pruning, Gardening, Logging



· Pig split leather provides excellent grip with extra performance of softness · Two layers stretch-spandex back offers exceptionally dexterity velcro adjustment for great fit

· Size: S-XXL

CE

· Best Uses: Mowing, Branch cleaning, Picking, Scarification, · Gardening, Baggage handler, Meadow operation



- · Cow leather provides excellent grip with extra performance of softness · Two layers stretch-spandex back offers exceptionally dexterity
- · Extra cuff for further protection
- · Size: S-XXL
- · Best Uses: Mowing, Branch cleaning, Picking, Scarification, Gardening, Baggage handler, Meadow operation



- · Cow split leather is exceptionally durable and puncture resistant, protecting hands from hard environment in a wide variety of tasks
- · Two layers Stretch-spandex back offers exceptionally dexterity
- · Cow split leather knuckle for extra protection Classic pattern made by high tech · Shirred elastic back for snug fit · SIZE:S/M/LXUXXL
- · BEST USES: Mowing, Branch cleaning, Piching, Scarification, Planting, Gardening, Baggage handler, Meadow operation



· Breathable and stretchy genuine chromium free pigskin leather connects hands and tools in an healthy and environmental way without sacrificing comfort and excellent grip

- · Two layers Stretch-spandex back offers exceptionally dexterity
- · Classic pattern made by high tech
- · Elastic band cuff Velcro adjustment
- · SIZE:S/M/L/XL/XXL
- BESTUSES:Mowing,Branch cleaning,Picking, Scarification,Planting,Gardening



- · Breathable and stretchy genuine pigskin
- · Leather provides hands maximum comfort and excellenmt grip
- · Two layers stretch-spandex back offers exceptionally dexterity · Classic pattern made by high tech
- · Shirred elastic back for snug fit
- · SIZE:S/M/L/XL/XXL
- · BESTUSES:Mowing,Wartering,picking
- Scarificcation, Planting, Gardening, logging



- · Synthetic leather with high abrasion resistance level combines with breathable, washable performance
- Breathable foam inside soften the use of tools with good performance of antig vibration
- Stretch-spandex back offers Exceptionnally dexterity
- · Classic pattern made by high tech
- Elastic band cuff
- Velcro adjustment
- · SIZE:S/M/L/XL/XXL
- · BEST USES:Weeding,Mowing,Branch cleaning, Picking,pruning

CE



- · Breathable and stretchy genuine pigskin
- · Leather provides hands maximum comfort and excellent grip
- · Two layers Stretch-spandex back offers exceptionally dexterity
- · Classic pattern made by high tech
- Elastic band cuff Velcro adjustment
- · SIZE:S/M/L/XL/XXL

BESTUSES:Mowing,Wartering,picking Scarificcation, Planting, Gardening, logging



- Breathable and stretchygenuine pigskin
- · Leather provides hands maximum comfort and excellent grip
- · Two layers stretch-spandex back offers exceptionally
- · Classic pattern made by high tech
- · Long cuff:give you further protection · SIZE:S/M/L/XL/XXL
- BESTUSES:Branch cleaning,planting,pruning, Gardening



- · Synthetic leather with high abrasion resistance level combines with breathable, durable, washable performance
- Stretch-spandex back offers exceptionally dexterity
- · Classic pattern made by high tech
- · Elastic band cuff
- Velcro adjustment
- · SIZE:S/M/L/XL/XXL
- BESTUSES:Weeding,Mowing,Branch cleaning,picking Gardening,DIY

IEG&FOOT PROTECTION

Leather Gloves



- · Breathable and stretchy cowskin leather provides hands maximum comfort and excellent grip
- · 3D Mesh fabric wicks sweat while allowing maximum airflow
- Shirred elastic back for snug fit
- · Reflectible fabric on knuckle, Nail and back ensure safety in dark environment Size: S-XXL
- · Best Uses: Mowing, Branch cleaning, Picking, Scarification, Planting, Pruning, Gardening, Logging



 Breathable and stretchy Cowskin leather provides hands maximum comfort and excellent grip

- 3D Mesh fabric wicks sweat while allowing maximum airflow
- · Shirred elastic back for snug fit
- Size: S-XXL
- · Best Uses: Mowing, Branch cleaning, Picking, Scarification, Planting, Pruning, Gardening, Logging



- · Breathable and stretchy Goat skin leather provides hands maximum comfort and excellent grip
- · 3D Mesh fabric wicks sweat while allowing maximum airflow
- Shirred elastic back for snug fit
- Size: S-XXI

CE

· Best Uses: Mowing, Branch cleaning, Picking, Scarification, Planting, Pruning, Gardening, Logging



· Breathable and stretchy Goat skin leather provides hands maximum comfort and excellent grip

· 3D Mesh fabric wicks sweat while allowing maximum airflow Shirred elastic back for snug fit

Size: S-XXI

· Best Uses: Mowing, Branch cleaning, Picking, Scarification, Planting, Pruning, Gardening, Logging



- · Breathable and stretchy genuine pingskin
- · Leather Plam provides hands maximum comfort and excellent grip
- · 3D-mesh back offers exceptionally breathable and dexterity
- Pigskin leather knuckle for extra protecrion
- · Shirredelastic back
- · SIZE:S/M/L/SL/XXL
- · BESTUSES:Banggage handler,Construction, Delivery, Landscape/Gardening, Hand tools, Ranching

CE · Breathable and stretchy genuine pigskin

· Leather palm provides hands maximum comfort and excellent grip · Two layers stretch-spandex back offers exceptionally dexterity · Shirred elastic back · SIZE:S/M/L/XL/XXL

· BEST USES:Baggage,handler,Construction, Driver/Delivery,landesap/Gardening, Hand tools,Ranching



- · Breathable and stretchygenuine pingskin
- · Leather Palmprovides hands maximum comfort and excellent grip
- Stretch-spandex back offers exceptionally dexterity
- Elastic band cuff
- · Velcro adjustment SIZE:S/M/L/XM/XXL
- · BESTUSES:Banggage handler,Construction,Driver/Driver/ Delivery, Landscape/Gandening,Hand tools,Ranching
- CE
- · Synthetic leather with high abrasion resistance level combines perfirnabce of b reathable.durability and washable
- · Stretch-spandex back offers exceptionally and washable
- Elastic band cuff
- Velcro adjustment
- · SIZE:S/M/L/XL/XXL
- · BEST USES:Baggage handler,Construction,Driver/Delivery, Landscape/Gardening, Hand Hand tools, Ranching



· Breathable and stretchy genuine Pig suade leather provides hands maximum comfort and excellent grip

- Two layers Stretch-spandex back offers exceptionally dexterity
- · Pig suade on knuckle and back finger for further protection
- · Shirred elastic back for snug fit
- · SIZE·S/M/UXI /XXI
- · BEST USES: Mowing, Branch cleaning, Piching, Scarification, Pla nting, Gardening, Baggage handler, Meadow operation

- Synthetic leather with high abrasion resistance level combines performance of breathable, durability and washable
- Stretch-spandex back offers exceptionally dexterity
- · Elastic band cuff
- · Velcro adjustment
- SLZE:S/M/XL/XXL

CE

- · BESTUSES:Baggage,handler,Construction,driver/drliver,landscap/Gardening, hand tools, Ranching



- Breathable and stretchy genuine Pig suade leather provides hands maximum comfort and excellent grip
- · Two layers Stretch-spandex back offers exceptionally dexterity
- · Shirred elastic back for snug fit
- SIZE:S/M/UXL/XXL
- · BEST USES: Mowing, Branch cleaning, Piching, Scarification, Planting, Gardening, Baggage handler, Meadow operation



- Genuine Pig split leather provides excellent grip with extra performance of softness
- Two layers Stretch-spandex back offers exceptionally dexterity
- · Shirred elastic back for snug fit
- SIZE:S/M/LXL/XXL
- · BEST USES: Mowing, Branch cleaning, Piching, Scarification, Planting, G ardening, Baggage handler, Meadow operation

IEG&FOOT PROTECTION

Leather Gloves



- · Genuine Pig split leather provides excellent grip with extra performance of softness • Two layers Stretch-spandex back offers exceptionally dexterity
- · Shirred elastic back for snug fit
- · SIZE:S/M/LXL/XXL
- · BEST USES: Mowing, Branch cleaning, Piching, Scarification, Planting, Gardening, Baggage handler,Meadow operation



- · Breathable and stretchy genuine Pigskin
- · Leather palm provides hands maximum comfort and excellent grip Shirred elastic back
- SIZE:S/M/UXL/XXL

CE

· BESTUSES:Baggage handler,Construction,Driver/Delivery Landscap/Gardening, Hang tools,Ranching,Welding,Light



Breathable and stretchy genuine Pigskin

- · Leather palm provides hands maximum comfort and excellent grip
- · SIZE:S/M/L/XL/XXL

CE

· BEST USES:Banggage handler,Gonstruction, Driver/Delivery,Landscap/Gardening, Hand Tools, Ranching, Weldimg, light



- Breathable and stretchy genuine Pigskin
- Leather palm provides hands maximum comfort and excellent grip
- · Pigskin leather double palm strengthen abrasion-resistance
- · Shirred elastic back
- · Velcro adjustment
- · SIZE:S/M/UXL/XXL
- · BESTUSES:Baggage handler, Construction, Driver/Delivery, Landscape/Gardening, Hand tools, Ranching, Rigging, Welding, Light



- · Breathable and stretchy genuine Pigskin · Leather palm provides hands maximum comfort and excellent grip
- Shirred elastic back
- · Soft and warm Fleece lining protect you from cold woking environment · SIZE:S/M/UXUXXL
- · BEST USES:Cold Weather,Ranching,Camping



- · Breathable and stretchy genuine pigskin
- · Leather palm provides hands maximum comfort and excellent grip
- · Shirred elastic back · Soft and warm Fleece lining protect you from cold waking environment · SIZE:S/M/UXUXXL
- · BEST USES:Cold Weather,Ranching, Camping



· Leather palm provides hands maximum comfort and excellent grip · Shirred elastic back · Velcro adjustment · SIZE:S/M/UXL/XXL

· BEST USES:Baggage handler,Construction, Driver/Delivery,Landsca/Gardening, Hand tools, Ranching, Welding, light



- Cow split leather glove is exceptionally durable and Puncture resistant protecting hands from hard Environment in a wide variety of tasks
- · Velcro adjustment
- · SIZE:S/M/UXXL
- · BESTUSES:Baggage,handler,Comstruction,Driver/Delivery,Landscap/Ganrdening, Hand tools, Ranching, Rigging, Welding, Light, Mining, Smelting



- · Breathable and stretchy genuine pigskin
- · Leather palm provides hands maximum comfort and excellent grip
- Kevla® lining performancing high tenacity but low heat conductivity provides the best
- protection in flame-resistance and cut-resistance
- Shirred elastic back
- · SIZE:S/M/UXUXXL BEST USES:Assmbly,Baggage handler,Military,Extrication/Search&Rescue,Sheet
- metal, Glass industry

€



- Cow split leather glove is exceptionnally durable and Puncture resistant.protecting hands from hard Environment in a wide varety of tasks
- Shirred elastic back
- · SIZE:S/M/UXUXXL
- BEST USES:Baggage handler,Construction, Driver/Delivery, Landscap/Ggrdening, Hand tools, Ranching, Rigging, Welding, linht, Mining, Smelting



- · Kevla® string glove performancing high tenacity but Low heat comductivity provides the best protection in Flame-resistance and cut-resistance
- · Cow split leather palm is exceptionally durable and Puncture resistant, protecting
- hands from hard Environmentin a wide varety of tasks
- Knit wrist
- SIZE:S/M/UXL/XXL
- BEST USES:Assmbly,Baggage handler,Military, Extrication/Search&Rescue,Sheet metal, Glass industry



- Soft and stretchy genuine Goat leather palm and back provides comfort and dexterity for all day wear
- Genuine Pig split leather cuff provides excellent grip with extra performance of softness Shirred elastic back
- SIZE: S/M/L/XL/XXL
- BEST USES:Welding,Smelting

REFLECTION PROTECTION

IEG&FOOT PROTECTION

Leather Gloves





- · Cow split leather palm is exceptionally durable and puncture resistant, protecting hands from hard environment in a wide variety of tasks
 - · Drill cotton back
 - · Cow split leather knuckle and safety cuff off extra protection
 - · SIZE:S/M/UXUXXL

CE

· BEST USES:Baggage handle,Construction,Driver/Delivery, Landscap/Gardening, Hand tool, Ranching, Mining, Smelting



- · Cow grain leather boasts all day comfort with excellent smoothness and gentleness Drill cotton back
- · Cow grain lwather knuckle and Rubberized safety cufffor extra protection · SIZE:S/M/XL/XXL
- · BEST USES:Baggage handler,Construction Driver/Delivery,Landscap/Gardening, Hand tools, Ranching



· Orill cottom back Cow grain leather knuckle and Rubberized safety cuff for extra

· BEST USES:Baggage handler,Construction, Driver/Delivery, landscap/Gardening,

- · Cow split leather palm is exceptionally durable and puncture resistant, protecting hands from hard environment in a wide variety of tasks
- Strip cotton back
- · Cow split leather double palm strengthen abrasion-resstance and safety
- · Cow split leather knuckle and safety cuff off extra protection
- · SIZE:S/M/UXL/XXL

gentleness

protection

SIZE S/M/UXUXXI

Hand Tools, Ranching

Patched palm for saving cost

· BEST USES:Baggage handle,Construction,Driver/Delivery, Landscap/Gardening, Hand tool,Ranching,Mining,Smelting



· Genuine Cow grain leather palm boasts all day comfort with excellent smoothness and gentleness

· Strp cotton back

· Cow grain leather knuckle and rubberized safety cuff off extra protection · Soft and warm cotton lining protect you from cold woking environment SIZE:S/M/L/XL/XXL

· BEST USES:Cold Weather, Ranching, Camping



- · Cow split leather palm is exceptionally durable And puncture resistant, orotceting hands from Hard environment in a wide variety of tasks · Drill Cottin back
- · Cow split leather kmuckle and rubberized safety Suff for extra protection · Soft and warm cotton lining protect you from cold Working environment
- · SIZE:S/M/UXL/XXL BEST USES:Cold Weather,Ranching,Camping

- · Breathable and stretchy genuine pigskin
- · Leather palm provides hands maximum comfort and excellent grip · Stretch-spandex back
- · Pigskin leather knuckle and rubberized safety cufffor extra protection · SIZE:S/M/L/XUXXL
- · BESTUSES:Banggage handler,Construction,Driver/Delivery,Landscap/Ganrdening, Hand Tools, Ranching



· Breathable and stretchy genuine Pigskin leather palm provides hands maximum comfort and excellent grip

- Drill cotton back
- · Pigskin leather knuckle and rubberized safety cuff for extra protection
- · Soft and warm cotton lining protect you from cold Working environment
- · SIZE:S/M/L/XL/XXL
- BEST USES:Cold Weather,Ranching,Camping



· Cow split leather welding glove is exceptionally durable and puncture resistant, protecting hands from heat and spark

- Two pieces back
- SIZE:13/14/15/16
- · BEST USES:Welding,Smelting

((

CE



- Pig split leather provides excellent grip with extra performance of softness
- Strip cotton back
- · Pig split leather knuckle and safety cuff for extra protection
- SIZE:S/M/UXL/XXL
- · BEST USES:Baggage handle,Construction,Driver/Delivery, Landscap/Gardening, Hand tool, Ranching



- · Cow split leather welding glove is exceptionally durable and puncture resistant, protecting hands from heat and spark
- One piece back
- · SIZE: 13/14/15/16
- BEST USES:Welding,Smelting



IEG&FOOT PROTECTION

Dipping Gloves



- · Nitrile coating on nylon seamless liner shows good levels of mechanical performance
- · Light coating gives improved flexibility and dexterity
- · Nitrile coated for oil and grease resistance
- · SIZE: S/M/L/XL

CE

· BEST USES: Chemical performance, Glass and stoneware work condition, DIY(painting),Used at gas station



· Nitrile coating on nylon seamless liner shows good levels of mechanical performance

- Anti-slip Nitrile flexible and feasible in moist envioenment
- · Nitrile coated for oil and grease resistance
- · SIZE: S/M/L/XL

CE

· BEST USES: Chemical performance, Glass and stoneware work condition, DIY(painting),Used at gas station



- · U3 Nitrile coating on Nylon seamless liner increases comfort level
- · Dark colour combination designed to keep the glove "cleaner" for longer
- · Nitrile coated for oil and grease resistance
- · SIZE: S/M/L/XL
- · BEST USES: Chemical performance. Glass and stoneware work condition, DIY(painting),Used at gas station



· Sandy Nitrile coating on Nylon seamless liner show antislip function · Dark colour combination designed to keep the glove "cleaner" for longer \cdot Nitrile coated for oil and grease resistance

· SIZE: S/M/L/XL

· BEST USES:Chemical performance.Glass and stoneware work condition, DIY(painting),Used at gas station



- · Foam sponge Notrile on seamless Nylon liner provides hands maximum comfort · Very Light, flexible and dexterous coating yet good levels of mechanical
- Nitrile coated for oil and grease resistance
- · BEST USES: Chemical performance, Glass and stoneware work condition, DIY(painting),Used at gas station
- CE
- Super Light micro foam Nitrile on nylon seamless liner provides hands maximum comfort Breathable coating keeps hands cool and dry · SIZE: S/M/L/XL
- · BEST USES: Chemical performance, Glass and stoneware work condition, DIY(painting),Used at gasstation



- · Oil and grease repellant Nitrile coating gives good abrasion and tear-resistance · Anatomical hand shape for a comfortable fit
- Nitrile coated for oil and grease resistance
- · SIZE · S/M/L/XL
- · BEST USES: Chemical performance, Glass and stoneware work condition, DIY(painting),Used at gasstation




- Superior breathable sponge Nitrile coating keeps hands cool and dry · Dark colour combination designed to keep the glove "cleaner" for longer
- · Nitrile coated for oil and grease resistance
- · SIZE: S/M/L/XL
- · BEST USES: Chemical performance, Glass and stoneware work condition, DIY(painting),Used at gasstation



- · Touch Nitrile coating offer good wet and dry grip Anatomically designed hand shape ensures a good fit Good resistance to abrasion,cut,puncture and tear
- · Fully coated and gauntlet stule for added protection
- SIZE: S/M/L/XL
- · BEST USES: Chemical performance, Glass and stoneware work condition, DIY(painting),Used at gasstation,Forestry,Plumbing,Ranching

performance · SIZE: S/M/L/XL



((



- · Unbreathable foam Nitrile coating on Nylon seamless liner shows good levels of mechanical performance
- · Excellent grip in wet or dry conditions
- Nitrile coated for oil and grease resistance
- · SIZE: S/M/L/XL

()

· BEST USES: Chemical performance, Glass and stoneware work condition, DIY(painting),Used at gasstation



- · Touth Nitrile coating on fluorescent 100% brushed cotton liner show good levels of mechanical performance Remains flexible in cold temperature
- · PVC wrist closure for easy on and off
- Knit wrist
- · SIZE· S/M/L/XL/XXL
- BEST USES Chemical performance Glass and stoneware work condition
- DIY(painting),Used at gasstation,Forestry,Plumbing,Ranching



- · Oil and grease repellant Nitrile coating gives good abrasion and tear resistance
- Anatomical hand shape for a comfortable fit
- Nitrile coated for oil and grease resistance
- SIZE: S/M/L/XL
- · BEST USES: Chemical performance, Glass and stoneware work condition, DIY(painting), Used at gasstation, Forestry, Plumbing, Ranching

IEG&FOOT PROTECTION

Leather Gloves



- Tough Nitrile coating and iersev liner provides hands maximum comfort · Anatomically designed hand shape ensures a good fit good resistance to abrasion, cut puncture and tear
- SIZE S/M/L/XL
- · BEST USES: Chemical performance, Glass and stoneware work condition, DIY(painting),Used at gasstation,Forestry,Plumbing,Ranching



- · Light but tough Nitrile coating comfortable to wear for long periods of time · Anatomical hand shape for a close fit
- · Gauntlet styles for added protection
- · SIZE· S/M/I /XI

· BEST USES: Chemical performance, Glass and stoneware work condition, DIY(painting),Used at gasstation,Forestry,Plumbing,Ranching



- Toufh coating of Latex on knitted liner show good levels of mechanical performance · Exxellent grip in wet or dry conditions good resistance to abrasion
- Knit wrist SIZE: S/M/L/XL

CE

· BEST USES:Construction(Drywall),Forestry, Landscap/Gardening,Plumbing, Ranching, DIY (painting)



- · Tough Nitrile coating and jersey liner provides hands maximum comfort · Anatomically designed hand shape ensures a good fit good resistance to abrasion,
- cut,puncture and tear
- · Fully coated styles for added protection
- · SIZE· S/M/L/XI
- · BEST USES: Chemical performance. Glass and stoneware work condition. DIY(painting),Used at gasstation,Forestry,Plumbing,Ranching



· Kevlar string glove performancing high tenacity but low heat comductivity provides the best protection in flame-resistance and cut-resistance · Latex coated for good wet and dry grip and puncture-resistance

Knit wrist

· SIZE:S/M/L/XL

CE

CE

· EST USES:Assmbly,Baggage handler,Military,Extrication/Search&Rescue,Sheet metal.Glass industry



- · Kevlar string glove performancing high tenacity but Low heat comductivity provides the best protection in Flame-resistance and cut-resistance
- Nitril coated for good wet and dry grip and oil and grease resistance Knit wtist · SIZE:S/M/L/XL

· BEST USES:Assmbly,Baggage handler,Military, Extrication/Search&Rescue,Sheet metal.Glass industry

Crinkle coating of Latex on knitted liner for good wet and dry grip · Flat dipping technology keeps the back of the hand well ventilated and cool Knit wrist

SIZE: S/M/L/XL

· BEST USES:Construction(Drywall),Forestry,Landsc ap/Gardening,Plumbing, Ranching, DIY(painting)



- · Latex coating on fluorescent Nylon seamless liner remains flexible in cold temperature
- · Crinkle finish for good wet and dry grip
- · Flat dipping technology keeps the back of the hand well vebtilated and cool Knit wrist
- · SIZE: S/M/L/XL
- BEST USES:Construction(Drywall),Forestry,Landsc ap/Gardening,Plumbing, Ranching, DIY (painting)



· Foam Latex coating on environment friendly bamboo fiber seamless liner provides hands maximum comfort

- · Flat dipping technology keeps the back of the hand well vebtilated and cool Knit wrist
- · SIZE: S/M/L/XL
- · BEST USES:Construction(Drywall),Forestry,Landscap/Gardening, Plumbing, Ranching, DIY(painting)

CE



- · Latex coating on Nvlon seamless liner offer extra grip
- · Dark colour combination designed to keep the glove "cleaner" for longer
- · Good resistance to abrasion
- Knit wrist
- · SIZE: S/M/L/XL
- · BEST USES:Construction(Drywall),Forestry,Landsc ap/Gardening,Plumbing, Ranching, DIY (painting)



- · Foam Latex coating on fluorescent Nylon seamless liner provides hands maximum comfort
- · Breathable coating keeps hands cool and dry
- SIZE S/M/L/XI
- · BEST USES:Construction(Drywall),Forestry,Landscap/Garde ning,Plumbing, Ranching, DIY (painting)



- HPPE string glove for excellent cut-resistance
- · Super fit PU dipped for acid and alkali
- · Knit wrist
- SIZE:S/M/L/XL
- BEST USES: Assmbly, Baggage handler, Military,
- Extrication/Search&Rescue,Sheet metal,Glass industry

IEG&FOOT PROTECTION

Leather Gloves



- \cdot Flexibility and dexterity PU coating on Nylon seamless lining offer good levels of mechanical performance
- · Gauntlet styles for added protection
- · Minimal strikethrough reduces irritation and increases comfort level
- Knit wrist SIZE: S/M/L/XL

CE

- · BEST USES:Gardening,Plumbing,Ranching,Electrical performance,DIY(painting), Used at gas station



· Flexibility PU coating on Nylon seamless lining and double dipped fingers offer good levels of mechanical performance Gauntlet styles for added protection · Breathable Nylon lining keeps hands cool and dry

- . Knit wrist
- · SIZE: S/M/L/XL

CE

· BEST USES:Gardening,Plumbing,Ranching,Electrical performance,DIY(painting), Used at gas station



CE



- · White PU coating colored Nylon seamless lining offer more choice of style
- · Gauntlet styles for added protection
- · Breathable Nylon lining keeps hands cool and dry
- Knit wrist
- · SIZE: S/M/L/XL
- · BEST USES:Gardening,Plumbing,Ranching,Electrical performance,DIY(painting), Used at gas station



· Environment friendly PU coating on Nylon seamless liner show good levels of comfortable and healthy

· Gauntlet styles for added protection

Knit wrist

- SIZE: S/M/L/XL
- · BEST USES:Gardening,Plumbing,Ranching,Electrical performance,DIY(painting), Used at gas station



- · PU coating Carbon seamless liner offer best insulation level
- · Gauntlet styles for added protection
- · Excellent grip in wet or dry condititions
- Knit wrist
- · SIZE: S/M/L/XL

089

- · BEST USES:Gardening,Plumbing,Ranching, Electrical performance,DIY(painting), Used at gasstation
- Plumbinf, Ranching, Chemical industry HEAD PROTECTION **EYE&FACE PROTECTION RESPIRATORY PROTECTION HEARING PROTECTION**

· BEST USES:Baggage handler,Construction(Drywall), Forestry,Landscap/Gardening,

· PVC coated glove for protecting from acid and alkali as well as grease

- · String knit with PVC webbing on palm for cut resistant and exceptional grip
- · SIZE:S/M/L/XL
- · BEST USES:Assmbly,Baggage handler,Military, Extrication/Search&Rescue



- Natural TIC glove with black PVC dot coated on both sides for improved grip
- · Diffirent weight for the optimum balance of dexterity and
- durability:550/600/650/700/7509
- · SIZE:S/M/L
- · BEST USES:Delivery,Carpentry,Con struction(Drywall),Forestry, Landscap/Gardening,Ranching



· Long cuff gives arms better protection

Suitable style for Chemical industry

· SIZE:27/30/35/40CM



CE



- · Tough PVC style, long cuff for extra protection
- PVC coated for chemical,grease resistance
- · SIZE:27/30/35/40CM
- · BEST USES:Baggage handler,Construction(Drywall),Forestry,Landscap/Gardening, Plumbinf,Ranching, Chemical industry



- Natural TIC glove with black PVC dot coated on both sides for improved grip
- Diffirent weight for the optimum balance of dexterity and
- durability:550/600/650/700/7509
- · SIZE:S/M/L
- · BEST USES:Delivery,Carpentry,Con struction(Drywall),Forestry, Landscap/Gardening,Ranching



- 100% Nylon glove with PVC dot coated version for improved grip
- SIZE:S/M/L
- · BEST USES:Delivery,Carpentry,Construction (Drywall),Forestry, Landscap/Gardening,Ranching

IEG&FOOT PROTECTION



Leather Gloves



Natural TIC glove in diffirent weight for the optimum balance of dexterity and durability:550/600/650/700/750g
 SIZE:S/M/L

BEST USES:Delivery,Carpentry,Construction (Drywall),Forestry, Landscap/Gardening, Ranching,Traffic Control.Mining



 \cdot Nature reversible Cotton glove show excellent dexterity and flexibility · Perfectly contoured hand shape SIZE:S/M/L

· BEST USES:Baggage handler,Forestry, Landscanp/Gardening,Ranching, Traffic Control

CE

Nylon knitted glove with three ribs&shirred elastic back show excellent dexterity and flexibility
 PVC dot coated version for improved grip

- · SIZE:S/M/L
- BEST USES:Baggage handler,Forestry, Landscanp/Gardening, Ranching,Traffic Control



((

 Canvas glove with knit wrist cuff increase protection
 Black PVC dot coated version for improced grip
 SIZE:S/M/L
 BEST USES:Delivery,Carpentry,Construction(Drywall), Fores try,Landscap/Gardening,Ranching

CE

 Canvas glove with knit wrist cuff increase protection
 Black PVC dot coated version for improced grip
 SIZE:S/M/L • BEST USES:Delivery,Carpentry,Construction(Drywall), Forestry,Landscap/Gardening,Ranching



· Canvas glove with knit wrist cuff remains flexible in high temperature

· SIZE:S/M/L

091

· BEST USES:Delivery,Carpentry,Construction(Drywall),Forestry, Landscap/Gardening, Ranching



· 100% Nylon glove with PVC dot coated version for improved grip

· SIZE:S/M/L

()

BEST USES:Baggage handler,Forestry,Landscanp/ Gardening,Ranching,Traffic Control



HAND PROTECTION

REFLECTION PROTECTION







IEG&FOOT PROTECTION

Vest

EUROPEAN STYLE

EUROPEAN STYLE



REFLECTION PROTECTION

IEG&FOOT PROTECTION

Vest

USA STYLE

USA STYLE





Vest

USA STYLE


USA STYLE



Popular Class 2 Vest

100% Polyester Mesh

- 2 inches Reflective Tapes
- Zipper or hook and loop Front Closure
- Sizes:S-5XL









Vest

USA STYLE

USA STYLE















HEAD PROTECTION EYE&FACE PROTECTION RESPIRATORY PROTECTION HEARING PROTECTION HAND PROTECTION



 100% Polyester Mesh 2 inches Reflective Tapes Zipper Front Closure

Sizes:S-5XL

Enhanced Colorful Vest

೫ № 🚸 🖌 (€



REFLECTION PROTECTION

IEG&FOOT PROTECTION





Vest

AUSTRALIAN STYLE

CE











IEG&FOOT PROTECTION

T-shirt

USA/AFRICA/SOUTH AMERICA STYLE

CANADIAN STYLE







T-shirt

EUROPEAN STYLE





REFLECTION PROTECTION

IEG&FOOT PROTECTION

T-shirt

CANADIAN STYLE

AUSTRALIAN STYLE





Sweatshirt

EUROPEAN STYLE


USA STYLE



REFLECTION PROTECTION

IEG&FOOT PROTECTION

Sweatshirt / Sport



Rain gear / Jacket







IEG&FOOT PROTECTION

Jacket / Pants

USA/CANADIAN STYLE

BASIC STYLE



Basic Safety Pants

- 100% Polyester Oxford
- 2 inches Reflective Tapes
- Sizes S-5XL



















IEG&FOOT PROTECTION



Shirt


BASIC STYLE

BASIC STYLE

A

Premium Shirts

- 100% Polyester or Cotton
- 2 inches Reflective Tapes
- Sizes:S-5XL



.



Fr / Black

FLAME RESISTANCE SERIES


BLACK SERIES



FR Vest 60% Modacrylic / 40% Cotton Blend, 190gsm ATPV: 5.8 cal/cm[±] 2 inch FR Silver Reflective Tape FR Zipper Closure







Left Chest Pocket





FR Sweatshirt

- 60% Modacrylic / 40% Cotton Blend, 380gsm
- ATPV: 18 cal/cm²
- 2 inch FR Silver Reflective Tape
- FR Zipper Closure







Premium Black Jacket

Certified Reflective Tape With Contrasting Color



IEG&FOOT PROTECTION

Coveralls / Overalls / Accessories



ack				
	-	A		


IEG&FOOT PROTECTION



Accessories

BASIC STYLE

BASIC STYLE





Accessories







Hi-Visibility = Reflective Materials + Background Material

Inches Standard Reflective Tapes	3M 8906	HiVis Contrasting Tapes	and the second second
TC Premium Silver Tapes	3M 2925	2 Inches Reflective Tape With Contrasting Color	Polyester Padding
FR Silver Tapes	3M 6910	Plaid Silver Tape	
Reflective PVC Tapes - White ective PVC tapes - Fluorescent Lime	Segmented Tapes	CUSTOMIZE	
	oefficience inhea		

General Class Polyester Soild Polyester Mesh Oxford Polyester Fleece Polyester Keep Warm 3MI THINSULATE"

REFLECTION PROTECTION



Birdeye Polyester

Poly/Cotton






B FR Treated

Cold Absorbent Material



3M Thinsulate Padding

Heated System









TECHNICAL DETAILS

Full front zipper, elasticized waist and cuffs ward off wind and snow.

Sealing strip can keep out water.

Stretch and reinforced panels allow ease of movement with added durability.

















TESTING

Raw materials including fabric, reflective tape, accessories will be tested before production.

The average minimum coefficient of retroreflective for our reflective tape is above 380 cd/(lx·m2). Color and colorfastness of fluorescent fabric can reach standard.

















PURPOSE

TOR
0.70
0.40
0.25



ANSI/ISEA 107 is an American National Standard for High-Visibility Safety Apparel. EN ISO 20471 High Visibility Clothing -- Test Methods and Requirements is an international standard used by European market. Both reach standards of specific performance requirements, including color, retroreflection, physical properties and minimum areas of background, retroreflective materials, as well as the recommended configuration of the materials.



IEG&FOOT PROTECTION

LEG&FOOT PROTECTION

Safety Shoes





Penetration Resistance (Steel or Kevlar)

When workers could step on sharp objects or be struck by sharp objects from above, shoes with steel midsole or Kevlar and thick materials surrounding the foot offer the best protection.At construction worksites, for example, many sharp objects could be in someone's path.A soft-soled shoe might not provide enough protection.



Steel Toe The steel toe in the toe which protects the foot from falling objects or compression. When workers carry heavy materials or work in dynamic environments where many people, machines and vehicles are operating at once, falling and flying objects are common hazards.Protective shoes like steel toe boots can effectively prevent crushing.



Shock Absorption

The sole material makes the safety shoes extremely shock absorbing and comfortable to wear. Every lime you take a step, the sole absorbs the shock that would otherwise propagate in the legs and back. It gives a walking comfort beyond the usual-even on hard surfaces and after many hours on one's feet.




Anti - static

Wit this performance, these shoes have the ability to dissipate on the ground the electrostatic tension accumulated in the body, thus avoiding electric shocks and sparks. In working environments where there is risk of explosions, the need to have such dissipation becomes vital, therefore conductive shoes are used instead of those simply anti static.



Fue Oil Resistant

Oil resistant safety boots refer to safety footwear that are entirely designed not to be damaged by oil. They can perform their intended function when exposed to oil due to oil-resistant elastomers to absorb oil, especially at elevated temperatures.





Heat Resistant Outsole

To reduce the chances of an electrical accident, non-conductive footwear made from leather, rubber or other materials that don't conduct electricity can be worn. In locations where the build-up of static on the body poses a hazard, anti-static or conductive footwear can be used. These options reduce the amount of static that accumulates on the body, preventing static electric sparks.


Lightweight

Lightweight safety boots maximize on their ergonomic construction. That is, they shift excessive pressure off your feet as youstand or move around for hours. Hence, you won't sprain your back, knees, or ankles.









UPPER: Action Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: PU Midsole: PU



UPPER: Action Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: PU Midsole: PU





UPPER: Action Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: PU Midsole: PU



UPPER: Action Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: PU Midsole: PU





UPPER: Action Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: PU Midsole: PU



LEG&FOOT PROTECTION



Safety Shoes

UPPER: Action Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: PU Midsole: PU






UPPER: Action Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: PU Midsole: PU



6

E

UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: PU



UPPER: Full Grain Leather E Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: PU



UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: PU



UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: PU



UPPER: Full Grain Leather E Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: PU



UPPER: Action Leather E Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: PU Midsole: PU





E

UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: PU





REFLECTION PROTECTION

LEG&FOOT PROTECTION



Safety Shoes

UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: PU

E

UPPER: Fly Knotting Nylon Fabric Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: PU Midsole: PU





UPPER: Full Grain Leather 6 Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: PU



UPPER: Microfibre Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: PU Midsole: PU



UPPER: Microfibre Leather E Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: PU Midsole: PU



UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: PU



UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: PU






UPPER: Full Grain Leather E Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: PU











E

LEG&FOOT PROTECTION




UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: PU






Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: PU



6

E

UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: PU




UPPER: Full Grain Leather





UPPER: Full Grain Leather E Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: PU







UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: PU







UPPER: Full Grain Leather E Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: PU



E

UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: PU



E

UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: PU





UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: PU



LEG&FOOT PROTECTION



UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: PU

E

E





Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: PU




UPPER: Fly Knitting Nylon Fabric Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: EVA



UPPER: Fly Knitting Nylon Fabric Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: EVA


UPPER: Full Grain Leather 6 Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: EVA













UPPER: Full Grain Leather 6 Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: EVA



UPPER: Fly Knitting Nylon Fabric E Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: EVA



E


UPPER: Fly Knitting Nylon Fabric Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: EVA



E

UPPER: Fly Knitting Nylon Fabric Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: EVA





REFLECTION PROTECTION

LEG&FOOT PROTECTION



E

E

LEG&FOOT PROTECTION

Safety Shoes

UPPER: Full Grain Leather

Protect toe (Steel or Composite)

Outsole: Rubber Midsole: PU

Antipun cture midsole (Kevlar or Steel Plate)

Size: from 36 to 48


UPPER: Fly Knitting Nylon Fabric Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: EVA

UPPER: Fly Knitting Nylon Fabric Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: EVA





UPPER: Fly Knitting Nylon Fabric Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: EVA



UPPER: Full Grain Leather 6 Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: PU





UPPER: Full Grain Leather E Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: EVA



UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: EVA





UPPER: Full Grain Leather E Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: PU



E

UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: PU



E

UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: PU





LEG&FOOT PROTECTION



UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: PU

E

E





UPPER: Full Grain Leather

Protect toe (Steel or Composite)

Antipun cture midsole (Kevlar or Steel Plate)

Size: from 36 to 48


UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: EVA

UPPER: Full Grain Leather 6 Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: EVA



UPPER: Fly Knitting Nylon Fabric E Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: EVA







UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: EVA



UPPER: KPU 6 Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: EVA



UPPER: Fly Knitting Nylon Fabric E Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: EVA





UPPER: Microfibre Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: EVA





E

UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: EVA



REFLECTION PROTECTION

LEG&FOOT PROTECTION



UPPER: Fly Knitting Nylon Fabric Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: EVA





UPPER: Fly Knitting Nylon Fabric Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: EVA




E

E

E

UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: EVA







UPPER: Microfibre Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: EVA



UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: PU



UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: EVA



UPPER: Full Grain Leather 6 Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: PU



UPPER: Microfibre Leather E Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: EVA



UPPER: Fly Knitting Nylon Fabric Size: from 36 to 48 E Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: EVA



UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: EVA

UPPER: Microfibre Leather E Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: EVA

REFLECTION PROTECTION

E

LEG&FOOT PROTECTION



UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: Rubber

E





Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: EVA



UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: EVA



UPPER: Fly Knitting Nylon Fabric E Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: EVA


UPPER: Fly Knitting Nylon Fabric Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: EVA





UPPER: Fly Knitting Nylon Fabric E Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: EVA







UPPER: Fly Knitting Nylon Fabric E Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: EVA



UPPER: Oxford Cloth E Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: Rubber





E

UPPER: Fly Knitting Nylon Fabric Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: EVA





REFLECTION PROTECTION

LEG&FOOT PROTECTION





UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: EVA



UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: EVA





UPPER: Full Grain Leather 6 Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: PU



UPPER: Full Grain Leather E Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: PU





UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: PU



E

UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: PU





UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: PU



LEG&FOOT PROTECTION



E

E


LEG&FOOT PROTECTION

Safety Shoes

UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: PU

(f)

UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: PU










Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: PU

UPPER: Full Grain Leather

Protect toe (Steel or Composite)

Size: from 36 to 48








UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: PU







Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: PU



UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: PU



€

UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: PU



((

UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: PU



LEG&FOOT PROTECTION

Safety Shoes


UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: EVA Midsole: EVA

E



UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber










UPPER: Full Grain Leather E Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber



UPPER: Full Grain Leather E Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber













REFLECTION PROTECTION

LEG&FOOT PROTECTION






E




UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber










UPPER: Full Grain Leather E Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber





UPPER: Full Grain Leather E Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber











UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber



LEG&FOOT PROTECTION

LEG&FOOT PROTECTION

Safety Shoes

UPPER: Microfibro and Tpu Size: 6 -14 Protect Toe Cap: Steel or Composite toe Protect Insert: Steel plate or Kevlar Lining: Mesh Sole: EVA

E

CE



UPPER: Microfibro and Tpu

Protect Toe Cap: Steel or Composite toe

Protect Insert: Steel plate or Kevlar

Size: 6 -14

Lining: Mesh

Sole: EVA

UPPER: Microfibro and Tpu

Size: 6 -14 Protect Toe Cap: Steel or Composite toe Protect Insert: Steel plate or Kevlar Lining: Mesh Sole: EVA



UPPER: Microfibro and Tpu E Size: 6 -14 Protect Toe Cap: Steel or Composite toe Protect Insert: Steel plate or Kevlar Lining: Mesh Sole: EVA



UPPER: Microfibro and Tpu E Size: 6 -14 Protect Toe Cap: Steel or Composite toe Protect Insert: Steel plate or Kevlar Lining: Mesh

Sole: EVA



UPPER: Microfibro and Tpu Size: 6 -14 E Protect Toe Cap: Steel or Composite toe Protect Insert: Steel plate or Kevlar Lining: Mesh Sole: EVA



E

UPPER: Microfibro and Tpu Size: 6 -14 Protect Toe Cap: Steel or Composite toe Protect Insert: Steel plate or Kevlar Lining: Mesh Sole: EVA





UPPER: Microfibro and Tpu Size: 6 -14 Protect Toe Cap: Steel or Composite toe Protect Insert: Steel plate or Kevlar Lining: Mesh Sole: EVA

REFLECTION PROTECTION

LEG&FOOT PROTECTION



UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: EVA



UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: EVA

UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) E Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: EVA









E













UPPER: Full Grain Leather Size: from 36 to 48 Protect toe (Steel or Composite) E Antipun cture midsole (Kevlar or Steel Plate) Outsole: Rubber Midsole: EVA





UPPER: PVC Color: Black Outsole: PVC



REFLECTION PROTECTION

LEG&FOOT PROTECTION