



































# **Paint Protection Film Catalog**



## Paint Protection Film

Model	Image	Feature	Thickness	Warranty	Warranty Content	Size	Package	Demension
TPH-A13		<b>Substrate: Domestic TPH</b> <b>Glue: LINGGU</b> Self-healing (by heat or hot water) Anti-yellowing Stain Resistant	6.5MIL 165μm	3 years	Yellowing Staining Cracking Blistering Degumming	1.52*15m		Size:162*22*21cm Weight:13.5kg
TPH-K15		<b>Substrate: Domestic TPH</b> <b>Glue: LINGGU</b> Self-healing (by heat or hot water) Anti-yellowing Stain Resistant Hydrophobic	7.5MIL 190μm	3 years	Yellowing Staining Cracking Blistering Degumming	1.52*15m		Size:162*22*21cm Weight:13.5kg
TPH-K18		<b>Substrate: Domestic TPH</b> <b>Glue: LINGGU</b> Self-healing (by heat or hot water) Anti-yellowing Stain Resistant Hydrophobic	8.5MIL 210μm	3 years	Yellowing Staining Cracking Blistering Degumming	1.52*15m		Size:162*22*21cm Weight:13.5kg
TPH-MATTE		<b>Substrate: Covestro TPH</b> <b>Glue: German Henkel</b> Self-healing (by heat or hot water) Anti-yellowing Stain Resistant Hydrophobic	6.5MIL 165μm	3 years	Yellowing Staining Cracking Blistering Degumming	1.52*15M		Size:162*22*21cm Weight:13.5kg
TPH-Gloss Black		<b>Substrate: Black TPH</b> <b>Glue: German Henkel</b> Self-healing (by heat or hot water) Anti-yellowing Stain Resistant Hydrophobic	6.5MIL 165μm	3 years	Yellowing Staining Cracking Blistering Degumming	1.52*15M		Size:162*22*21cm Weight:13.5kg
TPH-Matte Black		<b>Substrate: Black TPH</b> <b>Glue: German Henkel</b> Self-healing (by heat or hot water) Anti-yellowing Stain Resistant Hydrophobic	6.5MIL 165μm	3 years	Yellowing Staining Cracking Blistering Degumming	1.52*15M		Size:162*22*21cm Weight:13.5kg
TPU-FP15		<b>Substrate: Zhongtian</b> <b>Glue: LINGGU</b> *Hydrophilic Self-healing (by heat or hot water) Anti-yellowing Stain Resistant	7.5MIL 190μm	5 years	Yellowing Staining Cracking Blistering Degumming	1.52*15M		Size:162*22*21cm Weight:13.5kg
TPU-FP18		<b>Substrate: Zhongtian</b> <b>Glue: LINGGU</b> *Hydrophilic Self-healing (by heat or hot water) Anti-yellowing Stain Resistant	8.5mil 215μm	5 years	Yellowing Staining Cracking Blistering Degumming	1.52*15M		Size:162*22*21cm Weight:13.5kg







<b>TPU-A3</b>		<b>Substrate: WanHua</b> <b>Glue: LINGGU</b> *Hydrophilic Self-healing (by heat or hot water) Anti-yellowing Stain Resistant	6.5MIL 165µm	5 years	Yellowing Staining Cracking Blistering Degumming	1.52*15M		Size:162*22*21cm Weight:13.5kg
<b>TPU-A5</b>		<b>Substrate: WanHua</b> <b>Glue: LINGGU</b> *Hydrophilic Self-healing (by heat or hot water) Anti-yellowing Stain Resistant	7.5MIL 190µm	5 years	Yellowing Staining Cracking Blistering Degumming	1.52*15M		Size:162*22*21cm Weight:13.5kg
<b>TPU-A8</b>		<b>Substrate: WanHua</b> <b>Glue: LINGGU</b> *Hydrophilic Self-healing (by heat or hot water) Anti-yellowing Stain Resistant	8.5mil 215µm	5 years	Yellowing Staining Cracking Blistering Degumming	1.52*15M		Size:162*22*21cm Weight:13.5kg
<b>TPU-X65</b>		<b>Substrate: Covestro TPU</b> <b>Glue: German Henkel</b> *Hydrophilic Self-healing (by heat or hot water) Anti-yellowing Stain Resistant	6.5MIL 165µm	5 years	Yellowing Staining Cracking Blistering Degumming	1.52*15M		Size:162*22*21cm Weight:13.5kg
<b>TPU-X75</b>		<b>Substrate: Covestro TPU</b> <b>Glue: German Henkel</b> *Hydrophilic Self-healing (by heat or hot water) Anti-yellowing Stain Resistant	7.5MIL 190µm	5 years	Yellowing Staining Cracking Blistering Degumming	1.52*15M		Size:162*22*21cm Weight:13.5kg
<b>TPU-X85</b>		<b>Substrate: Covestro TPU</b> <b>Glue: German Henkel</b> *Hydrophilic Self-healing (by heat or hot water) Anti-yellowing Stain Resistant	8.5mil 215µm	5 years	Yellowing Staining Cracking Blistering Degumming	1.52*15M		Size:162*22*21cm Weight:13.5kg
<b>TPU-S+</b>		<b>Substrate: BASF</b> <b>Glue: Ashland</b> *Super toughness *Hydrophilic Self-healing (by heat or hot water) Anti-yellowing Stain Resistant	6.5MIL 165µm	6 years	Yellowing Staining Cracking Blistering Degumming	1.52*15M		Size:162*22*21cm Weight:13.5kg
<b>TPU-V15</b>		<b>Substrate: BASF</b> <b>Glue: Ashland</b> *Super toughness *Hydrophilic Self-healing (by heat or hot water) Anti-yellowing Stain Resistant	7.5MIL 190µm	6 years	Yellowing Staining Cracking Blistering Degumming	1.52*15M		Size:162*22*21cm Weight:13.5kg
<b>TPU-IPO</b>		<b>Substrate: BASF</b> <b>Glue: Ashland</b> *Super toughness *Hydrophilic Self-healing (by heat or hot water) Anti-yellowing Stain Resistant	8.5mil 215µm	6 years	Yellowing Staining Cracking Blistering Degumming	1.52*15M		Size:162*22*21cm Weight:13.5kg
<b>TPU-V10</b>		<b>Substrate: BASF</b> <b>Glue: Ashland</b> *Super toughness *Hydrophilic Self-healing (by heat or hot water) Anti-yellowing Stain Resistant	10mil 250µm	6 years	Yellowing Staining Cracking Blistering Degumming	1.52*15M		Size:162*22*21cm Weight:13.5kg

TPU-GS15		<b>Substrate: WanHua</b> <b>Glue: LINGGU</b> *High-gloss Finish *Hydrophobic Self-healing (by heat or hot water) Anti-yellowing Stain Resistant	7.5MIL 190µm	5 years	Yellowing Staining Cracking Blistering Degumming	1.52*15M		Size:162*22*21cm Weight:13.5kg
TPU-GS18		<b>Substrate: WanHua</b> <b>Glue: LINGGU</b> *High-gloss Finish *Hydrophobic Self-healing (by heat or hot water) Anti-yellowing Stain Resistant	8.5mil 215µm	5 years	Yellowing Staining Cracking Blistering Degumming	1.52*15M		Size:162*22*21cm Weight:13.5kg
TPU-GS1000		<b>Substrate: WanHua</b> <b>Glue: LINGGU</b> *High-gloss Finish *Hydrophobic Self-healing (by heat or hot water) Anti-yellowing Stain Resistant	9.5MIL 235µm	5 years	Yellowing Staining Cracking Blistering Degumming	1.52*15M		Size:162*22*21cm Weight:13.5kg
TPU-KA130		<b>Substrate: Germany Bayer</b> <b>Glue: Ashland</b> *High-gloss Finish *Super Hydrophobic Self-healing (by heat or hot water) Anti-yellowing Stain Resistant	6.5MIL 165µm	8 years	Yellowing Staining Cracking Blistering Degumming	1.52*15M		Size:162*22*21cm Weight:13.5kg
TPU-KA150		<b>Substrate: Germany Bayer</b> <b>Glue: Ashland</b> *High-gloss Finish *Super Hydrophobic Self-healing (by heat or hot water) Anti-yellowing Stain Resistant	7.5MIL 190µm	8 years	Yellowing Staining Cracking Blistering Degumming	1.52*15M		Size:162*22*21cm Weight:13.5kg
TPU-KA170		<b>Substrate: Germany Bayer</b> <b>Glue: Ashland</b> *High-gloss Finish *Super Hydrophobic Self-healing (by heat or hot water) Anti-yellowing Stain Resistant	8.5mil 215µm	8 years	Yellowing Staining Cracking Blistering Degumming	1.52*15M		Size:162*22*21cm Weight:13.5kg
TPU-GM150		<b>Substrate: Covestro TPU</b> <b>Glue: German Henkel</b> *Instant self-healing without heating *Hydrophilic Anti-yellowing Stain Resistant	7.5MIL 190µm	5 years	Yellowing Staining Cracking Blistering Degumming	1.52*15M		Size:162*22*21cm Weight:13.5kg
TPU-GM170		<b>Substrate: Covestro TPU</b> <b>Glue: German Henkel</b> *Instant self-healing without heating *Hydrophilic Anti-yellowing Stain Resistant	8.5mil 215µm	5 years	Yellowing Staining Cracking Blistering Degumming	1.52*15M		Size:162*22*21cm Weight:13.5kg
TPU-SM15		<b>Substrate:USA BASF</b> <b>Glue: Ashland</b> *Instant self-healing without heating *Super toughness *Hydrophobic Anti-yellowing Stain Resistant	7.5MIL 190µm	6 years	Yellowing Staining Cracking Blistering Degumming	1.52*15M		Size:162*22*21cm Weight:13.5kg
TPU-SM17		<b>Substrate:USA BASF</b> <b>Glue: Ashland</b> *Instant self-healing without heating *Super toughness *Hydrophobic Anti-yellowing Stain Resistant	8.5mil 215µm	6 years	Yellowing Staining Cracking Blistering Degumming	1.52*15M		Size:162*22*21cm Weight:13.5kg




<b>TPU-KM75</b>		<b>Substrate: USA Argotec</b> <b>Glue: Ashland</b> <b>*Super Hydrophobic</b> <b>*Super anti-fouling</b> Self-healing (by heat or hot water) Anti-yellowing Stain Resistant	7.5MIL 190µm	10 years	Yellowing Staining Cracking Blistering Degumming	1.52*15M		Size:162*22*21cm Weight:13.5kg
<b>TPU-KM85</b>		<b>Substrate: USA Argotec</b> <b>Glue: Ashland</b> <b>*Super Hydrophobic</b> <b>*Super anti-fouling</b> Self-healing (by heat or hot water) Anti-yellowing Stain Resistant	8.5mil 215µm	10 years	Yellowing Staining Cracking Blistering Degumming	1.52*15M		Size:162*22*21cm Weight:13.5kg
<b>TPU-SK15</b>		<b>Substrate:USA Lubrizol</b> <b>Glue: Ashland</b> <b>*Hydrophobic</b> Self-healing (by heat or hot water) Anti-yellowing Stain Resistant	7.5MIL 190µm	10 years	Yellowing Staining Cracking Blistering Degumming	1.52*15M		Size:162*22*21cm Weight:13.5kg
<b>TPU-SK17</b>		<b>Substrate:Lubrizol</b> <b>Glue: Ashland</b> <b>*Hydrophobic</b> Self-healing (by heat or hot water) Anti-yellowing Stain Resistant	8.5mil 215µm	10 years	Yellowing Staining Cracking Blistering Degumming	1.52*15M		Size:162*22*21cm Weight:13.5kg
<b>TPU-G1000</b>		<b>Substrate:Lubrizol</b> <b>Glue: Ashland</b> <b>*Hydrophobic</b> Self-healing (by heat or hot water) Anti-yellowing Stain Resistant	10mil 250µm	10 years	Yellowing Staining Cracking Blistering Degumming	1.52*15M		Size:162*22*21cm Weight:13.5kg
<b>TPU-SATIN MATTE</b>		<b>Substrate: BASF</b> <b>Glue: Ashland</b> <b>*Hydrophobic</b> Self-healing (by heat or hot water) Anti-yellowing Stain Resistant	6.5MIL 165µm	6 years	Yellowing Staining Cracking Blistering Degumming	1.52*15M		Size:162*22*21cm Weight:13.5kg
<b>TPU-MATTE</b>		<b>Substrate: Lubrizol</b> <b>Glue: Ashland</b> <b>*Hydrophobic</b> Self-healing (by heat or hot water) Anti-yellowing Stain Resistant	7.5MIL 190µm	8 years	Yellowing Staining Cracking Blistering Degumming	1.52*15M		Size:162*22*21cm Weight:13.5kg
<b>TPU-SATIN MATTE</b>		<b>Substrate: Lubrizol</b> <b>Glue: Ashland</b> <b>*Super hydrophobic</b> Self-healing (by heat or hot water) Anti-yellowing Stain Resistant	7.5MIL 190µm	8 years	Yellowing Staining Cracking Blistering Degumming	1.52*15M		Size:162*22*21cm Weight:13.5kg
<b>TPU-Gloss BLACK</b>		<b>Substrate: BASF</b> <b>Glue: Ashland</b> Hydrophobic Self-healing (by heat or hot water) Anti-yellowing Stain Resistant No fading	7.5MIL 190µm	6 years	Yellowing Staining Cracking Blistering Degumming	1.52*15M		Size:162*22*21cm Weight:13.5kg
<b>TPU-Matte BLACK</b>		<b>Substrate: USA BASF</b> <b>Glue: Ashland</b> Hydrophobic Self-healing (by heat or hot water) Anti-yellowing Stain Resistant No fading	7.5MIL 190µm	6 years	Yellowing Staining Cracking Blistering Degumming	1.52*15M		Size:162*22*21cm Weight:13.5kg















### PPF sunroof protective film

Material	Image	Feature	Color	Vlt	Size	Packag	Specification
<b>TPH</b>		Explosion-proof Hydrophobic	Light Blue	VLT:81% UVR:98% IRR:95%	1.52*15m		Size:156*14*14cm Weight:10kg
<b>TPU</b>		Explosion-proof Hydrophobic	Light Blue	VLT:81% UVR:98% IRR:95%	1.52*15m		Size:156*14*14cm Weight:10kg
<b>TPU</b>		Explosion-proof Hydrophobic	Black	VLT:35% UVR:99% IRR:92%	1.52*15m		Size:156*14*14cm Weight:10kg

## TPH Car headlight lamp film

Material	Image	Feature	Color	Vlt	Size	Packag e	Specification
TPH		Hot Self-healing Scratch resistant Hydrophobic	Transparent	97%	0.3*10m		Size:32*16*16cm Weight:3kg
		Hot Self-healing Scratch resistant Hydrophobic	Dark black	34%	0.3*10m		Size:32*16*16cm Weight:3kg
		Hot Self-healing Scratch resistant Hydrophobic	Dark grey	49%	0.3*10m		Size:32*16*16cm Weight:3kg
		Hot Self-healing Scratch resistant Hydrophobic	Light black	39%	0.3*10m		Size:32*16*16cm Weight:3kg
		Hot Self-healing Scratch resistant Hydrophobic	Brown	54%	0.3*10m		Size:32*16*16cm Weight:3kg
		Hot Self-healing Scratch resistant Hydrophobic	Light Blue	78%	0.3*8m		Size:32*16*16cm Weight:3kg
		Hot Self-healing Scratch resistant Hydrophobic	Golden	38%	0.3*8m		Size:32*16*16cm Weight:3kg
		Hot Self-healing Scratch resistant Hydrophobic	Red	50%	0.3*8m		Size:32*16*16cm Weight:3kg

## TPU Car headlight lamp film

Material	Image	Feature	Color	Vlt	Size	Packag e	Specification
TPU		Hot Self-healing Scratch resistant Hydrophobic	Transparent	97%	0.3*15m		Size:32*16*16cm Weight:3kg
		Hot Self-healing Scratch resistant Hydrophobic	Dark Black	27%	0.3*15m		Size:32*16*16cm Weight:3kg
		Hot Self-healing Scratch resistant Hydrophobic	Smoked black	54%	0.3*15m		Size:32*16*16cm Weight:3kg
		Hot Self-healing Scratch resistant Hydrophobic	Light grey	47%	0.3*15m		Size:32*16*16cm Weight:3kg
		Hot Self-healing Scratch resistant Hydrophobic	Light black	32%	0.3*15m		Size:32*16*16cm Weight:3kg
		Hot Self-healing Scratch resistant Hydrophobic	White to black	82%	0.3*15m		Size:32*16*16cm Weight:3kg
		Hot Self-healing Scratch resistant Hydrophobic	White to purple	83%	0.3*15m		Size:32*16*16cm Weight:3kg

## OEM BRAND CUSTOMIZATION QUANTITY & PRICE

ITEM	OEM BOX OEM盒子	SEALING STICKER 封口贴纸	OPPO BAGS OPPO袋子	METAL LOGO 金属标	QUALITY ASSURANCE CARD 质保卡
MOQ	100 PCS 200 PCS 500 PCS	10000 PCS	About 1000 PCS	1000 PCS	1000 PCS
EXAMPLE IMAGE	