

**Vous l'Imaginez,
Nous le Fabriquons**

Nous Connectons Les Meilleurs Fabricants du monde à Votre Entreprise

Les Nouveautés LED

Août 2025



YOUR SMART **G**LOBAL **P**ROCUREMENT & **S**OURCING PARTNER


Avec plus de 27 ans d'expérience, GPS Monaco Group est votre Allié de Confiance en matière de Sourcing et d'Approvisionnement International.

NOS AVANTAGES



Excellence à Votre Service

Nous nous efforçons constamment de dépasser les attentes de nos clients en leur offrant des solutions et des services de premier ordre.



Approche Sur Mesure

Notre approche centrée sur le client vous fournit des solutions sur mesure pour vos besoins uniques.



Présence Internationale

Depuis nos bureaux à Monaco, France, Suisse, Asie et Arabie Saoudite, nous sécurisons vos achats de l'usine à vos entrepôts.

Plus de
60
Millions
de Produits Importés.

+1700
Usines Auditées.




LIGHT MODE



Five lighting modes, click the switch to switch

XTE high beam - Cobb floodlight - Rainbow breathing cycle - Rainbow gradient flicker - SOS red light flicker



XTE long-range shooting COB floodlight Colorful Breath Colorful flashing SOS flashing

LIFE WATERPROOF



TYPE-C CHARGING

TYPE-C interface multi-mode charging, notebook computer, mobile power supply, charger, car charger



SOLAR CHARGING

Back polycrystalline silicon solar charging panel, enlarged and widened panel
Increase the irradiation area and improve the photoelectric conversion efficiency



- Color temp : 6000K
- 1500lm / IP65 / Type C, fast charge
- Lifetime : 50 000H
- 5 modes
- Working time : 8-180H
- With magnet at the bottom / Battery 3600mah integrated
- Rotating bracket grip / Mountable bracket

Charging display status

Charging time: 5.5 hours
Battery: 2pcs 3.7V 2000mAh 18650 Li-ion battery (included)



One frame shows 25% of the power, full frame is full power



Charging with type-c interface



EASY TO PLACE



1pc strong magnet on the bottom,
1/4 inch hold in the bottom,
180° rotation holder on the back

POWER BANK



Recharge your devices



POWERFUL LIGHT

- IP44 / Ra : 80 / 5V
- Beam angle : 37°
- Lifetime : 50 000H
- Lumens : 1500lm
- CCT 2700K - 6500K
- With magnet
- Charging time : 6h
- Power supply : USB
- 5 modes :



Yellow COB + White COB - 1500lm (2h)
Yellow COB - 750lm (3h)
White COB - 1350lm (2.5h)
High in red
Flash in red



XPE+COB



- 3W / 3.7V 2000mah
- IP44
- Ra : 80 / 4100K
- Lifetime : 50 000H
- USB / USB-C
- 6 work modes / Rechargeable battery
- Lighting period : >12h

Camping stall emergency

Super wide-angle floodlight

Outdoor camping/stall black technology

Brightness is higher

More durable

Strong magnetic attraction

Secure Hook

Seconds change flashlight

Meet the home power outage emergency

Powerful Magnet × 4

Double the magnetic function, more convenient to use

Hide hardware hook

Easy to hang up and use

Four modes

One-key free switching

White light

6500K

Warm light

3000K

Neutral light

5000K

Flashlight spotlight

Red and blue flash

Warning light

- IP65 / 3.7V
- Lifetime : 30 000H
- Weight : 0.5kg
- Lithium battery
- USB charge
- Control with button
- Ra : 80

Know the power at all times

Full of security

Visual LCD digital display, electricity at a glance, to avoid sudden power failure

Upgraded LDT Ultra Wide Spotlight Beads


Upgrade the floodlight tube

Grab food and practice hands to easily illuminate the entire booth



Can charge mobile phone Carry-on avatar charging treasure

Grab food and practice hands to easily illuminate the entire booth



180° angle rotation lighting

Brightness/angle arbitrary adjustment



Same style multicolor optional

Simple atmosphere, color color diversity



New Upgrade

4-layer high-density lithium battery electrolyte

Long battery life leads power multiple protection





- 10W / 20W
- 2700K-6500K
- IP54 / 600LM
- Voltage : DC 5V
- Lifetime : 30 000H
- 4 option mode
- Beam angle : 90°
- Solar panel : PET
- Replaceable battery



- 12W-H40cm / 16W-H40cm
- 3000K-3200K / 6000K-6500K
- IP65
- AC 85-265V
- Ra : 80
- Lifetime : 50 000H



ANTI-GLARE MORE COMFORTABLE

Narrow bezel design

Seamlessly connect the ceiling to achieve the effect of seeing the light but not the light.

01



Optical lens

Good focusing property prevent glare, light transmittance :

02



Integrated all-aluminum radiator

Aluminum material has fast heat dissipation and stable performance, extending lamp life.

03



PRODUCT FEATURES



Healthy eye protection



Longevity and durability



Energy saving



seiko manufacturing

ANTI-GLARE DOWNLIGHT

Ultra-thin lamp body High light efficiency Uniform soft light without glare



- 3000K/4000K/6500K (single color) - 5W/12W
- 600lm (5W) / 1400lm (12W)
- Beam angle : 15°/24°/38°
- Diameter : 82mm (5W) / 100mm (12W)
- IP20 / Ra : 92
- 85-265VAC / 120-277VAC
- Cutout size : D70mm/D90mm
- Lifetime : 50 000H
- CE/CB

Août 2025



THE CHARACTERISTICS OF THE COMMODITY

- 1.45° rotation
- 2.6° Beam angle
- 3. Anti-glare lens
- 4. High heat dissipation system



TOP AND BOTTOM ANGLE ADJUSTMENT



EMBEDDED INSTALLATION




Give a little more light in your life
Not only the protection of physical and mental health
It is a decoration that highlights the taste of life

Black Silver White



- 3000K-4000K-6000K / 6W
- 360lm
- Beam angle : 6°
- IP20 / Ra : 92
- AC220-240V - 50/60Hz
- Lifetime : 50 000H
- Color : White / Black / Silver




The light source is hidden 20mm

DEEP ANTI-GLARE AND HIGH FOCUSING

The deep-hole anti-glare design is soft and non-glare,
and the high-brightness condenser lens creates a comfortable lighting environment for you.



ADJUST 30 ° ON BOTH SIDES
MEET DIFFERENT LIGHTING NEEDS



- 3000K/4000K/6000K CCT
- 3500-4000lm/m
- 40W/m
- Beam angle : 6°
- IP65 / Ra : 90
- DC24V
- Lifetime : 30 000H



LED Batten
120LM/W
No Flicker
















Power:36W/72W
Luminous efficacy:120lm/w@black body
Length:600mm/1200mm
Color: white/black
Material:Aluminum+PC
 3CCT by dip-switch





No Flicker,reducing visual fatigue.
IP20 for indoor use only
110° allows you to illuminate the room mostly.



POWER	VOLTAGE	POWER FACTOR	CCT	Angle	SIZE	WARRANTY
36W	170-265V	0.9	2700-6500K	110°	600*60*45mm	3 years
72W	170-265V	0.9	2700-6500K	110°	1200*60*45mm	3 years





Patrick Bogaerts
Fondateur, CEO

Contact

Téléphone : +33 6 07 93 79 98

Email : Patrick@GPSMonacoGroup.com

Site Web : <https://GPSMonacoGroup.com>